

Trimming with power and convenience.

The grass trimmers from Bosch make lawn care a real pleasure: the lightweight Easytrim fits comfortably in your hand due to the ergonomic handle and perfectly balanced design. The powerful Combtrim with High-Power motor and two spools delivers optimum results for normal grass and more stubborn growth.



Easy trimming

Whether horizontal trimming or vertical edging – the attachable wheels ensure easy use in any position. (ART Combtrim)

90° tilting cutter head


Fast effortless edging, in the direction you are walking. (ART Combtrim)

Versatile with 2 spools

Combtrim models even cut especially stubborn growth such as thistles or under shrubs thanks to the second spool fitted with extra-strong line. (ART Combtrim)

Variable tilt angle

To trim under bushes, simply press the pedal and adjust the cutter head. (ART Combtrim)




Cordless Trimmers
see P. 8

	Combtrim			Easytrim	
	ART 30 Combtrim	ART 26 Combtrim	ART 23 Combtrim	ART 26 Easytrim	ART 23 Easytrim
Motor power	500 W	450 W	400 W	300 W	280 W
Cutting diameter	30 cm	26 cm	23 cm	26 cm	23 cm
Telescopic handle/height adjustment	80–115 cm	80–115 cm	80–115 cm	–	–
Cutting system	Extra-strong line + “Pro-Tap” spool	Extra-strong line + “Pro-Tap” spool	Extra-strong line + “Pro-Tap” spool	“Pro-Tap” spool	“Pro-Tap” spool
“Pro-Tap” spool	1.6 mm x 8 m	1.6 mm x 8 m	1.6 mm x 8 m	1.6 mm x 8 m	1.6 mm x 8 m
Extra-strong line (6 pieces)	6 x dia. 2.4 mm	6 x dia. 2.4 mm	6 x dia. 2.4 mm	–	–
Tilting cutter head	✓	✓	✓	–	–
90° vertical edging	✓	✓	✓	–	–
Plant protector	✓	–	–	–	–
Set of wheels	✓	–	–	–	–
Cable length	12 m	12 m	12 m	10 m	10 m
Weight	3.2 kg	3 kg	2.7 kg	1.7 kg	1.6 kg
Part no.	0 600 878 D70	0 600 878 C70	0 600 878 B70	0 600 878 970	0 600 878 A70
EAN code	3165140.349604	3165140.349536	3165140.349505	3165140.357692	3165140.349437

Accessories Grass Trimmers	Part no.	EAN code	Accessories Grass Trimmers	Part no.	EAN code
Set of wheels for Combtrims	F 016 800 172	3165140.349338	Extra-strong line 23 cm (pack of 10) for ART 23 Combtrim	F 016 800 174	3165140.349352
Plant protector for Combtrims	F 016 800 173	3165140.349345	Automatic tap feed spools (“Pro-Tap”) for Easytrim and Combtrim	F 016 800 175	3165140.349369
Extra-strong line 30 cm (pack of 10) for ART 30 Combtrim	F 016 800 182	3165140.349963	Trimmer line for refilling for Easytrim and Combtrim	F 016 800 176	3165140.349376
Extra-strong line 26 cm (pack of 10) for ART 26 Combtrim	F 016 800 181	3165140.349956	Safety goggles	F 016 800 178	3165140.349390

Quality to suit every hedge.

Whatever height or width of hedge, thickness of the branches or toughness of wood – Bosch have the hedgecutter to suit. The ergonomic design ensures optimum balance and, with quality diamond ground blades as standard, a clean cut.



Hard-wearing push-rod drive (AHS Pro)
Sliding clutch for extremely high torque
High-torque “High-Power” motor

Powerful cutting


With up to 80 Nm of torque and 700-watt “High-Power” motor for unbeatable cutting power. (AHS Pro)

Wide tooth spacing



The tooth spacing of the AHS Pro cuts even the thickest branches up to 34 mm in diameter.

Laser-cut and diamond ground

Optimum cutting results thanks to the hardened cutting edges and the precision diamond grinding.



700 W High Power



Cordless Hedgecutters
see P. 9

Pro

Power



	AHS 7000 Pro-T	AHS 6000 Pro-T	AHS 600-24 ST	AHS 550-24 ST	AHS 480-24 T
Blade length	700 mm	600 mm	600 mm	550 mm	480 mm
Motor power	700 W	700 W	600 W	600 W	550 W
Tooth spacing	34 mm	34 mm	24 mm	24 mm	24 mm
Slipping clutch torque	80 Nm	80 Nm	50 Nm	50 Nm	50 Nm
No-load stroke rate	3000 rpm	3000 rpm	2800 rpm	2800 rpm	2800 rpm
Collecto	Accessory	Accessory	Accessory	Accessory	Accessory
Cable length	12 m	12 m	12 m	12 m	12 m
Weight	4.4 kg	4.3 kg	4.2 kg	4 kg	3.9 kg
Part no.	0 600 848 B70	0 600 848 A70	0 600 848 370	0 600 848 270	0 600 848 170
EAN code	3165140.399661	3165140.399623	3165140.399548	3165140.399500	3165140.399463

Accessories	Part no.	EAN code
Protective blade cover for AHS 7000 Pro-T	2 605 411 158	3165140.247450
Protective blade cover for AHS 6000 Pro-T	2 605 411 208	3165140.328432
Protective blade cover for AHS 600-24 ST, AHS 550-24 ST	2 605 411 208	3165140.328432
Protective blade cover for AHS 480-24 T, AHS 400-24 T	2 605 411 160	3165140.247474

Accessories	Part no.	EAN code
Collecto 70 for AHS 7000 Pro-T, AHS 650-24 ST	2 608 005 113	3165140.328203
Collecto 60 for AHS 6000 Pro-T, AHS 600-24 ST/550-24 ST	2 608 005 115	3165140.328227
Collecto 50 for AHS 480-24 T	2 608 005 114	3165140.328210
Clippings sheet	F 016 800 055	3165140.247443
Lubricant spray 250 ml	1 609 200 399	3165140.005029
Safety goggles	F 016 800 178	3165140.349390
Gloves	2 607 000 134	3165140.017954



AHS 63-16 C



Lightweight and ergonomic for convenient working in any position

Vibration free, smooth running

Practical Collecto for clearing hedge clippings

"High-Power" motor with up to 420 watts

Diamond-ground, steel blade set



Advanced handle ergonomics

Optimum balance and ergonomics for smooth working in any position.

The Collecto from Bosch

The practical Collecto collects the hedge clippings with every sweep, making clearing up a quicker task.

Comfort



	AHS 63-16 C	AHS 52-16	AHS 48-16	AHS 42-16	AHS 4-16
Blade length	630 mm	520 mm	480 mm	420 mm	420 mm
Motor power	420 W	420 W	420 W	420 W	390 W
Tooth spacing	16 mm	16 mm	16 mm	16 mm	16 mm
No-load stroke rate	3200 rpm	3200 rpm	3200 rpm	3200 rpm	3200 rpm
Collecto	✓	Accessory	Accessory	Accessory	Accessory
Cable length	12 m	12 m	12 m	12 m	6 m
Weight	3.2 kg	3.1 kg	3.0 kg	2.9 kg	2.9 kg
Part no.	0 600 847 542	0 600 847 442	0 600 847 242	0 600 847 142	0 600 847 042
EAN code	3165140.324694	3165140.324625	3165140.324618	3165140.324540	3165140.324533

Accessories	Part no.	EAN code
Protective blade cover for AHS 63-16 C	F 016 800 168	3165140.328265
Protective blade cover for AHS 52-16 C	F 016 800 167	3165140.328258
Protective blade cover for AHS 48-16	F 016 800 166	3165140.328241
Protective blade cover for AHS 42-16/4-16	F 016 800 165	3165140.328234
Collecto 70 for AHS 63-16 C	2 608 005 113	3165140.328203
Collecto 50 for AHS 52-16/48-16	2 608 005 114	3165140.328210
Collecto 40 for AHS 42-16/4-16	2 608 005 112	3165140.328197

Accessories	Part no.	EAN code
Lubricant spray 250 ml	1 609 200 399	3165140.005029
Clippings sheet	F 016 800 055	3165140.247443
Safety goggles	F 016 800 178	3165140.349390
Gloves	2 607 000 134	3165140.017954




The Bosch lubricant spray

reduces wear and tear – helps reduce the build up of sap and debris for easy cleaning and deters moisture when applied after cutting. This protects the high-quality blades against rust.

Extreme power packs.

With high chain speeds of up to 13 m/sec, the Bosch range of chainsaws have the speed and power to cut through the toughest wood quickly and cleanly. All the models come complete with a quick stop kick-back brake and are well balanced for comfortable use at any angle.



Sharper for longer

The three-layer chrome coating on the chain surface ensures a long service life. (AKE Pro)




Tool-free with Bosch SDS

3 steps, no tool – changing and tensioning the chain has never been so easy.



Practical carrying case

Convenient and safe transportation and large enough to store additional accessories. (Carry case supplied with AKE Pro)



More stability thanks to a firm hold

7 steel gripping teeth hold the saw firmly on the wood for increased stability when sawing.

Chainsaws



	AKE 40-19 Pro	AKE 35-19 Pro	AKE 40-18 S	AKE 35-18 S
Motor power	1900 W	1900 W	1800 W	1800 W
Bar length	400 mm	350 mm	400 mm	350 mm
Chain speed	13 m/sec	13 m/sec	12 m/sec	12 m/sec
Bosch SDS	✓	✓	✓	✓
Chain	3-layer chrome extra-long life chain	3-layer chrome extra-long life chain	Chrome chain	Chrome chain
Cable length	4 m	4 m	4 m	4 m
Weight (including chain and bar)	4.7 kg	4.6 kg	4.6 kg	4.5 kg
Carrying case	✓	✓	–	–
Part no.	0 600 836 842	0 600 836 742	0 600 836 C42	0 600 836 B42
EAN code	3165140.349871	3165140.349840	3165140.400855	3165140.400817

Accessories	Part no.	EAN code
Chain bar and 1.3 mm chain for AKE 40-19 Pro	F 016 800 242	3165140.357678
Chain bar and 1.3 mm chain for AKE 35-19 Pro	F 016 800 241	3165140.357661
Chain bar and 1.1 mm chain for AKE 40-18 S	F 016 800 261	3165140.396509
Chain bar and 1.1 mm chain for AKE 35-18 S	F 016 800 260	3165140.396493
1.3 mm saw chain for AKE 40-19 Pro	F 016 800 240	3165140.357654
1.3 mm saw chain for AKE 35-19 Pro	F 016 800 239	3165140.357647
1.1 mm saw chain for AKE 40-18 S	F 016 800 258	3165140.396479
1.1 mm saw chain for AKE 35-18 S	F 016 800 257	3165140.396462

Accessories	Part no.	EAN code
Sharpening set for AKE 40-19 Pro, AKE 35-19 Pro	F 016 800 263	3165140.396523
Sharpening set for AKE 40-18 S, AKE 35-18 S	F 016 800 262	3165140.396516
Chainsaw oil (1 l), biodegradable ¹	2 607 000 181	3165140.070867
Chainsaw oil (5 l), biodegradable ¹	F 016 800 111	3165140.268615
Cable guard ¹	2 601 398 012	3165140.069465
Gloves ¹	2 607 000 134	3165140.017954
Safety goggles ¹	F 016 800 042	3165140.349390
Ear protectors SNR 19, soundproofing level 19 dB(A) ¹	2 607 990 042	3165140.093712
Ear protectors SNR 24, soundproofing level 24 dB(A) ¹	2 607 990 043	3165140.093729

Versatile and easy to use.

For the occasional cutting of fruit trees or sawing firewood and branches, these new Bosch Chainsaws are the right equipment for the job. Available in a variety of sizes, they offer great value for money. A full range of accessories is also available.



Optimised saw chain

Narrow chain profile and high chain speed (9 m/sec) for fast, precise cutting.

Practical sharpening set



Regular sharpening guarantees fast, clean cuts.

Automatic oil lubrication

Long service life with minimised chain wear due to automatic oil lubrication with oil-level indicator.

Ergonomic handling

The all-round handle ensures a firm hold for accurate working at any angle.



Chainsaws



	AKE 40	AKE 35	AKE 30
Motor power	1600 W	1600 W	1600 W
Bar length	400 mm	350 mm	300 mm
Chain speed	9 m/sec	9 m/sec	9 m/sec
Bosch SDS	-	-	-
Chain	Chrome chain	Chrome chain	Chrome chain
Cable length	4 m	4 m	4 m
Weight (including chain and bar)	4.1 kg	4 kg	3.9 kg
Carrying case	-	-	-
Part no.	0 600 834 072	0 600 834 071	0 600 834 070
EAN code	3165140.395922	3165140.395915	3165140.395908

Accessories	Part no.	EAN code
Chain bar and 1.1 mm chain for AKE 40	F 016 800 261	3165140.396509
Chain bar and 1.1 mm chain for AKE 35	F 016 800 260	3165140.396493
Chain bar and 1.1 mm chain for AKE 30	F 016 800 259	3165140.396486
1.1 mm saw chain for AKE 40	F 016 800 258	3165140.396479
1.1 mm saw chain for AKE 35	F 016 800 257	3165140.396462
1.1 mm saw chain for AKE 30	F 016 800 256	3165140.396455
Sharpening set for AKE 40, AKE 35, AKE 30	F 016 800 262	3165140.396516

Accessories	Part no.	EAN code
Chainsaw oil (1 l), biodegradable ¹	2 607 000 181	3165140.070867
Chainsaw oil (5 l), biodegradable ¹	F 016 800 111	3165140.268615
Cable guard ¹	2 601 398 012	3165140.069465
Gloves ¹	2 607 000 134	3165140.017954
Safety goggles ¹	F 016 800 178	3165140.349390
Ear protectors SNR 19, soundproofing level 19 dB(A) ¹	2 607 990 042	3165140.093712
Ear protectors SNR 24, soundproofing level 24 dB(A) ¹	2 607 990 043	3165140.093729

¹ For all chainsaws.

Europe's best-selling quiet shredder.

Bosch Quiet Shredders have achieved an extremely high level of customer satisfaction for over 10 years. Whether with the cutting drum mechanism or the spiral cutting system – Bosch Quiet Shredders impress with their quality, durability and high performance. And they are so quiet that they have been awarded the “Blue Angel”.

Automatic feed pulls branches in without the need for pushing, increasing the throughput/hour

The unique reverse action of the “Block Release System” safely releases blockages without dismantling the hopper

High-performance “High-Power” motor with 2200 watts and 595 Nm of torque

Cutting drum mechanism reduces noise emissions to only 84 dB(A)¹

**Unwetzzeichen
Weil lärmarm
Das Unwetzzeichen**


AXT 2200 HP



The cutting drum mechanism
With a torque of 595 Nm, the cutting drum mechanism offers extremely high power for the thickest and hardest wood. (AXT 2200 HP)



The spiral cutting system
With a torque of 99 Nm, the spiral cutting system is the optimum solution for normal requirements. (AXT 2000 HP)



Bosch automatic feed
The branches are pulled in and shredded without recoil and without the need for pushing the shredding material through.



**Watt +
Max Power**

High-performance planetary gears
Developed by Bosch for long life, optimum power transmission and smooth running.

Quiet Shredders



AXT 2200 HP



AXT 2000 HP

Motor power	2200 W	2000 W
Cutting system	Cutting drum mechanism	Spiral cutting system
Voltage	230 V	230 V
Cutting speed	40 rpm	260 rpm
Cutting capacity	dia. 3.8 cm	dia. 3.8 cm
Torque	approx. 595 Nm	approx. 99 Nm
Material throughput rate	approx. 140 kg/h	approx. 115 kg/h
LWA noise emission level	84 dB(A)/< 91 dB(A) ¹	84 dB(A)/< 91 dB(A) ¹
Cable length	5 m	5 m
Weight	25 kg	23 kg
Part no.	0 600 852 042	0 600 851 442
EAN code	3165140.222181	3165140.222150

Accessories	Part no.	EAN code
Collection bag	2 605 411 073	3165140.080514
Lubricant spray 250 ml	1 609 200 399	3165140.005029
Gloves	2 607 000 134	3165140.017954
Safety goggles	F 016 800 178	3165140.349390

¹ Noise emission/acoustic power

84 dB(A): measured with fresh wood,
< 91 dB(A): measured by the “Blue Angel” test method (RAL UZ 54) using dry wood,
92 dB(A) guaranteed noise emission level: measured according to “2000/14/EC”.

Maximum power at the blade.


The new laser-cut precision blade made of specially hardened steel delivers unbelievable cutting power and up to 70% longer service life. The Bosch Powerdrive™ Motor provides a high material throughput rate.

Patented large capacity hopper for quick and easy feed

Practical plunger for increased material throughput

High-speed Bosch Powerdrive™ motor with the highest torque in its class

Hardened steel, double sided cutting blade



AXT Rapid 2200

NEW!




Superior cutting force

Approximately seven times more cutting power at start up than that of conventional blade shredders.

Patented hopper

Innovative patented hopper design and practical plunger for up to 40% quicker material throughput.



Rapid Impact Blade Shredders



NEW!



NEW!

	AXT Rapid 2200	AXT Rapid 2000
Motor power	2200 W	2000 W
Cutting system	Cutting blade	Cutting blade
Voltage	230 V	230 V
Cutting speed	3650 rpm	3650 rpm
Cutting capacity	dia. 4.0 cm	dia. 3.5 cm
Torque	approx. 14 Nm	approx. 12 Nm
Material throughput rate	approx. 90 kg/h	approx. 80 kg/h
LWA noise emission level	103 dB(A)/< 107 dB(A) ²	103 dB(A)/< 107 dB(A) ²
Cable length	4 m	4 m
Weight	12 kg	11.5 kg
Part no.	0 600 853 670	0 600 853 570
EAN code	3165140.430579	3165140.430548

Accessories	Part no.	EAN code
Collection bag	2 605 411 073	3165140.080514
Lubricant spray 250 ml	1 609 200 399	3165140.005029
Replacement blade (AXT Rapid)	F 016 800 276	3165140.427135
Gloves	2 607 000 134	3165140.017954
Safety goggles	F 016 800 178	3165140.349390

² Noise emission/acoustic power


103 dB(A): measured by the test method (RAL UZ 54) using dry wood, 106/107 dB(A) guaranteed noise emission level: measured according to "2000/14/EC".

Attack the dirt in style.

Bosch High-pressure Washers – high power, outstanding durability and ease of use. Exceptionally powerful motors with up to 3000 watts guarantee high performance. High-quality metal pumps ensure a long service life. Each tool also comes complete with a selection of versatile accessories.




Brass piston guide
Rustproof back flow valve



High-pressure spring
Stainless steel piston



Durable brass lances
Sturdy brass ensures a particularly long service life even at maximum pressure. (Aquatak 160 Pro X)



Vario-Jet-Fan
Variable adjustment from high-pressure to low-pressure and from fan spray to a single jet.



Integrated detergent tank
For stubborn dirt, simply fill with detergent and set the lance to low-pressure.

Pro



Power



Aquatak	160 Pro X	150 Pro X	150 Pro	1500 X	1350	1250	1200 Plus
Max. pressure	155 bar	150 bar	150 bar	150 bar	135 bar	125 bar	120 bar
Max. flow rate	600 l/h	550 l/h	550 l/h	530 l/h	500 l/h	400 l/h	390 l/h
Max. flow temperature	60 °C	60 °C	60 °C	60 °C	60 °C	60 °C	60 °C
Motor power	2800 W	2700 W	2700 W	2700 W	2400 W	1800 W	1750 W
Autostop	✓	✓	✓	✓	✓	✓	✓
Cable length	5 m	5 m	5 m	5 m	5 m	5 m	5 m
Weight (without accessories)	29.1 kg	27.5 kg	26 kg	19 kg	16 kg	13.5 kg	13 kg
Part no.	0 600 877 C70	0 600 877 B70	0 600 877 A70	0 600 875 142	0 600 874 142	0 600 873 142	0 600 876 F70
EAN code	3165140.338950	3165140.338882	3165140.338813	3165140.339421	3165140.339353	3165140.339278	3165140.348997

Accessories/equipment supplied	160 Pro X	150 Pro X	150 Pro	1500 X	1350	1250	1200 Plus
Vario-Jet-Fan lance	✓ (brass)	✓	✓	✓	✓	✓	✓
Roto-Power lance	✓ (brass)	✓	✓	✓	✓	✓	✓
Flexi-Jet lance	–	–	–	✓	✓	✓	✓
Wash brush	–	–	–	–	–	–	✓
Hose	12 m (rubber)	12 m (rubber)	12 m (rubber)	9 m (rubber)	6 m	6 m	6 m
Hose reel	✓	✓	–	✓	–	–	–
Integrated tank	1 x 3 l	2 x 1.5 l	1 x 3 l	1 x 1.3 l	1 x 1.3 l	1 x 1.3 l	separate 0.5-l bottle



Extremely powerful

The oscillating jet of the roto nozzle dislodges even the most stubborn dirt in seconds.

Practical and space-saving



Thanks to its fold-away handle, the Aquatak 110 can be stored anywhere effortlessly.

High-quality pump

The powerful Bosch Metal Pump ensures top performance and a long service life.

Flexi-Jet lance

360° rotating ball head joint for convenient cleaning in hard-to-reach areas.




Aquatak	115 Plus	110 Plus	110	100 Plus	100
Max. pressure	115 bar	110 bar	110 bar	100 bar	100 bar
Max. flow rate	380 l/h	380 l/h	360 l/h	350 l/h	330 l/h
Max. flow temperature	40 °C	40 °C	40 °C	40 °C	40 °C
Motor power	1700 W	1600 W	1600 W	1500 W	1400 W
Autostop	✓	✓	✓	✓	✓
Cable length	5 m	5 m	5 m	5 m	5 m
Weight (without accessories)	7 kg	7 kg	7 kg	6 kg	6 kg
Part no.	0 600 876 E70	0 600 876 D70	0 600 876 C70	0 600 876 B70	0 600 876 A70
EAN code	3165140.338745	3165140.338684	3165140.338622	3165140.338561	3165140.338509

Accessories/equipment supplied					
Vario-Jet-Fan lance	✓	✓	✓	✓ (Jet-Fan nozzle)	✓ (Jet-Fan nozzle)
Roto-Power lance	✓	✓	✓	✓ (Roto nozzle)	-
Flexi-Jet lance	✓	✓	✓	✓	✓
Wash brush	✓	✓	-	✓	-
Hose	6 m	5 m	5 m	5 m	3.5 m
Integrated tank	1 x 0.75 l	1 x 0.75 l	separate 0.5-l bottle	separate 0.5-l bottle	separate 0.5-l bottle

Why get wet when you can stay dry!

The Bosch Aquasurf Patio Cleaner ensures that surfaces can be cleaned without spraying water everywhere. And it saves a lot of time: with its closed dome and its two high-pressure water nozzles, it cleans three times as fast as the standard jet lance. The optimum solution for all requirements – whether driveways, patios, walls or garage doors.



Aquasurf Patio Cleaner

Part no. F 016 800 169
EAN code 3165140.349055

Accessories	For Aquatak	Part no.	EAN code
			3165140.
Fan nozzle	10	F 016 800 253	370448
Jet-Fan nozzle	100, 100 Plus	F 016 800 202	356763
Roto nozzle	10, 100, 100 Plus	F 016 800 204	356787
Extension lance	10, 100, 100 Plus	F 016 800 206	356800
Detergent nozzle with bottle	10, 100, 100 Plus 110, 1200 Plus	F 016 800 208	356824
Vario-Jet-Fan-Power lance	110, 110 Plus, 115 Plus	F 016 800 185	350204
Vario-Jet-Fan-Power lance	1200 Plus	F 016 800 186	350211
Vario-Jet-Fan-Power lance	1250	F 016 800 187	350228
Vario-Jet-Fan-Power lance	1350	F 016 800 188	350235
Vario-Jet-Fan-Power lance	1500 X, 150 Pro, 150 Pro X	F 016 800 189	350242
Roto-Power lance	110, 110 Plus, 115 Plus, 1200 Plus	F 016 800 191	350266
Roto-Power lance	1250	F 016 800 192	350273
Roto-Power lance	1350	F 016 800 184	350198
Roto-Power lance	1500 X, 150 Pro 150 Pro X	F 016 800 190	350259
Wash brush	All ¹	F 016 800 209	356831
Fixed rotary brush	All ¹	F 016 800 210	356848
Adjustable rotary brush	All ¹	F 016 800 211	356855
Flexi-Jet-Power lance	All ¹	F 016 800 171	349048
7 m hose extension	All ²	F 016 800 212	356862
10 m hose extension	All ²	F 016 800 213	356879
8 m drain cleaner	All ¹	F 016 800 214	356886
15 m drain cleaner	All ¹	F 016 800 216	356909
Sandblaster	All ¹	F 016 800 218	356923
Power gun extension	All ¹	F 016 800 220	356947
Water filter	All	F 016 800 221	356954
Back flow valve	All	F 016 800 222	356961
Aquasurf Patio Cleaner	All ¹	F 016 800 169	349055
Universal adapter set	High-pressure washers from other manufacturers	F 016 800 198	350334
Adapter for Kärcher accessories	All ¹	F 016 800 226	357005
Vario-Jet-Fan-Power lance Brass	160 Pro X	F 016 800 193	350280
Brass Roto-Power lance	160 Pro X	F 016 800 195	350303
Adjustable rotary brush	160 Pro X	F 016 800 194	350297
7 m hose extension	160 Pro X, 150 Pro X	F 016 800 196	350310
Drain cleaner	160 Pro X	F 016 800 228	357029
Sandblaster	160 Pro X	F 016 800 197	350327

Detergents	For Aquatak	Part no.	EAN code
			3165140.
Alloy-wheel cleaner 0.75 l	All	F 016 800 229	357036
Insect remover 0.75 l	All	F 016 800 230	357043
Car cleaner 0.5 l	All	F 016 800 236	357616
Cleaning wax 2.5 l	All	F 016 800 233	357586
Cleaning wax 0.5 l	All	F 016 800 234	357593
Patio cleaner 0.5 l	All	F 016 800 237	357623
Glass cleaner 0.5 l	All	F 016 800 235	357609
Plastic cleaner 0.5 l	All	F 016 800 238	357630
All-purpose cleaner 2.5 l	All	F 016 800 231	357562
All-purpose cleaner 0.5 l	All	F 016 800 232	357579

¹ Except for Aquatak 160 Pro X.

² Except for Aquatak 160 Pro X, 150 Pro X.

Bosch Garden Tools on the Internet.

Up-to-date, comprehensive information on garden tools and power tools can be found on the Internet 24 hours a day. The particularly detailed and helpful information about our new products makes it easy for you to choose the right garden tool. Online catalogue, application advice, general hints and tips for gardeners and much more can be found at www.boschgarden.co.uk.



Tested and guaranteed

Extensive, continuous endurance-testing and production line sampling ensure that only perfect products leave the Bosch factory. Our comprehensive 2 year guarantees on all Bosch products are proof of our confidence in our quality control procedures. The only exclusion is damage caused by excessive or improper use.



Certified quality

Bosch quality can be measured by our success in satisfying various national and international standards, test procedures and design competitions. Our success is independently confirmed time and time again by the many awards that our products win.



Confirms our compliance with EU directives on product safety and electromagnetic interference.



The ISO 9000 standard for international quality certification.



The Blue Angel symbol is awarded to products which are particularly environmentally friendly.



Honoured by the Industrial Forum for Design, Hanover.

Bosch After-Sales Service.



The UK Bosch Hotline:

Customer Service Number: 0844 736 0108

Please use these numbers to contact the Bosch after-sales service team. They will be able to assist you with product queries or problems, quickly and efficiently. Please ensure you have the product identification number (or name), the unique serial number and details of purchase ready before you call.



Bosch on the Internet: up-to-date, comprehensive information on Bosch Power Tools can be found on the Internet 24 hours a day. Log onto our homepage and online catalogue at **www.boschgarden.co.uk**.



Opening hours:
Mon - Fri 8:30 - 17:00

Robert Bosch Limited
Bosch Lawn and Garden
P.O. Box 98
Uxbridge
Middlesex
UB9 5HN
England
www.boschgarden.co.uk



BOSCH
Invented for life



1619L0067A0001



We constantly seek to improve our products. For this reason, technical data and illustrations are non-binding. No liability can be accepted for printing errors.