

## Bosch After-Sales Service. So that you can enjoy your garden at any time.

When you purchase Bosch equipment you can be confident that you are getting the best that money can buy, backed up by the best after-sales service. Any faults or breakages will be dealt with quickly and efficiently. All you have to do is return the item to your official Bosch dealer and leave the rest to them. They will implement the fast repair and spare parts service to make sure that you and your garden are kept waiting for the minimum possible time.



**Bosch on the Internet:** up-to-date, comprehensive information on Bosch Power Tools can be found on the Internet 24 hours a day. Log onto our homepage and on-line catalogue [www.bosch-pt.com](http://www.bosch-pt.com).



**Bosch Lawn and Garden**  
Atco-Qualcast Ltd.  
Suffolk Works  
Stowmarket  
England  
IP14 1EY



**BOSCH**  
Invented for life



1619L002VU0001



We constantly seek to improve our products. For this reason, technical data and illustrations are non-binding. No liability can be accepted for printing errors.

# Bosch Garden Tools Range 2005



1 619 L002VU – O.A. – SOV engl. – Printed in the Federal Republic of Germany



**BOSCH**  
Invented for life



## BOSCH GARDEN TOOLS: MORE POWER, MORE CONVENIENCE – AND MORE TIME FOR WHAT'S IMPORTANT.

The extent to which you can enjoy your time in the garden also depends on how you are supported in maintaining it. The innovative tool concepts from Bosch are there to help you. They make a lot of

things easier, more convenient and efficient and ensure that you have more time to enjoy your garden.

### Tested and guaranteed



Extensive continuous endurance-testing and production line sampling ensure that only perfect products leave the Bosch factory. Our comprehensive 2 year guarantees on all Bosch products are proof of our confidence in our quality control procedures. The only exclusion is damage caused by excessive or improper use.

### Certified quality



Bosch quality can be measured by our success in satisfying various national and international standards, test procedures and design competitions. Our success is independently confirmed time and time again by the many awards that our products win.



Confirms our compliance with EU directives on product safety and electromagnetic interference.



The ISO 9000 standard for international quality certification.



The Blue Angel symbol is awarded to products which are particularly environmentally friendly.



Honoured by the Industrial Forum for Design, Hanover.



Award for excellent achievement in industrial design from the North Rhine-Westphalian Design Centre.



Honoured by the Design Centre Stuttgart.

### The Bosch DIY range: versatile and innovative

Bosch Power Tools are international best sellers - for a very good reason. Our DIY range provides state-of-the-art technology and superb quality. Constant innovations aim to make the job easier and continually provide the DIY enthusiast with the opportunity to tackle new projects. Detailed information is available to our trade partners.



## Contents

**Lawn Mowers**  
Page 4-13




ROTAK Rotary Mowers  
6-9



Hover Mowers  
10-11



Cylinder Mowers  
12



Hand Mowers  
13

**Lawn Care**  
Page 14-19



Lawn Rakers  
14-15



Grass Trimmers  
16-17



Cordless Grass Trimmers  
18



Cordless Grass Shears  
19

**Hedge Cutting**  
Page 20-27



Hedgecutters  
20-25



Cordless Hedgecutters  
26



Cordless Shrub Shears  
27

**Shredders and Chainsaws**  
Page 28-35



Garden Trolley  
28



Quiet Shredders, RAPID Shredders  
28-33



Chainsaws  
34-35

**High-Pressure Washers**  
Page 36-43



### Bosch Accessories

The name Bosch stands for top quality and this standard applies to both machines and accessories. First-class materials and processing guarantee the best results. Bosch offer a complete range of consumable and functional accessories to support and complement their gardening range. Perfectly co-ordinated accessories, cleaning agents and lubricants also play a big part in the performance and service life of Bosch Garden Tools.



All part numbers in this brochure are the European standard part numbers.

# DIFFERENT GARDENS, DIFFERENT SOLUTIONS.

Which mower is right for your garden? The answer to this question depends on a number of factors. These include the size and layout of your garden as well as the type of lawn, mains power connections and of course your expectation of what the lawn should look like. Bosch

has created innovative mower designs to suit every garden. Whether you are searching for quality, power or ease of use, for small, medium-sized or large lawns on flat, curved or even awkward shaped areas. Rest assured, Bosch has the right mower for you!



## Bosch Rotary Mowers

Innovative design, powerful performance, and lightweight – ideal for general purpose lawns.



### Family Garden

A utility lawn that gives children the space to play and run and where the grass can be kept slightly longer. An open lawn without flower beds or decorative edges makes occasional quick mowing easy.

The powerful Bosch Rotary Mowers provide a practical solution for this type of garden.



ROTAK ROTARY MOWERS	Suitability
Utility lawn	<div style="width: 100%;"></div>
Bowling green finish	<div style="width: 20%;"></div>
Max. grass length	<div style="width: 80%;"></div>
Mowing frequency	<div style="width: 30%;"></div>
Slopes/undulations	<div style="width: 70%;"></div>



## Bosch Hover Mowers

Easy to manoeuvre and highly versatile – ideal for mowing around obstacles and on slopes.



### The leisure garden

A versatile garden layout with intricate features and shapes. Flowers, shrubs and herbaceous plants border its many edges. This calls for a particularly versatile mower. The sloping lawn is relatively easy to care for and only needs mowing two or three times per month.

The light and manoeuvrable Bosch Hover Mowers are an ideal solution.



HOVER MOWERS	Suitability
Utility lawn	<div style="width: 100%;"></div>
Bowling green finish	<div style="width: 10%;"></div>
Max. grass length	<div style="width: 40%;"></div>
Mowing frequency	<div style="width: 80%;"></div>
Slopes/undulations	<div style="width: 100%;"></div>



## Bosch Cylinder Mowers

Precise scissor-like cut – ideal for short, decorative lawns or bowling green finishes.



### Traditional Garden

A decorative lawn well tended, with a quality finish and requiring regular attention. Perfection is the aim and the grass is kept short and mown at least once or twice a week. Bosch Cylinder Mowers with their precise scissor-like cut are the obvious choice.



CYLINDER MOWERS	Suitability
Utility lawn	<div style="width: 10%;"></div>
Bowling green finish	<div style="width: 100%;"></div>
Max. grass length	<div style="width: 10%;"></div>
Mowing frequency	<div style="width: 100%;"></div>
Slopes/undulations	<div style="width: 10%;"></div>



**POWERFUL**  
High torque ensures a reliable cut, even when the grass is damp

**LIGHTWEIGHT**  
Up to 40% lighter than conventional mowers

**EFFECTIVE**  
Cuts grass up to 30 cm high


**BOSCH ROTARY MOWER ROTAK 40 C**

- ▶ High-speed Bosch Powerdrive™ Motor
- ▶ High torque up to 22 Nm due to the powerful 1700 W motor
- ▶ Lightweight for easy lifting and manoeuvrability
- ▶ Single-lever 11-position height-of-cut adjustment
- ▶ Height-adjustable, folding soft-feel handle with all-round switch for left and right handed use
- ▶ Large, 50 litre, easy to empty grass box
- ▶ Grass box full indicator
- ▶ Integrated carry handles for easy transportation
- ▶ Motor overload protection for a longer life



**High power transmission**

The powerful, high-speed Bosch Powerdrive™ Motor delivers maximum power at the blade – up to an incredible 22 Nm.



**The BOSCH POWERDRIVE™ Motor converts high speed into high power.**




With the ROTAK mowers, Bosch has developed a completely new concept of electric lawn mowers. Long or thick grass will always slow down a conventional electric lawn mower because the blade is only at its most efficient at normal speed. With the Bosch Powerdrive™ system, power is at its greatest at low speed. If the blade speed is reduced, the power increases automatically. The motor works harder.



**The secret of the Bosch Powerdrive™ system**

The innovative reducing gear converts the high speed of the motor into enormous torque.



**Powerfully through rough lawns**

Bosch ROTAK Mowers will deal with rough grass – even thistles and other weeds are cut down to size.

**BOSCH ROTARY MOWER ROTAK 40**

Features identical to the ROTAK 40 C, but with 1500 W motor performance, 20 Nm torque, with standard handle, without grass box full indicator.

**Bosch Accessories**

Bosch replacement blades show their quality and strength even under the toughest conditions.



ROTAK 40 C/40	Suitability
Utility lawn	████████████████████
Bowling green finish	████████████████████
Max. grass length	████████████████████
Mowing frequency	████████████████████
Slopes/undulations	████████████████████

	ROTAK 40 C	ROTAK 40
Motor power	1700 W	1500 W
Torque	22 Nm	20 Nm
Width of cut	40 cm	40 cm
Height-of-cut	20–70 mm	20–70 mm
Height-of-cut positions	11, central	11, central
Grass box capacity	50 l	50 l
Motor overload protection	yes	yes
All-round on-off switch	yes	no
Grass box full indicator	yes	no
Weight	12.6 kg	12.3 kg
Part no.	0 600 883 103	0 600 883 003
EAN Code	3165140.293334	3165140.293365

ACCESSORIES	PART NO.	EAN CODE
Replacement blade for ROTAK 40 C/40	F 016 800 158	3165140.295260

**Light and practical**

Two integrated carry handles ensure that the lightweight mower can be lifted effortlessly.



**Single-lever height adjustment**

The eleven-stage height of cut adjustment can be operated in a single movement.




**Convenient all-round switch**

Fitted with soft grip and all-round on-off switch. For easy pushing and steering, even near walls. (ROTAK 40 C)



**Grass box full indicator**

The easily visible indicator changes from green to red when it's time to empty the grass box. (ROTAK 40 C)



**Power without stalling**

The Bosch ROTAK mowers deliver continuous power compared to everyday electric lawn mowers. They are clearly superior, particularly at low rpm, e.g. when starting or slowed down by long grass or weeds.



**POWERFUL**  
High torque ensures a reliable cut, even when the grass is damp

**LIGHTWEIGHT**  
Up to 40% lighter than conventional mowers

**EFFECTIVE**  
Cuts grass up to 30 cm high

**BOSCH ROTARY MOWER ROTAK 34 C**

- ▶ High-speed Bosch Powerdrive™ Motor
- ▶ 34 cm blade width
- ▶ High torque up to 18 Nm
- ▶ Lightweight for easy lifting and manoeuvrability
- ▶ Single-lever 11-position height-of-cut adjustment
- ▶ Height-adjustable, folding soft-feel handle with all-round switch for left and right handed use
- ▶ Large, 40 litre, easy to empty grass box
- ▶ Grass box full indicator
- ▶ Integrated carry handles for easy transportation
- ▶ Motor overload protection for a longer life



**BOSCH ROTARY MOWER ROTAK 34.**

Features identical to the ROTAK 34 C, but with standard switch and no grass box full indicator.

**BOSCH ROTARY MOWER ROTAK 320**

- ▶ High-speed Bosch Powerdrive™ Motor
- ▶ 32 cm blade width
- ▶ High torque up to 13 Nm
- ▶ Lightweight for easy lifting
- ▶ Integrated carry handles for easy transportation
- ▶ Two-stage adjustable handle height
- ▶ Tool-free 3-stage height-of-cut adjustment
- ▶ Practical design for improved manoeuvrability



**Bosch Accessories**

Bosch replacement blades show their quality and strength even under the toughest conditions.



**ROTAK 34 C/34/320 Suitability**



	ROTAK 34 C	ROTAK 34	ROTAK 320
Motor power	1200 W	1200 W	1000 W
Torque	18 Nm	18 Nm	13 Nm
Width of cut	34 cm	34 cm	32 cm
Height-of-cut	20–70 mm	20–70 mm	20–60 mm
Height-of-cut positions	11, central	11, central	3-way, axle-wise
Grass box capacity	40 l	40 l	28 l
Motor overload protection	yes	yes	yes
All-round on-off switch	yes	no	no
Grass box full indicator	yes	no	no
Weight	11.7 kg	11.5 kg	7 kg
Part no.	0 600 884 103	0 600 884 003	0 600 885 A00
EAN Code	3165140.263153	3165140.263115	3165140.349628

ACCESSORIES	PART NO.	EAN CODE
Replacement blade for ROTAK 34 C/34	F 016 800 109	3165140.268592
Replacement blade for ROTAK 320	F 016 800 108	3165140.268585

**High power transmission**

The powerful, high-speed Bosch Powerdrive™ Motor delivers maximum power at the blade – up to an incredible 18 Nm.




**Unbeatable on long grass**

The Bosch ROTAK Mowers will cope with long grass that would defeat conventional electric mowers.



**Powerfully through rough lawns**

Bosch ROTAK Mowers deal with rough grass – even thistles and other weeds are cut down to size.



**Practical and lightweight**

Two integrated carrying handles on the machine, ensure that the lightweight machine can be effortlessly lifted.





## BOSCH HOVER MOWERS

**LIGHTWEIGHT**  
Incredibly easy to manoeuvre only 4.7 kg

**VERSATILE**  
Maximum flexibility thanks to the patented "Multi-Swing" system

**POWERFUL**  
With 1000 W motor



**The "Multi-Swing" system**  
Two pivots provide maximum flexibility and versatility.

**Compact storage**  
The machine easily folds flat for space-saving wall storage.



- BOSCH HOVER MOWER ALM 30**
- ▶ Patented "Multi-Swing" system for superior steering
  - ▶ Powerful 1000 W motor
  - ▶ With polymer safety cutting blade
  - ▶ Bosch SDS: Tool-free height-of-cut adjustment
  - ▶ Three-position handle for easy handling
  - ▶ Folding handle for space-saving storage
  - ▶ Width of cut 30 cm

- BOSCH HOVER MOWER ALM 28**
- ▶ Width of cut 28 cm
- For other features see the ALM 30.

**Bosch Accessories**  
The safety plastic blades are optimised for the special requirements of the "Multi-Swing". Available for cutting widths of 28 cm and 30 cm in a set of 24.



ALM 30/28	Suitability
Utility lawn	
Bowling green finish	
Max. grass length	
Mowing frequency	
Slopes/undulations	

**Light and manoeuvrable**  
Left, right, forwards or backwards: the surprising mobility makes mowing child's play, even in inaccessible places, e.g. in corners or under bushes.



**Ideal for difficult ground**  
It is precisely on uneven ground and slopes that Bosch Hover Mowers reveal their strength of adapting to any terrain.



**1000 WATT**

**4.7 kg**



	ALM 30	ALM 28
Motor power	1000 Watt	1000 Watt
Width of cut	30 cm	28 cm
Height-of-cut	20–30 mm	20–30 mm
Height-of-cut positions	2	2
Blade	Plastic	Plastic
Weight	4.7 kg	4.6 kg
Part no.	0 600 887 203	0 600 887 403
EAN Code	3165140.266741	3165140.267267
<b>ACCESSORIES</b>	<b>FOR</b>	<b>PART NO.</b>
Safety cutter blades (x24)	ALM 30	F 016 800 107
Safety cutter blades (x24)	ALM 28	F 016 800 008
		<b>EAN CODE</b>
		3165140.268578
		3165140.230667



**PRECISE CUT**  
**EASY OPERATION**  
**STURDY BLADE**

**BOSCH CYLINDER MOWER  
ASM 32**

- ▶ “Quattro-Cut” cutting cylinder for a precise cut
- ▶ Single-lever, five-position height-of-cut adjustment
- ▶ Ergonomic handle system:
  - comfortable collection box removal from above
  - for easy pushing and guiding, even near walls.
  - Space-saving, fold down handle
- ▶ Rear roller for traditional stripes and stability when mowing lawn edges

**Bosch Accessories**

Replacement Bosch Cylinder Mower bottom blades are available and can be replaced in a few simple steps.



ASM 32


ASM 32 F

**BOSCH CYLINDER MOWER  
ASM 32 F**

- ▶ “Quattro-Cut” cutting cylinder for a precise cut
- ▶ Single-lever, five-position height-of-cut adjustment
- ▶ Front collection box for easy removal and more leg room when mowing
- ▶ Two-stage folding handle for compact storage
- ▶ Rear roller for traditional stripes and stability when mowing lawn edges


**Optimum cutting result**

Cylinder mowers produce the best cut at 12 mm, if the grass has not grown higher than 10 cm before mowing.



	ASM 32	ASM 32 F
Motor power	360 W	340 W
Width of cut	32 cm	32 cm
Height-of-cut	12–32 mm	12–32 mm
Best cut	12 mm	12 mm
Height-of-cut positions	5	5
Grass box	31 l	23 l
Weight	11 kg	8.3 kg
Part no.	0 600 889 003	0 600 889 103
EAN Code	3165140.207522	3165140.236508

ACCESSORIES	PART NO.	EAN CODE
Bottom blade replacement set for ASM 32/32 F	F 016 800 007	3165140.230650



**PRECISE CUT**  
**SPACE-SAVING**  
**ALWAYS READY FOR USE**



AHM 38 C



AHM 30

**BOSCH HAND MOWERS  
AHM 38 C, AHM 30**

- ▶ Cylinder cutting system with 4 or 5 hardened steel curved blades
- ▶ Variable height-of-cut adjustment
- ▶ Simple bottom blade adjustment with “click” locking system
- ▶ Maintenance-free cutting cylinder on ball bearings
- ▶ Comfortable, ergonomic handle (AHM 38 C)
- ▶ Easy-push wheels for easy handling (AHM 38 C)

**Easy bottom blade adjustment**

The position of the bottom blade can be adjusted without using any tools. Just turning the adjustment dial is enough. A click indicates the respective locked positions and makes adjusting the height of cut easy.



**Bosch Accessories**  
The grass box is available as an accessory and can be attached and emptied easily (AHM 38 C with 25 l holding capacity or AHM 30 with 20 l holding capacity).



	AHM 38 C	AHM 30
Width of cut	38 cm	30 cm
Height-of-cut	15–43 mm	12–40 mm
Best cut	15–25 mm	15–25 mm
Height of cut adjustment	variable	variable
Bottom blade adjustment	Click locking system	Click locking system
Cylinder blades	5	4
Weight	7.0 kg	6.4 kg
Part no.	0 600 886 102	0 600 886 001
EAN Code	3165140.256360	3165140.247207



ACCESSORIES	PART NO.	EAN CODE
Grass box, 38 cm for AHM 38 C	0 600 886 160	3165140.251051
Grass box, 30 cm for AHM 30	0 600 886 060	3165140.251044

## REGULAR MAINTENANCE FOR HEALTHIER LAWNS

Moss and thatch restricts the optimum supply of air, water and nutrients to your lawn. The Bosch Lawn Raker solves this problem quickly, efficiently and effectively. Its strong metal Powerflex tines remove debris without harming the roots of your lawn. The effect: The lawn is gently freed of harmful

debris and can grow healthy and strong. The benefits of lawn raking have been confirmed by a study conducted by Dr Müller-Beck\*. Using the lawn raker just twice a year, in spring and autumn, will enable the lawn to absorb all-important nutrients – with visible results.

\* Source: Study of the Principle of Lawn Raking by Dr Müller-Beck, Cert. Agricultural Engineer



### Before raking

Moss on the lawn acts like a sponge: it prevents light, water and growth-promoting nutrients from entering the soil and reaching the roots. The grass suffers as a result.

### After raking

Raking helps light and nutrients reach the roots - and the lawn will flourish.

### Regular maintenance to keep your lawn healthy:

#### Mowing

Mow the lawn in spring using the minimum height-of-cut – this is important for subsequent raking.

#### Raking

Moss and thatch are removed from the lawn by rotating steel tines. Your lawn can breathe again.

### If the lawn has been neglected for some time:

#### Reseeding and fertilising

Re-sow bare patches on the lawn with an appropriate type of seed and cover them with topsoil.

#### Watering

Moisture is important at this stage to ensure that the grass seeds can germinate, take root and grow.

INFO

## BOSCH LAWN RAKERS


# EFFECTIVE MOSS REMOVAL GENTLE ON THE LAWN PROMOTES HEALTHY LAWN GROWTH

### BOSCH LAWN RAKER AMR 32 F

- ▶ Powerful 400 W motor
- ▶ Easily replaceable metal tines
- ▶ Single-lever, seven-position height adjustment system for raking or collecting leaves
- ▶ Large front debris collection box
- ▶ The metal Powerflex tines retract automatically over paving, avoiding damage.
- ▶ Folding handle for compact storage

### Bosch Accessories

Replacement metal tines are available in packs of eight or in a cartridge.



27L



### AMR 32 F


Motor power	400 W
Raking width (max.)	32 cm
Raking height	-3 to 27 mm
Raking height adjustment	7
Weight	7.4 kg
Part no.	0 600 888 103
EAN Code	3165140.244893

### ACCESSORIES

	PART NO.	EAN CODE
Pack of 8 replacement tines	F 016 800 053	3165140.247177
Replacement tines cartridge set	F 016 800 054	3165140.247184

### Easy height adjustment

The seven position raking height adjustment is operated by a single lever.



### Safe on lawn edges

The full-width rear roller allows raking right up to the edge of the lawn without damaging lawn edges.



### Gentle and effective

The metal Powerflex tines comb out debris without damaging the roots of your lawn. The tines adjust automatically to undulations and retract over paving, avoiding damage.



**ONE TRIMMER.  
TWO SPOOLS.  
A THOUSAND POSSIBILITIES.**



**Normal lawns**  
The reliable "Pro-Tap" spool is the right solution for normal lawn growth in hard-to-reach areas, e.g. along walls or edges of paths and under trees, bushes or benches. The line does not get tangled up when the spool is changed. And in the spool holder under the handle, the second spool waits to be used ...



**Tall, thick lawns and overgrown areas**  
There is an easy-to-change second spool with extra-strong line under the handle for especially stubborn growth such as thistles, shrubs or overgrown areas. It guarantees a powerful cut and thus offers the user an important additional benefit in garden care.

**INFO**



**PRECISE TRIMMING AND EDGING**



For cutting along edges and borders, the trimmer head can be turned 90 degrees from the horizontal position into a vertical position. This ensures that the gardener always has a clear view of the cutting edge while walking forwards and can easily cut the edges straight. The fold down plant protector ensures trimmer line is kept at a safe distance to protect border plants and tree trunks.

**BOSCH GRASS TRIMMERS**

**VERSATILE WITH 2 SPOOLS**

One spool for normal lawns and one spool for overgrown areas

**EFFORTLESS TRIMMING AND EDGE-CUTTING**


Cutter head that can be adjusted by 90°

**LIGHTWEIGHT AND ERGONOMIC**

**BOSCH GRASS TRIMMER ART 30 COMBITRIM**

- ▶ Easy combination system with one spool for normal grass and one for overgrown areas
- ▶ Vertical trimming and edge-cutting, in order to achieve faster and better results while walking
- ▶ Easy and ergonomic handling thanks to perfectly balanced design and 35 cm height-adjustable telescopic handle up to maximum 115 cm in length
- ▶ Attachable wheels for ease of use
- ▶ Simple "click" spool replacement
- ▶ Powerful 500 W motor
- ▶ Adjustable inclination of the trimmer shaft for easy trimming under bushes and benches
- ▶ Plant protector for maintaining distance from walls and fences, and protecting plants
- ▶ Additional spool holder under the handle for extra strong line

Complete with "Pro-Tap" spool and extra-strong line (6 pieces), attachable wheels, plant protector



**BOSCH GRASS TRIMMER ART 26 COMBITRIM, ART 23 COMBITRIM**

- ▶ Powerful 450 W/400 W motor

Other features identical to the ART 30 COMBITRIM, but attachable wheels and plant protector are available as accessories.

**BOSCH GRASS TRIMMER ART 23 EASYTRIM**

- ▶ Easy and ergonomic handling due to perfectly balanced design and weight of just 1.6 kg
- ▶ Powerful 280 W motor
- ▶ Second handle for comfortable handling in any work position
- ▶ With a 100 cm-long shaft, the longest in its class
- ▶ Reliable "Pro-Tap" spool prevents the line getting tangled up when the spool is changed
- ▶ Handy hooks for power cable storage hook

**Versatile with 2 spools**

The second spool with extra-strong line is stored under the handle and is very easy to change.



**Tilting cutter head for trimming under shrubs**

A simple tap with your foot is enough to adjust the angle of the trimmer, e.g. for trimming under hedges, etc.

	ART 30 COMBITRIM	ART 26 COMBITRIM	ART 23 COMBITRIM	ART 23 EASYTRIM
Motor power	500 W	450 W	400 W	280 W
Cutting diameter	30 cm	26 cm	23 cm	23 cm
Telescopic handle/height adjustment	80–115 cm	80–115 cm	80–115 cm	–
Cutting system	Extra-strong line + "Pro-Tap" spool	Extra-strong line + "Pro-Tap" spool	Extra-strong line + "Pro-Tap" spool	"Pro-Tap" spool
"Pro-Tap" spool	1.6 mm x 8 m	1.6 mm x 8 m	1.6 mm x 8 m	1.6 mm x 8 m
Extra-strong line (6 pieces)	6 x Ø 2.4 mm	6 x Ø 2.4 mm	6 x Ø 2.4 mm	–
Tilting cutter head	yes	yes	yes	no
Vertical edge-cutting 90°	yes	yes	yes	no
Weight	3.2 kg	3 kg	2.7 kg	1.6 kg
Part no.	0 600 878 D00	0 600 878 C00	0 600 878 B00	0 600 878 A00
EAN Code	3165140.349611	3165140.349529	3165140.349512	3165140.349420

ACCESSORIES	FOR	PART NO.	EAN CODE
Set of wheels for attaching	All Combitrim models	F 016 800 172	3165140.349338
Plant protector	All Combitrim models	F 016 800 173	3165140.349345
Extra-strong line 30 cm (pack of 10)	ART 30 COMBITRIM	F 016 800 182	3165140.349963
Extra-strong line 26 cm (pack of 10)	ART 26 COMBITRIM	F 016 800 181	3165140.349956
Extra-strong line 23 cm (pack of 10)	ART 23 COMBITRIM	F 016 800 174	3165140.349352
Automatic tap feed spool ("Pro-Tap")	Easy and Combitrim	F 016 800 175	3165140.349369
Trimmer line for refilling	Easy and Combitrim	F 016 800 176	3165140.349376
Safety spectacles		F 016 800 178	3165140.349390

# LIGHTWEIGHT AND POWERFUL

Freedom without a cable

# INNOVATIVE CUTTING TECHNOLOGY

Allows for precise cutting and also saves power

# EFFORTLESS TRIMMING AND EDGE-CUTTING

90° degree trimmer head adjustment

## BOSCH GRASS TRIMMER ART 26 ACCUTRIM

- ▶ Innovative plastic blade system for energy-efficient and precise cutting results
- ▶ Vertical trimming and edge-cutting, in order to achieve faster and better results
- ▶ Easy and ergonomic handling due to perfectly balanced design and 35 cm height-adjustable telescopic handle up to maximum 115 cm in length
- ▶ Attachable wheels for especially easy handling
- ▶ Bosch SDS: easy, tool-free blade changing
- ▶ Angle adjustment on trimmer shaft for easy trimming under bushes and benches
- ▶ Plant protector for maintaining distance from walls and fences, and protecting plants
- ▶ Handy replacement blade storage on the handle

Complete with 18V/1.5Ah battery, fast charger AL 2411 DV, attachable wheels, plant protector and plastic blades (12 pieces)



ART 26 ACCUTRIM


BOSCH GRASS TRIMMER ART 23 ACCUTRIM

Other features identical to the ART 26 ACCUTRIM, but attachable wheels and plant protector are available as accessories.



### Less power consumption

The special plastic blade ensures a precise cut, even at low speeds – thus achieving a longer running time thanks to less power consumption.



Easy blade changing thanks to the Bosch SDS System

### 800 metres battery range

Thanks to the powerful battery you can trim up to 800 metres without interruption.



Handy replacement blade storage on the handle



# LIGHTWEIGHT STURDY DURABLE



AGS 70



AGS 65



AGS 50

## BOSCH CORDLESS GRASS SHEARS AGS 70, AGS 65, AGS 50

- ▶ Long-life nickel-cadmium batteries
- ▶ Integrated battery charger
- ▶ Strong DC motor for long life
- ▶ Non-stick, anti-slip blade protection

## INFO

### Performance per charge

	AGS 70	approx. 1200 m cut in 70 min
	AGS 65	approx. 1,000 m cut in 65 min
	AGS 50	approx. 600 m cut in 50 min



### The extension handle S 77

Height-adjustable, simple and quick to attach to any Bosch Cordless Grass Shears. The extension handle can be used with and without rollers. The cordless grass shears can also be used in a 45 degree working position with the extension handle.

### Bosch Accessories

The grass shears AGS 70 can be converted to shrub shears by simply replacing the blades.




	AGS 70	AGS 65	AGS 50
Width of cut	10 cm	10 cm	8 cm
Rechargeable batteries	6	4	3
Charge time (with flat battery)	20 hours	20 hours	20 hours
Battery voltage	7.2 V/1.7 Ah	4.8 V/1.7 Ah	3.6 V/1.4 Ah
Average cutting capacity	1200 m	1000 m	600 m
Average running time	70 min	65 min	50 min
Part no.	0 600 832 403	0 600 832 203	0 600 832 003
EAN Code	3165140.116541	3165140.116527	3165140.116503

ACCESSORIES	FOR	PART NO.	EAN CODE
Replacement blade 10 cm	AGS 70/65/10/10-6	F 016 800 047	3165140.235969
Replacement blade 8 cm	AGS 50/8	F 016 800 046	3165140.235952
Shrub shear blades	AGS 70	2 607 009 907	3165140.328272
Extension handle S 77	All AGS	2 607 001 181	3165140.055581
Lubricant spray 250 ml (in box of 20)	All AGS	1 609 200 399	3165140.005029

### Easy height adjustment

The cutting height is really easy to adjust in a single movement.



### Distance to plants

The plant protector ensures a sufficiently safe distance from border plants and trees.

	ART 26 ACCUTRIM	ART 23 ACCUTRIM
Battery power	18 V/1.5 Ah	18 V/1.5 Ah
Cutting diameter	26 cm	23 cm
Telescopic handle/height adjustment	80–115 cm	80–115 cm
Tilting cutter head	yes	yes
Vertical edge-cutting 90°	yes	yes
Cutting system	Plastic blade	Plastic blade
Charge time	3 h	3 h
Weight	2.9 kg	2.9 kg
Part no.	0 600 878 F00	0 600 878 E00
EAN Code	3165140.349741	3165140.349680

ACCESSORIES	PART NO.	EAN CODE
Set of attachable wheels	F 016 800 172	3165140.349338
Plant protector	F 016 800 173	3165140.349345
Safe plastic blade (24 pieces) for ART 26 ACCU	F 016 800 183	3165140.349970
Safe plastic blade (24 pieces) for ART 23 ACCU	F 016 800 177	3165140.349383
18V/1.5Ah battery	2 607 335 536	3165140.308205
Fast charger AL 2411 DV	2 607 224 452	3165140.197229
Safety spectacles	F 016 800 178	3165140.349390

# A WIDE RANGE – THE RIGHT SOLUTION FOR EVERY HEDGE.


With the wide range of hedgecutters available from Bosch there is a model to suit every hedge - no matter how old or large the hedge, how hard or thick the branches are, or how precise the cut should be. For all sizes of hedge, all types of wood and all shapes, Bosch has the

solution. All machines have diamond ground quality blades to achieve the perfect cut with all kinds of hedges. Throughout the range, good balance and ergonomic design ensure comfortable and efficient cutting in all positions.

### INFO

#### How to select the right hedgecutter?

The height and width of the hedge, the thickness of the branches and the toughness of the wood determine hedgecutter choice. These criteria will determine the power, blade length and tooth spacing required.



**Blade length**  
Optimum blade length always depends on the depth of the hedge. A powerful hedgecutter with widely spaced teeth is most effective on a large or woody hedge. Smaller or younger hedges can be cut with smaller hedgecutters.

**On top form**  
By cutting your hedges regularly you will encourage dense, bushy growth.

#### Bosch dual handed switching for more safety

All Bosch Hedgecutters will only operate when the switches on both two handles are pressed, using both hands. The blade stops without run-out as soon as a contact is tripped.



#### Collecto clearing up

Unique to Bosch: the Collecto gathers up the cuttings with every cutting stroke. Manual collection of the cuttings is no longer necessary and the hedge is free to grow.



# SUPERB CUTTING PERFORMANCE

Torques up to max. 80 Nm cut thick branches up to 34 mm in diameter

## ADVANCED HANDLE ERGONOMICS

Optimum centre of gravity and 4 switch positions for comfortable balanced work

## BLADE TIP PROTECTOR

For easy cutting along the edges of walls and the ground

**650W**  
HIGH POWER

### BOSCH HEDGE CUTTER AHS 7000 PRO-T, AHS 6000 PRO-T


- ▶ Powerful 650 W high-performance motor
  - ▶ Extremely high-torque (80 Nm) slipping clutch for easy cutting
  - ▶ Push-rod drive for particularly quiet running
  - ▶ Quick-stop blade brake for increased safety
  - ▶ Blade tip protector for easy cutting along walls and along the ground
  - ▶ Laser-cut, diamond-ground blades for a clean cut
  - ▶ Ergonomic handle for comfortable work in any position
  - ▶ Optimum centre of gravity for balanced work and excellent handling
- Complete with protective blade cover



AHS 7000 PRO-T

AHS 6000 PRO-T

Powerful 650 W high-performance motor




Slipping clutch (extremely high torque: 80 Nm)

Hard-wearing push-rod drive

**Bosch Accessories**  
Safety goggles and gloves ensure good protection for every application. The Collecto makes hedgecutting a lot easier and is available as an accessory for all products.

#### Bosch quality

The gripping blades are laser-cut from high-quality steel. The high temperature of the laser produces a precise, tough cutting edge. The cutting blades are diamond-ground for optimum cutting performance.



#### Blade tip protector

The Blade Tip Protector allows you to cut off branches close to vertical and horizontal surfaces.




	AHS 7000 PRO-T	AHS 6000 PRO-T
Blade length	700 mm	600 mm
Motor power	650 W	650 W
Tooth spacing	34 mm	34 mm
Slipping clutch torque	80 Nm	80 Nm
Idling speed	3000 rpm	3000 rpm
Collecto	accessories	accessories
Weight	4.2 kg	4.1 kg
Part no.	0 600 846 C80	0 600 846 B80
EAN Code	3165140.326346	3165140.326391
ACCESSORIES	PART NO.	EAN CODE
Protective blade cover for AHS 7000 PRO-T	2 605 411 158	3165140.247450
Protective blade cover for AHS 6000 PRO-T	2 605 411 208	3165140.328432
Collecto 70 for AHS 7000 PRO-T	2 608 005 113	3165140.328203
Collecto 60 for AHS 6000 PRO-T	2 608 005 115	3165140.328227
Clippings sheet	F 016 800 055	3165140.247443
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Safety goggles	F 016 800 178	3165140.349390
Gloves	2 607 000 134	3165140.017954

INFO



**Getting a good grip**

The balanced centre of gravity of a Bosch Hedgecutter and its optimised ergonomic handle enable smooth work in any position. Even areas difficult to access above head height can be trimmed with ease.



**SUPERB CUTTING PERFORMANCE**

Torques up to max. 50 Nm cut thick branches up to 24 mm in diameter

**ADVANCED HANDLE ERGONOMICS**

Optimum centre of gravity and 4 switch positions for relaxed and balanced work

**BLADE TIP PROTECTOR**

For easy cutting along the edges of walls and the ground



AHS 600-24 ST



AHS 650-24 ST



AHS 550-24 ST



AHS 480-24 T




AHS 400-24 T

**BOSCH HEDGE CUTTER AHS 600-24 ST**

- ▶ Powerful 550 W high-performance motor
- ▶ High-torque (50 Nm) slipping clutch for powerful cutting
- ▶ Quick-stop blade brake for increased safety
- ▶ Blade tip protector for easy cutting along walls and along the ground
- ▶ Laser-cut, diamond-ground blades for a clean, precise cut
- ▶ Ergonomic handle for comfortable work in any position
- ▶ Optimum centre of gravity for balanced work and excellent handling

Complete with protective blade cover



Laser Cut

**CUT YOUR HEDGE AND NOT YOUR CABLE**



Euro model shown.

**HANDYROLL**

Cut your hedge and not your cable! The automatic cable roll including belt clip ensures that you always have your cable under control. The cable length adapts to your reach. Practical, easy, innovative. Suitable for all electric hedgecutters and other tools up to max. 1000 Watts.



	AHS 650-24 ST	AHS 600-24 ST	AHS 550-24 ST	AHS 480-24 T	AHS 400-24 T
Blade length	650 mm	600 mm	550 mm	480 mm	400 mm
Motor power	550 W	550 W	550 W	530 W	530 W
Tooth spacing	24 mm				
Slipping clutch torque	50 Nm				
Idling speed	2800 rpm				
Collecto	accessories	accessories	accessories	accessories	accessories
Weight	4.2 kg	4.1 kg	4.0 kg	3.9 kg	3.8 kg
Part no.	0 600 845 F80	0 600 845 E80	0 600 845 D80	0 600 845 C80	0 600 845 B80
EAN Code	3165140.326292	3165140.326247	3165140.326186	3165140.326063	3165140.326001

ACCESSORIES	FOR	PART NO.	EAN CODE
HandyRoll	all electric hedgecutters	F 016 800 244	3165140.357951
Protective blade cover	AHS 650-24 ST	2 605 411 158	3165140.247450
Protective blade cover	AHS 600-24 ST/550-24 ST	2 605 411 208	3165140.328432
Protective blade cover	AHS 480-24 T/400-24 T	2 605 411 160	3165140.247474
Collecto 70	AHS 650-24 ST	2 608 005 113	3165140.328203
Collecto 60	AHS 600-24 ST/550-24 ST	2 608 005 115	3165140.328227
Collecto 50	AHS 480-24 T	2 608 005 114	3165140.328210
Collecto 40	AHS 400-24 T	2 608 005 112	3165140.328197
Lubricant spray 250 ml (in box of 20)	all hedgecutters	1 609 200 399	3165140.005029
Clippings sheet	all hedgecutters	F 016 800 055	3165140.247443
Safety spectacles	all hedgecutters	F 016 800 178	3165140.349390
Gloves	all hedgecutters	2 607 000 134	3165140.017954

**Collecto clearing up**

Unique to Bosch: the Collecto gathers up the cuttings with every cutting stroke. Manual collection of the cuttings is no longer necessary and the hedge is free to grow.



+ COLLECTO

**LIGHTWEIGHT**

**BEST IN CLASS HANDLING**

Ergonomic handle for comfortable work in any position

**BEST IN CLASS CUTTING**

Powerful motor and quality diamond-ground blade



**BOSCH HEDGE CUTTER  
AHS 63-16 C**

- ▶ Powerful 420 W motor
- ▶ Collecto for a clean cut
- ▶ 630 mm cutting length – for cutting young hedges
- ▶ 16 mm tooth spacing
- ▶ Diamond ground blade
- ▶ Quiet running
- ▶ Very light and easy to use

Complete with protective blade cover, Collecto

**INFO**

**Simple and practical**

The Collecto offers a convenient solution for a problem that has been present for a long time: how do we remove clippings that fall when cutting horizontally so that they do not fall into the hedge and block off light from the young twigs? With a horizontal cutting movement, the Collecto gathers the clippings allowing them to

be tipped sideways onto the ground. It is particularly convenient to work with the Collecto when used with a spread-out clippings sheet (accessories). This saves the bothersome task of collecting the clippings.



	AHS 63-16 C	AHS 52-16	AHS 48-16	AHS 42-16	AHS 4-16
Blade length	630 mm	520 mm	480 mm	420 mm	420 mm
Motor power	420 W	420 W	420 W	420 W	390 W
Tooth spacing	16 mm				
Torque	22 Nm				
Idling speed	3200 rpm				
Collecto	yes	accessories	accessories	accessories	accessories
Weight	2.9 kg	2.8 kg	2.8 kg	2.7 kg	2.7 kg
Part no.	0 600 847 503	0 600 847 403	0 600 847 203	0 600 847 103	0 600 847 003
EAN Code	3165140.324663	3165140.324632	3165140.324588	3165140.324571	3165140.324502

ACCESSORIES	FOR	PART NO.	EAN CODE
Protective blade cover	AHS 63-16 C	F 016 800 168	3165140.328265
Protective blade cover	AHS 52-16	F 016 800 167	3165140.328258
Protective blade cover	AHS 48-16	F 016 800 166	3165140.328241
Protective blade cover	AHS 42-16, 4-16	F 016 800 165	3165140.328234
Collecto 70	AHS 63-16 C	2 608 005 113	3165140.328203
Collecto 50	AHS 52-16, 48-16	2 608 005 114	3165140.328210
Collecto 40	AHS 42-16, 4-16	2 608 005 112	3165140.328197
Lubricant spray 250 ml (in box of 20)	all hedgecutters	1 609 200 399	3165140.005029
Clippings sheet	all hedgecutters	F 016 800 055	3165140.247443
Safety goggles	all hedgecutters	F 016 800 178	3165140.349390
Gloves	all hedgecutters	2 607 000 134	3165140.017954

**Bosch Accessories**

High-quality safety goggles and gloves ensure good protection for every application. Regular spraying with the Bosch lubricant spray protects against corrosion. The practical clippings sheet is available making tidying up quicker.



## LONGER LASTING

Up to 50 metres of hedge or 110 minutes running time thanks to double battery pack (AHS 52 ACCU)

## MORE POWER

Powerful cutting of hedges and medium-thick branches

## MORE CONTROL

Lightweight and ergonomic design

### BOSCH CORDLESS HEDGE CUTTER AHS 52 ACCU

- ▶ A phenomenal 50 metres of hedge or 110 minutes running time thanks to the double battery pack supplied
- ▶ Removable battery for separate charging using the 60 min. fast charger supplied
- ▶ 520 mm blade length
- ▶ 15 mm tooth spacing
- ▶ Laser-cut, diamond-ground blades for a clean cut
- ▶ Comprehensive safety features
- ▶ Collecto for a clean cut, available as an accessory
- ▶ Quiet running
- ▶ Very light and easy to use

Complete with 2 x 14.4V/1.5Ah battery, Fast Charger AL 1404 MV, Protective Blade Cover

### BOSCH CORDLESS HEDGE CUTTER AHS 41 ACCU

- ▶ A phenomenal 25 metres of hedge or 55 minutes running time thanks to the battery supplied
- ▶ 410 mm blade length

Complete with 14.4V/1.5Ah battery, Fast Charger AL 1404 MV, Protective Blade Cover

Other features identical to the AHS 52 ACCU.


	AHS 52 ACCU	AHS 41 ACCU
Blade length	520 mm	410 mm
Tooth spacing	15 mm	15 mm
Battery	2 x 14.4 V/1.5 Ah	14.4 V/1.5 Ah
Running time	2 x 55 min	55 min
Idling speed	2200 rpm	2200 rpm
Weight	2.6 kg	2.5 kg
Part no.	0 600 839 480	0 600 839 180
EAN Code	3165140.325974	3165140.325943

ACCESSORIES	PART NO.	EAN CODE
Protective blade cover for AHS 52 ACCU	2 605 411 215	3165140.341103
Protective blade cover for AHS 41 ACCU	2 605 411 214	3165140.341097
14.4V/1.5Ah battery	2 607 335 534	3165140.308139
Collecto 50 for AHS 52 ACCU	2 608 005 114	3165140.328210
Collecto 40 for AHS 41 ACCU	2 608 005 112	3165140.328197
Fast charger AL 1404 MV	2 607 225 012	3165140.342568
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Clippings sheet	F 016 800 055	3165140.247443
Safety goggles	F 016 800 178	3165140.349390
Gloves	2 607 000 134	3165140.017954



### Bosch quality

The gripping blades are laser-cut from high-quality steel. The high temperature of the laser produces a precise, tough cutting edge. The cutting blades are diamond-ground for optimum cutting performance.



### Collecto clearing up

Unique to Bosch: the Collecto gathers up the cuttings with every cutting stroke. Manual collection of the cuttings is no longer necessary and the hedge is free to grow.



## LIGHTWEIGHT FOR CREATIVE TOPIARY STURDY AND DURABLE



### BOSCH CORDLESS SHRUB SHEARS AHS 18 ACCU

- ▶ High-performance battery running time of 70 minutes.
- ▶ Precise cutting with an 18-cm laser cut blade
- ▶ Integrated battery charger
- ▶ Lightweight and well balanced design for comfortable cutting
- ▶ Can be converted to grass shears by simply changing the blades (available as an accessory)



### Precision even at a distance

The extension handle S 77, available as an accessory, is quick to assemble. It allows you to comfortably use the shrub shears for high hedges too.

	AHS 18 ACCU	
Blade length	18 cm	
Tooth spacing	8 mm	
Battery voltage	7.2V/1.5Ah	
Running time	70 min	
Idling speed	2250 rpm	
Weight	1.0 kg	
Part no.	0 600 832 580	
EAN Code	3165140.326728	

ACCESSORIES	PART NO.	EAN CODE
Replacement blade	2 607 009 907	3165140.328272
Shear blade for grass shears 10 cm	F 016 800 047	3165140.235969
Extension handle S 77	2 607 001 181	3165140.055581
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Clippings sheet	F 016 800 055	3165140.247443
Safety spectacles	F 016 800 178	3165140.349390
Gloves	2 607 000 134	3165140.017954

# YOUR TWO-WHEELED HELPER.

There's always something to transport in the garden. The Bosch Garden Trolley does this in a modern, comfortable manner. Waste can be collected separately since the Bosch Garden Trolley has the option of using two different sacks at the same time.



## THE BOSCH GARDEN TROLLEY AGW 70 D

- ▶ 70 l capacity
  - ▶ Large, lawn-friendly wheels
  - ▶ Suitable for steps
  - ▶ Height adjustable
  - ▶ The bag rests on the ground to increase stability
  - ▶ Clip closure: separate bags can be used simultaneously
  - ▶ Sturdy, rustproof construction
- Not available in UK.

### AGW 70 D

Part no.	0600800381
EAN Code	3165140.090544
Garden trolley capacity	70 l

ACCESSORIES	PART NO.	EAN CODE
10 bags	1609351028	3165140.093590



### Easy-to-use

The Bosch Garden Trolley can be laid on the ground for shovelling. Two separate bags can be used at the same time for waste separation.



# DIFFERENT GARDENS, DIFFERENT SOLUTIONS.

The type of shredder used depends on the nature of the garden. Young, soft and small plants demand different treatment from

blade, motor and intake than, for example, thorny material or sturdy, thick branches. To meet these different requirements, Bosch has

developed solutions that have succeeded in meeting the highest demands as regards quality, performance and operating comfort.



The young garden: characterised by luscious green and bright colours. In this case, the material for shredding is predominantly soft, for example, shrubs, young hedges, flowers, vegetables, climbing plants and branches.

**This is where the new Bosch RAPID Shredder comes into its own.**



The diverse garden: this garden contains small plants, but also bushes and small trees. Both soft and hard material has to be processed, for example, medium-sized branches, shrubs, hedge clipping, roses or thorny bushes. The shredder has to perform work quickly, while not annoying the family or neighbours with noise.

**This is where the Bosch Quiet Shredders with a spiral cutting system come into their own.**



The large garden: here, mature and sturdy plants place great demands on the shredder. Larger amounts of wood, such as chips, old branches from fruit trees, old hedges, thorny bushes or pine trees have to be disposed of. The shredder has to work really hard, and quietly.

**This is where Bosch Quiet Shredders with rotary cutting drum come into their own.**



## Bosch RAPID Shredders with blade cutting system

**A powerful cutting performance unique in its class, enormous filling volumes through specially shaped hopper design.**



## Bosch Quiet Shredders with unique spiral cutting system

**Automatic feed, powerful, maintenance-free spiral cutting system, particularly quiet and optimum shredded material.**



## Bosch Quiet Shredders with cutting drum mechanism

**Automatic feed, extremely powerful cutting performance, particularly quiet and optimum shredded material.**





## BOSCH QUIET SHREDDERS

**QUIET**  
Exceptionally quiet

**POWERFUL**  
Shreds branches up to 40 mm-thick with 652 Nm torque

**FAST**  
Up to 150 kg/h material throughput rate with automatic feed



### Bosch automatic feed

The automatic feed draws in the shredding material, reducing manual feed time and increasing material throughput.

### BOSCH QUIET SHREDDER AXT 2500 HP

- ▶ Powerful 2500 W high-performance motor with optimum torque
- ▶ Automatic feed draws in branches reducing manual feed time and increasing the throughput/hour
- ▶ Cutting drum mechanism reduces noise emissions to only 84 dB(A)
- ▶ The unique reverse action of the “Block Release System” safely releases blockages without dismantling the hopper
- ▶ Material is ideal for rapid composting
- ▶ Effortlessly shreds branches up to 4.0 cm in diameter
- ▶ Robust stand for greater stability with wheels to cope with steps
- ▶ Overload cut-out to protect motor and gears. Anti-start up protection to provide extra safety in the event of a power cut
- ▶ 16 Amp fuse

Complete with collection bag/cover




RAL UZ 54  
LWA <91 dB(A)



### Pleasantly quiet

The high noise emissions produced by conventional blade shredders have prevented many gardeners from shredding their garden waste for composting. Bosch Quiet Shredders use a unique low impact system which is an environmentally friendly solution to recycle garden waste.



Noise emissions (LWA) in dB (A) \* on freshly-cut wood.

### The secret of quiet shredding

A slowly-revolving cutting drum automatically draws the waste into the machine with a recoil-free, safe and efficient action. During this process the material is crushed as well as shredded, preparing it for composting or mulching. (AXT 2500/2200 HP)



### High-performance planetary gears

The high-performance planetary gears developed by Bosch provide a long life, optimum power transmission and smooth running.



### BOSCH QUIET SHREDDER AXT 2200 HP

- ▶ Powerful 2200 W high-performance motor
- ▶ For branches up to 3.8 cm in diameter
- ▶ 10 Amp fuse

For other features see the AXT 2500 HP.

	AXT 2500 HP	AXT 2200 HP
Motor power	2500 W	2200 W
Voltage	230 V	230 V
Cutting speed	40 rpm	40 rpm
Cutting capacity	4.0 cm dia.	3.8 cm dia.
Torque	approx. 652 Nm	approx. 595 Nm
Material throughput rate	approx. 150 kg/h	approx. 140 kg/h
LWA noise emission level	84 dB(A)/<91 dB(A)*	84 dB(A)/<91 dB(A)*
Weight	26 kg	25 kg
Part no.	0 600 852 103	0 600 852 003
EAN Code	3165140.213318	3165140.213264
<b>ACCESSORIES</b>	<b>PART NO.</b>	<b>EAN CODE</b>
Collection bag	2 605 411 073	3165140.080514
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Gloves	2 607 000 134	3165140.017954
Safety goggles	F 016 800 178	3165140.349390

### \* Noise emission/acoustic power

84 dB(A): measured with fresh wood, <91 dB(A): measured by the “Blue Angel” test method (RAL UZ 54) using dry wood, 92 dB(A) guaranteed noise emission level: measured according to “2000/14/EC”



**QUIET**  
Exceptionally quiet

**POWERFUL**  
Shreds branches up to 38 mm-thick with 99 Nm torque

**FAST**  
Up to 115 kg/h material throughput rate with automatic feed



**BOSCH QUIET SHREDDER  
AXT 2000 HP**

- ▶ Powerful 2000 W high-performance motor with optimum torque
- ▶ Extremely quiet, maintenance-free spiral cutting system, producing only 84 dB(A)\*
- ▶ Reliable and recoil-free shredding
- ▶ Automatic feed draws in branches reducing manual feed time and increasing the throughput/hour
- ▶ Material is ideal for rapid composting
- ▶ The unique reverse action of the “Block Release System” safely releases blockages without dismantling the hopper
- ▶ Effortlessly shreds branches up to 3.8 cm in diameter
- ▶ Robust stand for greater stability with wheels to cope with steps
- ▶ Overload cut-out to protect motor and gears. Anti-start up protection to provide extra safety in the event of a power cut
- ▶ Particularly easy to use due to its light weight and adjustable working height
- ▶ 10 Amp fuse



RAL UZ 54  
LWA < 91 dB(A)



**HIGH  
POWER**



**HIGH  
POWER**

**BOSCH QUIET SHREDDER  
AXT 1600 HP**

- ▶ Powerful 1600 W high-performance motor
- ▶ For branches up to 3.3 cm in diameter

For other features see the AXT 2000 HP

**Bosch Accessories**

The handy collection bag hooks onto the shredder to collect debris and after

shredding can be used as a cover. With the Bosch lubricant spray, the cutting mechanism is protect-



ed perfectly against rust after every application.

	AXT 2000 HP	AXT 1600 HP
Motor power	2000 W	1600 W
Voltage	230 V	230 V
Cutting speed	260 rpm	260 rpm
Cutting capacity	3.8 cm dia.	3.3 cm dia.
Torque	approx. 99 Nm	approx. 94 Nm
Material throughput rate	approx. 115 kg/h	approx. 100 kg/h
LWA noise emission level	84 dB(A)/<91 dB(A)*	84 dB(A)/<91 dB(A)*
Weight	22 kg	21 kg
Part no.	0 600 851 403	0 600 851 203
EAN Code	3165140.213257	3165140.213240

ACCESSORIES	PART NO.	EAN CODE
Collection bag	2 605 411 073	3165140.080514
Lubricant spray 250 ml (in box of 20)	1 609 200 399	3165140.005029
Gloves	2 607 000 134	3165140.017954
Safety goggles	F 016 800 178	3165140.349390

\* Noise emission level/acoustic power  
84 dB(A): measured with fresh wood,  
<91 dB(A): measured by the “Blue Angel” test method (RAL UZ 54) using dry wood,  
92 dB(A): guaranteed noise emission level: measured according to “2000/14/EC”



**EASIER**  
Extremely powerful thanks to the very high cutting force

**FASTER**  
Patented hopper for 40% higher material throughput

**LIGHTER**  
Up to 50% lighter than comparable shredders

**BOSCH SHREDDER  
AXT RAPID 200**

- ▶ High-speed Bosch Powerdrive™ Motor with high torque cutting power up to 14 Nm
- ▶ Patented hopper design for easier feeding of shredding material
- ▶ Practical prodder for problem-free feeding
- ▶ Cutting blade made of extra hardened steel
- ▶ Reversible double blade, usable on both sides
- ▶ Effortlessly shreds branches up to 3.8 cm in diameter
- ▶ Easy to remove hopper
- ▶ Large switch with child-proof feature
- ▶ Collection bag hooks (collection bag available as an accessory)
- ▶ Robust stand for greater stability with wheels to cope with steps
- ▶ Particularly easy to transport due to its light weight of only 12 kg
- ▶ Overload cut-out to protect motor and gears. Anti-start up protection to provide extra safety in the event of a power cut



**HIGH  
POWER**

**HIGH  
POWER**

	AXT RAPID 200	AXT RAPID 180
Motor power	2000 W	1800 W
Voltage	230 V	230 V
Cutting speed	3650 rpm	3650 rpm
Cutting capacity	3.8 cm dia.	3.3 cm dia.
Torque	approx. 14 Nm	approx. 12 Nm
Material throughput rate	approx. 90 kg/h	approx. 80 kg/h
LWA noise emission level	103 dB(A)/<107 dB(A)**	103 dB(A)/<107 dB(A)**
Weight	12 kg	11.5 kg
Part no.	0 600 853 103	0 600 853 003
EAN Code	3165140.314848	3165140.314800

ACCESSORIES	PART NO.	EAN CODE
Replacement blade	F 016 800 164	3165140 324267

**BOSCH SHREDDER  
AXT RAPID 180**

- ▶ High-speed Bosch Powerdrive™ Motor with 1800 Watt and a high torque cutting power up to 12 Nm
- ▶ For branches up to 3.3 cm in diameter

For other features see the AXT RAPID 200.

**Bosch automatic feed**

The automatic feed draws in the shredding material, reducing manual feed time and increasing material throughput. Pushing is not necessary.

**Comfortable and quiet**

The unique, maintenance-free spiral cutting system draws in the branches and twigs, crushing and shredding them quietly and efficiently.  
(AXT 2000/1600 HP)



**High power transmission**

The powerful, high-speed Bosch Powerdrive™ Motor delivers maximum power at the blade – up to an incredible 14 Nm.

**Superior cutting power**


The cutting force of Bosch RAPID Shredders is approximately seven times higher at start-up than as high as conventional blade shredders.

**Easier feeding**

The innovative hopper design increases the material feed area without compromising safety. The shredder can be fed large amounts of material faster.

**Practical pressure**

The perfect shape of the plunger makes faster material feed possible. Over the same period, more than 40% more material can be shredded in comparison to conventional blade machines.



\*\* Noise emission level/acoustic power 103 dB(A): measured by the test method (RAL UZ 54) using dry wood,  
106/107 dB(A): guaranteed noise emission level: measured according to “2000/14/EC”

**EXTREMELY HIGH-TORQUE MOTOR**  
**HIGH CUTTING SPEED**  
**TOOL-FREE CHAIN TENSIONING**

**Practical sharpening set**  
 Regular sharpening with the Bosch sharpening set (Bosch Accessories) guarantees clean precise cutting.



AKE 40-17 S

AKE 35-17 S

AKE 30-17 S

**BOSCH CHAINSAWS**  
**AKE 40-17 S, AKE 35-17 S, AKE 30-17 S**

- ▶ Powerful 1700 W motor
- ▶ Bosch SDS for tool-free chain assembly and tensioning
- ▶ High chain speed (12 m/sec) for optimum cutting performance
- ▶ Rapid-reaction kick-back brake (Quick Stop)
- ▶ Steel chain safety catch bolt
- ▶ Ergonomic handle for both sawing and felling
- ▶ Run-down brake
- ▶ 7 steel gripping teeth for a firm grip
- ▶ Automatic oil lubrication with oil-level indicator
- ▶ Large oil reservoir (200 ml) with filter



**Bosch Accessories**

Even high-quality chains have to be sharpened occasionally. This is a simple task with the Bosch sharpening set. If the chain can no longer be sharpened, replacement chains from Bosch offer the customary high quality and long service life.


**Tool-free with Bosch SDS**

Tool-free chain tensioning with Bosch SDS:

1. Lock the bar with the black handle.
2. Tension the chain by turning the red ring.
3. Tighten with the black handle – done!


**Ergonomic handling**

The innovative design of the all-round handle ensures a firm hold for accurate working at any angle, whether cutting vertically or horizontally.




**A firm grip for sawing**

7 steel gripping teeth hold the saw firmly on the wood for increased safety when sawing.



**Optimised saw chain**

The narrow chain profile and high chain speed (12 m per second) make fast, precise cutting possible. The surface of the chain is hard chrome plated for a longer life.



**Bosch Accessories**

Outstanding quality also applies to Bosch Accessories. The innovative Bosch Technology of the saw chains ensures the best cutting results. Bosch high-quality (biodegradable) chainsaw oil will ensure smooth running, minimise chain wear and prolong product life.



	AKE 40-17 S	AKE 35-17 S	AKE 30-17 S
Motor power	1700 W	1700 W	1700 W
Blade length	400 mm	350 mm	300 mm
Chain speed	12 m/sec	12 m/sec	12 m/sec
Weight, including chain and bar	4.4 kg	4.3 kg	4.2 kg
Part no.	0 600 836 203	0 600 836 103	0 600 836 003
EAN Code	3165140.222334	3165140.222303	3165140.222273
ACCESSORIES	FOR	PART NO.	EAN CODE
400 mm chain bar	AKE 40-17 S	F 016 800 022	3165140.230797
350 mm chain bar	AKE 35-17 S	F 016 800 021	3165140.230780
300 mm chain bar	AKE 30-17 S	F 016 800 020	3165140.230773
Chain sharpening set	AKE 40-17 S/35-17 S/30-17 S	F 016 800 023	3165140.230803
400 mm saw chain	AKE 40-17 S	F 016 800 016	3165140.230735
350 mm saw chain	AKE 35-17 S	F 016 800 015	3165140.230728
300 mm saw chain	AKE 30-17 S	F 016 800 014	3165140.230711
Chainsaw oil (1 litre), biodegradable	All chainsaws	2 607 000 181	3165140.070867
Chainsaw oil (5 litres), biodegradable	All chainsaws	F 016 800 111	3165140.268615
Cable guard	All chainsaws	2 601 398 012	3165140.069465
Gloves	All chainsaws	2 607 000 134	3165140.017954
Safety goggles	All chainsaws	F 016 800 178	3165140.349390
Ear protectors SNR 19, soundproofing level 19 dB (A)	All chainsaws	2 607 990 042	3165140.093712
Ear protectors SNR 24, soundproofing level 24 dB (A)	All chainsaws	2 607 990 043	3165140.093729

# THE NEW RANGE – THE RIGHT SOLUTION FOR ANY CLEANING APPLICATION.

The new range of high-pressure washers engineered by Bosch, high performance, long service life and ease of use.

Powerful motors, up to 3000 Watt, ensure optimum results even in the toughest cleaning conditions. And with strong metal pumps, a long service life is guaranteed under the highest pressure.

Of course, in addition to power and durability, particular attention has been paid to ease of use and mobility: whether handy wheels, integrated accessory and lance holder or fold-away handle – the new Bosch High-Pressure Washers are perfectly equipped for any requirement.



**Sturdy brass lances**  
The sturdy brass lances on the AQUATAK 160 PRO X ensure an especially long service life, even at maximum pressure output.



**Integrated lance holder, cable holder and hose reel**  
Thanks to lance holder and the cable holder, everything can be practically stowed away, and the hose reel ensures a wide operating radius (AQUATAK 160 PRO X/150 PRO X).



**METAL PUMP**  
**PREMIUM QUALITY**  
The powerful Bosch Metal Pump with brass head ensures top performance and a long service life.

## TOP PERFORMANCE BEST EQUIPMENT EXCEPTIONAL CLEANING POWER



### BOSCH HIGH-PRESSURE WASHER AQUATAK 160 PRO X

- ▶ Brass-head pump for long service life
- ▶ Powerful 3000 W induction motor for high performance
- ▶ Stable, upright design
- ▶ Integrated 12-m hose reel
- ▶ Durable, reinforced solid rubber hose
- ▶ Hard-wearing brass injection nozzle and accessories for top performance
- ▶ Large, removable detergent tank
- ▶ Rustproof manometer
- ▶ Automatic motor stop for minimum power and water consumption and longer service life of the pump
- ▶ Integral wheels for easy transportation

For supplied accessories, see table

### BOSCH HIGH-PRESSURE WASHER AQUATAK 150 PRO X

- ▶ Powerful 2700 W induction motor
- ▶ Two 1.5 litre detachable detergent tanks
- ▶ Durable, reinforced textile hose
- ▶ Brass injection nozzle for top performance


For other features see the AQUATAK 160 PRO X.

### BOSCH HIGH-PRESSURE WASHER AQUATAK 150 PRO

- ▶ Detachable detergent tank (3 litre)
- ▶ Handy hooks for hose and mains cable
- ▶ Brass injection nozzle for top performance


For other features see the AQUATAK 150 PRO X.

#### JET-FAN



The jet-fan nozzle delivers constant pressure and can be adjusted from a wide fan spray to a single jet. Use the fan spray for cleaning large surface areas. Stubborn dirt can be removed with the more powerful jet.

#### VARIO-JET-FAN



The spray angle of the nozzle can be adjusted from a wide fan to a jet. Various pressure settings can also be set steplessly: the high-pressure setting for fast, powerful cleaning, and the low-pressure setting for gentle cleaning.

#### ROTO



The powerful roto-nozzle produces an oscillating jet. Even the most stubborn dirt is washed away in seconds.



#### Brass pump with manometer

The easily visible manometer can be used to regulate the pressure exactly to suit the type of surface being cleaned.

	AQUATAK 160 PRO X	AQUATAK 150 PRO X	AQUATAK 150 PRO
Max. pressure	160 bar	150 bar	150 bar
Max. flow rate	600 l/h	550 l/h	550 l/h
Max. flow temperature	60 °C	60 °C	60 °C
Motor power	3000 W	2700 W	2700 W
Autostop	yes	yes	yes
Weight (without accessories)	29.1 kg	27.5 kg	26 kg
Part no.	0 600 877 C00	0 600 877 B00	0 600 877 A00
EAN Code	3165140.338936	3165140.338868	3165140.338790

#### SUPPLIED ACCESSORIES/EQUIPMENT

	AQUATAK 160 PRO X	AQUATAK 150 PRO X	AQUATAK 150 PRO
Vario-Jet-Fan-Power lance	● (brass)	●	●
Roto-Power lance	● (brass)	●	●
Hose	12 m (rubber)	12 m (rubber)	12 m (rubber)
Hose reel	●	●	–
Integrated tank	1 x 3 l	2 x 1.5 l	1 x 3 l

\* AQUATAK 160 PRO X with high-quality premium brass lance and high-pressure/low-pressure setting.

**HIGH PERFORMANCE**  
**HIGH VERSATILITY**  
**HIGH POWER FOR LARGE SURFACES**

**BOSCH HIGH-PRESSURE WASHER**  
**AQUATAK 1500 X**

- ▶ Best nozzle performance thanks to high-quality metal pump
- ▶ Enormous power thanks to exceptionally powerful induction motor
- ▶ Sturdy, upright design
- ▶ Practical integral accessory holders
- ▶ Easy handling thanks to integrated hose reel
- ▶ Brass injection nozzle for top performance
- ▶ Handy hooks for power cable
- ▶ Integrated detergent tank
- ▶ Automatic motor stop for minimum power and water consumption and longer service life of the pump
- ▶ Easily transported thanks to the integral wheels

For supplied accessories, see table



**BOSCH HIGH-PRESSURE WASHER**  
**AQUATAK 1250**

- ▶ Best nozzle performance thanks to high-quality metal pump
- ▶ Enormous power thanks to exceptionally powerful induction motor
- ▶ Sturdy, upright design
- ▶ Handy hooks for hose, accessories and mains cable
- ▶ Integrated detergent tank
- ▶ Automatic motor stop for minimum power and water consumption and longer service life of the pump

For supplied accessories, see table



**BOSCH HIGH-PRESSURE WASHER**  
**AQUATAK 1200 PLUS**


- ▶ With 0.5-l bottle for detergent and wash brush

For other features see the AQUATAK 1250.

**BOSCH HIGH-PRESSURE WASHER**  
**AQUATAK 1350**

- ▶ Instead of hose reel, handy hook for hose
- For other features see the AQUATAK 1500 X.

**METAL PUMP**



**HIGH QUALITY**

The powerful Bosch Metal Pump ensures top performance and a long service life.



**INFO**

**AQUATAK 1500 X – with a practical roller**

It couldn't be any easier: using the crank handle the hose is quickly wound onto the integrated reel.



**Integrated detergent tank**

Clean solution against stubborn dirt: simply fill with detergent and set to low-pressure.



	AQUATAK 1500 X	AQUATAK 1350	AQUATAK 1250	AQUATAK 1200 PLUS
Max. pressure	150 bar	135 bar	125 bar	120 bar
Max. flow rate	530 l/h	500 l/h	400 l/h	390 l/h
Max. flow temperature	60 °C	60 °C	60 °C	60 °C
Motor power	2700 W	2400 W	1800 W	1750 W
Autostop	yes	yes	yes	yes
Weight (without accessories)	19 kg	16 kg	13.5 kg	13 kg
Part no.	0 600 875 103	0 600 874 103	0 600 873 103	0 600 876 F00
EAN Code	3165140.339407	3165140.339339	3165140.339254	3165140.348973

**SUPPLIED ACCESSORIES/EQUIPMENT**


	AQUATAK 1500 X	AQUATAK 1350	AQUATAK 1250	AQUATAK 1200 PLUS
Vario-Jet-Fan-Power lance	•	•	•	•
Roto-Power lance	•	•	•	•
Flexi-Jet-Power lance	•	•	•	•
Wash brush	–	–	–	•
Hose	9 m (rubber)	6 m	6 m	6 m
Hose reel	•	–	–	–
Integrated tank	1 x 1.3 l	1 x 1.3 l	1 x 1.3 l	separate 0.5-l bottle

**Integral lance bracket and cable holder**

Thanks to the lance bracket and cable holder, everything is easy to stow away.



- Brass piston guide
- Rustproof back flow valve




- High-pressure spring
- Stainless steel piston

The selection of high-quality materials provides the Bosch High-Quality Pump with its exceptional reliability. The production of the valves also meets the highest standards. In this way, these precise stainless steel valves guarantee a constant optimum function.

**VERY GOOD PERFORMANCE**  
**MOBILE AND VERSATILE**  
**IDEAL FOR ALL CLEANING WORK AROUND THE HOUSE**

**METAL PUMP**



**HIGH QUALITY**

The powerful Bosch Metal Pump ensures top performance and a long service life.



**BOSCH HIGH-PRESSURE WASHER AQUATAK 115 PLUS, 110 PLUS**

- ▶ Best nozzle performance thanks to high-quality metal pump
- ▶ Lightweight motor for convenient handling
- ▶ Optimum transport thanks to light, upright design
- ▶ Handy hooks for hose, accessories and mains cable
- ▶ Integrated detergent tank
- ▶ Automatic motor stop for minimum power and water consumption and longer service life of the pump

For supplied accessories, see table

	AQUATAK 115 PLUS	AQUATAK 110 PLUS	AQUATAK 110
Max. pressure	115 bar	110 bar	110 bar
Max. flow rate	380 l/h	380 l/h	360 l/h
Max. flow temperature	40 °C	40 °C	40 °C
Motor power	1700 W	1600 W	1600 W
Autostop	yes	yes	yes
Weight (without accessories)	7 kg	7 kg	7 kg
Part no.	0 600 876 E00	0 600 876 D00	0 600 876 C00
EAN Code	3165140.338721	3165140.338660	3165140.338608

**SUPPLIED ACCESSORIES/EQUIPMENT**

	AQUATAK 115 PLUS	AQUATAK 110 PLUS	AQUATAK 110
Vario-Jet-Fan-Power lance	●	●	●
Roto-Power lance	●	●	●
Flexi-Jet-Power lance	●	●	●
Wash brush	●	●	—
Hose	6 m	5 m	5 m
Integrated tank	1 x 0.75 l	1 x 0.75 l	separate 0.5-l bottle

**Fold-away handle**

Practical and space-saving: thanks to its fold-away handle, the AQUATAK 110 can be carried anywhere effortlessly.




**Integral lance bracket and cable holder**

Thanks to the lance bracket and cable holder, everything is easy to stow away.



**PARTICULARLY LIGHTWEIGHT**  
**COMPACT DESIGN**  
**SPECIALLY FOR SMALLER CLEANING APPLICATIONS**

**METAL PUMP**



**HIGH QUALITY**

The powerful Bosch Metal Pump ensures top performance and a long service life.



**Clean and easy**

This makes cleanliness child's play: the proven motor and pump performance are guaranteed thanks to the handy and lightweight design.



	AQUATAK 100 PLUS	AQUATAK 100	AQUATAK 10
Max. pressure	100 bar	100 bar	100 bar
Max. flow rate	350 l/h	330 l/h	300 l/h
Max. flow temperature	40 °C	40 °C	40 °C
Motor power	1500 W	1400 W	1300 W
Autostop	yes	yes	yes
Weight (without accessories)	6 kg	6 kg	6 kg
Part no.	0 600 876 B00	0 600 876 A00	0 600 876 G00
EAN Code	3165140.338547	3165140.338486	3165140.370011

**SUPPLIED ACCESSORIES/EQUIPMENT**

	AQUATAK 100 PLUS	AQUATAK 100	AQUATAK 10
Fan nozzle	—	—	●
Jet-Fan nozzle	●	●	—
Roto nozzle	●	—	—
Flexi-Jet-Power lance	●	●	—
Wash brush	●	—	—
Hose	5 m	3.5 m	3.5 m
Detergent bottle	1 x 0.5 l	1 x 0.5 l	1 x 0.5 l



**Why get wet when you can stay dry!**

The new BOSCH AQUASURF PATIO CLEANER is the optimum solution for all surfaces. Whether concrete, stone, wood, marble or paving stones, whether driveways, large patios or even walls and garage doors – with its practical, closed dome and its 2 high-pressure water nozzles, it ensures that everything can be cleaned without squirting water everywhere.



**AQUASURF PATIO CLEANER**

Part no.	F 016 800 169
EAN Code	3165140.349055

# MORE POSSIBILITIES FOR YOUR HIGH-PRESSURE WASHER.

The comprehensive range of accessories available for Bosch Aquatak High-Pressure Washers make them highly versatile and able to tackle a wide range of cleaning applications.



**Wash brush**  
When washing cars and cleaning glass surfaces, the wash brush delivers shining results.



**Fixed rotary brush**  
The combination of water pressure and rotating bristles permits thorough cleaning of surfaces, tiles and joins.



**Adjustable rotary brush**  
Even on surfaces and edges that are difficult to reach, the rotary brush head adjusts to the angle of the surface to be cleaned.



**Flexi-Jet-Power lance**  
Thanks to the 360° rotatable ball head joint, the Flexi-Jet-Power lance comfortably guarantees clean results even in hard-to-reach areas.



**Hose extension**  
Considerably increase your area of use – especially when cleaning large objects such as cars and caravans. Available in lengths of 7 m and 10 m.



**Drain cleaning set**  
This can be used to quickly and easily unblock pipes and drains. The ingenious accessory is attached directly to the cleaning lance. Available in lengths of 8 m and 15 m.



**Sandblaster**  
An extremely efficient accessory for removing rust and old paint. Surfaces cleaned in this way can be painted straight away. Simply connect it to the cleaning lance.



**Water filter**  
Attached directly onto the water supply of the Bosch High-Pressure Washer, it prevents the intake of particles that could damage the machine.



**Back flow valve**  
To prevent cleaning additives from flowing back into the water line, the back flow valve is simply fitted to the tap.



**Universal adapter set**  
For using Bosch Accessories with high-pressure washers from other manufacturers. Adapter for Kärcher accessories (not shown) for using Kärcher accessories with Bosch High-Pressure Washers.\*

DETERGENT	PART NO.	EAN CODE
Alloy-wheel cleaner 0.75 l	NEW F 016 800 229	3165140.357036
Insect remover 0.75 l	NEW F 016 800 230	3165140.357043
Car cleaner 0.5 l	F 016 800 236	3165140.357616
Cleaning wax 2.5 l	F 016 800 233	3165140.357586
Cleaning wax 0.5 l	F 016 800 234	3165140.357593
Patio cleaner 0.5 l	F 016 800 237	3165140.357623
Glass cleaner 0.5 l	F 016 800 235	3165140.357609
Plastic cleaner 0.5 l	F 016 800 238	3165140.357630
All-purpose cleaner 2.5 l	F 016 800 231	3165140.357562
All-purpose cleaner 0.5 l	F 016 800 232	3165140.357579



**Alloy-wheel cleaner**  
Frees any wheel rim of stubborn residues and achieves perfect clean results every time.



**Insect remover**  
Whether on the windscreen, the bonnet, the radiator grill, the bumpers or the wing mirrors – even hard-to-remove insect remains do not stand a chance.



FOR AQUATAK	PART NO.	EAN CODE	
Vario-Jet-Fan-Power lance	Jet-fan nozzle		
Roto-Power lance	Roto nozzle		
Brass Vario-Jet-Fan-Power lance	Power gun extension		
Brass Roto-Power lance	Detergent nozzle with bottle		
Replacement extension lance			
ACCESSORIES	FOR AQUATAK	PART NO.	EAN CODE
Fan nozzle	10	F 016 800 253	3165140.370448
Jet-Fan nozzle	100, 100 PLUS	F 016 800 202	3165140.356763
Roto nozzle	10, 100, 100 PLUS	F 016 800 204	3165140.272629
Extension pipe	10, 100, 100 PLUS	F 016 800 206	3165140.356800
Detergent nozzle with bottle	10, 100, 100 PLUS, 110, 1200 PLUS	F 016 800 208	3165140.356824
Vario-Jet-Fan-Power lance	110, 110 PLUS, 115 PLUS	F 016 800 185	3165140.350204
Vario-Jet-Fan-Power lance	1200 PLUS	F 016 800 186	3165140.350211
Vario-Jet-Fan-Power lance	1250	F 016 800 187	3165140.350228
Vario-Jet-Fan-Power lance	1350	F 016 800 188	3165140.350235
Vario-Jet-Fan-Power lance	1500 X, 150 PRO, 150 PRO X	F 016 800 189	3165140.350242
Roto-Power lance	110, 110 PLUS, 115 PLUS, 1200 PLUS	F 016 800 191	3165140.350266
Roto-Power lance	1250	F 016 800 192	3165140.350273
Roto-Power lance	1350	F 016 800 184	3165140.350198
Roto-Power lance	1500 X, 150 PRO, 150 PRO X	F 016 800 190	3165140.350259
Wash brush	All*	F 016 800 209	3165140.356831
Fixed rotary brush	All*	F 016 800 210	3165140.356848
Adjustable rotary brush	All*	F 016 800 211	3165140.356855
Flexi-Jet-Power lance	All*	F 016 800 171	3165140.349048
7 m hose extension	All*	F 016 800 212	3165140.356862
10 m hose extension	All*	F 016 800 213	3165140.356879
Drain cleaner 8 m	All*	F 016 800 214	3165140.356886
Drain cleaner 15 m	All*	F 016 800 216	3165140.356909
Sandblaster	All*	F 016 800 218	3165140.356923
Power gun extension	All*	F 016 800 220	3165140.356947
Water filter	All	F 016 800 221	3165140.356954
Back flow valve	All	F 016 800 222	3165140.356961
AQUASURF patio cleaner	All*	F 016 800 169	3165140.349055
Universal adapter set	High-pressure washers from other manufacturers	F 016 800 198	3165140.350334
Adapter for Kärcher accessories	All	F 016 800 226	3165140.357005
Brass Vario-Jet-Fan-Power lance	160 PRO X	F 016 800 193	3165140.350280
Brass Roto-Power lance	160 PRO X	F 016 800 195	3165140.350303
Adjustable rotary brush	160 PRO X	F 016 800 194	3165140.350297
Hose extension	160 PRO X	F 016 800 196	3165140.350310
Drain cleaner	160 PRO X	F 016 800 228	3165140.357029
Sandblaster	160 PRO X	F 016 800 197	3165140.350327

\* Except for AQUATAK 160 PRO X.



**Car cleaner**  
Just right for non-smearing cleanliness on the painted surfaces of cars, caravans and trailers.



**Cleaning wax**  
Protects the paintwork of your car, caravan etc. with a fine coat of wax. For a sustained, shining appearance of your vehicle.



**Patio cleaner**  
For rapid, efficient removal of algae, moss and other contamination from masonry, floors, roofs, etc.



**Glass cleaner**  
For non-smearing cleaning of window panes in the house and on vehicles.



**Plastic cleaner**  
Garden furniture made of plastic and other synthetic materials can be gently and thoroughly cleaned with this special cleaner. A protective film also increases the service life.



**All-purpose cleaner**  
For almost all applications around the house and garden, this delivers clean and shining results.