

# Contents

Lawn care	
Robotic lawnmower	6-7
Rotary lawnmowers	8-11
Lawnraker	12
Verticutter	13
Range overview	14-15
Lawn edging	
Grass shears	18
Grass trimmers	19-21
Range overview	22-23
Shrub and hedge care	
Shrub shears	28-29
Hedgecutters	30-33
Range overview	34-35
Tree care	
Multi-saw	38
Chainsaws	39-40
Shredders	41-43
Range overview	44-45
Multi-tool	
Multi-tool	48-49
Range overview	50-51
Outdoor clearing	
Leaf blowers	54
Garden vacuum	55
Range overview	55
Accessories	
Accessories for all tools	57-63
High-Pressure Washer	
Electric pressure washers	66
Range overview and accessories	67
Lithium-ion powered by Bosch	
Smart lithium-ion technology	69
Bosch cordless systems	70
The 36 Volt concept	71
The 18 Volt system	72
The 10.8 Volt system	73
Overview lithium-ion DIY Power Tools	74-77
Sound pressure levels & vibration values	<mark>78-81</mark>
Leading technology from Bosch	82
Bosch service	83

# Lawn care

Robotic lawnmower	6-7
Cordless rotary lawnmowers	8-9
Corded rotary lawnmowers	10-11
Lawnraker	12
Verticutter	13
Range overview	14-15

R

# **A beautiful lawn.** And everything you need to maintain it.

The type of lawnmower you require depends on the size of your lawn and what you use it for. We've got all the tools to help you keep your lawn in tip-top condition.

If your lawn is a space for playtime and leisure, you'll want to spend as little time as possible keeping it in shape. The Rotak rotary mowers from Bosch come with a 'Powerdrive motor' which effortlessly cuts through all kinds of grass, even when it's long. The hardened precision blade enables efficient cutting of grass and the grass combs mow up to and over the edge. The range of Rotak mowers also benefits from the 'Ergoflex System', offering ergonomically designed and adjustable handles to improve body posture and reduce muscle strain whilst mowing.

If you find extension cords or petrol a hassle, our **Rotak cordless mowers** could be just the thing for you. They give you power, freedom and energy efficiency – plus all the benefits of our Bosch lithium-ion technology. All Bosch Rotak mowers also have a roller which creates a stylish striped effect after mowing. If you prefer not to mow the lawn yourself at all, you can now choose the innovative **robotic lawnmower** Indego from Bosch. Thanks to its 'Logicut' system, the Indego calculates an efficient route and mows it in clean, parallel lines. While the Indego is working, you can attend to other projects.

We've also got tools to help you keep your lawn healthy and lush. A **lawnraker** will efficiently and gently remove moss in its earliest stages of growth, without damaging grass. If moss has already taken hold, a verticutter will help you remove the growth and prepare the lawn for reseeding.

You'll find a handy overview of all Bosch lawn care products on pages 14–15.





### Indego robotic lawnmower.

Mows all by itself, so you can enjoy other projects.

Just leave it to the Indego from Bosch. It mows your lawn, finds its way all by itself and always delivers the perfect cut. How does it achieve this? It's simple – with Logicut. With this technology, the lawn is mapped, an efficient mowing strategy is calculated and the Indego mows the lawn in clean, parallel lines. Following installation, some simple programming is all that is needed to get it ready to do the work for you. Thanks to its efficiency the Indego uses very little power. It doesn't emit any exhaust fumes making it a good choice for you and the environment. And if it finds a branch in its way – that's not a problem either. The Indego will recognise that it has bumped into an object, reverse and then drive around it. It's actually so autonomous that it knows when to charge its lithium-ion battery pack at the docking station. It also cares for your lawn as the short grass clippings act as a mulch. It can be used in most weather conditions, handles up to 35% slopes, boasts all-round safety features and is protected from theft by a PIN and alarm system. Let the Indego take care of the lawn so that you can take care of other projects.



# Logicut!



### Efficient, accurate mowing, line by line


Mowing systematically means mowing more efficiently. The Indego uses its 'Logicut' technology to calculate a short mowing path and mows in orderly parellel lines. The Indego moves easily around the lawn line by line, ensuring that no patch of grass is overlooked or repeatedly mowed. This is kind on your lawn, saves time and power and allows you to enjoy your garden in peace. Simply logical – simply efficient Mowing without 'Logicut'


A random approach is taken when mowing without 'Logicut'. In other words, mowing continues until all of the lawn has been evenly mowed. It takes longer as it is cutting the same patches severly times.



### Indego robotic lawnmower

Find out more about the Indego and connected services, scan the QR code and learn more. For instructions on how to use QR codes turn to page 2.





### **Clever at every level**

Intelligent and efficient! With its 'Logicut' navigation system, the Indego autonomously measures the garden and automatically calculates an efficient mowing path. Line by line, parallel and quickly.

### **Practical at every level!** Three application examples:



1. Rain or shine, the Indego mows.



2. Even on lawns with up to a 35% slope.




3. Cares for your lawn through mulching.

### **Convenient at every level!** Simply start! The Indego is


The Indego is ready to go in just three simple steps:



1. Position charger and lay perimeter wire.



2. Set the mowing times and days of the week.



3. Press the start button – and off it goes!

Safe at every level! Three examples of its safety features:



1. The Indego uses a bump sensor to detect obstacles on the lawn to avoid them.



2. When lifted, its mowing blades stop immediately.



3. The Indego is protected from theft by a PIN code and alarm system.

# **Rotak 43 LI Ergoflex cordless lawnmower.** Effortless handling, cordless freedom.

Part of a range of cordless mowers with various cutting widths, the Rotak 43 LI Ergoflex is a fantastic choice for larger gardens. It has a 43 cm cutting blade and two of our innovative lithium-ion technology batteries. Just as powerful as traditional electric and petrol mowers, the Rotak 43 LI Ergoflex has no trailing cable, is always ready to use and is much quieter. It's 40% lighter than traditional mowers too. So no matter what your height or build, you'll keep complete control and maintain perfect posture. **Also available with 37 and 34 cm cutting widths.** 

Find out more about the Lawnmower range, scan the QR code and learn more. For instructions on how to

Lightweight

For easy manoeuvring



\*Rotak LI 43/37/32 Ergoflex Rotak 43/40/37/32 Ergoflex

**'Ergoflex System'** Ergonomically designed and adjustable handles to improve body posture and reduce muscle strain while mowing

Smart Sosch LI-ION+ Technology

Lawnmowers from Bosch

use QR codes turn to page 2.

**Cordless power** 36 V/2.6 Ah battery for long runtime. No memory-effect, no self-discharge, always ready to use

### More power

'Efficient Energy Management' increases run time by up to 15%

Foldable handles For compact storage

Central height-of-cut adjustment For quick and easy change of cutting height

**Extended grass combs** Cut close to the edge of walls, flower beds and lawns



#### **Precision edging**

While unique grass combs mow your lawn perfectly right up to the edge, the lithium-ion battery powered motor cuts even long and damp grass. Effortless operation The new 'Ergoflex System' enables easier steering and a better body posture.



**Cordless freedom** Light weight for optimum handling. No tangled cables that you could get caught up in, and no foul-smelling petrol fumes.





# Rotak 32 LI Ergoflex cordless lawnmower.

A compact mower for a city landscape.

The Rotak 32 LI Ergoflex: no annoying cable, no noise, no exhaust fumes. Instead it has a great deal of power for lawned areas of up to 300 m<sup>2</sup> – thanks to the latest Bosch lithium-ion technology. **Our full range of cordless mowers can be found on pages 14–15.** 





**Cordless freedom and power** Cable-free for unrestricted mowing with negligible emissions.

### Effortless control

The 'Ergoflex System' and lightweight design gives reduced strain on muscles and more control whilst mowing.


**Cutting edge precision** Sharpened blade and grass combs combine to deliver clean, close-up cutting.



# Rotak 43 Ergoflex lawnmower.

Effortless handling right up to the edge.

The Rotak 43 Ergoflex electric lawnmower with innovative grass combs, cuts the lawn right up to the edge. The 'Powerdrive Motor' delivers powerful cutting and can even tackle grass up to 25 cm long thanks to its high torque. **Our full range of corded mowers can be found on pages 14–15.** 





Powerdrive Motor Ensures a reliable cut even in long of wet grass. Effortless operation The new 'Ergoflex System' enables easier steering and a better body posture.

Effective Mow right up to the edge thanks to the grass combs.

Rotak\*

certified &

# NEW! Rotak 34 R rotary lawnmower.

The clever space saver.

The new Rotak 34 R takes the stress and hassle out of mowing your lawn. Lightweight and compact, it's easy to manoeuvre close to edges and around obstacles. When you're finished simply place the grass box on top of the mower, fold down the handles and stow it away. **Our full range of corded mowers can be found on pages 14–15.** 



**Compact storage** Easy to stow away thanks to storage height of only 55 centimeters. **Cutting edge precision** Cut close to the edge of walls, flower beds and lawns. **Powerdrive Motor** 1300 watt 'Powerdrive Motor' ensures a reliable cut, even under difficult conditions and high load.

## **ALR 900 lawnraker.** Thorough moss removal and aeration.

Your lawn will only flourish if you regularly free it from moss and leaves. You can remove both of these using the Bosch lawnraker by setting its 10 spring steel tines to the corresponding height from -5 mm to gently comb out thatch without damaging the grass to +10 mm to collect leaves. The 'Jet-Collect System' creates an airflow to blast everything into the collection box, therefore preventing annoying blockages.



#### Lawnraker from Bosch

Find out more about the lawnraker, scan the QR code and learn more. For instructions on how to use QR codes turn to page 2.



#### Efficient

The combination of the 900 W 'Powerdrive Motor' and the 'Jet-Collect System' provides fast and clog-free raking at a working width of 32 cm.



Large 50 L collection box For less stopping and time to empty it

**'Jet-Collect System'** Innovative drum with spring carbon steel tines and airflow inlets quickly and completely removes thatch and moss



**Compact storage** Easy to stow away thanks to storage height of only 40 centimeters. **'Jet-Collect System'** Blows moss, thatch or dead roots completely into the collection box. **Practical** Large 50-litre collection box means less stopping and time to empty it.

# **AVR 1100 verticutter.**

Deep cutting for moss removal and reseeding.

Is your lawn more than two years old? Has your lawn been regularly maintained? Is your lawn infested with moss or thatch? Or is it waterlogged in places? If so, then you need the AVR 1100 verticutter to provide efficient, intensive care for your lawn. The carbon steel blades slit from -10 to +5 mm into the ground, therefore preparing it quickly for reseeding.



### Verticutter from Bosch

Find out more about the verticutter, scan the QR code and learn more. For instructions on how to use QR codes turn to page 2.



For less stopping and

Innovative drum with boron steel blades and airflow inlets quickly and completely removes the layer of thatch consisting of plant debris, moss and weeds from the lawn



#### Efficient

The verticutter frees the turf from thatch, moss, weeds and dead grass. Scarifying the surface opens the soil to enable the exchange of water and gas, stimulating stronger healthy growth of the lawn.

#### 'Jet-Collect System'

Innovative drum with stainless steel blades and airflow inlets quickly and completely removes the layer of thatch consisting of plant debris, moss and weeds from the lawn.

Practical Large 50-litre collection box means less stopping and time to empty it.



### Rotak cordless lawnmowers







	Rotak 43 LI Ergoflex	Rotak 37 LI Ergoflex	Rotak 32 LI Ergoflex
Power source / Battery voltage	36 V / 2.6 Ah High Power lithium-ion battery	36 V / 2.6 Ah High Power lithium-ion battery	36 V / 2.6 Ah High Power lithium-ion battery
Charge time   Quick charge time	90 min   80 % of the power in 45 min	90 min   80 % of the power in 45 min	90 min   80 % of the power in 45 min
'Efficient Energy Management'	1	1	1
Recommended lawn area	300-600 m <sup>2</sup>	150-300 m <sup>2</sup>	up to 300 m <sup>2</sup>
Width-of-cut	43 cm	37 cm	32 cm
Cutting system	Rotary blade	Rotary blade	Rotary blade
Grass combs	1	1	1
Grass box capacity	50 L	40 L	31 L
Height-of-cut	20-70 mm	20-70 mm	30-60 mm
Height-of-cut settings	10, central	10, central	3, central
Type of handle	'Ergoflex System'	'Ergoflex System'	'Ergoflex System'
Integrated carrying handle	1	1	1
Charge level indicator	1	1	1
Weight	13.7 kg	13.0 kg	10.2 kg
Part no.	0 600 881 870	0 600 881 770	0 600 885 D71
EAN code	3165140.605311	3165140.605281	3165140.658782
Part no.*	0 600 881 803	0 600 881 703	-
EAN code*	3165140.665193	3165140.624107	-

\* Battery and charger not included

### Indego robotic lawnmower



	Indego
Power source/Battery voltage	32.4 V / 3.0 Ah
Charging function	Auto
Coverage per charge	200 m <sup>2</sup>
Maximum area of operation	1000 m <sup>2</sup>
Run time average	50 min
Charge time	50 min
Width-of-cut	26 cm
Cutting system	Three blade centrifugal
Height-of-cut	20-60 mm
Height-of-cut settings	10
Weight	11.1 kg
Part no.	0 600 8A2 170
EAN code	3165140.644280

### Hand mowers



	AHM 38 G
Width-of-cut	38 cm
Cutting system	5 blade cylinder
Height-of-cut	15-43 mm
Height-of-cut settings	variable
Weight	7.5 kg
Part no.	0 600 886 103
EAN code	3165140.256360











	Rotak 43 Ergoflex	Rotak 40 Ergoflex	Rotak 34 R	Rotak 32 R
Motor power	1800 W	1700 W	1300 W	1200 W
Torque	23 Nm	22 Nm	17 Nm	13 Nm
Width-of-cut	43 cm	40 cm	34 cm	32 cm
Bosch Powerdrive +	1	1	✓	1
Cutting system	Rotary blade	Rotary blade	Rotary blade	Rotary blade
Grass combs	1	1	1	1
Extended grass combs	1	1	-	-
LeafCollect	-	-	-	-
Grass box capacity	50 L	50 L	40 L	31 L
Height-of-cut	20-70 mm	20-70 mm	30-70 mm	20-60 mm
Height-of-cut settings	10, central	10, central	5, central	3, axle
Type of handle	'Ergoflex System'	'Ergoflex System'	Stand ard	Stand ard
Integrated carrying handle	1	1	1	1
Motor overload cut-out	1	1	1	1
Weight	12.4 kg	12.4 kg	11 kg	6.8 kg
Part no.	0 600 881 370	0 600 881 270	0 600 8A6 172	0 600 885 B70
EAN code	3165140.605229	3165140.605175	3165140.746472	3165140.557450



### Lawnraker and Verticutter

	ALR 900	AVR 1100
Motor power	900 W	1100 W
Drum system	10 double carbon steel tines	14 rotating boron steel blades
'Jet-Collect System'	1	$\checkmark$
Working width	32 cm	32 cm
Working height	+10/+5 /0/-5 mm	+5/0/-5/-10 mm
Working height settings	4	4
Collection box capacity	50 L	50 L
Weight	9.4 kg	10 kg
Part no.	0 600 88A 070	0 600 88A 170
EAN code	3165140.512916	3165140.512923

# Lawn edging

Cordless grass shears	18
Cordless grass trimmers	19
Corded grass trimmers	20-21
Range overview	22-23

# **Neat lawn edges.** A made-to-measure tool range.

To put the finishing touches to your lawn, you will need to trim the areas that your lawnmower cannot reach.

If you only need to cut small corners or sections of the lawn, then all you need is a pair of grass shears.

The new **Isio grass shear** can be used with the telescopic handle, for more convenience. The 'Multi-Click System' allows for easy attachment change between the shrub shear or the new sprayer and makes the Isio your essential gardening companion.

The bigger and more complex your garden is, the more you have to work to maintain the lawn edges along paths, walls, fences, corners and around stones, shrubs, trees and flowerbeds. Bosch offers **cordless and corded grass trimmers** to help you with this. **Corded grass trimmers** provide high power and cutting diameters of up to 35 cm. They give good results in little time. **The new 18 V lithiumion cordless trimmers** with the innovative 'Durablade System', delivering excellent cutting performance – lasting up to 12 times longer than previous blades.

Whether cordless or corded, this comprehensive selection of tools ranges from standard models to more sophisticated **grass trimmers** with 90° rotating cutter head, height-adjustable telescopic handle and plant protector.

An overview of the complete range of Bosch products for lawn edging can be found on pages 22–23.



### **NEW!** Isio cordless grass shear.

### Compact yet powerful and now even more versatile.

The multifunctional power unit can be used with a range of attachments such as the grass shear, the shrub shear and the new sprayer - and thanks to the innovative 'Multi-Click System', changing them could not be simpler. The 3.6 V lithium-ion battery gives you up to 50 minutes run time on a single charge. The new Isio grass shear can also be used with the new telescopic handle - enabling you to cut without having to bend down. The new lightweight, ergonomic design and the new attachments make the Isio even more versatile and convenient to use. Your essential gardening companion.



**Grass shears from Bosch** Find out more about the cordless grass shears, scan the QR code and learn more. For instructions on how to use QR codes turn to page 2.

### **Comfortable soft grip handle** Ergonomic grip on both sides

Battery status indicator Practical 4-phase LED display showing battery status

> **'Anti-Blocking System'** Powerful action, virtually no stalling

Multifunctional for more convenient use Sprayer and shrub shear attachments available





**Up to 50 min run time** Integrated 3.6 V lithium-ion battery. No memory-effect, no self-discharge, always ready to use

**Outstanding ergonomics** Small, lightweight, compact, weighs only 500 g

**'Multi-Click System'** Makes changing attachments fast and simple

### **Strong Swiss made 8 cm blades** Dual colour, precision ground thicker blades



**Cordless and multifunctional** The Isio can be used with a range of attachments such as the grass shear, the shrub shear, the new sprayer, and the telescopic handle. **'Multi-Click System'** The innovative 'Multi-Click System' is tool free making changing attachments easier than ever. **Compact and lightweight** Only 500 g and highly manoeuvrable, the new Isio grass shear helps you manicure your lawn to perfection with minimal effort.

# NEW! ART 26-18 LI cordless grass trimmer.

Excellent cutting performance convenient to handle.

The ART 26-18 LI's innovative Durablade system delivers excellent cutting performance and lasts up to 12 times longer than previous blades. A longer adjustable auxiliary handle, new push button height adjustment and one click to edging function, make this trimmer effortless to use. **Our full range of cordless grass trimmers can be found on page 22-23.** 





Convenient

Adjustable auxiliary handle, lightweight design and push button height adjustment for comfortable use in all positions. Innovative Durablade Cutting System Lasts up to 12 times longer than previous blades in all cutting conditions. Designed for ultimate durability and continuous cutting. **Push button cutter head** Switch between trimming and edging with the push of a button.





## **ART 35 heavy duty trimmer.**

Versatile grass trimming for stubborn growth.

For areas with stubborn growth, the ART 35 is ideal for heavy duty trimming. Its powerful 600 W motor enables fast trimming without blockages and the 1.6 mm cutting line lets you cut thicker, tougher grass and weeds. The ART 35 has an adjustable second handle to let you undertake grass trimming with ease, whilst the shoulder strap makes sure you're well balanced for comfortable trimming. This trimmer has been ergonomically designed to help you tackle hard to reach areas of the garden and the durable materials ensure a long service life. **For our full range of corded grass trimmers please see page 23.** 



**Powerful** 600 W and 1.6 mm thick line ideal for cutting overgrown grass. Versatile Provides easy access to slopes and confined areas. **Ergonomic** Ergonomic design and shoulder strap for easy handling and operation.

# ART 30 Combitrim grass trimmer.

Made for overgrown areas.

Stubborn, overgrown areas are no match for a Bosch Combitrim. Its 500 W 'High-Power' motor and changeable cutting system let you storm through wild and unruly patches of undergrowth just as easily as normal grass. The ART 30 Combitrim has a 90 degree rotating cutter head to let you tackle trimming and edging with ease. The easy grip and height adjustable telescopic handle mean you'll do it with perfect posture too. **Our full range of corded grass trimmers can be found on page 23.** 





#### Powerful

Ideal for edging and use in medium and large gardens including overgrown areas. The powerful 500 W motor and 30 cm cutting width deliver good all-round performance.

#### Convenient

Maintaining optimum line length is easy – simply tap on the ground to control line feed. Spool replacement is convenient and sealed spools prevent tangling. **Versatile** Two spools, one for normal grass and one with extra-strong line for more stubborn growth.



### Isio cordless grass shears



	Isio grass and shrub shear
Power source	Lithium-ion
Battery voltage	3.6 V
Charge time	3.5 h
Run time	Up to 50 min
'Anti-Blocking System'	$\checkmark$
Telescopic handle	-
Height adjustment	-
Shrub blade length	120 mm
Grass blade width	80 mm
Volume sprayer	-
Reserve power indicator	$\checkmark$
Weight	500 g
Part no.	0 600 833 172
EAN code	3165140.630757

Cordless grass trimmers	NEW!	NEW!
	ART 26-18 LI	ART 23-18 LI
Power source	Lithium-ion	Lithium-ion
Battery voltage	18 V/1.5 Ah	18 V/1.5 Ah
Charge time	3 h	3.5 h
Cutting diameter	26 cm	23 cm
Telescopic handle	✓	1
Height adjustment	80-115 cm	80-115 cm
Cutting system	Durablade	Durablade
90° rotating cutter head	✓	1
Set of wheels	-	-
Plant protector	1	1
Weight	2.5 kg	2.4 kg
Part no.	0 600 8A5 E70	0 600 8A5 C70
EAN code	3165140.689397	3165140.689328
Part no.*	0 600 8A5 E01	0 600 8A5 C01
EAN code*	3165140.689380	3165140.689311

\*Battery and charger not included

<u>i</u>Z

Cordless grass trimmers			
	ART 26 Accutrim	ART 23 Accutrim	ART 23 Easytrim Accu
Power source	NiCd	NiCd	NiCd
Battery voltage	18 V	18 V	14.4 V
Charge time	3 h	3 h	3 h
Cutting diameter	26 cm	23 cm	23 cm
Telescopic handle	1	1	-
Height adjustment	80-115 cm	80-115 cm	-
Cutting system	Plastic blade	Plastic blade	Plastic blade
90° rotating cutter head	✓	1	-
Set of wheels	1	**	-
Plant protector	1	**	-
Weight	3 kg	2.7 kg	2 kg
Part no.	0 600 878 F70	0 600 878 E70	0 600 878 H70
EAN code	3165140.349758	3165140.349697	3165140.437639

\*\* Available as an optional accessory

Corded grass trimmers	T	, X			ſ	ſ
	ART 35	ART 30 Combitrim	ART 26 Combitrim	ART 23 Combitrim	ART 26 Easytrim	ART 23 Easytrim
Motor power	600 W	500 W	450 W	400 W	300 W	280 W
Cutting diameter	35 cm	30 cm	26 cm	23 cm	26 cm	23 cm
Telescopic handle	_	1	1	1	_	_
Height adjustment	-	80-115 cm	80-115 cm	80-115 cm	_	_
Cutting system	'Pro-tap' spool	Extra-strong line + 'Pro-tap' spool	Extra-strong line + 'Pro-tap' spool	Extra-strong line + 'Pro-tap' spool	'Pro-tap' spool	'Pro-tap' spool
Cutting line	1.6 mm x 8 m	1.6 mm x 4 m	1.6 mm x 4 m	1.6 mm x 4 m	1.6 mm x 4 m	1.6 mm x 4 m
Extra-strong line (6 pieces)	_	6 x dia. 2.4 mm	6 x dia. 2.4 mm	6 x dia. 2.4 mm	-	_
90° rotating cutter head	_	1	1	1	_	_
Set of wheels	-	1	**	**	-	-
Plant protector	-	1	**	**	-	-
Weight	4.6 kg	3.4 kg	3 kg	2.7 kg	1.7 kg	1.7 kg
Part no.	0 600 878 M70	0 600 878 D70	0 600 878 C70	0 600 878 B70	0 600 878 G70	0 600 878 A70
EAN code	3165140.649599	3165140.349604	3165140.349536	3165140.349505	3165140.357692	3165140.349437

\*\* Available as an optional accessory





# Shrub and hedge care

Cordless shrub shears	28-29
Cordless hedgecutters	30-31
Corded hedgecutters	32-33
Range overview	34-35

200

RA

# **In good shape.** The best tools for cutting.

Shrubs and hedges are normally very easy to maintain. Regular cutting is by far the most important way of looking after them.

It is essential that you choose the right tools to do this.

The new **Isio shrub shear** is a great choice for creative shaping of evergreen and small leafed plants. It can also be used with the telescopic handle, for more convenience. Its 'Multi-Click System' allows you to easily change attachments such as the grass shear, or the new sprayer and makes the Isio your essential gardening companion.

### The ASB shrub and hedge shear

is our strongest ever, while still compact and lightweight for ultimate agility. You'll find the ASB shrub shear the perfect tool for shaping your shrubs just the way you want them.

Both the **Isio** and **ASB** benefit from the innovative 'Anti-Blocking System' which virtually eliminates stalling.

**Cordless hedgecutters** offer more freedom of movement and remove the risk of cutting through a cable.

Our cordless lithium-ion hedgecutters with 'Anti-Blocking System' are compact and lightweight for effortless hedgecutting of smaller and younger hedges.

Choose the required tooth opening based on the branch thickness of your hedge. When doing so, remember that a hedge will grow. If in doubt, it is best to choose the next tooth opening up. The height and depth of the hedge determine the optimum blade length.

An overview of the complete range of Bosch corded and cordless shrub and hedge care products can be found on pages 34–35.



# NEW! Isio cordless shrub shear.

### Compact yet powerful and now even more versatile.

The multifunctional power unit can be used with a range of attachments such as the grass shear, the shrub shear and the new sprayer – and thanks to the innovative 'Multi-Click System', changing them could not be simpler. The 3.6 V lithium-ion battery gives you up to 50 minutes run time on a single charge. The new Isio shrub shear can also be used with the new telescopic handle – ideal for shaping taller shrubs and small-leafed hedges. The 'Anti-Blocking System' puts an end to annoying jams and stalls- so you can work without interruptions. Your essential gardening companion.



**Shrub shears from Bosch** To find out more about the cordless shrub shears, just scan the QR code. For instructions on how to use QR codes turn to page 2.





**Convenient and versatile** The Isio shrub shear can also be used with the new telescopic handle. 'Anti-Blocking System' Puts an end to annoying jams and stalls so you can work without interruptions. **Powerfull and lightweight** Shape your shrubs to perfection with minimal hassle.

### ASB 10,8 LI cordless shrub shear.

### Our strongest ever shrub shear for ultimate agility.

Shrub shearing has never been easier. Our ASB 10,8 LI shrub shear weighs in at just 900 g, giving you complete control to shape your shrubs and young hedges in exactly the way you want them. Its balanced design makes it highly manoeuvrable, and our 'Anti-Blocking System' lets you cut continuously without annoying jams.





Lightweight Weight of only 900 g for effortless cutting of bushes and small leafed hedges.

### **Powerful** Compact and manoeuvrable tool with 'Anti-Blocking System' that reverses the blade action for extra cutting and virtually no stalling.


Always ready to use Lithium-ion powered tool with integrated battery status indicator delivers up to 100 mins run time.

# AHS 54-20 LI cordless hedgecutter.



Cordless mobility and maximum power.

This cordless hedgecutter makes work easier for you. Thanks to its lithium-ion technology, it's durable and is not dependent on a plug socket. It weighs only 3.5 kg and is ergonomically balanced. This means you can cut in any position without getting tired. Its 'Anti-Blocking System' and diamond ground steel blade guarantee a powerful cut.





**Cordless freedom** No more having to untangle the cable or risking cutting through it. **'Anti-Blocking System'** Where other hedgecutters stop working, 'Anti-Blocking System' ensures a continuous cutting performance. Always ready to use 36 V lithium-ion battery, interchangeable with other Bosch tools. Fully charged in only 45 min (80% in 25 min).

Power

# AHS 52 LI cordless hedgecutter.

Lightweight, maximum performance.

This cordless hedgecutter ends the hassle of untangling and the risk of cutting the cable. Ergonomically balanced with new 2.0 Ah battery, it enables you to cut in any position with minimum effort for up to 75 minutes. Its 'Anti-Blocking System' also ensures a continuous cutting performance. **Also available with different blade lengths – see pages 34–35**.



# AHS 45-15 LI cordless hedgecutter.

Lightweight and cordless for effortless hedgecutting.

Power 4AII 10,8 V

The AHS 45-15 LI cordless hedgecutter from Bosch is the ideal solution for smaller and younger hedges. Its low weight and extremely compact size are kind to your arms and back. The ergonomically shaped handles and the optimum balance make it easy for you to cut your hedges into shape. **Also available with different blade lengths – see pages 34–35.** 






**Cordless freedom** No more having to untangle the cable or risking cutting through it.

# AHS 70-34 hedgecutter.

Lightweight and extremely powerful for the toughest jobs.

The AHS 70-34 is lightweight and extremely powerful. Nimble, yet effective, it lets you storm through big jobs with minimal strain on your back and arms. Its up to 15% lighter than its predecessor, and its ergonomic handle and smaller dimensions allow you to work easily in different positions. **Also available with different blade lengths – see pages 34–35.** 







**Optimum handling** Well-balanced design makes it up to 15% lighter than predecessors. **Easy-to-use** See-through hand guard, softgrip handle and multiple switching positions ensure safer and more comfortable cutting. Maximum performance 700 W motor and a newly-designed blade with sawing function and 34 mm tooth opening.

# AHS 60-26 hedgecutter.

Less weight and more power, ideal for mid-sized hedges.

This nifty hedgecutter weighs up to 10% less than previous models - so it takes the strain off your arms and back. With its multi-position handle and compact size, the AHS 60-26 takes the sweat out of handling medium-sized hedges. Also available with different blade lengths - see pages 34-35.

Up to 10% lighter than its predecessor

> Laser-cut, diamond ground blades For a clean cut

> 60 cm blade length For medium hedges

Sawing function Up to 32 mm cutting diameter

Weight **Ergonomic handle** For convenient working in any position 'High-Power' motor Extremely powerful with 600 W Powerful cutting Slipping clutch with extremely high torque Tooth opening of 26 mm Enabling you to cut medium branches

Blade tip protector For cutting along walls and paths

Blade tip protector For easy cutting along the edges of walls and the ground.



Convenience

A well-balanced tool with ergonomic handles to ensure a more comfortable working position.

# AHS 60-16 hedgecutter. Lightweight and powerful for convenient hedgecutting.

This compact, lightweight hedgecutter is a true gem that's perfect for small to medium hedges. It is ergonomically designed to be comfortable to use in any position. Its high speed motor and 16 mm tooth opening give you outstanding cutting performance. Which all means that tidying up your hedge takes a lot less effort.

Also available with different blade lengths - see pages 34-35.





**Effortless handling** Lightweight hedgecutter, designed to put less strain on your arms and back.



Cordless











	lsio shrub and grass shear set	ASB 10,8 LI	ASB 10,8 LI set
Power source	Lithium-ion	Lithium-ion	Lithium-ion
Battery voltage	3.6 V	10.8 V	10.8 V
Charge time	3.5 h	3.5 h	3.5 h
Run time	Up to 50 min	Up to 100 min	Up to 100 min
'Anti-Blocking System'	1	✓	✓
Tooth opening	8 mm	8 mm	8 mm
Shrub blade length	12 cm	20 cm	20 cm/12 cm
Grass blade width	8 cm	-	10 cm
Volume sprayer	-	-	-
Reserve power indicator	1	1	1
Weight	550 g	900 g	900 g
Toolbox	-	-	1
Part no.	0 600 833 172	0 600 856 370	0 600 856 371
EAN code	3165140.630757	3165140.560290	3165140.560306

	AHS 54-20 LI
Power source	Lithium-ion
Battery voltage	36 V/1.3 Ah
Charge time	45 min   80% of the power in 25 min
Run time	Up to 50 min
'Anti-Blocking System'	1
Tooth opening	20 mm
Blade length	54 cm
No-load stroke rate	2000 spm
Weight	3.5 kg
Part no.	0 600 84A 170
EAN code	3165140.513913
Part no.*	0 600 84A 102
EAN code*	3165140.623490

\*Battery and charger not included



nun une	00101011111	00101011111	00 10 00 11111	00 10 00 11111	00 00 00 11111
'Anti-Blocking System'	$\checkmark$	✓	1	1	-
Tooth opening	15 mm				
Blade length	52 cm	48 cm	45 cm	35 cm	41 cm
No-load stroke rate	2200 spm	2200 spm	2400 spm	2400 spm	2200 spm
Weight	2.3 kg	2.2 kg	2.0 kg	1.9 kg	2.5 kg
Part no.	0 600 849 270	0 600 849 170	0 600 849 A70	0 600 849 B70	0 600 839 181
EAN code	3165140.772396	3165140.772341	3165140.692854	3165140.692908	3165140.325950
Part no.*	0 600 849 004	0 600 849 005	0 600 849 A02	0 600 849 B02	-
EAN code*	3165140.613484	3165140.623483	3165140.692885	3165140.710954	-

\*Battery and charger not included





# **Tree care**

Cordless multi-saw	38
Cordless chainsaws	39
Corded chainsaws	40
Shredders	41-43
Range overview	44-45

# **Neat and tidy.** With Bosch garden tools for tree care.

For you to be able to enjoy a tidy garden, having the right saws and shredders is essential.

The **Keo cordless multi-saw** is immensely versatile and packs a real punch. It can be used to cut anything from livewood and deadwood, through to metal and plasterboard.

For the more demanding cutting jobs, Bosch offers a range of **chainsaws.** The selection of a chainsaw should be based on power, chain speed and frequency of use.

**Electric chainsaws** have the advantage of being easy to use as they are maintenance-free and also extremely powerful. Our **cordless AKE 30 LI** is one of the most efficient, powerful and easy-to-use cordless chainsaws on the market.

### The AXT Rapid 2200 shredder

is ideal for small gardens mainly consisting of shrubs, foliage plants and smaller branches.

The **AXT 25 D quiet shredder** with cutting drum mechanisms is highly recommended for medium-sized gardens with larger trees, old hedges and a lot of wooden garden material.

The **AXT 25 TC quiet shredder** with the 'Turbine-Cut System' is perfectly suited to large gardens with all types of plant material.

An overview of the complete range of Bosch tree care products can be found on pages 44-45.



## Keo cordless multi-saw.

Cuts effort as well as branches.

The Keo cordless multi-saw can be effortlessly operated single-handedly thanks to the innovative 'A-Grip' feature, which supports branches so you don't have to use your second hand. With low vibration, low noise and variable speed trigger, the Keo multi-saw offers optimal user comfort whilst always ensuring a powerful and fast cutting experience, thanks to its precision Swiss blade.





### Multifunctional

Five blades available as accessories for multiple DIY uses around the home and garden.

#### **Effortless cutting**


Versatile help around house and garden. Cuts branches up to 80 mm with the push of a trigger. Delivers up to 30 cuts of 60 mm diameter or up to 190 cuts of 15 mm diameter per battery charge.


### Hassle free Detachable 'A-Grip' that holds the unsupported branches while cutting no second hand required.

## AKE 30 LI cordless chainsaw.

No petrol, no cable, full power.

Choosing the AKE 30 LI will give you one of the most efficient, powerful and easy-to-use cordless chainsaws on the market. There will be no cables, no extension leads and none of the hassle of petrol start up. The AKE 30 LI is always ready to use and will handle any cutting task around your garden.





Quick start No untangling cables, no petrol start up hassle - always ready to use.

Freedom

Cordless lithium-ion power delivers over 100 cuts in 10 x 10 cm pine wood with one battery charge.

Powerful Efficient high performance electric motor that copes with any task around your garden.






## AKE 40-19 S chainsaw.

Incredibly fast.

The AKE 40-19 S electric chainsaw features simple, tool-free chain assembly and tensioning. It has a kick-back brake that stops the chain quickly and it is perfectly balanced for use in any position. The large steel gripping teeth allow for good leverage, accurate cutting and reduced possibility of kick-back. **Also available with a 35 cm barlength – see page 44.** 



**Extremely robust** Superior quality for frequent use and long life. **Easy to use** SDS system for tool-free changing and tensioning of the chain. **High performance** 1900 W with a chain speed of 12 m/s for outstanding cutting performance.

### **AXT 25 TC quiet shredder.** Versatile, multi-purpose shredder.

Do you want to shred your garden waste without having to separate green material from wood? Bosch has a quiet shredder with 'Turbine-Cut System' for all types of wood and green material. You also get your work finished more quickly due to the fast feed hopper and automatic feed for fast material throughput. The removable hopper fits exactly in the collection box to ensure space-saving storage.



Environmental label 'Der blaue Engel' awarded for low noise and low emission garden tools. RAL-UZ 129





**Top performance** Up to 230 kg/h material throughput and up to 45 mm branch diameter cutting capacity.

#### 'Turbine-Cut System'

The 'Turbine-Cut System' guarantees extremely fast material throughput from greenery to hard wood whilst avoiding blockages.

#### **Convenient** Removable hopper is stored in the large collection box – only 67 cm in height when stored, ideal for compact storage.

## AXT 25 D quiet shredder.

Powerful shredding performance.

The AXT 25 D quiet shredder with a branch cutting capacity of up to 40 mm diameter is ideal for hard wood, old hedges and thorny shrubs. The drum cutting system cuts and crushes all in one go producing high quality biodegradable shredded material.



Environmental label 'Der blaue Engel' awarded for low noise and low emission garden tools. RAL-UZ 129





#### Convenient

Removable hopper is stored in the large collection box – only 67 cm in height when stored, ideal for compact storage.

#### 'Drum-Cut System'

With a powerful 2500 W 'High-Power' motor, the drum cutting system delivers an impressive material throughput of up to 175 kg/h.

**Enhanced safety** The shredder only works when the collection box is in position for enhanced safety.

### AXT Rapid 2200 blade shredder.

Razor sharp - for fast shredder performance.

If you mainly have to shred green, soft material, then you should use the Rapid shredder. It has the impressive Bosch 'Powerdrive Motor' for high material throughput, a laser-cut precision blade made of specially hardened steel for high cutting performance, and approximately seven times better cutting power than its competitors. It really does its name justice.





**Convenient** Fast feed hopper and practical plunger for easy filling and fast material throughput. **'Blade-Cutting System'** The 2200 W Powerdrive motor helps the laser cut, precision blade deliver a material throughput of up to 90 kg/h. **Cutting capacity** Up to 40 mm for powerful shredding of green and soft material.



#### Keo cordless multi-saw





	Кео	Keo Set
Power source	Lithium-ion	Lithium-ion
Battery voltage	10.8 V	10.8 V
Charge time	3 h	3 h
Cutting diameter	60 mm/80 mm*	60 mm/80 mm*
Cuts per battery charge (up to 15 mm)	190	190
Cuts per battery charge (up to 60 mm)	30	30
Cutting system	Reciprocating saw	Reciprocating saw
Weight without 'A-Grip'	950 g	950 g
Weight with 'A-Grip'	1050 g	1050 g
Blade replacement system compatible with other saws	1	1
Additional blades for fresh wood, wood and metal, metal and plaster	-	✓
Toolbox	-	✓
Part no.	0 600 861 970	0 600 861 971
EAN code	3165140.602938	3165140.649216

Cordless Chainsaws AKE 30 LI Power source Lithium-ion Battery voltage 36 V/2.6 Ah Charge time 65 min (80%) | 95 min (100%) Oil tank 135 ml Bar length 30 cm Chain speed 8 m/s Quick chain tensioning 1 Automatic oiling 1 Weight 5.2 kg 0 600 837 170 Part no. EAN code 3165140.559393 0 600 837 102 Part no.\* 3165140.597968 EAN code\*

2 36 V

\*Battery and charger not included

Bosch Smart

\* 60 mm with 'A-Grip' and 80 mm without.

#### Corded Chainsaws





	AKE 40-19 S	AKE 35-19 S
Motor power	1900 W	1900 W
Bar length	40 cm	35 cm
Chain speed	12 m/s	12 m/s
Drive link thickness	1.1 mm	1.1 mm
Quick chain tensioning	1	$\checkmark$
Weight (including chain and bar)	4.5 kg	4.4 kg
Part no.	0 600 836 F42	0 600 836 E42
EAN code	3165140.467315	3165140.467292

Corded Chainsaws			
	AKE 40	AKE 35 S	AKE 30 S
Motor power	1800 W	1800 W	1800 W
Bar length	40 cm	35 cm	30 cm
Chain speed	9 m/s	9 m/s	9 m/s
Drive link thickness	1.1 mm	1.1 mm	1.1 mm
Quick chain tensioning	<ul> <li>✓</li> </ul>	✓	1
Weight (including chain and bar)	4.1 kg	4.0 kg	3.9 kg
Part no.	0 600 834 075	0 600 834 570	0 600 834 471
EAN code	3165140.473880	3165140.465410	3165140.536714



#### Quiet Shredders

	AXT 25 TC	AXT 25 D
Cutting system	Turbine-Cut	Drum Cutter
Motor power*	2500 W	2500 W
Cutting capacity	45 mm diameter	40 mm diameter
Material throughput rate	approx. 230 kg/h	approx. 175 kg/h
Cutting speed	41 rpm	41 rpm
Torque	approx. 650 Nm	approx. 650 Nm
Voltage	230 V	230 V
Automatic feed	$\checkmark$	✓
Collection box	53 L	53 L
Weight	30.5 kg	31.3 kg
Part no.	0 600 803 370	0 600 803 170
EAN code	3165140.465373	3165140.465335

\*Motor power: The stated motor power is an S6 operating mode (40%). It includes a load profile of a 40-second load and a 60-second idle time for practical applications.

#### Rapid impact blade shredders

	AXT Rapid 2200	
Cutting system	Cutting blade	
Motor power**	2200 W	
Cutting capacity	40 mm diameter	
Material throughput rate	approx. 90 kg/h	
Powerdrive Motor	✓	
Cutting speed	3650 rpm	
Torque	approx. 14 Nm	
Voltage	230 V	
Weight	12 kg	
Part no.	0 600 853 670	
EAN code	3165140.430579	

\*\* Motor power: The stated motor power includes a load profile of a 40 s load and a 60 s idle time for practical applications.

## **Multi-tool**

Corded multi-tool Range overview 48-49 50-51

## **AMW Multi-tool.** The all purpose tool for the all purpose lifestyle.

Instead of buying dedicated gardening tools, Bosch AMW Multi-tool system helps you manage the key gardening tasks with one power unit and the required attachments.

Every feature and design element of the Multi-tool system is constructed to deliver outstanding performance, user comfort and convenience:

**Power Unit** (AMW 10) provides a maximum of 1000 watts to operate the attachments in optimal speed and power. The adjustable auxiliary handle, and three shoulder strap positions are engineered to account for size and height of different users. This enables easy work for extended periods of time.

The intuitive quick attachment change design provides a safe and quick fix to swap around the attachments with ease.

**AMW HS** (pole hedgecutter attachment) comes with a 43 cm long blade and a 15 mm tooth opening. Equipped with a 180° head adjustment function for easy overhead trimming without using a ladder. **AMW SG** (pole pruner attachment) delivers comparable cutting speed of a standard 12 m/s chainsaw. Its overall 2.1 m tool length provides precise overhead cutting.

Not enough? You can add the 70 cm long **AMW TS** (extension pole) to the pole hedgecutter or pole pruner attachment to reach a further height, meaning more possibilities!

No more fuss with winding and changing the spool line! **AMW RT** (heavy duty trimmer attachment) uses 3.5 mm thick cutting sticks for cutting more grass in tougher conditions without the worry of quick line replacement.

An overview of the complete range of Bosch products for AMW Multi-tool can be found on pages 50–51.



## **AMW Multi-tool.** Trim. Cut. Prune. The all purpose tool for the all purpose lifestyle.

Complete a large number of gardening tasks with only one tool. With three elaborately designed attachments, the AMW 10 multi-tool can be used as either a heavy-duty trimmer, a pole pruner or a pole hedgecutter. The attachments are fitted to the tube of the power unit in only three steps: loosen the adjusting knob, insert the attachment until it clicks in, and tighten the adjusting knob. The trimmer, pole hedgecutter or pole pruner is then ready to use.



ERGONOMIC

**Ergonomic design** For better handling and less strain on your back when working for extended periods of time.



**Quick attachment change** No tools are needed to switch between applications. **Powerful** 1000 W motor delivers outstanding cutting performance. **Versatile** Tackle trimming, tree pruning and hedgecutting with just one tool.



#### AMW Multi-tool

	AMW 10, Motor Unit
Motor power	1000 W
Weight	4.2 kg
Total length	102 cm
Part no.	0 600 8A3 070
EAN code	3165140.649438





	AMW HS, Hedgecutter Attachment
No-load stroke rate	1800 spm
Blade length	43 cm
Tooth opening	15 mm
Weight	2.3 kg
Total length	134 cm
Part no.	0 600 8A3 A00
EAN code	3165140.649537

	AMW SG, Pole Pruner Attachment
Cutting length	26 cm
Drive link thickness	1.3 mm
Chain speed	12 m/s
Chain	Chrome
Weight	1.6 kg
Total length	112 cm
Part no.	0 600 8A3 B00
EAN code	3165140.649544



An overview of the complete range of Bosch accessories can be found on pages 57–63.



	f		

	AMW RT, Trimmer Attachment
Cutting diameter	36 cm
Cutting stick diameter	3.5 mm
Weight	1.3 kg
Total length	74.5 cm
Part no.	0 600 8A3 C00
EAN code	3165140.669870

	AMW TS, Extension Pole
Bar diameter	25.4 mm
Weight	0.6 kg
Total length	70 cm
Part no.	0 600 8A3 D00
EAN code	3165140.711678



#### AMW Multi-tool Combo pack

	AMW 10 HS	AMW 10 SG	AMW 10 RT
Weight	6.5 kg	5.8 kg	5.5 kg
Total length	232 cm	213 cm	173 cm
Motor unit	$\checkmark$	✓	1
Hedgecutter attachment	$\checkmark$	-	-
Pole Pruner attachment	-	✓	-
Trimmer attachment	-	-	1
Extension pole	-	-	-
Part no.	0 600 8A3 170	0 600 8A3 270	0 600 8A3 370
EAN code	3165140.669887	3165140.669924	3165140.669962



An overview of the complete range of Bosch accessories can be found on pages 57–63.

## **Outdoor clearing**

Cordless leaf blower Corded garden vacuum Range overview

54 55 55

PERSON IN THE PARTY

## **Tidying made easy.** Keeping your garden neat and tidy.

If you like everything in the garden to be kept clean and tidy, then there is nothing better than Bosch outdoor clearing tools.

Bosch is proud to offer three high-performance products in its outdoor clearing range: the **ALB 18 LI** leaf blower, the **ALS 2500** garden vacuum, and the all-new **ALB 36 LI** garden blower. These three garden clearing tools are ideal for removing leaves and waste from your garden.

Thanks to lithium-ion battery technology, both the ALB 18 LI leaf blower and the ALB 36 LI garden blower operate cordlessly, giving you the freedom to clear and sweep leaves anywhere in the garden. As the battery has no memory effect and doesn't selfdischarge, it delivers long-lasting power and maximum run time for totally efficient outdoor clearing.

In addition, these tools do away with all the annoyance of conventional petrol products. No more smelly petrol, noise or vibration. With the ALB 18 LI and 36 LI blowers, you can simply enjoy your gardening work. The speed control system on the ALB 36 LI blower offers DIY gardeners extra versatility. From stubborn leaves on the patio to more delicate debris around the flowerbed, it can be adjusted to deliver the right blowing power for different types of garden refuse.

The ALS 2500 garden vacuum makes clearing and collecting "green waste" child's play. Equipped with a powerful 2500 W motor, it serves as a blower and garden vacuum in one. Firstly the leaves are gathered together using the blower. This can then be vacuumed with the suction tube, shredded and compressed into the 45-litre, waterproof collection bag.

All of these products feature state-of-the-art Bosch engineering to provide you with the best possible ergonomics. Clear waste without strain thanks to the lightweight design, for more control over your work and enjoyable gardening.



### **ALB 36 LI leaf blower.** Tidy up wherever you want.

Packed with 250 km/h of blowing power and an innovative speed control system, our ALB 36 LI garden blower is the ultimate all-rounder. Thanks to its ergonomic design and improved battery life, this 36 V cordless tool delivers the mobility and power you need to get the job done.

Extended soft grip

Comfortable handling position

LI-ION

**lithium-ion battery** More power with

less weight, no


memory effect

self-discharge, no

36 V/2.6 Ah



**Leaf blowers and vacuum cleaners from Bosch** Find out more about the leaf blowers and vacuum cleaners, scan the QR code and learn more. For instructions on how to use QR codes turn to page 2.



Lightweight at 3 kg No strain on arms while working

> Hassle-free nozzle and battery assembly system For convenient use

### **ALB 18 LI leaf blower.** Tidy up wherever you want.

Our cordless ALB 18 LI leaf blower is perfect for patios and smaller gardens. It tidies with a 210 km/h concentrated jet of air, sweeping leaves and garden waste into easy-to-pick-up heaps. Part of the 18 V Power4All family, its cordless advantage allows you to work anywhere.







**Effortless operation** The intuitive ergonomic design and light weight enable comfortable working around the garden.



**Optimal speed control** for efficient blowing and different debris gathering applications.





**Full power** 210 km/h jet of air banishes leaves from your garden and patio.

### ALS 2500 garden vacuum.

The only problem you'll have is running out of leaves.

Our corded garden vacuum sucks up the most stubborn garden waste, allowing the shredder function to condense the amount of waste deposited for ideal compost material. This becomes the most effortless way to collect garden leaves.





Effortless control Ergonomic handles, and designed specifically for improved balance and comfort.



Longer working 10:1 shredding meaning fewer trips to the compost heap.



**Cordless garden** leaf blower





	ALB 36 LI	ALB 18 LI
Power source	Lithium-ion	Lithium-ion
Battery voltage	36 V/2.6 Ah	18 V/2.0 Ah
Max. run time	35 min	14 min
Charge time	65 min (80%)   95 min (100%)	60 min (80%)   90 min (100%)
Max. blowing speed	250 km/h	210 km/h
Weight	2.8 kg	1.8 kg
Part no.	0 600 8A0 470	0 600 8A0 570
EAN code	3165140.721745	3165140.772594
Part no.*	0 600 8A0 401	0 600 8A0 302
EAN code*	3165140.721752	3165140.619974





	ALS 2500
Motor power	2500 W
Max. blowing speed	300 km/h
Max. volume flow rate	800 m <sup>3</sup> /h
Shredding ratio	10:1
Bag capacity	45 L
Weight (blower mode)	3.2 kg
Weight (vacuum mode)	4.4 kg
Part no.	0 600 8A1 071
EAN code	3165140.732581

\*Battery and charger not included

## **Getting even more** from your Bosch garden tools.

Bosch garden tools have been built with durability and versatility in mind – and our engineers have developed a range of accessories to help you get the very most from them.



If you're looking to replace any of your electric garden tool accessories, you'll find everything you need in this section. From replacement mower blades to lubricant spray, safety goggles to battery chargers – it can all be found on the following pages.

### Batteries and chargers

Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention Contention					
Accessory	36 V/4.5 Ah lithium-ion battery	36 V/2.6 Ah lithium-ion battery	36 V/1.3 Ah lithium-ion battery	36 V LI fast charger AL 3640 CV	36 V LI standard charger AL 3620 CV
Part No.	F 016 800 300	F 016 800 301	F 016 800 302	2 607 225 102	F 016 800 313
EAN code	3165140.600606	3165140.600613	3165140.600620	3165140.365499	3165140.660419
Suitable for	AKE 30 LI ALB 36 LI Rotak 43 LI Ergoflex Rotak 37 LI Ergoflex Rotak 32 LI Ergoflex	AHS 54-20 LI AKE 30 LI ALB 36 LI Rotak 43 LI Ergoflex Rotak 37 LI Ergoflex Rotak 32 LI Ergoflex	AHS 54-20 LI AKE 30 LI Rotak 32 LI Ergoflex	AHS 54-20 LI AKE 30 LI ALB 36 LI Rotak 43 LI Ergoflex Rotak 37 LI Ergoflex Rotak 32 LI Ergoflex	AHS 54-20 LI AKE 30 LI ALB 36 LI Rotak 43 LI Ergoflex Rotak 37 LI Ergoflex Rotak 32 LI Ergoflex







Accessory	18 V/2.0 Ah lithium-ion battery	18 V LI fast charger AL 2215 CV
Part No.	1 600 Z00 03U	1 600 Z00 001
EAN code	3165140.726849	3165140.596213
Suitable for	AHS 48 LI AHS 52 LI ALB 18 LI ART 26-18 LI ART 23-18 LI	AHS 48 LI AHS 52 LI ALB 18 LI ART 26-18 LI ART 23-18 LI









Accessory	10.8 V/1.5 Ah lithium-ion battery	10.8 V LI charger AL 1115 CV	10.8 V LI fast charger
Part No.	1 600 Z00 03K	1 600 Z00 03P	1 600 Z00 03M
EAN code	3165140.724210	3165140.724258	3165140.724234
Suitable for	AHS 45-15 LI AHS 35-15 LI	AHS 45-15 LI AHS 35-15 LI	AHS 45-15 LI AHS 35-15 LI



Accessory	18 V/1.5 Ah NiCd battery	14.4 V/1.5 Ah NiCd battery	NiCd charger AL 2404
Part No.	2 607 335 536	2 607 335 534	2 607 225 184
EAN code	3165140.308205	3165140.308199	3165140.425872
Suitable for	ART Accutrim	ART Easytrim Accu	ART Accutrim ART Easytrim Accu

## Cordless robotic lawnmower







Bosch LI-JONT Robules	Acce
	Part N
	EAN
	Suita
1	

Accessory	Replacement blades (3 blades)	Perimeter wire (100 m)
Part No.	F 016 800 321	F 016 800 373
EAN code	3165140.668187	3165140.774635
Suitable for	Indego	Indego







Accessory	Fixing pegs (20 pegs)	Fixing pegs (100 pegs)	Fixing nails (4 nails)
Part No.	F 016 800 318	F 016 800 374	F 016 800 322
EAN code	3165140.662536	3165140.774642	3165140.668194
Suitable for	Indego	Indego	Indego

### Cordless and corded lawnmowers





Accessory	MultiMulch	MultiMulch
Part No.	F 016 800 304	F 016 800 305
EAN code	3165140.629959	3165140.629966
Suitable for	Rotak 37 LI Ergoflex Rotak 34 LI Ergoflex Rotak 37 Ergoflex Rotak 34 Ergoflex	Rotak 43 LI Ergoflex Rotak 43 Ergoflex Rotak 40 Ergoflex

### Cordless lawnmowers



	and the second second	and the second	and the second sec	a comp
Accessory	Replacement 43 cm blade	Replacement 37 cm blade	Replacement 34 cm blade	Replacement 32 cm blade
Part No.	F 016 800 278	F 016 800 277	F 016 800 288	F 016 800 332
EAN code	3165140.441537	3165140.441520	3165140.516808	3165140.709330
Suitable for	Rotak 43 LI Ergoflex	Rotak 37 LI Ergoflex	Rotak 34 LI Ergoflex	Rotak 32 LI Ergoflex

### **Corded lawnmowers**



		-	
Accessory	Replacement 43 cm blade	Replacement 40 cm blade	Replacement 37 cm blade
Part No.	F 016 800 274	F 016 800 273	F 016 800 272
EAN code	3165140.399081	3165140.399074	3165140.399067
Suitable for	Rotak 43 Ergoflex	Rotak 40 Ergoflex	Rotak 37 Ergoflex







Accessory	Replacement 34 cm blade	Replacement 34 cm blade	Replacement 32 cm blade	Cable tidy
Part No.	F 016 800 377	F 016 800 271	F 016 800 299	F 016 800 270
EAN code	3165140.775519	3165140.399050	3165140.571142	3165140.399043
Suitable for	Rotak 34 R	Rotak 34 Ergoflex	Rotak 32 Ergoflex Rotak 32 R Rotak 320	Rotak 34 R Rotak 32 R Rotak 320

### Hand mowers





Accessory	Grass box 38 cm
Part No.	0 600 886 160
EAN code	3165140.251051
Suitable for	AHM 38 G

### Lawnraker





Accessory	Spring steel tines
Part No.	F 016 800 285
EAN code	3165140.515856
Suitable for	ALR 900

### **Cordless grass trimmers**

		/////	////	6666223	
<b>/</b>	Accessory	Durablade (5 blades)	Durablade (5 blades)	23 cm safety plastic blades (24 blades)	26 cm safety plastic blades (24 blades)
	Part No.	F 016 800 371	F 016 800 372	F 016 800 177	F 016 800 183
/	EAN code	3165140.772846	3165140.772860	3165140.349383	3165140.349970
Book Lifent	Suitable for	ART 23-18 LI	ART 26-18 LI	ART 23 Accutrim ART 23 Easytrim Accu ART 23 LI	ART 26 Accutrim ART 26 Easytrim Accu ART 26 LI
Corded grass trimmers				Ø	

Accessory	'Pro-tap' spool	'Pro-tap' line	Replacement line (24 m)	Spool with line (8 m)
Part No.	F 016 800 175	F 016 800 176	F016 800 344	F016 800 345
EAN code	3165140.349369	3165140.349376	3165140.735896	3165140.735902
Suitable for	ART 30 Combitrim ART 26 Combitrim ART 26 Easytrim ART 23 Combitrim ART 23 Easytrim	ART 30 Combitrim ART 26 Combitrim ART 26 Easytrim ART 23 Combitrim ART 23 Easytrim	ART 35	ART 35









Accessory	Extra-strong line 30 cm (10 lines)	Extra-strong line 26 cm (10 lines)	Extra-strong line 23 cm (10 lines)
Part No.	F 016 800 182	F 016 800 181	F 016 800 174
EAN code	3165140.349963	3165140.349956	3165140.349352
Suitable for	ART 30 Combitrim	ART 26 Combitrim	ART 23 Combitrim

### **Grass trimmers**





	-		•
Accessory	Set of wheels	Plant protector	Set of wheels
Part No.	F 016 800 172	F 016 800 173	F 016 800 386
EAN code	3165140.349338	3165140.349345	3165140.783446
Suitable for	ART 30 Combitrim ART 26 Combitrim ART 26 LI ART 26 Accutrim ART 23 Combitrim ART 23 LI ART 23 Accutrim	ART 30 Combitrim ART 26 Combitrim ART 26 LI ART 26 Accutrim ART 23 Combitrim ART 23 LI ART 23 Accutrim	ART 26-18 LI ART 23-18 LI



		As.	- IT		all a constrained and a constr
Accessory	Grass shear blade 8 cm	Shrub shear blade 12 cm	Grass shear blade 10 cm	Shrub shear blade 20 cm	Shrub shear blade 12 cm
Part No.	2 609 002 039	2 609 002 040	2 609 003 867	2 609 003 868	2 609 003 885
EAN code	3165140.441100	3165140.441117	3165140.573535	3165140.573542	3165140.573573
Suitable for	Isio	Isio	ASB 10,8 LI	ASB 10,8 LI	ASB 10,8 LI

#### Chainsaws



		"aft"	2.45
Accessory	Bar and chain 1.1 mm/30 cm	Bar and chain 1.1 mm/40 cm	Bar and chain 1.1 mm/35 cm
Part No.	F 016 800 308	F 016 800 261	F 016 800 260
EAN code	3165140.647274	3165140.396509	3165140.396493
Suitable for	AKE 30 LI	AKE 40-19 S AKE 40 S AKE 40	AKE 35-19 S AKE 35 S











Accessory	Bar and chain 1.1 mm/30 cm	Saw chain 1.1 mm/40 cm	Saw chain 1.1 mm/35 cm	Saw chain 1.1 mm/30 cm	Chainsaw oil
Part No.	F 016 800 259	F 016 800 258	F 016 800 257	F 016 800 256	2 607 000 181
EAN code	3165140.396486	3165140.396479	3165140.396462	3165140.396455	3165140.070867
Suitable for	AKE 30 S AKE 30	AKE 40-19 S AKE 40 S AKE 40	AKE 35-19 S AKE 35 S	AKE 30-19 S AKE 30 S AKE 30 LI	All AKE models

### **Cordless multi-saw**



		a see . see the . It's
		the second se
		•
		and families [1]
Accessory	Replacement blades (3 blades)	Blade set (5 blades)
Part No.	F 016 800 303	F 016 800 307
EAN code	3165140.603263	3165140.643504
Suitable for	Кео	Кео

### Shredders



-	

A

Accessory	Replacement blade	Collection bag
Part No.	F 016 800 276	2 605 411 073
EAN code	3165140.427135	3165140.080514
Suitable for	AXT Rapid 2200	AXT Rapid 2200









Accessory	Cutting sticks (9 sticks)	Saw chain 1.3 mm/26 cm	Bar and chain 1.3 mm/26 cm
Part No.	F 016 800 323	F 016 800 324	F 016 800 325
EAN code	3165140.688406	3165140.688413	3165140.688420
Suitable for	AMW RT	AMW SG	AMW SG

### **General accessories**

		and the second second	and the second s		
Accessory	Gardening gloves (XL)	Gardening gloves (L)	Gardening gloves (M)	Gardening gloves (S)	Safety goggles
Part No.	F 016 800 314	F 016 800 292	F 016 800 291	F 016 800 290	F 016 800 178
EAN code	3165140.661126	3165140.521833	3165140.521826	3165140.521819	3165140.349390
Suitable for	Keo All AHS models All AXT models	Keo All AHS models All AXT models	Keo All AHS models All AXT models	Keo All AHS models All AXT models	Keo All AHS models All ART models All AXT models





Accessory	Lubricant spray	Clippings sheet	Pop-up garden bag 120 L
Part No.	1 609 200 399	F 016 800 055	F 016 800 315
EAN code	3165140.005029	3165140.247443	3165140.661164
Suitable for	Keo Isio ASB 10,8 LI All AHS models	lsio ASB 10,8 LI All AHS models	All products

## High-Pressure Washer

BOSC AQT 35-12

Electric pressure washers Range overview and accessories



**High pressure washers from Bosch** To find out more about the high pressure washers, just scan the QR code. For instructions on how to use QR codes turn to page 2. 66 67

## **High-Pressure Washer.** The effortless cleaning solution for home and leisure.

Make the neighbours wonder how you do it. With the AQT High-Pressure Washer range, cleaning is minimum effort and maximum satisfaction!

The path to spotless has never been this effortless.

**The AQT 33-10.** An entry-level solution for basic cleaning tasks. Lightweight and compact, this model is easy to carry and store. Perfect for occasional use.

**The AQT 35-12.** The 'click and go' system for the out of box cleaning experience. A practical model equipped with innovative features and fittings for more flexibility. Easy to setup and manoeuvre for a wider variety of outdoor cleaning tasks.

**The AQT 37-13.** A high pressure model for all round cleaning performance. Simple push fit hose connections for 'click and go cleaning'. Robust design with added power for bigger tasks and more challenging dirt and grime.

Thanks to a wide range of accessories, the AQT High-Pressure Washers from Bosch are all-in-one solutions to any outdoor cleaning challenge. With the 90° nozzle you can remove dirt from roof gutters or wheel arches without uncomfortable bending or stretching. Just attach the suction nozzle to remove puddles or wet spots on the patio. Clogged pipes or drains? Flush them out with the drain cleaner hose. With the patio cleaner, a clean and nice looking patio is no longer an exhausting task.

Convenience is about removing obstacles and turning tiresome tasks into fun cleaning – a principle that applies to all of our AQT High-Pressure Washers. Convenience through compact design, through user-friendly accessories and through smart functions. For easy setup and storage, efficient energy use, and the fastest, most effective performance possible.



### **NEW! The AQT 37-13.**

### The effortless cleaning solution for domestic use.

With the new AQT 37-13, cleaning is minimum effort and maximum satisfaction! A high pressure model for all-round cleaning performance. Robust design with added power for bigger tasks and more challenging dirt and grime.



**Performance cleaning** All the power you need delivered through an innovative 3-in-1 nozzle.



**Effortless cleaning** Comprehensive range of accessories provided for all your cleaning tasks.

Auto-stop system \_ Delivers power only when you need it

Versatile 3-in-1 nozzle High pressure fan and rotary-jet head with low pressure soap option

Water filter For easy maintenance and additional pump protection



Fold down handle For hassle-free storage and mobility

**Innovative hose storage** For quick and convenient hose management

**Quick-connect SDS fittings** For quick and easy setup

**Detergent system** For easy soap application

Integrated accessory storage Quick-access compartments and in-use lance and gun rest

## **NEW! The AQT 33-10.**

Convenient and time saving cleaning.

The new AQT 33-10 for tidying up. An entry-level solution for basic cleaning tasks. Lightweight and compact, this model is easy to carry and store. Perfect for occasional use.



Water filter For easy maintenance and additional pump protection.





Lightweight and compact design For easy, space-saving storage

AQT Range			<i>L</i>		
	NEW!	NEW!	NEW!	NEW!	NEW!
	AQT 37-13+	AQT 37-13	AQT 35-12+	AQT 35-12	AQT 33-10
Max. pressure	130 bar	130 bar	120 bar	120 bar	100 bar
Max. flow rate	370 l/h	370 l/h	350 l/h	350 l/h	330 l/h
Motor power	1,700 W	1,700 W	1,500 W	1,500 W	1,300 W
Max. flow temperature	40°C	40° C	40° C	40°C	40°C
Weight without accessories	6.53 kg	6.53 kg	5.53 kg	5.53 kg	4.15 kg
Hose length / material	6 m/PVC	6 m/PVC	5 m/PVC	5 m/PVC	3 m/PVC
Power cable length / material	5 m/PVC				
Folding handle	1	1	1	1	-
Wheels	1	1	1	1	-
Gun	Bosch	Bosch	Bosch	Bosch	Standard
Lance	1	1	1	1	1
Fixed fan jet nozzle	-	-	-	-	1
3-in-1 nozzle	1	1	1	1	-
90° nozzle	1	-	-	-	-
Patio cleaner	-	-	1	-	-
Patio cleaner DELUXE	1	-	-	-	-
Wash brush	1	-	-	-	-
Part no.	0.600.8A7.271	0.600.8A7.270	0.600.8A7.171	0.600.8A7.170	0.600.8A7.070
EAN code	3165140.746946	3165140.743402	3165140.746809	3165140.743396	3165140.736060

### **AQT Range Accessories**













Accessory	Kärcher adapter	Aquatak accessory adapter	Water filter	Drain cleaner 10 m	Extension hose 6 m	High pressure hose 6 m
Part No.	F 016 800 364	F 016 800 365	F 016 800 363	F 016 800 362	F 016 800 361	F 016 800 360
EAN code	3165140.761246	3165140.761253	3165140.761239	3165140.761222	3165140.761215	3165140.761208
Suitable for	AQT Range	AQT Range	AQT Range	AQT Range	AQT Range	AQT Range

## Lithium-ion powered by Bosch

Smart lithium-ion technology	69
Bosch cordless systems	70
The 36 Volt concept	71
The 18 Volt system	72
The 10.8 Volt system	73
Overview lithium-ion DIY Power Tools	74-77

# POWER ENDURANCE



## Smart lithium-ion technology

powered by Bosch.

In easier applications, the run time is what counts - for example when shaping and forming hedges and shrubs with many small diameter branches.


The result: more power and at the same time greater endurance. The latest generation of lithium-ion technology from Bosch - developed with the experience of ten years of Bosch battery research.



Discover the smart lithium-ion technology powered by Bosch now online: **www.bosch-power4all.com** 

## **Maximum power and greater endurance.** Intelligent lithium-ion technology from Bosch.

For more power and greater endurance – according to what is needed. Cordless tools from Bosch always draw the optimum amount of energy thanks to their intelligent electronic control system. For demanding applications like cutting back hedges with big branch diameters – a lot of power is required. In easier applications, the run time is what counts – for example when shaping and forming hedges and shrubs with many small diameter branches.



### The advantages of lithium-ion technology:



#### Maximum power.

When needed, provides high power for demanding applications.



## Maximum endurance.

More run time for jobs that take longer but require less power.



#### Long lifetime.

Electronic Cell Protection (ECP) prolong battery life by preventing overheating and overloading.



#### Compact design.

Cordless tools with lithium-ion technology impress due to their compact design and low weight.



#### Always ready to use.

Lithium-ion batteries are ready to use at any time. No memory effect, no self-discharge.



### **Bosch cordless systems.** The system batteries with lithium-ion technology.

Powerful 36 volts, robust 18 volts or compact 10.8 volts. Our cordless lithium-ion systems are the smartest way to stay charged for everyday DIY tasks around the house and in the garden. All you need is a single battery within each voltage category, and one charging unit, and then you can power almost any battery operated tool within that voltage family. Now there's more: you can expand your shed at any time without having to buy new charging equipment – which ultimately saves you money.



Discover the Bosch cordless systems now online: www.bosch-power4all.com

### **36 Volt.** For greater power.



Delivering greater power with zero emissions, the 36 V range provides a real battery alternative to petrol and electric garden tools. With longer run times between charges (compared to NiCd batteries), no extension leads, fumes, petrol or pull cords to worry about, Bosch's 36 V lithium-ion technology really delivers.



Providing full power at all times without any gradual power loss, the range offers a level of performance not traditionally associated with products of a similar size and weight.





### **18 Volt cordless system.** Powerful, flexible, clever!

The 18 volt cordless system with lithium-ion technology for Bosch tools in the house and garden! Top performance with a single powerful 18 volt battery that fits all cordless tools in the system: grass trimmer, leaf blower and hedgecutter and even drill driver, combi drill, rotary hammer, jigsaw, sander, LED worklight.





### **10.8 Volt cordless system.** Compact, flexible, clever!

Powered by Bosch Smart LI-ION+ Technology

Intelligent technology and comfortable working. The 10.8 volt system from Bosch. All you need is one battery and one charger to use any of the many compact tools in the 10.8 V range for your house and garden work. This saves you time and money – and the result will be impressive.





### **18 Volt lithium-ion power tools**



#### **PSR 18 LI-2 Cordless Drill/Driver**

#### Power and endurance in your hand.

- Small and compact the handiest and most comfortable in its class
- ▶ Power 2-speed gearbox for optimum power transfer
- With Bosch PowerControl electronic pre-selectable torque settings thanks to integrated gear change





#### **Uneo Maxx Cordless Rotary Hammer**

#### Maximum versatility, maximum power.

- The powerful 3-in-1 multi-talented tool for hammering, drilling and screwdriving
- Pneumatic hammer mechanism maximum impact force even when working in hard concrete
- SDS-Quick for easy drill bit changes





#### **PSB 18 LI-2 Cordless Combi Drill**

#### The versatile tool with exceptional power.

- Suitable for drilling even in wood, metal and masonry
- Pre-selectable torque settings plus drill and impact drill setting – optimum power for every application
- ▶ Handiest tool in its class thanks to compact design





### **PST 18 LI Cordless Jigsaw**

#### The compact and cordless way to a precise cut.

- Maximum precision and control thanks to Bosch CutControl
- Bosch Electronic and stroke rate control for an easy sawing start and material-specific working
- 4-stage orbital pendulum action for fast sawing progress and a long saw blade lifetime







### **PSM 18 LI Cordless Multi-Sander**

#### Sands in every corner.

- With Bosch Microfilter System extracts the dust directly into the integrated micro-filter box
- Micro Velcro-type fastening system for fast and convenient replacement of sanding sheets
- Two-piece sanding plate with rotatable delta tip for optimum utilisation of the sanding paper





### PSA 18 LI Cordless Sabre Saw

#### Makes cutting easy through thick and thin.

- ► Handy and versatile
- Easy handling and maximum control thanks to the compact and lightweight design
- Turbo function for especially fast cutting through wood





#### **PKS 18 LI Cordless Circular Saw**

#### Compact and powerful.

- Precise and effortless CutControl enables the easy tracking of markings
- Spindle lock for quick and easy replacement of saw blades
- Effortless sawing thanks to the powerful motor





### **PML LI Cordless Multifunctional Light**

#### Brilliant light everywhere.

- ▶ High lighting power due to three high-quality LEDs (3 x 1 watt)
- Versatile usage thanks to a wide range of accessories
- Optimum mobility



### **10.8 Volt lithium-ion power tools**



### **Cordless Drill/Driver PSR 10,8 LI-2**

#### Compact power. Which sits comfortably in your hand.

- ▶ Small, lightweight, compact the handiest in its class
- ▶ Powerful with 2-speed gearbox for optimum power transmission
- Pre-selectable torque settings plus drill setting optimum power for every application



#### **Cordless Rotary Hammer Uneo**

### Compact power. For hammering, drilling and screwdriving.

- The powerful 3-in-1 multi-talented tool with the powerful pneumatic Bosch hammer mechanism
- 2-speed gearbox for optimum power transmission
- Comfortable to use due to especially handy size and low weight







### Cordless Combi Drill PSB 10,8 LI-2

### Compact power. For impact drilling, drilling and screwdriving.

- Most handy tool in its class thanks to compact design
- Weight of only 1 kg for optimum handling
- Pre-selectable torque settings plus drill and impact drill setting – optimum power for every application





### **Cordless Multisaw PST 10,8 LI**

### Compact power. For precisely cutting to size and easily sawing off.

- The handy multisaw for short cuts in many materials
- Small, lightweight and compact for controlled sawing even in tight spaces
- One-hand SDS system the sawing direction can be easily changed to enable use as a jigsaw and a sabre saw







### **Cordless Multi-Sander PSM 10,8 LI**

#### Compact power. For more material removal on demand.

- ► Compact and handy multi-sander
- PowerAutomatic this all-purpose tool automatically increases its material removal rate when pressure is applied
- Sanding and polishing even in hard-to-reach areas and on small surfaces





### **Cordless Multifunction Tool PMF 10,8 LI**

#### Compact power. Unbelievably versatile.

- The all-rounder for sawing, cutting, routing, sanding and scraping
- Excellent ergonomics handy, lightweight, and comfortable handling
- Continuously variable speed preselection with Eco Electronic for precise work and longer battery runtime





### **Cordless Light PLI 10,8 LI**

#### Compact power. Brings light into the darkness.

- Bright lighting power over a wide area thanks to powerful, energy-saving 1-Watt-Power-LED
- Excellent ergonomics with softgrip for optimum handling
- Compact design



## Sound pressure levels & vibration values

Garden Tools Product name	Part number	Applicable guideline	Sound pressure level (dB(A))	Sound power level (dB(A))	K-value (dB)	Guaranteed sound power level (dB(A))
Indego 1000	06008A20**	EN 60335	<mark>64</mark>	72	3	75
	06008A21**	EN 60335	64	72	3	<mark>75</mark>
Indego 1300	06008A22**	EN 60335	64	72	3	<mark>75</mark>
Rotak 43 LI Ergoflex	06008A45**	EN 60335	76	90	1	<mark>90</mark>
Rotak 37 LI Ergoflex	06008A44**	EN 60335	75	<mark>89</mark>	1	<mark>89</mark>
Rotak 32 LI Ergoflex	0600885D**	EN 60335	74	86	3	<mark>89</mark>
Rotak 43 Ergoflex	06008A43**	EN 60335	80	94	1.4	95
Rotak 40 Ergoflex	06008A42**	EN 60335	80	<mark>93</mark>	1.4	94
Rotak 37 Ergoflex	06008A41**	EN 60335	80	94	1.2	94
Rotak 32 Ergoflex	0600885E**	EN 60335	79	<mark>93</mark>	1	94
Rotak 32	0600885B**	EN 60335	79	<mark>93</mark>	1	94
ARM 37	06008A62**	EN 60335	92	<mark>96</mark>	1	<mark>97</mark>
ARM 34	06008A61**	EN 60335	91	<mark>96</mark>	2	<mark>98</mark>
ALR 900	060088A0**	2000/14/EG	78	95	1	<mark>95</mark>
AVR 1100	060088A1**	2000/14/EG	<mark>76</mark>	<mark>93</mark>	1	<mark>94</mark>
Isio with grass shear	<mark>06008331**</mark>	EN 60335	less than 70	_	-	<u> </u>
Isio with shrub shear	06008331**	EN 60745	<mark>58</mark>	<mark>79</mark>	3	<mark>82</mark>
AGS 10,8 LI with grass shear	06008561**	EN 60335	less than 70	_	_	-
AGS 7,2 LI with grass shear	<mark>06008560**</mark>	EN 60335	less than 70	-	-	-
ART 26 Accutrim	0600878F**	EN 60335	<mark>72</mark>	<mark>93</mark>	3	<mark>96</mark>
ART 23 Accutrim	0600878E**	EN 60335	72	<mark>93</mark>	3	<mark>96</mark>
ART 26 Easytrim Accu	0600878J**	EN 60335	<mark>72</mark>	94	3	<mark>.96</mark>
ART 30 Combitrim	0600878D**	EN 60335	85	95	1	<mark>.96</mark>
ART 26 Combitrim	0600878C**	EN 60335	85	95	1	<mark>96</mark>
ART 23 Combitrim	0600878B**	EN 60335	85	95	1	<mark>96</mark>
ASB 10,8 LI with shrub shear	06008563**	EN 60745	66	76	1	77
AHS 54-20 LI	060084A1**	EN 60745	<mark>69</mark>	84	3	<mark>87</mark>
AHS 52 LI	<mark>06008492**</mark>	EN 60745	<mark>66</mark>	87	3	<mark>90</mark>
AHS 48 LI	06008491**	EN 60745	<mark>66</mark>	87	3	90
AHS 45-15 LI	0600849A**	EN 60745	<mark>66</mark>	87	3	90
AHS 35-15 LI	0600849B**	EN 60745	66	87	3	90
AHS 70-34	0600847K**	EN 60745	<mark>76</mark>	<mark>97</mark>	1	<mark>98</mark>
AHS 65-34	0600847J**	EN 60745	<mark>76</mark>	97	1	<mark>98</mark>
AHS 60-26	0600847H**	EN 60745	<mark>75</mark>	<mark>96</mark>	1	97
AHS 55-26	0600847G**	EN 60745	75	<mark>96</mark>	1	<mark>97</mark>
AHS 50-26	0600847F**	EN 60745	75	<mark>96</mark>	1	97
AHS 45-26	0600847E**	EN 60745	75	<mark>96</mark>	1	<mark>97</mark>
AHS 60-16	0600847D**	EN 60745	74	95	2	<mark>97</mark>
AHS 55-16	0600847C**	EN 60745	74	<mark>95</mark>	2	<mark>97</mark>
AHS 50-16	0600847B**	EN 60745	74	95	2	97
AHS 45-16	0600847A**	EN 60745	74	95	2	<mark>97</mark>
Кео	06008619**	EN 60745	72	can exceed 80	3	-
AKE 30 LI	06008371**	EN 60745	74	94	3	97
AKE 40-19 Pro	06008368**	2000/14/EC	95	103	3	106
AKE 40-19 S	0600836F**	2000/14/EC	95	103	3	106
AKE 35-19 S	0600836E**	2000/14/EC	95	103	3	106
AKE 40 S	06008346**	2000/14/EC	95	103	1.2	105
AKE 35 S	06008345**	2000/14/EC	95	103	1.2	105
AKE 30 S	06008344**	2000/14/EC	95	103	1.2	105
AKE 40	06008340**	2000/14/EC	95	103	1.2	105
AKE 35	06008340**	2000/14/EC	95	103	1.2	105

Applicable guideline	Vibration value (ms <sup>-2</sup> )	(ms <sup>-2</sup> )
na	na	na
na	na	na
na	na	na
EN 60335	2.5	1.5
EN 60335	2.5	<mark>1.5</mark>
EN 60335	2.5	1.5
EN 60335	2.5	( <mark>1.5</mark> )
EN 60335	2.5	1.5
EN 60335	<mark>2.5</mark>	( <mark>1.5</mark> )
EN 60335	2.5	( <mark>1.5</mark> )
EN 60335	< <u>2.5</u>	( <mark>1.5</mark> )
EN 60745	< <u>2.5</u>	1.5
EN 60335	< <u>2.5</u>	1.5
EN 60335	< <u>2.5</u>	1.5
EN 60335	2.5	2)
EN 60335	2.5	2)
EN 60335	2.5	2
EN 60335	<mark>(3.5</mark> )	2
EN 60335	3.5	2
EN 60335	3.5	2
EN 60745	< 2.5	1.5
EN 60745	2.5	1.5
EN 60745	< 2.5	(1.5)
EN 60745	< 2.5	(1.5)
EN 60745	< 2.5	(1.5)
EN 60745	< 2.5	1.5
EN 60745	<mark>4</mark> 4	1.5
EN 60745		1.5
EN 60745	2.5 2.5	1.5
EN 60745 EN 60745	2.5	(1.5) (1.5)
EN 60745	2.5	1.5
EN 60745	< 2.5	1.5
EN 60745	< 2.5	1.5
EN 60745	< 2.5	1.5
EN 60745	< 2.5	1.5
EN 60745	Cutting board 19	Cutting board 6
EN 60745	Cutting wooden beam 20 < 2.5	Cutting wooden beam 3 (1.5)
EN 60745	8	1.5
EN 60745	6	1.5
EN 60745	6	1.5
EN 60745	4	1.5



## Sound pressure levels & vibration values

Garden Tools <mark>Product name</mark>	Part number	Applicable guideline	Sound pressure level (dB(A))	Sound power level (dB(A))	K-value (dB)	Guaranteed sound power level (dB(A))
AXT 25 TC	06008033**	2000/14/EC	82	90	2	<mark>92</mark>
AXT 23 TC	06008032**	2000/14/EC	82	90	2	<mark>92</mark>
AXT 25 D	06008031**	2000/14/EC	81	89	3	<mark>92</mark>
AXT 22 D	06008030**	2000/14/EC	81	89	3	92
AXT Rapid 2200	06008536**	2000/14/EC	90	103	4	107
AXT Rapid 2000	06008535**	2000/14/EC	<mark>89</mark>	103	3	106
AMW 10	06008A30**	EN 60335	<mark>84.5</mark>	104.5	2.5	107
AMW HS	06008A3A**	EN 60335	80.5	100.5	2.5	103
AMW SG	06008A3B**	EN 60335	<mark>84.5</mark>	104.5	2.5	103
AMW RT	06008A3C**	EN 60335	85	94	2	<mark>.96</mark>
ALB 36 LI	06008A04**	EN 60335	<mark>78.5</mark>	<mark>89.5</mark>	2.2	<mark>92</mark>
ALB 18 LI	06008A05**	EN 60335	60	80	3	83
ALS 2500	06008A10**	EN 60335	82	102	3	105
AQT 37-13+	06008A72**	2000/14/EG	77	90	3	<mark>93</mark>
AQT 37-13	06008A72**	2000/14/EG	<mark>77</mark>	90	3	<mark>93</mark>
AQT 35-12+	06008A71**	2000/14/EG	<mark>83</mark>	<mark>96</mark>	3	99
AQT 35-12	06008A71**	2000/14/EG	<mark>83</mark>	<mark>96</mark>	3	<mark>.99</mark>
AQT 33-10	06008A70**	2000/14/EG	<mark>85</mark>	97	3	100

Powertools Product name	Part number	Applicable guideline	Sound pressure level (dB(A))	Sound power level (dB(A))	K-value (dB)	Guaranteed sound power level (dB(A))
PSR 18 LI-2	0603973300	EN 60745	76	87	3.0	90
Uneo Maxx	0603952300	EN 60745	85	96	3.0	99)
PSB 18 LI-2	0603982300	EN 60745	89	100	3.0	103
PST 18 LI	0603011001	EN 60745	81	92	<mark>3.0</mark>	95
PSM 18 LI	06033A1300	EN 60745	72	80	<mark>3.0</mark>	83
PSA 18 LI	06033B2300	EN 60745	85	96	3.0	99
PKS 18 LI	06033B1301	EN 60745	84	85	3.0	88
Uneo	0603984000	EN 60745	83	94	3.0	97
PSR 10,8 LI-2	060397290A	EN 60745	71	82	1.5	83.5
PSB 10,8 LI-2	0603983900	EN 60745	83	94	<mark>3.0</mark>	97
PST 10,8 LI	06033B4000	EN 60745	85	96	<mark>3.0</mark>	99
PSM 10,8 LI	0603976903	EN 60745	70	80	3	83
PMF 10,8 LI	0603101904	EN 60745	81	92	1.8	<mark>93.</mark> 8

Applicable guideline	Vibration value (ms <sup>-2</sup> )	<mark>K-value</mark> (ms <sup>-2</sup> )	
na	na	na	
na	na	na	
na	na	na	
na	na	(na)	
na	na	na)	
na	na	(na)	
EN 60335	na	( <mark>na</mark> )	
EN 60335	2.5	1	
EN 60335	4.5	1	
EN 60335	<mark>3.5</mark>	1	
EN 60335	<mark>2.9</mark>	<mark>1.5</mark>	
EN 60335	<mark>2.5</mark>	<mark>1.5</mark>	
EN 60335	<mark>2.5</mark>	<mark>1.5</mark>	
EN 60335	7	2	
EN 60335	7	2	
EN 60335	7	2	
EN 60335	7	2	
EN 60335	6	2	





Applicable guideline	Vibration value (ms <sup>-2</sup> )	(ms <sup>-2</sup> )
EN 60745	Drilling into metal 2.5 Screwdriving 2.5	Drilling into metal 1.5 Screwdriving 1.5
EN 60745	Hammer drilling into concrete 13.0 Drilling into metal 4.0 Screwdriving 2.5	Hammer drilling into concrete 3.0 Drilling into metal 1.5 Screwdriving 1.5
EN 60745	Drilling into metal 2.5 Impact drilling into concrete 16.5 Screwdriving 2.5	Drilling into metal 1.5 Impact drilling into concrete 1.5 Screwdriving 1.5
EN 60745	Cutting board 8.0 Cutting sheet metal 5.0	Cutting board 1.5 Cutting sheet metal 1.5
EN 60745	7.0	1.5
EN 60745	Cutting board 17.5 Cutting wooden beam 17.5	Cutting board 1.5 Cutting wooden beam 1.5
EN 60745	Cutting wood 2.5 Cutting metal 3.5	Cutting wood 1.5 Cutting metal 1.5
EN 60745	Hammer drilling into concrete 13.0 Drilling into metal 2.5 Screwdriving 2.5	Hammer drilling into concrete 2.5 Drilling into metal 1.5 Screwdriving 1.5
EN 60745	Drilling into metal 2.5 Screwdriving 2.5	Drilling into metal 1.5 Screwdriving 1.5
EN 60745	<mark>2.5</mark>	<mark>1.5</mark>
EN 60745	Sawing wood 6.0 Sawing sheet metal 8.0	Sawing wood 1.5 Sawing sheet metal 1.5
EN 60745	<mark>(5.5)</mark>	<u>1.5</u>
EN 60745	Sanding 4.0 Sawing 16.0–20.0 Scraping 6.0	Sanding 1.5 Sawing 2.0–2.5 Scraping 1.5



### Always one step ahead with Bosch.

Leading technology that helps with everyday gardening work.

Bosch is always developing new products that are tailored to better meet the needs of gardeners. We make everyday gardening tasks easier and more convenient. This is just a small selection of our leading technologies. If you'd like to read about more, please visit **www.bosch-garden.com**.



#### 'Durablade System'

The innovative cutting system Durablade lasts up to 12 times longer than previous blades in all cutting conditions. For uninterrupted use and perfect results.



#### 'Powerdrive Motor'

The innovative reduction gear unit converts the high speed of the motor into enormous power. If it is slowed down by resistance, the torque automatically increases and the motor continues to work powerfully, even under difficult conditions and high load.



#### 'Efficient Energy Management'

This increases the run time of the lithium-ion batteries in the Rotak LI by up to 15 % than its predecessor depending on the mowing conditions. The intelligent cutting electronics deliver exactly the required amount of energy to suit the length and density of the grass, and keep the blade rotation speed constant. And when the motor is switched off, the energy recovery system converts the energy generated by the blade run-down motion into electrical energy, which is fed back into the mower's battery.



#### **Electronic 'Anti-Blocking System'**

If a thick branch cannot be cut through immediately, the innovative micro-electronics detect this and instantly adjust the running direction of the blades to continue cutting powerfully through wood where other tools would stall.



#### 'Ergoflex System'

The Rotak mowers benefit from the 'Ergoflex System', offering ergonomically designed and adjustable handles to improve body posture and reduce muscle strain whilst mowing the lawn.



#### **Innovative Grass Combs**

Wider than the front wheels of the lawnmower, the innovative grass combs enable cutting of grass growing close to the edge due to their special design.



#### AGR Quality Approved

The 'Ergoflex System' is approved by the renowned German institution AGR which promotes research into the prevention of back problems.



#### **Sawing Function**

Sawing function at the tip of the blade enables cutting of bigger branches that are wider than the tooth spacing.



#### 'Jet-Collect System'

The innovative drum with stainless steel blades or spring steel tines and airflow inlets completely removes thatch, moss and weeds. The shredded waste is pressed into the collection box by a powerful airflow that prevents clogging.



TURBINE-CUT SYSTEM

#### Effective 'Turbine-Cut System'

This newly developed turbine cutting mechanism makes it possible to shred greenery and hard wood together. 8 rotating blades in conjunction with the hopper design enable optimum automatic feed and extremely fast material throughput of up to 230 kg/h. This combination ensures efficient work with virtually no stalling, regardless of the garden material processed.