



OUR HISTORY CONTENTS

FISKARS QUALITY SINCE 1649

Pick up a Fiskars product and sense its ergonomic design and innovative functionality. Quality dictates everything Fiskars does, a standard enshrined in the company's core values since its inception in 1649.

In that year, Peter Thorwöste was granted permission to manufacture cast iron and forged products in a small Finnish village called Fiskars. Today as one of the Western world's oldest companies, Fiskars has grown into a multinational corporation, present in more than 40 countries on four continents and is the number one in hand operated garden tools in North America, Australia and much of Europe.

It's true that the company has come a long way but Fiskars' roots and soul continue onwards in Fiskars

village, where, some 10 kilometers away many of our garden tools are still manufactured to this day, continuing the same stringent quality standards.

Fiskars ergonomic, lightweight, yet powerful garden tools are designed to reduce strain and fatigue, and to ensure gardening is a pleasure, which is what gardening should be about. We're confident that our customers recognize this and continue to support our aspirations for enduring quality.

Our Quality Pledge

When properly used and maintained, Fiskars garden tools shall remain free of defects in material and workmanship. Any exception to the rule will simply be repaired, replaced or substituted by a product of equal value. Replacement tools or spare parts are offered when returning the tool to the retailer, or contacting the local customer service department.










CONTENTS



Fiskars ads a Touch of orange to innovation, quality and design!

We at Fiskars believe that all things, even the simplest, can be made better and smarter.

This year we've extended our telescopic offering in the Fiskars SmartFit™ cutting tools range. With the new telescopic lopper and hedge shear you reach new cutting heights – whenever you choose!

In addition to innovative NPD, we are also making some of the best selling Fiskars tools from our European offer available in the UK. We're confident that these market leading products will drive your sales in 2014.

The Touch of orange

What is that special something only Fiskars products have? Handpicked materials and features so thought through only 365 years of experience in hand tool making can create. We call it "The Touch of orange" and it's our promise to the world.

Happy gardening!

Wood Preparation	4
Splitting Axes	
Chopping Axes	(
Saws	8
Forestry Tools	1(
Soil Care Spades, Shovels, Forks, Soil Rakes, Hoes, Cultivators, Garden Drills and Nursery Tools	12
Garden Light	12
SmartFit Telescopic	16
QuikDrill	18
Premium Planters	20
Plant Care Pruners, Loppers, Hedge Shears, Scissors and Universal Cutters	22
PowerGear	22
SingleStep	28
PowerStep	28
SmartFit	3(
Quantum	32
Scissors	34
Universal Cutters	36
Lawn Care Grass Shears, Weed Pullers and Reel Mower Grass Shears	38
Weed Puller	4(
StaySharp	42
Children's Tools	44
Maintenance	46
Other	48
Pictograms	48
Education	5(
Packaging	5
Awards	52

3









Splitting Axe X17	SAP No 1000606	Article No 122460	Re	etail box: 4
	Weight: 1570g	Width: 169mm	Z	
Flucturing Soliton Sol	d	Length: 599mm	Ъ	6 4 1 1 5 0 1 2 2 4 6 0 6
FEKARET XIPE		< For splitting medium logs		






Splitting Axe X27

Article No 122500 Retail box: 2 Softerior Softer



For splitting extra large logs

Length: 915mm



Chopping Axes

Fiskars next generation chopping axes serve all manner of woodwork, chopping, carpentry and pruning. The range delivers a wonderful package of minimalist design and sharp-edged functionality with the right fit for all wood preparation tasks. Pick your size according to the task at hand.

FISKARS X158

- < Perfect balance between the head and shaft for the most safe, comfortable and efficient swing
- < Ultra light and durable FiberComp™ shaft minimizes fatigue and makes the axe virtually unbreakable
- < Optimal anti-shock surface structure ensures a comfortable, firm grip
- < Hooked end of the handle prevents the axe from slipping out of the hand
- < With plastic sheath for easy carrying and storage

Chopping Axes



Camping Axe X5		SAP No 1000602	Article No 121121	Re	etail box: 4
TÎ TO DISION		Weight: 480g	Width: 123mm	EAN	
FiberComp SSHRC L	reddot design award best of the best 2010		Length: 228mm	(F)	6 4 1 1 5 0 1 2 1 1 2 1 <i>7</i>
			< For whittling and building a	can	np fire



Chopping Axe X7	SAP No 1001427	Article No 121420	Retail box: 4
	Weight: 640g	Width: 130mm	Z 6411501 214201
Educional Solution Solution Control Co	d	Length: 355mm	6 4 1 1 5 0 1 2 1 4 2 0 1
		< For outdoor activities and b	building a camp fire



Carpenters Axe X10	SAP No 1000604	Article No 121440	Re	tail box: 4
	Weight: 980g	Width: 145mm	Z	
sotton So	ard 0	Length: 443mm	Ā	6 4 1 1 5 0 1 2 1 4 4 0 9
_		< For carpentry, building and	light	chopping



Chopping Axe X15	SAP No 1000605	Article No 121460	Re	tail box: 4
	Weight: 1520g	Width: 169mm	Z	6"411501"214607
reddot design awa best of the best 2010	rd	Length: 599mm	Ą	6 4 1 1 5 0 1 2 1 4 6 0 7



For chopping down saplings and general forestry work

Axe and knife sharpener



Xsharp™ Axe and Knife Sharpener		SAP No 1000601	Article No 120740	Ref	tail box: 4
femniaproc 12	€	Weight: 90g	Width: 35mm	EAN	
	red <mark>dot</mark> design award winner 2012		Length: 165mm	E	6 4 1 1 5 0 1 2 0 7 4 0 1
			< For regular maintenance of	your	r Fiskars axes and knives



- 2 sharpeners in 1. Ceramic grind stone has clearly
- indicated cutting grooves for either axes or knives
- Optimized sharpening angle for Fiskars blades with easy-to-use mechanism
- Convenient portability

Fiskars saws have teeth designed especially for wood. Prune branches and clear foliage in difficult positions safely with a lightweight saw. Fiskars Xtract™ range features a unique retractable mechanism and integrated belt clip making them safe to carry and easy to store.



Cuts on the pull stroke

New design with handy belt clip which retracts when in use

SoftGrip™ handle ensures a safe grip

Finger guard protects fingers from sliding onto the blade



- Excellent for sawing stems and thicker branches
- Curved nose enables cutting in hard to reach or difficult positions
- Cuts on both the push and pull stroke with unique 'plane toothing'
- Plastic protector for safe transportation



- For trimming trees and thinning out thicker branches
- Ultra light and durable FiberComp™ handle minimizes fatigue and makes the brush hook virtually unbreakable
- Hooked end of the handle prevents slipping

SAWS WOOD PREPARATION

Saws



Xtract Garden Saw (L) SW75	SAP No 1000614	Article No 123880	Re	etail box: 4
	Weight: 230g	Width: 65mm	EAN	
reddot design award winner 2012		Length: 330mm		6 4 1 1 5 0 1 2 3 8 8 0
A CONTRACTOR OF THE PROPERTY O	***************************************	< Efficiently saws fresh wood < Blade length 255mm < Large cutting capacity up to		'0mm
Xtract Garden Saw (S) SW73	SAP No 1000613	Article No 123870	Re	etail box: 4
	Weight: 130g	Width: 50mm	Z	
reddot design award winner 2012		Length: 223mm	EAN	6 4 1 1 5 0 1 2 3 8 7 0
CONTRACTOR OF THE PROPERTY OF		Efficiently saws fresh woodBlade length 160mmCutting capacity 120mm	l	
Xtract Builders Saw SW72	SAP No 1000612	Article No 123860	Re	etail box: 4
FR 600 000 600 600 600 600 600 600 600 60	Weight: 130g	Width: 50mm	z	
reddot design award winner 2012		Length: 223mm	EAN	6 4 1 1 5 0 1 2 3 8 6 0
C Same and		Fine teeth for dry wood, bo Blade length 160mm Cutting capacity 120mm	ards	s and wood strips
Fixed Blade Saw SW84	SAP No 1001620	Article No N/A	Re	etail box: 4
	Weight: 300g	Width: 95mm	z	
reddot design award witner 2012		Length: 500mm	EAN	6 4 1 1 5 0 1 2 3 8 4 0 5
PENARS DO		< Blade 330mm < Cutting capacity 220mm		
24" Bow Saw SW30	SAP No 1000615	Article No 124810	Re	etail box: 4
ww S	Weight: 650g	Width: 215mm	EAN	
		Length: 700mm		5 7 0 2 2 6 4 1 4 1 0 1
		< Excellent for sawing 20cm	stem	ns and thicker branche



Fiskars Wood**Xpert**™



WoodXpert Brush Hook XA3























- For trimming trees and thinning out thicker branches
- Ultra light and durable FiberComp™ handle minimizes fatigue and makes the brush hook virtually unbreakable
- Hooked end of the handle prevents slipping

Sledge Hammer



Sledge Hammer XL SAP No 1001431 Retail box: 2 Article No 120030 Width: 150mm Weight: 5180g Length: 900mm



- Rounded edges on the striking surface delay burring and lessen the risk of chipping
- Rubber miss-hit guard helps to lessen jarring
 - Fibreglass core and elastomeric anti-slip and anti-vibration handle ensure greater resistance and comfort
- Hardened, tempered and forged carbon steel

Wedges



Splitting Wedge SAP No 1000600 Article No 120020 Retail box: 4 Weight: 2200g Width: 40mm Length: 200mm



- Helicoidally shaped which makes the wood burst more easily therefore reducing the need to use several wedges
- Rounded head to avoid material fragmentation
- Anti-return slot
- Forged steel

Garden Light

This nice Garden Light range offers you a selection of lightweight tools for planting, cultivating, raking and other gardening tasks. Fiskars versatile range of soil rakes, hoes and cultivators are ideal for weed control, moving soil, creating narrow furrows for planting seeds and bulbs and even harvesting root crops.

- < Hanging loop for easy storage
- Drop-shaped soft grip handle for optimal grip
- < Lightweight garden spade and shovel for general garden work

- < The oval-shaped aluminium shaft is lightweight
- < Plastic sleeve maximizes the grip and insulates from cold
 - < Boron steel prongs adds extra strength and makes penetration into the soil easier
 - < Large D-shaped handle fits all hand sizes, with or without gloves
- The oval-shaped aluminium shaft is lightweight and Blade of hardened plastic sleeve maximizes the carbon steel grip and insulates from cold

Garden Light Spades



Garden Light Spade Rounded Article No 131500 Weight: 1300g Width: 185mm Length: 1130mm



Perfect for digging, planting holes, edging beds and removing small amounts of soil

Ideal for light digging in normal to loose garden soil

Garden Light Fork



Garden Light Fork	SAP No 1000635	Article No 133500	Re	Retail box: 4	
	Weight: 1300g	Width: 240mm	z		
		Length: 1130mm		5"905561"335002"	
		< The perfect tool for loosening	ng a	nd turning over soil	

- - Use also for aerating the lawn or raking out stones and weeds

Garden Light Hoes & Cultivators



	Garden Light Dutch Hoe	SAP No 1000678	Article No 136504	Retail box: 4	
		Weight: 650g	Width: 125mm	z	
			Length: 1620mm		5 0 1 0 6 2 4 4 4 4 0 9 1 0
		< For guick and easy weddin	g in l	oeds, borders	



and vegetable pots

Garden Light Hoe	SAP No 1000675	Article No 136500	Ret	tail box: 4
	Weight: 600g	Width: 185mm	Z	
		Length: 1550mm	T)	7"317791"112601
	•	Efficient tool for removing v or breaking up the soil for or		





before planting

SOIL CARE RAKES KNIFES SOIL CARE

Garden Light Soil Rakes





Garden Light Rose Rake	SAP No 1001583	Article No N/A	Re	tail box: 4
	Weight: 600g	Width: 247mm	EAN	
		Length: 1540mm		7"317791"114605"
		 Unique head shape to work preparing planting beds, ck 		

Garden Light Leaf Rakes



Garden Light Leaf Rake L	SAP No 1000660	Article No 135570	Re	etail box: 4
Weight		Width: 585mm	EAN	
		Length: 1810mm	Д	5 9 0 5 5 6 1 3 3 5 7 0 5
	6	Wide rake for working on la Sturdy flexible tines with sp twigs and leaves from gettil	ecifi	c geometry prevents

Garden Light Leaf Rake M	SAP No 1001582	Article No 135560	Re	etail box: 4
	Weight: 700g	Width: 425mm	EAN	
		Length: 1670mm		5 9 0 5 5 6 1 3 3 5 6 0 6
		< Medium-sized all-purpose areas like around trees or u		

Garden Light Knifes



Garden Light Edging Knife	SAP No 1000679	Article No 136505	Re	Retail box: 4	
	Weight: 600g	Width: 200mm	EAN		
		Length: 995mm	A P	5 9 0 5 5 6 8 3 6 5 0 5 7	
		< For cutting turf to create neat lawn			
		For clearing the space bet surfaces by stepping on the into the lawn			
Garden Light Patio Knife	SAP No 1000686	Article No 136520	Re	tail box: 4	
	Weight: 500g	Width: 70mm			
			IZ		
	13 7 7 7 7	Length: 1580mm	EAN	5 9 0 5 5 6 1 3 6 5 2 0 7	

4 15

Fiskars SmartFit™



Fiskars Smart**Fit™** Spades



SmartFit Telescopic Garden Edging & Planting Spade

SAP No 1000620

Article No 131310

Retail box: 4

Weight: 2000g

Width: 191mm

Length: 1054 - 1250mm



Straight, sharpened cutting edge for edging and planting

For various gardening tasks like planting, edging or shovelling

< Adjust the shaft for different tasks and comfortable working position

Fiskars Smart**Fit™** Fork



SmartFit Telescopic Garden Fork

SAP No 1000630

Article No 133320

Retail box: 4

Weight: 1800g

Width: 193mm

Length: 1165 - 1256mm



- Best tool for loosening and turning over compacted soil
- Move easily tuft of grass when bordering or planting
- < Use also for aerating the lawn or rake out stones and weeds
- Sharp and firm prongs are especially useful in hard and stony soil
- Adjust the shaft for different tasks and comfortable working position













Fiskars Premium Planters™ Nursery Tools



Premium Planters Trowel

SAP No 1000726

Article No 137200

Retail box: 4

Weight: 200g

Width: 87mm

Length: 320mm





< For planting and weeding in hard ground

Perfect for use in narrow bed layouts and on balconies

For planting and transplanting in hard ground

Premium Planters Cultivator	SAP No 1000728	Article No 137220	Re	tail box: 4
	Weight: 200g	Width: 80mm	Z	6"411501"372208
SoftGng SoftGng reddet design award winner 2011		Length: 326mm) D	6 4 1 1 5 0 1 3 7 2 2 0 8



< For aerating and loosening soil in hard ground

Premium Planters Weed Fork	SAP No 1000729	Article No 137230	Re	Retail box: 4	
· 35 %	Weight: 100g	Width: 78mm	Z	6"411501"372307	
SoftGran reddot design award winner 2011		Length: 312mm	4	6 4 1 1 5 0 1 3 7 2 3 0 7	



For planting and weeding whilst protecting roots

Fiskars Power**Gear**TM

Fiskars PowerGear[™] is a versatile family of tools that include pruners, loppers and hedge shears to cover most of the cutting needs in the garden. The ingenious gear mechanism which boosts the power of the cut is complemented by sharp, quality steel blades and lightweight, durable FiberComp[™] handles.



Fiskars Power**Gear™** Pruners



PowerGear Pruner Bypass L P94	SAP No 1000574	Article No 111540	Re	etail box: 4
3x Seasout Sea	Weight: 270g	Width: 78mm	Z	
EaseOut FiberComp Collidor 26mm		Length: 207mm		6"411501" 965417



< Ideal for cutting twigs and branches when extra cutting power is needed

< Fits larger hands

PowerGear Pruner Bypass (S-M) P92	SAP No 1000573	Article No 111520	Ret	rail box: 4
3x 24 > 1 Ø M	Weight: 190g	Width: 67mm	Z	
EaseOut FiberComp CoMov 20mm		Length: 200mm		6"411501"965202



< Ideal for cutting twigs and branches when extra cutting power is needed

< Fits smaler hands

r Pruner Anvil (S-M) P91	SAP No 1000572	Article No 111510	Re	etail box: 4
	Weight: 190g	Width: 70mm	z	6411501965103
Com PITE Georgania Comm 20mm		Length: 192mm	Ы	6411501965103
		Weight: 190g	Weight: 190g Width: 70mm	Weight: 190g Width: 70mm





- < Ideal for cutting twigs and branches when extra cutting power is needed
- Upper blade made from extra hard, corrosion resistant steel (CrMoV) ensuring that they stay sharper for longer
- < Anvil blade made from FiberComp™ (a fibreglass reinforced polyamide) for increased durability

Fiskars Power**Gear**™ Loppers



PowerGear Lopper Bypass, Hook Head (L) L78	SAP No 1000584	Article No 112590	Retail box: 4	
3x 3x 00 00 00 00 00 00 00 00 00 00 00 00 00	Weight: 1060g	Width: 180mm	Z	
EsseOut EsseCout 50 mm SonGrap		Length: 692mm	Ā	6 4 1 1 5 0 1 1 2 5 9 0 3



- Ideal for heavy cutting of green wood, for example cutting down a hedge or getting rid of bushes
- Upper blade made from high-quality hardened carbon steel
- < Lower cutting blade is curved for optimal catch

Fiskars Power**Gear™** Loppers



 PowerGear Lopper Anvil (L) L77
 SAP No 1000583
 Article No 112580
 Retail box: 4

 Weight: 1050g
 Width: 257mm

 Length: 686mm



- < Anvil blade made from cast aluminium enables easier cutting of hard, dry wood
- Upper blade made from high-quality hardened carbon steel ensuring that they can be sharpened really sharp

PowerGear Lopper Bypass, Hook Head (M) L74	SAP No 1000582	Article No 112290	Retail box: 4
3x 🕟 🥨 🔻 🗸	Weight: 550g	Width: 183mm	B. C.
EaseCut College (Star Control College (Star		Length: 545mm	6 411501 122902



- < Hook head blades for heavy cutting of fresh wood
- Blades made from extra hard, corrosion resistant steel (CrMoV, HRC 60) ensuring that they stay sharper for longer

PowerGear Lopper Anvil (S) L31	SAP No 1000581	Article No 112170	Re	etail box: 4
71 25x ≥ Ø	Weight: 380g	Width: 180mm	Z	
EaseCut" Print EberComp 35mm		Length: 387mm	Ä	6 4 1 1 5 0 3 9 6 1 7 0 7
DISCH PROPERTY OF STANK		< Anvil blade made from Fibe		mp™ enables steady



- cutting of hard, dry wood
- Upper blade made from extra hard, corrosion resistant steel (CrMoV) ensuring that they stay sharper for longer

Fiskars Power**Gear**™ Hedge Shear



PowerGear Hedge Shear HS72	SAP No 1000596	Article No 114790	Re	etail box: 4
3x > 25 7 8	Weight: 630g	Width: 165mm	EAN	
EaseOut" PIFE PIFE		Length: 570mm		6 4 1 1 5 0 1 1 4 7 9 0 5
rediot design award best of the best 2001		< Ideal for trimming hedges and bushes		
		 Particular saving in power at the end of cutting action by optimized gear transmission 		
PERARS ()		Slades made from extra ha steel (CrMoV) ensuring that	,	



PLANT CARE PRUNERS LOPPERS & HEDGE SHEAR PLANT CARE

Fiskars SingleStep™ Pruners



 SingleStep Snip SP27
 SAP No 1000570
 Article No 111270
 Retail box: 4

 Weight: 200g
 Width: 76mm

 Length: 206mm
 Length: 206mm



- Designed for multiple cutting tasks like plastic, tube, rope or hose
- < Not for cutting branches in garden

SingleStep Pruner Bypass P26	SAP No 1000567	Article No 111260	Retail box: 4
	Weight: 200g	Width: 70mm	EA.
22mm reddot design award winner 2011		Length: 208mm	6 4 1 1 5 0 1 1 1 2 6 0 6



- Fiskars quality for basic pruning tasks in garden
- < Ideal for cutting young, green wood
- < Well-balanced design for a steady cutting action
- Non-stick PTFE coating on the upper blade to reduce friction and make cutting and cleaning easier
- < Carbon steel blades

SingleStep Pruner Anvil P25	SAP No 1000564	Article No 111250	Retail box: 4
22mm Product design award winner 2011	Weight: 196g	Width: 75mm	z IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
		Length: 208mm	- A 6"411501" 112507



- Fiskars quality for basic pruning tasks in garden
- < Ideal for cutting woody growth and dead wood
- Non-stick PTFE coating on the upper blade to reduce friction and make cutting and cleaning easier
- < Anvil blade made from Polyamide
- Carbon steel blades

SingleStep Universal Snip SP28	SAP No 1000571	Article No 111280	Re	etail box: 4
reddot design award winner 2011	Weight: 200g	Width: 70mm	Z	6 4 1 1 5 0 1 1 1 2 8 0 4
		Length: 208mm	Д	6411501 112804
		< Not recommended for cutti	ing b	oranches in garden



- Designed for multiple cutting tasks like cutting steel, plastic, tube, rope or hose
- < Carbon steel blades

Fiskars SingleStep™ Loppers



SingleStep Lopper Bypass Hook head (S) L28	SAP No 1001432	Article No 112160	Ret	tail box: 4
Ø	Weight: 950g	Width: 185mm	Z	6411501 121608
35mm Sunt		Length: 495mm	В	6 4 1 1 5 0 1 1 2 1 6 0 8



For heavy cutting of green wood

- For cutting down a hedge fence or getting a rid of some bushes
- Cutting capacity: 35mm
- < Blade material: hardened steel, friction reducing coating

SingleStep Lopper Bypass Hook Head (L) L38	SAP No 1001426	Article No 112460	Retail box: 4	
Ø	Weight: 1380g	Width: 346mm	z	
40mm Suel		Length: 816mm	E E	6 4 1 1 5 0 1 1 2 4 6 0 9



- For heavy cutting of green wood
- For cutting down a hedge fence or getting a rid of some bushes
- < Cutting capacity: 40mm
- Blade material: hardened steel, friction reducing coating

SingleStep Lopper Anvil Hook Head (L) L39	SAP No 1001430	Article No 112450	Retail box: 4	
Ø	Weight: 1420g	Width: 346mm	EA	
40mm Sanel		Length: 816mm	6 4 1 1 5 0 1 1 2 4 5 0 0	



- For cutting dry and hard wood
- < Cutting capacity: 40mm
- UpperBlade material: hardened steel, friction reducing coating
- < Anvil blade made of lightweight strong aluminium

Fiskars SingleStep™ Hedge Shear



SingleStep Hedge Shear Wavy Blade HS22	SAP No 1001433	Article No 114730	Re	tail box: 4
	Weight: 840g	Width: 190mm	Z	6'411501'147301'
		Length: 580mm	Д	6 4 1 1 5 0 1 1 4 7 3 0 1
		< Ideal for trimming hedges a	ınd b	pushes



- Comfortable and sturdy handles of glassfibre reinforced polypropylene (PPGF)
- < Wavy profiled hardened steel blades with friction reducing coating

27

Fiskars Power**Step**TM

Fiskars PowerStep™ range is a small family of solid performers from Fiskars extensive catalogue of garden hand tools. The ingenious rachet mechanism allows incremental cuts, in 1, 2, or 3 steps for thicker branches, for both the lopper and the pruner. The non-stick carbon steel blades cut clean and precisely



Gradual steps are performed smoothly, whilst the effort is

absorbed by the mechanism

Fiskars Power**Step**™



PowerStep Pruner Anvil P83 SAP No 1000575 Article No 111670 Retail box: 4 Weight: 140g Width: 85mm



For cutting twigs and branches when reduced peak efforts are needed

- FiberComp™ handles and SoftGrip™ covered upper handle for increased comfort
- Non-stick PTFE coating on the upper blade to reduce friction and to make cutting and cleaning easier
- Anvil blade made from FiberComp $^{\mathsf{TM}}$ (a fibreglass reinforced polyamide) for increased durability

PowerStep Lopper Anvil L85 Article No 112850 Retail box: 4 Weight: 630g Width: 185mm For cutting thinner and thicker branches,



- reduces peak efforts Handles made from FiberComp™ to make them
- extremely lightweight and strong
- SoftGrip™ covered handles for increased comfort
- Non-stick PTFE coating on the upper blade reduces friction and makes cutting and cleaning easier
- Anvil blade made of FiberComp™ both stabalizes and facilitates cutting of hard, dry wood



Article No 114114 **Notched Shears** Weight: 1045g Width: 210mm Length: 530mm



- 9" hardened steel blades
- Blade tension adjuster for different width foliage
- Cushioned bumper to reduce strain
- Ergonomically designed wishbone shaped handles to reduce wrist strain



PLANT CARE

Fiskars SmartFit[™] range is a handy addition to anyone's garden shed. With telescopic hedge shear, lopper, and the multipurpose pruner Fiskars SmartFit[™] covers most of your garden cutting needs.



Fiskars **Smart**Fit™ Pruner



SmartFit Pruner Bypass P68

SAP No 1001424

Article No 111610

Retail box: 4

Weight: 200g

Width: 70mm



- < Multi-purpose pruner with an adjustable cutting aperture
- Enables quick snipping of thinner branches as well as heavier of thicker branches up to 24mm in diameter
- < The convenient locking mechanism is accessible with one hand providing safety in storage and in use Comfortable SoftGrip™ handles

Fiskars **Smart**Fit™ Telescopic Lopper



 SmartFit Telescopic Lopper L86
 SAP No 1013564
 Article No 112500
 Retail box: 4

 Weight: 1280g
 Width: 249mm
 Z 6 4 11501 125002



This lopper is ideal for cutting both higher and lower branches

Fiskars **Smart**Fit™ Telescopic Hedge Shear



SmartFitTelescopic Hedge Shear HS86		SAP No 1013565	Article No 114800	Re	tail box: 4
	NEW	Weight: 1194g	Width: 215mm	Z	
			Length: 675 - 925mm	Ш	



This shear is ideal for trimming both high and low hedges

PLANT CARE

Fiskars Quantum


Fiskars Quantum™ exemplifies natural beauty and design. The red dot best of the best awarded range exhibits light but strong aluminium bodies, precision ground blades and unique cork padded handles for both comfort and style.

Fiskars Quantum™ is a true expression of form and function working together.

- < High-quality aluminium body balanced by comfortable cork TruGrip™ handles
- TruEdge™ blade technology including precision. ground hardened steel and anti-friction coating ensures clean, accurate cutting power











Fiskars Quantum™ Pruner

lightness and strength




Quantum Pruner Bypass P100 SAP No 1001434 Article No 111970 Retail box: 4 Weight: 280g Width: 75mm Length: 215mm



- Ideal for cutting twigs and branches Blade adjustment mechanism locks the blade tightness,
- prevents the blades from loosening and enables the user to adjust the blades during the lifetime of the pruner

Fiskars Quantum™ Loppers





Fiskars Quantum™ Hedge Shear



Quantum Hedge Shear HS102	SAP No 1001449	Article No 114820	Re	tail box: 4
35x ★ ★ ★	Weight: 960g	Width: 170mm	Z	
EaseOut TruEdge TruGrip A reddot design awart best of the best 2012	d	Length: 631mm	E/	6 4 1 1 5 0 1 1 4 8 2 0 9
100,000		< Ideal for trimming hedges a	and b	oushes
		I		

Scissors

Fiskars orange handled scissors are design classics that have been popular for more than four decades. Our selection of garden scissors are excellent for precise cutting and trimming tasks.



Universal Garden Scissors



Universal Garden Scissors 18cm S92























For cutting flowers and plants

Length: 185mm

- Ergonomic handles are designed based on the natural hand movement
- Handles made from impact-resistant PBT
- Extra hard stainless steel blades
- Serrated blades for better control





PLANT CARE



Universal Cutters



Tree Pruner Bypass Telescopic UP86	SAP No 1000598	Article No 115560	Retail box: 2		
	Weight: 1900g	Width: 102mm	A 6411502 965638		
PITE Office Aumaum Sontonp		Length: 2416mm	6 4 1 1 5 0 2 9 6 5 6 3 8		
32mm reddot design award best of the best 2000		0 3	Shaft length adjustable from 2400 - 4000mm enabling a maximum reach of 6 meters		
		< Adjustable cutting angle up	to 230°		
		< Bypass cutting action for c	utting fresh wood		



Tree Pruner Anvil UP53	SAP No 1000597	Article No 115350	Re	etail box: 4
	Weight: 780g	Width: 118mm	Z	
Stamman 32mm		Length: 1610mm		6 4 1 1 5 0 1 9 6 3 5 0 5
		< Cutting reach vertically abo	ut 3	,5 meters
		< Adjustable cutting angle up	to 2	26°

Handy locking mechanism

Anvil cutting action for cutting dry and hard wood




Fiskars Grass Shears are ergonomically designed with unique user-friendly features. The ingenious Servo-System™ technology prevents the blades from jamming. The blades are made from hardened stainless steel for long durability.

GRASS SHEARS

Servo-System Grass Shears



LAWN CARE



Servo-System Grass Shear GS42	SAP No 1000589	Article No 113680	Retail box: 4
	Weight: 260g	Width: 42mm	- A 6 4 1 1 5 0 1 9 6 6 8 0 3
reddot design award		Length: 322mm	6 411501 966803
		For tripopolina laura adaga	



- Cutting angle adjustable 360°

Long Handled Shears



Long Handled Edging Shears	SAP No 1000587	Article No 113310	Retail box: 4	
Manue	Weight: 1695g	Width: 240mm	Z	
		Length: 990mm		6 4 1 1 5 0 1 1 3 3 1 0 6
		< For trimming lawn edges		

- - Heat treated carbon steel blades for added strength
 - Comfortable SoftGrip™ handles for extra grep

Long Handled Lawn Shears	SAP No 1000588	Article No 113320	Retail box: 4	
	Weight: 1930g	Width: 310mm	Z	6"411501" 133205"
WANTED TO THE PARTY OF THE PART		Length: 1100mm	6 4 1 1 5 0	6 4 1 1 5 0 1 1 3 3 2 0 5



- For cutting grass, hedges and small bushes
- Heat treated carbon steel blades for added strength
- Comfortable SoftGrip™ handles for extra grep

Weed Pullers

Fiskars Weed Puller is a great invention for removing any root weeds such as dandelions. Its simple design removes the need for digging, bending or the use of chemicals. Its deep reaching claws grab the root from four directions and remove the weed cleanly, removing only a small amount of soil.



Weed Puller



LAWN CARE

 Weed Puller Telescopic W82
 SAP No 1000737
 Article No 139920
 Retail box: 4

 Weight: 1700g
 Width: 300mm
 Eength: 1000mm
 Eength: 1000mm



- For removing any root weeds ergonomically and effortlessly
- Telescopic shaft can be adjusted between 999 -1190mm
- < Large D-shaped handle fits all hand sizes

Weed Puller W52	SAP No 1000736	Article No 139910	Retail box: 4		
	Weight: 917g	Width: 300mm	z	6411501 969101	
reddot design award winner 2004		Length: 988mm	6 4115		
		< For removing any root wee and effortlessly	ds ergonomica	ally	







3,000,000 SOLD SINCE 2004*

*Fiskars Weed Pullers: 3,000,000 sold world-wide since 2004.



LAWN CARE

The Fiskars StaySharpTM Max reel mower promotes greener, healthier lawns by cutting each blade of grass cleanly with a scissor-like action. This minimizes the lawn's moisture loss and reduces exposure to disease. The Reel Mower lets you cut grass without noise, uncomfortable vibrations and the hazards associated with power driven rotary blades. It is one of the most environmentally friendly ways to cut your lawn.



Fiskars StaySharp™ Reel Mower



StaySharp Max Reel Mower

SAP No 1000591

Article No 113880

Retail box: 1

Weight: 2350g

Width: 610mm

Length: 1220mm



- < Best in class cutting performance for a superior mowing experience
- < StaySharp™ cutting system cuts the grass without the blades touching so the mower is easier to push
- < Hardened steel blades with precision grounded edges
- Ergonomic, height-adjustable handle with padded grip
- VersaCut[™] cutting capacity settings from 2,5cm to 10cm
- < Enables the closest side edging of any reel mower

Fiskars StaySharp™ Plus Parts



StaySharp Grass Catcher	SAP No 1000592	Article No 113883	Retail box: 1	
	Weight: 1900g	Width: 540mm	Z	
		Length: 550mm	Ш	



- For use with Fiskars StaySharp™ Max Mower
- < Simple to use with convenient handle for easy emptying
- Effective capacity of approx 18 litres
- UV and mildew resistant polyester screen and heavy duty steel frame for long lasting performance
- < Simple tool-free assembly to mower











< Tool head made of flexible plastic composition to maximize functionality and long term durability

maximize functionality and long term durability

Scoop made of fibre reinforced plastic to ensure

durability



Maintenance

Even the sharpest tools become dull with use and metal can always use a little oil. For that reason we've got the perfect handy answer for those regular maintenance chores.



Maintenance

 Maintenance Kit
 SAP No 1001640
 Article No 110990
 Retail box: 4

 Weight: 135g
 Width: 197mm



< Includes a maintenance guidebook, diamond file and oil

Length: 104mm

Instructions on sharpening, oiling, washing, storage etc is detailed in pictures and symbols

Well-cared-for garden tools perform better and last longer. A tool can be made as good as new and ready for use again in just a few minutes. Fiskars Care Kit contains all the necessary equipment and instructions needed for maintenance of your gardening tools:

Instructions

how/when to sharpen, oil, wash, store, etc.



long-lasting and suitable for hardened steel

Oil

reduce friction and protect blades against corrosion





Sharpening: With time, blades become blunt and begin to lose their cutting capacity. When cutting marks are no longer tidy and strands and bark start getting stuck to the blade, it is time to sharpen the tool. Working with sharp tools benefit both the gardener and the garden: sharp tools demand less effort from the user and clean cuts promote faster healing of the plants. The easiest way to sharpen the blade is using a diamond file.

Oiling: Blades, joints and springs should be oiled on a regular basis with just a few drops of oil.

Springs: If the tool has springs, the blades should be securely locked before storage to maintain the spring tension.

PICTOGRAMS

Fiskars USPs



EaseCut™ Indicates by how many times the cutting power is multiplied.



FiberComp™ Strong, durable and lightweight properties.

TruEdge™

Mechanically

strong, sharp,

an non-stick

blade coating.

corrosion-resistant



SoftGrip™ Comfortable anti-shock handle.



PowerClean™ Combination of soft and hard bristles







Micro tip Thin and sharp blades for precision cutting



Safety Loop helps to shield fingers when cutting.

Fingerloop

Pull blade

wood.

Optimised for

pruning green

TruGrip™

Comfortable

organic handle.



Female For female use.



Cutting power is distributed evenly.



Shock-proofed Improves comfort by absorbing vibrations.

Push and

pull blade

For faster, more

efficient cuttina.



handle Prevents slipping and protects fingers.



Male For male use.

Hand size

Suitable for

small hands



Strength



Withstands hard

wear and loads.



Tightly sealed Shaft and blade are fused together



MANAN

Weather proof Withstands all types of weather.



Ambidextrous For both righthanded and left-handed use.





Belt holder Optimized feature for convenient portability.



Right-handed product For righthanded use.

Product Materials



Aluminium Liahtweiaht strong properties.



PTFE coating Corrosion-

Highly durable

material which

holds an edge.



PBT Lightweight, flexible and durable



Boron steel Sharp and durable.





Made of tough, genuine leather.



For fresh wood Bypass cutting action.



For dry wood Anvil cutting action.



For universal cutting For cutting thin steel plates, plastic, tube, rope, etc



Hook head For heavy cutting of green wood.



For precision cutting of green wood.



Fine toothing For efficient sawing of planks and boards.

Brush hook

For trimming

even clearing

undergrowth and



toothing For sawing green wood.

Snow tool

areas.

For clearing snow

in small or large

Efficient



Splitting axe For easier, faster splitting of wood.



Chopping axe For easy cutting through fresh wood.

Yard cleaning

from yard areas.

For clearing debris



small trees. Patio cleaning Optimized for





Gutter cleaning For easy reach and clearing of gutter debris.



Flower stems For cutting flower stems.

Fruit picking

For harvesting

fruit trees.



Hedges and bushes For cutting hedges and bushes.



Grass For cutting grass.



Potted plants For cutting potted plants.



Bonsai plants For cutting bonsai plants.



Herbs For cutting of delicate herbs.



Sharpening For sharpening wooden canes



Carving For stripping bark.



Pruning/Grafting For cutting of small side shoots, laterals and pruning of weak growth.



Grafting For various grafting tasks.

Vegetables

For cutting

mushrooms.

and processing vegetables and



Whittling For whittling wood.



Cotton & string For cutting cotton and string.



Building site For cutting rockwool and fiberboard.





Soil care For all soil-related



Lawn care



Paving

Construction

digging

digging.

Heavy-duty



Leaf collecting

Sandmoving



Digging Preparing planting holes and removing sod or soil

Composting



Garden digging Slicing and cutting grass tufts and moving and mixing soil.



Haying





resistant, non-stick blade coating.

CrMov

Steel gear mechanism Strong and effective steel mechanism.

Genuine leather



Axe sharpening For maintaining optimal sharpness of Fiskars axes.





Knife sharpening For optimal sharpening of Fiskars knives.

EDUCATION PACKAGING

EDUCATION

CHOPPING VS. SPLITTING



Chopping axe - The Universal Chopping Axe's thin, wide edge ensures a clean, easy cut in fresh, resinous wood, like spruce or pine.



Splitting axe – The Splitting Axe features a unique cutting edge that easily slices into the wood, which the thick axe blade then pushes apart.

ANVIL VS. BYPASS




Bypass: Both blade and counter blade press into the wood to make a clean cut with less compression damage (cutting blade bypasses counter blade in a scissors-like action). Possible to cut close to the stem. Best suitable for fresh wood.



Anvil: Upper blade is forced through the wood with greater pressure as the anvil blade supports the branch and spreads the pressure until the cut is complete. Best suitable for dry or dead wood.

WHICH TOOL FOR WHICH TASK




difficult

spots.

cutting


thicker

PACKAGING









Usage

Material Features



AWARDS

AWARDS

Finland

reddot design award Design Zentrum Nordrhein-Westfalen Germany	Reddot 2000 • Best of the best Reddot 2001 • Best of the best Reddot 2003 Reddot 2003 Reddot 2004 Reddot 2006 Reddot 2009 • Best of the best Reddot 2009 • Best of the best Reddot 2010 • Best of the best Reddot 2011 Reddot 2011 Reddot 2011 Reddot 2012 • Best of the best Reddot 2012 Reddot 2012 Reddot 2013 Reddot 2013 Reddot 2013	Tree Pruner Bypass Telescopic UP86 Fiskars PowerGear™ Hedge Shears Servo-System Grass Shear GS42 Telescopic Garden Spades Telescopic Garden Fork Weed puller W52 Servo-System Grass Shear, Long GS46 PowerStep™ Pruner Anvil P83 PowerStep™ Lopper Anvil L85 Fiskars Xseries™ Axes Fiskars SingleStep™ Pruners Premium Planters Fiskars Quantum™ Range Fiskars Xtract™ Saws Fiskars Xsharp™ Axe and Knife Sharpener My First Fiskars® range of children's tools Fiskars SmartFit™ bypass pruner	p.37 p.24 p.39 p.17 p.17 p.41 p.39 p.29 p.4-7 p.26 p.21 p.32-33 p.9 p.7 p.45 p.31
design awarc Industrie Forum Industrial Design Hannover Germanya	IF 1996 • Good Industrial Design IF 1997 • Good Industrial Design IF 1998 IF 2001 IF 2003 • Product Design IF 2003 • Gold Medal IF 2003 • Gold Medal	PowerGear [™] Lopper Anvil (S) L31 Fiskars PowerGear [™] Pruners Tree Pruners Fiskars PowerGear [™] Hedge Shears Servo-System Grass Shear GS42 Telescopic Garden Spades Telescopic Garden Fork	p.24 p.23 p.37 p.24 p.39 p.17
The Chicago Athenaeum USA	Good Design 1997 Good Design 1997 Good Design 1998 Good Design 2002 Good Design 2011	Fiskars PowerGear™ Lopper Fiskars PowerGear™ Pruners Tree Pruners Fiskars PowerGear™ Hedge Shears Fiskars Xseries™ Axes	p.23-24 p.23 p.37 p.24 p.4-7
fennia prize Honorary Mention	Fennia Prize 09 Fennia Prize 09 Fennia Prize 12	Fiskars PowerStep™ Anvil Pruner P83 Fiskars PowerStep™ Lopper Anvil L85 Fiskars XSharp™ Axe and Knife Sharpener	p.29 p.29 p.7

<u> </u>	Focus open 2009 • Gold medal Focus open 2009 • Silver medal	Fiskars PowerStep™ Pruner Anvil P83 Fiskars PowerStep™ Lopper Anvil L85	p.29 p.29
nternational Design Award Baden-Württemberg Germany			
PRO FINNISH DESIGN	Pro Finnish Design 1997 Pro Finnish Design 1997	Fiskars PowerGear™ Lopper Fiskars PowerGear™ Pruners	p.23-24 p.23
Finland			
Design Zentrum Nordrhein Westfalen Design-Innovation	1996 • High Design Quality	Fiskars PowerGear™ Lopper Anvil (S) L31	p.24
Design Zentrum Nordrhein-Westfalen Germany			
996 • Jarditec Fair – Paris,	France • Trophée de la nouveauté	Fiskars PowerGear™ Pruners	p.23
996 • Int. Consumer Goods Fair, Brno - Czech Republic • Gold Medal		Fiskars PowerGear™ Lopper Anvil (S) L31	p.24
	s Fair, Brno - Czech Republic • Gold Medal	Fiskars PowerGear™ Pruners	p.23
	Home Improvement Show • INA Innovative New Product Awar		p.23
,	France • Trophée de la nouveauté how - Chicago, USA • Popular Mechanics, Editor's Choice	Tree Pruner Bypass Telescopic UP86 Tree Pruner Bypass Telescopic UP86	p.37 p.37
.000 - Malionai naidwale 3	1100 I Tuliul Dypass Idioscopio Ol 00	ρ.υ	

52 53



Made in Finland

Founded in the small village of Fiskars, Finland in 1649, the company has grown into a large multinational corporation, celebrated for a history of products accommodating the strict Finnish standards for quality and design. Following its tradition to drive innovation of tools that reduce the effort, fatigue and strains so often associated with gardening, Fiskars ergonomic, high performance cutting and landscaping tools are designed to do the hard work, so you don't have to!

Fiskars UK Ltd, Bennerley Road, Bulwell, Nottingham, NG6 8PE Tel: 0115 927 7335 Fax: 0115 977 0279 Email: ukinfo@fiskars.com Web: www.fiskars.co.uk

Owing to the constant development of our product range, we reserve the right to change the products without preceding notice. We take no responsibility for printing errors.

