International - 2011



# HOZELOCK Gardening for life

With over half a century of horticultural expertise, at Hozelock we understand the rewards of gardening, and we want to help gardeners get the most from their gardens. We combine a knowledge and passion for gardening with a pride in craftsmanship to develop solutions to help your customers gardens flourish and come to life.

#### New for 2011 :

The roll-out of our new brand positioning -Gardening for life, and the launch of five exciting new products and ranges for Hozelock.

#### New AutoReel range:

An intensive 5 year development program enables us to bring the benefit of Automatic Rewind to gardeners who need a hose up to 40m long (see page 4).

#### New Pressure Washer range :

Through our watering and aquatic ranges, water and power are synonymous with Hozelock. The new Hozelock range features reliable powerful motors for effective cleaning, with all tools and hose stored on board, and easy movement thanks to the built in towing handles. Our launch in the UK in 2010 has been highly successful, and Hozelock is #2 in the market and a strong challenger to the leading brand.

#### New Hose range :

Hozelock is the European consumer brand for our hose range. This completely new range uses innovations developed by our technical hose brand Tricoflex. The new range has been developed to appeal to consumers in all markets, and features two genuine innovations : Soft & Flex<sup>™</sup>, and Easy Roll<sup>™</sup> technology (see page 6).

## Hozelock Cyprio

#### New Aquaforce range :

Following three years of development and testing, Hozelock launched in 2010 a new range of seven solid handling filter and waterfall pumps with flows up to 15,000 lph. They combine unrivalled reliability, ease of use and deliver power savings of up to 70%. For 2011 we have invested in additional manufacturing capacity to ensure 100% availability (see page 44 - Aquatics).

#### Hozelock Cyprio : Centres of Excellence :

Launched in the UK in 2010, the Hozelock Cyprio Centre of Excellence concept is a total category package for qualifying retailers. Giving them access to a cutting edge retail support package : modular display racking, in fixture product demo's, and our award winning video merchandisers. This concept has been proved to increase like for like sales by up to 46% (see page 42 - Aquatics).

	Con	tents:
	4	New Products
	7	Hose Storage Systems
	11	Hose
	(19)	Garden Pumps
	19	Water Saving Products
	20	Fittings
	22	Hose End
	24	Sprinklers
2	26	Brushes
	27	Automatic Watering
-	32	Sprayers
7	38	Pressure Washers
	41	Aquatics
A.		W V X V VSY
		A CAR King
S. 1	21	

# new products New AutoReel range

In 1998 Hozelock launched the original AutoReel. A 20m automatic rewind, self-layering hose reel that created a new watering category - Premium Hose Systems. Since launch the AutoReel has received numerous awards, and was named a Millennium Product by the UK government.

We have striven since 1998 to bring AutoReel benefits to a wider audience; FastReel and FastCart have easy rewind and the 10m AutoReel brought Auto Rewind to smaller gardens; but consumers have repeatedly asked us to bring the Auto Rewind benefit to larger gardens. After 5 years of development, 2011 sees the launch of the innovative, exceptional, 30 and 40m AutoReels.



#### 40m AutoReel

The new AutoReels are simplicity in itself to use. When you're ready, the hose smoothly and easily unwinds, then, with a simple tug it slowly and reliably rewinds, whilst the layering mechanism accurately layers the hose back onto the drum.

> The new Auto Rewind mechanism is the secret that makes the 40m length possible. It enables the full force of the powerful spring to rewind the hose regardless of water pressure, operating temperature or ground covering, but at the same time it stops the rewind from getting uncomfortably fast. The new AutoReels are covered by European and Worldwide patents, and we always guard our intellectual property vigorously.

Made in the UK, the new Hozelock AutoReels are beautifully crafted. From the high quality mouldings to the braided anti-kink hose, every detail has been considered to make the new Hozelock AutoReels simply the best hose reels available.

## **Pressure Washers**

Through our watering and aquatic ranges, water and power are synonymous with the Hozelock brand. Developing a range of pressure washers was a logical extension for our brand.

Launched in the UK in 2010, the Hozelock pressure washer range features three models: Compact, High Pressure and Heavy Duty.

The launch has been highly successful, and Hozelock is now the Number 2 brand in the UK market by value.

All the models in the range share the same consumer benefits:

### Reliable, powerful motors and pumps – All the pressure washers in the Hozelock range use hard wearing cast aluminum pump chambers combined with ceramic pistons to ensure a long working life. The motors are air cooled, and prior to final assembly all the motors and pumps are tested for output and longevity.

Effective Cleaning – All the models are supplied with a jet turbo lance for shifting stubborn spot grime, and a variable jet that can be adjusted to a fan for sweeping dirt or soap from a surface. Additionally all the models have a detergent dispenser either built in or attachable to the end of the lance.

**Easy to Move** – The entire range is easy to move thanks to soft wheels, and a full height, towing handle. On the Compact range the pressure lance clicks onto the washer body to create the towing handle.

**Easy to Store** – The pressure lance, accessories, and hose store all are stored on board. The Heavy-duty models have a built in high-pressure hose reel.

Accessories and Spares – The range is supported by a comprehensive range of spares and accessories, including patio cleaners, brushes, extension lances, and replacement hoses and triggers



## new products

## Hose range

Hozelock is the European consumer brand for our market leading hose pipe range. 2011 see's the launch of a brand new range, supported by new packaging and category leading point of sale material.

The new range features innovations developed by our technical hose team – Tricoflex, based at our dedicated hose factory in Vitry, France.



Soft & Flex Technology<sup>™</sup> – Tricoflex developed and launched in 2003 a hose with a foamed layer of PVC to provide

enhanced flexibility, and a unique soft and comfortable touch. In 2007 this was further refined and Soft & Flex Technology<sup>™</sup> for the garden was born. Soft & Flex Technology<sup>™</sup> turns the hose into one long shock absorber – millions of tiny, perfectly uniform bubbles absorb the strains and twists that cause a hose to kink. Soft & Flex Technology<sup>™</sup> makes a hose lightweight, kink free, and a joy to handle.



Fast Roll Technology™ – The latest innovation from Tricoflex is designed to transform the ease of winding and unwinding the hose on a reel or cart:

1. Super smooth cover reduce the force required to reel the hose in.

2. Anti-slip raised stripes glide the hose onto the reel and stop the hose from slipping and tangling.

The new range has been designed to be simple to understand, and shop . Its divided into two clear subcategories:

#### Braided – Maxi Range

Braided hose is for gardeners looking for strength and durability above everything. It's the Maxi hose range. The range is available in a range of diameters (from 12.5mm to 25mm), lengths, and at three different quality levels.

Maxi Plus hose is used on all our standard and Plus hose systems. Maxi Pro is used on all our Premium Hose Systems, like AutoReel.

#### Knitted – Flexi Range

Knitted hose is for gardeners who prefer flexibility and comfort in use, and are looking for hoses with Anti Kink properties. It's the Flexi hose range. The range is available in a range of diameters (from 12.5mm to 25mm), lengths, and at three different quality levels.

Within each of these categories, the range is broken down into three quality levels: Standard, Plus and Pro.



## hose storage

2360 - 30m Hose Hanger
Wall mounted hanger and stora 30m of 12.5mm hose

#### 2382 - Hose Box with 20m ho

- Enclosed and freestanding
- Includes 20m of 12.5mm Maxi
- Includes 1 x nozzle, 2 x hose cor waterstop , 1 x 3/4" / 1/2" tap c

#### 2410 - 30m Hose Reel (not sh

- Freestanding hose reel
- Supplied with 1 x hose end conr

#### 2412 - 30m Hose Reel with 1

- Freestanding hose reel
- Includes 15m of 12.5mm Maxi l
  Includes 1 x nozzle, 2 x hose cor
- waterstop , 1 x 3/4" / 1/2" tap c

#### 2420 - 30m Hose Reel (not sh

- Wall mounted hose reel
- Supplied with 1 x hose end conr
- With wall fixings

#### 2422 - 30m Hose Reel with 1

- Wall mounted hose reel
- Includes 15m of 12.5mm Maxi lIncludes 1 x nozzle, 2 x hose cor
- waterstop , 1 x 3/4" / 1/2" tap c
  With wall fixings, and hose guide

#### 2475 - 60m Hose Reel (not sh

- Freestanding or wall mounted h
- Supplied with 2 x hose end conr
  - With wall fixings

#### 2471 - 60m Hose Reel with 25

- Freestanding or wall mounted h
- Includes 25m of 12.5mm Maxi
- Includes 1 x nozzle, 2 x hose cor waterstop, 1 x 3/4" / 1/2" tap c
  With wall fixings

## 2477 - 60m Hose Reel with 50 shown)

- Freestanding or wall mounted h
- Includes 50m of 12.5mm Maxi I
   Includes 1 x nozzle, 1 x hose cor waterstop , 1 x 3/4" / 1/2" tap c
- With wall fixings



	5 010646"052689" >		INFO
age unit for	5 010646 007344	10	
ose Plus hose onnectors, 1 x connector	5 010646 012416	2	
<b>hown)</b> inectors	5 010646 015059	2	
<b>5m hose</b> Plus hose onnectors, 1 x connector	5 010646 015042	2	
<b>hown)</b> inectors	5 010646 015066	2	
<b>5m hose</b> Plus hose onnectors, 1 x connector de	5 010646 015073	2	
<b>hown)</b> hose reel nectors	5 010646 046473	5	
2 <b>5m hose</b> hose reel Plus hose onnectors, 1 x connector	5 010646 043304	2	
<b>50m hose (not</b> hose reel Plus hose onnectors, 1 x connector	5 010646 046497	2	

			1		
	2208 (Ore Hass Cast (ast shown)	5 010646052689 >	Ð	INFO	Hose Storage - <b>PR</b>
	<ul> <li>2398 - 60m Hose Cart (not shown)</li> <li>Wheeled hose reel</li> <li>Supplied with 2 x hose end connectors</li> </ul>	5 010646 009621	5		
Hose Storage - PLUS	<ul> <li>2488 - 60m Hose Cart with 25m hose</li> <li>Wheeled hose reel</li> <li>Includes 25m of 12.5mm Maxi Plus hose</li> <li>Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop , 1 x 3/4" / 1/2" tap connector</li> </ul>	5 010646 008303	2		
	<ul> <li>2431 - 45m Assembled Hose reel &amp; 25m hose</li> <li>Freestanding or wall mounted hose reel</li> <li>Includes 25m of 12.5mm Maxi Plus hose</li> <li>Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop, 1 x 3/4" / 1/2" tap connector</li> <li>With wall fixings</li> </ul>	5 <sup>010646</sup> 052221	2		
	<ul> <li>2432 - 45m Assembled Hose Cart with 20m hose</li> <li>Wheeled hose reel</li> <li>Includes 20m of 12.5mm Maxi Plus hose</li> <li>Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop , 1 x 1"/ 3/4"/ 1/2" tap connector</li> </ul>	5 <sup>010646052238</sup>	2		
	2434 - 60m Assembled Hose Cart with 30m hose - Wheeled hose reel - Includes 30m of 12.5mm Maxi Plus hose - Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop , 1 x 1"/ 3/4"/ 1/2" tap connector	5 "010646"052252"	2		
	<ul> <li>2435 - 60m Assembled Hose Cart with 50m hose (not shown)</li> <li>Wheeled hose reel</li> <li>Includes 50m of 12.5mm Maxi Plus hose</li> <li>Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop , 1 x 1"/ 3/4"/ 1/2" tap connector</li> </ul>	5 010646 052245	2		
	<ul> <li>2415 - Compact Reel with 25m hose</li> <li>Enclosed freestanding or wall mounted hose reel with hose layering</li> <li>Includes 25m of 12.5mm Maxi Plus hose</li> <li>Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop , 1 x 3/4" / 1/2" tap connector</li> <li>With wall fixings</li> </ul>	5 "010646"042635"	2		
	<ul> <li>2416 - Compact Cart with 30m hose</li> <li>Enclosed Wheeled hose reel with hose layering</li> <li>Includes 30m of 12.5mm Maxi Plus hose</li> <li>Includes 1 x nozzle, 2 x hose connectors, 1 x waterstop, 1 x 3/4" / 1/2" tap connector</li> </ul>	5 <sup>010646</sup> 045278	1		
	20 - William and	And David	1.3		the man and the second

## RO



#### 2437 - 60m Assembled Metal Ho (not shown)

- Wheeled hose reel
- Supplied with 2 x PLUS hose end co

#### 2436 - 60m Assembled Metal Ho with 30m hose

- Wheeled hose reel
- Includes 30m of 12.5mm Maxi Pro
  - Includes 1 x nozzle, 2 x PLUS hose of 1 x PLUS waterstop , 1 x 1"/ 3/4"/ 1 connector

#### 2494 - Fast Reel with 40m Hose

- Free standing reel with easy rewind automatic hose layering
- Includes 40m of 12.5mm Maxi Pro feeder hose
- Includes 1 x nozzle, 2 x hose connect waterstop , 1 x 3/4" / 1/2" tap conr

#### 2496 - Wall Mounted Fast Reel 40m hose

- Wall mounted hose reel with geared rewind and automatic hose layering
- Includes 40m of 12.5mm Maxi Pro and 2m feeder hose
- Includes 1 x nozzle, 2 x hose connect 1 x waterstop , 1 x 3/4" / 1/2" tap connector
- With wall fixings, and corner hose g

#### 2450 - Fast Cart with 40m hose

- Wheeled with easy rewind and auto hose layering
- Includes 40m of 12.5mm Maxi Pro and 2m feeder hose
- Includes 1 x nozzle, 2 x hose connect 1 x waterstop , 1 x 3/4" / 1/2" tap connector

	5 010646 052689" >	Ð	INFO
lose Cart		_	
connectors	5 "010646"052269"	2	
lose Cart		1	
o hose connectors, 1/2" tap	5 010646 052658	•	
e d and o hose, and 2m	5 010646 034142	1	
ectors, 1 x nnector			
with		1	
ed easy ng o hose,	5 <sup>  </sup> 010646 <sup>  </sup> 034135 <sup>  </sup>		
ectors,			
guide			
tomatic		1	
o hose,	5 010646 039987		
ectors,			
20,11			

Hose Storage - <b>PRO</b>	5 I010646 <sup>10</sup> 052689I >		INFO	<mark>– hose -</mark> wat	ering range	5 010646 052689		INFO	
<ul> <li>2485 - Auto Reel with</li> <li>Wall mounted hose re rewind</li> <li>Includes 10m of Maxi</li> </ul>	el with automatic	2		<b>Maxi</b> - Standard garden hose - 3 layers with braided reinforcement	171200 - 15m Maxi hose (12.5mm dia.)	3 506111 712001	1		
feeder hose Includes 1 x nozzle, 1 x 1 x waterstop , 1 x 1"/ connector With wall fixings					- 5 years guarantee	171201 - 20m Maxi hose (12.5mm dia.)	3 506111 712018	1	
<b>n</b>					171203 - 25m Maxi hose (12.5mm dia.)	3 506111 712032	1		
2490 - Auto Reel with - Wall mounted hose ree rewind - Includes 20m of Maxi	el with automatic	1			171202 - 30m Maxi hose (12.5mm dia.)	3 506111 712025	1		
feeder hose Includes 1 x nozzle, 1 x 1 x waterstop , 1 x 1"/ connector With wall fixings					171204 - 50m Maxi hose (12.5mm dia.)	3 506111 712049	1		
					171210 - 25m Maxi hose (15mm dia.)	3 506111 712100	1		
2590 - Auto Reel with - Wall mounted hose ree		1			171211 - 50m Maxi hose (15mm dia.)	3 506111 712117	1		
slow rewind Includes 30m of Maxi feeder hose Includes 1 x nozzle, 1 x 1 x waterstop , 1 x 1"/	x hose connectors,				171220 - 25m Maxi hose (19mm dia.)	3 506111 712209	1		
Connector With wall fixings					171221 - 50m Maxi hose (19mm dia.)	3 506111 712216	1		
					171230 - 25m Maxi hose (25mm dia.)	3 506111 712308	1		
2595 - Auto Reel with	n 40m hose				171231 - 50m Maxi hose (25mm dia.)	3 506111 712315	1		
<ul> <li>Wall mounted hose reasons in the second se</li></ul>	Pro hose, and 2m 5 010646 053082	1			171205 - 20m Maxi hose Starter Set (12.5mm dia.)	3 506111 712056	1		
<ul> <li>Includes 1 x nozzle, 1 x 1 x waterstop , 1 x 1"/ connector</li> <li>With wall fixings</li> </ul>					7130 9000 - 30m Maxi hose Starter Set (12.5mm dia.) - only available from UK	5 010646 053150	3		
				And And All					

hose - wate	ering range	5 010646 052689 >		INFO	
Maxi Plus - General purpose, hard wearing hose - 4 layers with braided reinforcement	152120 - 25m Maxi Plus hose (12.5mm dia.)	3 506111 521207	1		Flexi - Flexible hose - 4 layers with knitted reinforcement
- 10 years guarantee	152121 - 50m Maxi Plus hose (12.5mm dia.)	3 "506111"521214"	1		- 10 years guarantee
	152130 - 25m Maxi Plus hose (19mm dia.)	3 "506111"521306"	1		
	152131 - 50m Maxi Plus hose (19mm dia.)	3 "506111"521313"	1		
	152122 - 20m Maxi Plus hose Starter Set (12.5mm dia.)	3 "506111"521221	1		
	152123 - 25m Maxi Plus hose Starter Set (12.5mm dia.)	3 506111 521238	1		
	7230 9000 - 30m Maxi Plus hose Starter Set (12.5mm dia.) - only available from UK	5 010646 053211	3		- General purpose flexible hose with
	152125 - 40m Maxi Plus hose Starter Set (12.5mm dia.)	3 506111 521252	1		anti kink - 5 layers with knitted reinforcement and Soft&Flex™ Technology - 15 years guarantee
<ul> <li>Maxi Pro</li> <li>The ultimate hard wearing hose, crush resistant</li> <li>4 layers with extra thick wall, and</li> </ul>	7330 - 30m Maxi Pro hose (12.5mm dia.) - only available from UK	5 010646 053235	2		
braided reinforcement 15 years guarantee	7350 - 50m Maxi Pro hose (12.5mm dia.) - only available from UK	5 010646"053242"	2		
	7330 9000 30m Maxi Pro hose Starter Set (12.5mm dia.) - only available from UK	5 010646 053259	3		
	A state of sea				

145260 - 25m Flexi hose (15mm dia.) 145261 - 50m Flexi hose (15mm dia.) 145262 - 25m Flexi hose (19mm dia.) 145263 - 50m Flexi hose (19mm dia.) 7430 9000 - 30m Flexi hose Starter Se dia.) - only available from UK õ 145130 - 20m Flexi Plus hose (12.5mm e with

	5 010646 052689 >		INFO
7430 - 30m Flexi hose (12.5mm dia) - only available from UK	5 <sup>010646<sup>053266</sup></sup>	3	
7450 - 50m Flexi hose (12.5mm dia) - only available from UK	5 010646 053273	2	
145260 - 25m Flexi hose (15mm diα.)	3 506111 452600	1	
145261 - 50m Flexi hose (15mm diα.)	3 "506111"452617"	1	
145262 - 25m Flexi hose (19mm diα.)	3 "506111"452624"	1	
145263 - 50m Flexi hose (19mm diα.)	3 "506111"452631	1	
7430 9000 - 30m Flexi hose Starter Set (12.5mm dia.) - only available from UK	5 010646 053280	3	
145130 - 20m Flexi Plus hose (12.5mm diα)	3 506111 451306	1	
145132 - 25m Flexi Plus hose (12.5mm dia)	3 506111 451320	1	
145133 - 30m Flexi Plus hose (12.5mm diα)	3 506111 451337	1	
145134 - 50m Flexi Plus hose (12.5mm diα)	3 506111 451344	1	
145140 - 15m Flexi Plus hose (15mm dia)	3 506111 451405	1	
145141 - 25m Flexi Plus hose (15mm dia)	3 506111 451412	1	
145143 - 50m Flexi Plus hose (15mm dia)	3 506111 451436	1	
145150 - 25m Flexi Plus hose (19mm dia)	3 506111 451504	1	

e hose - wate	ering range	5 010646 <sup>0</sup> 052689 <sup>11</sup> >	Ð	INFO
Flexi Plus - continued	145152 - 50m Flexi Plus hose (19mm dia)	3 506111 451528	1	
	145161 - 25m Flexi Plus hose (25mm dia)	3 506111 451610	1	
	145162 - 50m Flexi Plus hose (25mm dia)	3 506111 451627	1	
	145136 - 20m Flexi Plus hose Starter Set (12.5mm dia.) The starter of the set	3 "506111"451368"	1	
	7530 9000 - 30m Flexi Plus hose Starter Set (12.5mm dia.) - only available from UK	5 010646 053310	3	
	145144 - 20m Flexi Plus hose Starter Set (15mm dia.) 🐺 🎬 🧱 🐗	3 506111 451443	1	
	145153 - 20m Flexi Plus hose Starter Set (19mm dia.) 🐺 🎬 🧱 📭	3 "506111"451535"	1	
Flexi Pro - Thanks to Fast roll™ design	146500 - 25m Flexi Pro hose (12.5mm dia)	3 506111 465006	1	
<ul> <li>innovation this hose has</li> <li>exceptional rolling / unrolling</li> <li>quality combined with anti kink</li> <li>5 layers with knitted reinforcement</li> <li>and Soft&amp;Flex<sup>™</sup> Technology and</li> </ul>	7630 - 30m Flexi Pro hose (12.5mm dia) - only available from UK	5 010646 053327	3	
Fast roll <sup>™</sup> design - 20 years Guarantee	146502 - 50m Flexi Pro hose (12.5mm dia)	3 506111 465020	1	
	146511 - 25m Flexi Pro hose (15mm dia)	3 506111 465112	1	
	146512 - 50m Flexi Pro hose (15mm dia)	3 506111 465129	1	
for sol	146520 - 25m Flexi Pro hose (19mm dia)	3 506111 465204	1	
	146521 - 50m Flexi Pro hose (19mm dia)	3 506111 465211	1	
	7630 9000 - 30m Flexi Pro hose Starter Set (12.5mm dia) - only available from UK	5 010646 053341	3	
	146510 - 20m Flexi Pro hose Starter Set (15mm dia)	3 "506111"465105"	1	

hose - tech	nical range	5 010646 052689 >		INFO
Prisme Multi purpose food quality hose 3 PVC layers with high resistance polyester reinforcement	163202 - 100m Prisme hose (4 x 8mm dia)	3 '506111' 632026	1	
Working pressure : 16 bar	163215 - 100m Prisme hose (6 x 12mm dia)	3 506111 632156	1	
	163228 - 80m Prisme hose (8 x 14mm dia)	3 506111 632286	1	
		3 "506111"632316"	1	
	163244 - 40m Prisme hose (12 x 19mm dia)	3 "506111"632446"	1	
	163257 - 30m Prisme hose (15 x 23mm dia)	3 "506111"632576"	1	
	163260 - 20m Prisme hose (19 x 27mm diα)	3 "506111"632606"	1	
Suction and delivery hose with 1"BSP 33.3mm Dia (G1) fittings Hose reinforced with a PVC spiral in a black soft PVC wall Working pressure up to 4 bar	6235 - 3.5m Spirabel (25mm) 1"BSP 33.3mm Dia (G1 fittings)	5 010646 048934	1	
pirabel SNT S	PLEASE ASK YOUR CONTACT FOR DETAILS			
Suction and delivery hose Hose reinforced with a PVC spiral in a transparent soft PVC wall				
per an			1	



<b>hose -</b> tech	nnical range	5 010646 052689 >		INFO
<b>Cristal</b> Multi-purpose unreinforced for low pressure liquids	141917 - 300m Cristal hose (3 x 6mm dia)	3 506111 419177	1	
One PVC layer 1 bar burst pressure	- 142107 - 150m Cristal hose (5 x 8mm dia)	3 506111 421071	1	
	142181 - 150m Cristal hose (6 x 9mm dia)	3 506111 421811	1	
	142210 - 150m Cristal hose (7 x 10mm dia)	3 506111 422108	1	
		3 506111 422658	1	
	142271 - 80m Cristal hose (10 x 14mm dia)	3 506111 422719	1	
	142284 - 60m Cristal hose (12 x 16mm dia)	3 "506111"422849"	1	
	142300 - 40m Cristal hose (15 x 19mm dia)	3 506111 423006	1	
Ficoflat Flat hose for water supply and irrigation 3 PVC layers with high resistance polyester reinforcement	6215 - 15m Tricoflat hose (40mm dia)	5 010646 048927	1	
- Working pressure : 8 bar	140703 - 50m Tricoflat hose (35mm dia)	3 '506111'407037	1	
	140714 - 50m Tricoflat hose (40mm dia)	3 506111 407143	1	
	140725 - 50m Tricoflat hose (45mm dia)		1	

## hose - specific range 063150 - 15m Yachting hose (15mm )

#### Yachting

- Designed to fit perfectly with swimming pool and boat areas
- High quality : 5 layers hose with knitted reinforcement and Soft&flex technology
- 15 years guarantee



#### Rubvyl

- Heavyweight, thick and abrasion resistant hose for site work/ construction
- 4 Layer hose with knitted reinforcement.

Contract of

- 12 years guarantee

ific range	5 010646"052689" >		INFO
063150 - 15m Yachting hose (15mm dia)	3 "291670"631503"	1	
063176 - 25m Yachting hose (15mm dia)	3 291670 631763	1	
063218 - 25m Yachting hose (19mm dia)	3 "506110"632188"	1	
063263 - 50m Yachting hose (19mm dia)	3 "506110"632638"	1	
063205 - 80m Yachting hose (15mm dia) on a reel	3 291670 632050	1	
105121 - 20m Rubvyl hose (15mm dia)	3 291671 051218	1	
105134 - 40m Rubvyl hose (15mm diα)	3 <sup>291671</sup> 051348	1	
105147 - 20m Rubvyl hose (19mm dia)	3 <sup>291671</sup> 051478	1	
061031 - 40m Rubvyl hose (19mm diα)	3 "291670"610317	1	

e hose - spec	cific range	5 010646 052689 >		INFO
Self recoiling hose hose starter set (1 x 9mm 2166, 1 x 9mm 2185, 1 x 2673 spraygun, 1 x 2184)	15m spiral hose starter set (9mm dia)	5 010646 051941	10	
Sprinkler hose Perforated flat hose, produces fine spray or reverse for soak.	<b>068764 - 7,5 m - Area covered 50m</b> - Max Coverage 50m²	3 506110 687645	15	
<ul> <li>Using the fitting supplied, two can be joined together.</li> </ul>	<b>068777 - 15m - Area covered : 100 m</b> - Max Coverage 100m <sup>2</sup>	3 "506110"687775	15	
Porous hose Ideal for watering borders, vegetables and greenhouses	152000 - 20m Porous Soaker hose (12.5mm dia)	3 506111 520002	1	
Porous hose which seeps water along the full length. 2 years guarantee	152026 - 30m Porous Soaker hose (12.5mm dia)	3 506111 520262	1	
Spaker	152012 - 150m Porous Soaker hose (12.5mm dia) on a reel	3 "506111"520132	1	
Dripper hose Dripper hose with 13mm drippers every 30cm	2774 - 25m dripper hose (13mm)	5 010646 040150	5	
Combine with micro irrigation fittings to efficienty water flowerbeds 2 years guarantee	2775 - 50m dripper hose (13mm)	5 010646 040167	5	

## <u>ogarden pumps</u>

#### 2826 Water Butt Pump

- Submersible 300w high pressure pur max pressure, 2200 lph max flow)
- Suitable for use with spray guns, spri irrigation and hosepipes up to 50m i
- Supplied with 2175 tap connector, at 3/4" BSP (G3/4) outlet

#### 7819 - Ultra Metal Garden Pump

Non submersible, self priming very hi pump (3.5 bar max pressure, 3,500 lp with suction hose, inlet filter, and all f Suitable for use with spray guns, sprin irrigation and hosepipes up to 50m in Supplied with 2158 tap connector, at BSP (G1) outlet

#### 7825 - Flood Pump

- Submersible 300w high flow drainage max lift, 6000 lph max flow)
- Automatic float switch turns pump o automatically when area is flooded.
- Supplied with hosetail 32 -->25mm , 1/4" BSP (G1.25) outlet

## water saving treatmen

Cimpoli I

**KOMMOOK** 

- 2016 250ml Water Storing Gel
- Mix gel with compost to store water water requirement by 90%
- Single treatment lasts an entire sease reduces watering frequency to once p

#### 2017 - 500ml Water Storing Gel

- Mix gel with compost to store water water requirement by 90%
- Single treatment lasts an entire sease reduces watering frequency to once p

#### 2021 - 250ml Water Storing Gel a

- Mix gel with compost to store water water requirement by 90%
- Single treatment lasts an entire seasureduces watering frequency to once p
- Includes a slow release plant food
- 2022 Water Storing Gel Mat x 4
   Biodegradable mat impregnated with storing gel, place in compost to store reduce water requirement by 90%
- Single treatment lasts an entire seas reduces watering frequency to once

18

	5 010646 052689 >		INFO
mp (1.1 bar rinkler, micro in length. attaches to	5 010646 051590	2	
<b>b Kit</b> high pressure lph max flow) I fittings rinkler, micro in length attaches to 1"	5 010646 051613	1	
ge pump (6m on , attaches to 1	5 010646 051606	2	
r , and reduce son, and e per week	5 010646 047401	10	
r , and reduce son, and e per week	5 010646 047395	8	
and Feed r , and reduce son, and e per week	5 010646 047371	10	
<b>4</b> ith water re water, and son, and e per week	5 010646 046886	25	



















		5 010646 052689" >		INFO
	<b>2155 - Dual Tap Connector</b> - Connect two hoses to one outdoor tap - 3/4" BSP (G3/4) / 1/2" BSP (G1/2) tap connector	5 010646 007849	5	
	<b>2159 - Indoor Threaded Tap Connector</b> - For kitchen tap with aerator head - 24mm M24 (Male)	5 010646 051941	10	
	2167 - 3/4" Outdoor tap connector - For outdoor threaded taps - 3/4" BSP (G3/4) tap connector	5 010646 005241	10	
	<b>2304 - Indoor Threaded Tap Connector</b> - For kitchen tap with aerator head - 22mm M22 (Female)	5 010646 005265	10	
	<b>2176 - Round Tap Connector</b> - For round or oval taps - Max Diameter 18mm	5 010646 005067	10	
J	2177 - Round Mixer Tap Connector - For round or oval taps - Max Diameter 24mm	5 010646 005074	10	
	2184 - 3/4" & 1/2" Outdoor tap connector - For outdoor threaded taps - 3/4" BSP (G3/4) / 1/2" BSP (G1/2) tap connector	5 010646 005258	10	
	2158 - 1" Outdoor tap connector - For outdoor threaded taps - 1" BSP (G1) tap connector	5 010646 005234	10	
	<b>2274 - Mixer Tap Connector</b> - For square, round and oval kitchen mixer taps - Max 43mm x 34mm wide	5 010646 008532	10	
	2181 - Non return tap connector - Prevents backflow of contaminated water into mains - 3/4" BSP (G3/4) / 1/2" BSP (G1/2) / 5/8" BSP tap connector	5 010646 018975	5	
	<b>2150 - 4-Way Tap Connector</b> - Creates four outlets from a single tap - Can be wall mounted - Includes 2 x hose connectors and wall fixings	5 010646 021876	2	
	<b>2291 - Double Male Connector</b> - Allows two hoses to be joined	5 010646 005203	10	
•	2293 - Y-Connector - Allows three hoses to be joined	5 010646 005104	10	
	2100 - 12.5mm Hose Repair Connector - For repairing damaged hose	5 010646 005135	10	
	2200 - 19mm (3/4") Hose Repair Connector - For repairing damaged hose	5 010646 005333	10	
1				



## fittings - PLUS





- Soft touch for comfort - Flexible tail prevents kinking 2055 - AquaStop connector (12.5mm - Valve shuts off water when accessory is disc

2055

2044

2043

2030

2035

### metal fittings - **PRO**



	5 010646 052689 >		INFO
<b>2289 - 3/4" Accessory adaptor</b> - 3/4" BSP (G3/4)	5 010646 005388	10	
<b>2170 - Flat Hose &amp; Spiral Hose Adaptor</b> - 3/4" BSP (G3/4)	5 010646 007948	10	
<b>2050 - Hose end connector (12.5mm &amp; 15mm)</b> - Soft touch for comfort - Flexible tail prevents kinking	5 010646 051439	10	
2050 0025 - Hose end connector (12.5mm & 15mm) x2 - Twin pack	5 010646 051446	10	
2060 - Hose end connector (15mm & 19mm) - Soft touch for comfort - Flexible tail prevents kinking	5 010646 051477	10	
2055 - AquaStop connector (12.5mm & 15mm) - Valve shuts off water when accessory is disconnected	5 010646 051460	10	
2065 - AquaStop connector (15mm & 19mm) - Valve shuts off water when accessory is disconnected	5 010646 051484	10	
2046 - 1/2" Outdoor tap connector - For outdoor threaded taps - 1/2" BSP (G1/2) tap connector	5 010646 053099	10	
2041 - 3/4" & 1/2" Outdoor tap connector - For outdoor threaded taps - 3/4" BSP (G3/4) / 1/2" BSP (G1/2) tap connector	5 010646 052313	10	
2042 - 1" Outdoor tap connector - For outdoor threaded taps - 1" BSP (G1) tap connector	5 010646 052320	10	
2044 - Double Male Connector - Allows two hoses to be joined	5 010646 052344	10	
2043 - 12.5mm Hose Repair Connector - For repairing damaged hose	5 010646 052337	10	
2030 - Hose End Connector (12.5mm & 15mm) - Soft touch for comfort - Flexible tail prevents kinking	5 010646 052276	10	
<b>2040 - Hose End Connector (15mm &amp; 19mm)</b> - Soft touch for comfort - Flexible tail prevents kinking	5 010646 052290	10	
2035 - AquaStop connector (12.5mm & 15mm) - Valve shuts off water when accessory is disconnected	5 010646 052283	10	
2045 - AquaStop connector (15mm & 19mm) - Valve shuts off water when accessory is disconnected	5 010646 052306	10	



at the

	5 010646 052689 >		INFO
ite flow mist, and	5 010646 037600	5	
angle, flat,	5 010646 041270	5	
	5 010646 041287	5	
	5 010646 037808	6	
angle, flat,	5 010646 037815	6	
ling low control กิป	5 010646 045247	5	
ling Iow control an, mist,	5 010646 045223	5	

esprinklers		5 <b>0</b> 10646 <b>0</b> 52689" >		INFO	]	
	<ul> <li>2510 - Round Sprinkler 177m<sup>2</sup></li> <li>8 jets ensures very even water coverage</li> <li>Ideal for established plants and turf</li> <li>Max Coverage 177m<sup>2</sup> / 15m diameter</li> </ul>	5 010646 045520	5			<ul> <li>2972 - Rectangular Sprinkler Plus 18</li> <li>Ultra even coverage due to water power and 15 jets</li> <li>Adjustable watering width</li> <li>Max Coverage 180m<sup>2</sup> / 14m x 13m max</li> </ul>
						<ul> <li>2974 - Rectangular Sprinkler Plus 20</li> <li>Ultra even coverage due to water power and 17 jets</li> <li>Adjustable watering width</li> <li>Max Coverage 200m<sup>2</sup> / 15m x 13m max</li> </ul>
Les.	<ul> <li>2515 - Multi Sprinkler 79m<sup>2</sup></li> <li>8 differently shaped spray patterns : small semi circle, large semi circle, mist, strip, small circle, large circle, square and remote jet.</li> </ul>	5 010646 045537	5			<ul> <li>2975 - Rectangular Sprinkler Plus 26</li> <li>Ultra even coverage due to water power and 20 brass jets</li> <li>Adjustable watering width</li> <li>Max Coverage 260m<sup>2</sup> / 17m x 15m max</li> </ul>
	<ul> <li>Ideal for small gardens</li> <li>Max Coverage 79m<sup>2</sup> / 10m diameter</li> </ul>				sprinklers - <b>PRO</b>	
	- Max Coverage 79m <sup>2</sup> / 10m alameter				Marganetas	<ul> <li>2335 - Round Sprinkler Pro 314m<sup>2</sup></li> <li>Ultra even coverage due to water power two spray patterns</li> <li>Metal Spike. Water circle or part circle. F for seeds and seedlings, Jet spray for tur</li> </ul>
					_ 1	established plants - Max Coverage 314m <sup>2</sup> / 20m diameter
	<ul> <li>2969 - Rectangular Sprinkler 180m<sup>2</sup></li> <li>Ultra even coverage due to water powered motor and 15 jets</li> <li>Adjustable watering width</li> <li>Max Coverage 180m<sup>2</sup> / 14m x 13m max</li> </ul>	5 010646 037556	5			2336 - Round Sprinkler Pro 314m <sup>2</sup>
sprinklers - <b>PLUS</b>						<ul> <li>Ultra even coverage due to water power motor, two spray patterns</li> <li>Metal Spike. Water circle or part circle. F for seeds and seedlings, Jet spray for tur established plants</li> <li>Max Coverage 314m<sup>2</sup> / 20m diameter</li> </ul>
	2520 - Round Sprinkler Plus 254 m <sup>2</sup>					
8	<ul> <li>Rotating sprinkler on sled, two spray patterns</li> <li>Fine spray for seeds and seedlings, Jet spray for turf and established plants</li> <li>Max Coverage 254m<sup>2</sup> / 18m diameter</li> </ul>	5 "010646"045544"	5			2976 - Rectangular Sprinkler Pro 2 - Ultra even coverage due to water pow motor, two spray patterns
						<ul> <li>Fine spray for seeds and seedlings spray for turf and established pla</li> <li>Max Coverage 230m<sup>2</sup> / 16m x 1</li> </ul>
	<ul> <li>2332 - Round Sprinkler Plus 314 m<sup>2</sup></li> <li>Ultra even coverage due to water powered motor and 5 jets</li> </ul>	5 010646 042789	5			<ul> <li>2986 - Rectangular Sprinkler Pro 320</li> <li>Ultra even coverage due to water power two spray patterns         <ul> <li>Fine spray for seeds and seedlin</li> </ul> </li> </ul>
	<ul> <li>Metal Spike , can water circle or part circle</li> <li>Max Coverage 314m<sup>2</sup> / 20m diameter</li> </ul>					spray for turf and established - Max Coverage 320m² /19m max.
					and the second second	ALC: NOTE: P

	5 010646 <sup>1</sup> 052689 <sup>11</sup> >		INFO
Plus 180m <sup>2</sup> er powered motor	5 010646 037679	5	
I3m max			
Plus 200m <sup>2</sup> er powered motor 13m max	5 010646 037686	5	
Plus 260m <sup>2</sup> er powered motor I5m max	5 010646 037693	5	
<b>14m²</b> er powered motor , t circle. Fine spray ay for turf and ameter	5 010646 042802	5	
<b>14m²</b> er powered t circle. Fine spray ay for turf and ameter	5 010646 042819	5	
<b>er Pro 230m</b> <sup>2</sup> vater powered seedlings, Jet ished plants / 16m x 14m max	5 010646 037709	2	
Pro 320m <sup>2</sup> er powered motor, d seedlings, Jet cablished plants m <sup>2</sup> /19m x 17m	5 010646 052467	2	

<u>e cleaning</u>	brushes	5 <b>1</b> 010646 <b>0</b> 52689 <b>1</b> >		INFO
	<ul> <li>2601 - Car Wheel Brush</li> <li>Soft bristled brush with on / off flow control</li> <li>Can be used with 2621 soap sticks</li> </ul>	5 "010646"036740"	3	
DITITI	<b>2603 - Short Car Brush</b> - Soft bristled brush with on / off flow control - Can be used with 2621 soap sticks	5 "010646"032735	3	
cleaning brushes - <b>P</b>	LUS			
Committee .	<ul> <li>2602 - Short Car Brush Plus</li> <li>Soft bristled brush with jet spray and on / off flow control</li> <li>Can be used with any liquid car shampoo</li> </ul>	5 010646 008204	3	
	<ul> <li>2604 - Medium Car Brush Plus</li> <li>Soft bristled brush with multi position head on / off flow control</li> <li>Can be used with any liquid car shampoo</li> </ul>	5 "010646"008211"	3	
cleaning brushes - <b>P</b>				
Contraction of the second	<ul> <li>2605 - Medium Car Brush Pro</li> <li>Rotating brush with multi position head on / off flow control</li> <li>Can be used with any liquid car shampoo</li> </ul>	5 "010646"035859"	3	
	<ul> <li>2607 - Long Car Brush Pro</li> <li>Long rotating brush with multi position head on / off flow control</li> <li>Can be used with any liquid car shampoo</li> </ul>	5 010646 035880	3	
accessories				
	2621 - Shampoo Sticks	5 010646 005722	10	

## auto watering







A - tap connecto

## auto watering

Ø 13mm			2764 - 25m of 13mm Supply Hose - Highly flexible, UV stable, central supply tube	5
	2764	2765 13mm	<ul> <li>2765 - Flow Control Valve - 13mm</li> <li>In-line 13mm valve shuts off or adjusts the flow in the 13mm supply tube</li> </ul>	5
	No.		2766 - 90° Elbow Connector - 13mm - For making 90° turns in the 13mm supply tube	5
	2766 13mm	2767	<b>2767 - T piece - 13mm</b> - For branching the 13mm supply tube	5
	10	1.1	<b>2768 - Straight Connector - 13mm</b> - For extending the 13mm supply tube	5
	2768 13mm	2759 13mm	<b>2769 - End Plug - 13mm</b> - For closing off the 13mm supply tube	5
	1		<b>2779 - Blanking Plug - 13mm</b> - Seals holes in the 13mm supply tube	5
	2779 13mm	2770 13mm	<b>2770 - Stake - 13mm</b> - Holds the supply tube in position	5
	4		<b>2771 - Wall Clip - 13mm</b> - Secures supply tube to walls or fences	5
	2771 13mm	2799 13mm	<ul> <li>2799 - Hole Punch</li> <li>Punches holes in supply tube and dismantles micro jets</li> </ul>	5
Ø 4mm			<ul> <li>2772 - 10m 4mm Hose</li> <li>Small bore tubing used to supply individual plants</li> <li>Highly flexible and UV stable</li> </ul>	5
	2772 4mm	2776 4mm	<ul> <li>2776 - Flow Control Valve - 4mm</li> <li>In-line 4mm valve shuts off or adjusts the flow in the 4mm supply tube</li> </ul>	5
		- Colorado	<b>2777 - T piece - 4mm</b> - For branching the 4mm supply tube	5
	2777 4mm	2778 Amm	<ul> <li>2778 - Straight Connector - 4mm</li> <li>For joining micro tube to supply tube, or two lengths of micro hose / micro soaker hose</li> </ul>	5
line		M.	<b>2781 - Stαke - 4mm</b> - Holds the micro tube in position	5
3 - pipe	2791		<b>2782 - Wall Clip - 4mm</b> - Secures micro tube to walls or fences	5

	5 010646 052689 >		INFO
<b>4 - 25m of 13mm Supply Hose</b> ghly flexible, UV stable, central pply tube	5 010646 040181	5	
<b>5 - Flow Control Valve - 13mm</b> -line 13mm valve shuts off or adjusts e flow in the 13mm supply tube	5 010646 040198	5	
<b>5 - 90° Elbow Connector - 13mm</b> r making 90° turns in the 13mm pply tube	5 010646 040204	10	
<b>7 - T piece - 13mm</b> r branching the 13mm supply tube	5 010646 040228	10	
8 - Straight Connector - 13mm r extending the 13mm supply tube	5 010646 040242	10	
9 - End Plug - 13mm r closing off the 13mm supply tube	5 010646 040266	10	
9 - Blanking Plug - 13mm als holes in the 13mm supply tube	5 010646 040358	10	
<b>D - Stake - 13mm</b> Ids the supply tube in position	5 010646 040273	10	
1 - Wall Clip - 13mm cures supply tube to walls or fences	5 010646 040297	10	
<b>9 - Hole Punch</b> nches holes in supply tube and smantles micro jets	5 010646 040624	10	
<b>2 - 10m 4mm Hose</b> nall bore tubing used to supply dividual plants ghly flexible and UV stable	5 010646 040303	5	
<b>6 - Flow Control Valve - 4mm</b> line 4mm valve shuts off or adjusts e flow in the 4mm supply tube	5 010646 040327	5	
<b>7 - T piece - 4mm</b> r branching the 4mm supply tube	5 010646 040334	10	
<b>B - Straight Connector - 4mm</b> r joining micro tube to supply tube, two lengths of micro hose / micro aker hose	5 010646 040341	10	
<b>1 - Stake - 4mm</b> Ilds the micro tube in position	5 010646 040365	10	
2 - Wall Clip - 4mm cures micro tube to walls or fences	5 010646 040389	10	







2784 - 4 LPH In-Line Pro

**Compensating Dripper**  Self regulating dripper giv 4LPH regardless of water

- For in-line use 2785 - 4 LPH End of Lin

Self regulating dripper giv 4LPH regardless of water p
 For end of line use

2786 - In-line Adjustabl Sprinkler (0-40LPH) - Mini sprinkler with adjus

in-line use

2787 - End of line Adjus Sprinkler (0-40LPH) - Mini sprinkler with adjust

end of line use

2788 - End of line Adjus Sprinkler on Stake (0-40 - Adjustable sprinkler mou

12cm stake complete wit adaptor 2789 - High Spike

- Combines with any of the sprinklers to raise the spr to 35cm

2790 - 90° Micro Jet

- Produces ¼ circle spray p

2791 - 180° Micro Jet - Produces semi circle spra

2792 360° Micro Jet - Produces full circle spray

2793 - 90° Adjustable N - Adjustable flow ¼ circle

2794 - 180° Adjustable - Adjustable flow ½ circle

2795 - 360° Adjustable - Adjustable flow full circle

2796 - Strip Micro Jet

- Produces narrow elongat pattern

2797 - Mister Micro Jet - Produces a fine concentre

2798 - 360° Mini Sprink Adjustable flow, rotating sprinkler



- drippers



	5 010646'052689		INFO
ne Dripper vides fixed 4LPH	5 010646 040396	5	
<b>ressure</b> r iving a constant r pressure	5 010646 040426	5	
<b>ne Pressure</b> r iving a constant r pressure	5 010646 040433	10	
<b>ble Mini</b> stable flow for	5 010646 040464	5	
ustable Mini stable flow for	5 010646 040488	5	
ustable Mini GOLPH) unted on a vith 4mm tube	5 010646 040501	5	
he micro jet pray pattern up	5 010646 040525	5	
pattern	5 010646 040532	10	
ay pattern	5 010646 040549	10	
y pattern	5 010646 040556	10	
Micro Jet micro jet	5 010646 040563	10	
e Micro Jet micro jet	5 010646 040570	10	
e <b>Micro Jet</b> le micro jet	5 010646 040587	10	
ated spray	5 010646 040594	10	
<b>t</b> rated mist	5 010646 040600	10	
<b>kler</b> g, full circle	5 010646 040617	10	

automatic	c watering kits	5 010646 052689 >		INFO
utomatic watering ki				
AutoRit	<ul> <li>2754 - 15 Pot Watering Kit</li> <li>Complete watering kit for a hedge up to 7.5m long or 15 container plants</li> <li>Contains pressure reducer, 15m x 4mm hose, 10 x 4mm wall clips &amp; stakes , 15 drippers and connectors</li> </ul>	5 010646 040099	5	
CRÉENTHICHISS WATERING KIT	<ul> <li>2822 - Greenhouse Watering Kit</li> <li>Easy to install watering kit for a greenhouse plants. Waters up to 10 plants.</li> <li>Contains pressure reducer, 20m x 4mm hose, 10 x 4mm stakes, 2 x Aquapod's (10 drippers)</li> </ul>	5 010646 045322	5	
utomatic watering ki	<b>2756 - 20 Pot Automatic Watering Kit</b> - Complete Automatic watering kit for a hedge up to		5	
AutoKit	10m long or 20 container plants - Contains AC Plus water computer, pressure reducer, 15m x 13mm hose, 10m x 4mm hose, 5 x 4mm wall clips & 10 x 4mm stakes , 20 x drippers and connectors	5 <sup>  </sup> 010646 <sup>  </sup> 040112 <sup>  </sup>		
	<ul> <li>2823 - Automatic Holiday Watering Kit</li> <li>Easy to install automatic holiday watering kit for patio plants. Waters up to 10 plants.</li> <li>Contains AC Plus water computer, pressure reducer, 20m x 4mm hose, 10 x 4mm stakes , 2 x Aquapod's (10 drippers)</li> </ul>	5 010646 045339	5	

### utomatic watering - accessories



## 2824 - Extra Aquapod Extension kit for 2822 and 2823 we adds watering for 5 more containe

- existing system
- 1 x AquaPod (5 drippers) plus adap



2825 - Hanging Basket & Hedge
Extension kit for 2822 and 2823 wa adds watering for 5 more hanging I hedge 2.5m long to an existing syst
Contains 10m x 4mm hose, 5 x 4m 4mm T, 5 x drippers, plus adaptors

## electronic water timers

#### 2705 - AC Water Timer

- Electronic water computer with dic programming
- Offers watering options from once to four times per day (13 pre set pr
- 1" BSP (G1) / 3/4" BSP (G3/4) / 1/2" tap connectors

### electronic watering timer - **PLUS**



## 2700 - AC Water Timer Plus Electronic water timer with dial and programming

- Allows selection of current time, wa time, watering frequency, and wate Allows programs from once per wee times per day
- 1" BSP (G1) / 3/4" BSP (G3/4) / 1/2" tap connectors

## electronic watering timer - PRO



- 2701 AC Water Timer Pro & Ro
- Sophisticated, versatile and easy to digital water computer. Easy to com by linking to remote rain sensor sup
- Four methods of programming : on pre set programs, interactive water set up to 28 different programs usin manager
- 1" BSP (G1) / 3/4" BSP (G3/4) / 1/2' tap connectors. 10m of cable and v rain sensor

	5 010646 <sup>0</sup> 052689 >		INFO
watering kits, er plants to an aptors	5 "010646"045346	5	
<b>ye Kit</b> watering kits, g baskets or a ystem mm stakes, 1 x 's	5 010646 045353	5	
al e per week up programs) 2" BSP (G1/2)	5 010646 018029	2	
nd button ratering start sering duration. sek up to four 2" BSP (G1/2)	5 010646 036757	2	
tain Sensor to program onserve water upplied one touch, 13 ering wizard, or sing Watering 2" BSP (G1/2) I wall fixings for	5 010646 052597	2	

<b>sprayers</b>		5 010646 <sup>0</sup> 052689 <sup>0</sup> >		INFO
	<ul> <li>4120 - 0.5 Litre Spraymist Trigger Sprayer</li> <li>Small trigger sprayer for indoor use</li> <li>Translucent, graduated bottle</li> <li>Nozzle adjustment from fine jet to mist</li> </ul>	5 010646 048668	50	
	<ul> <li>4121 - 1.0 Litre Spraymist Trigger Sprayer</li> <li>Medium trigger sprayer for indoor use</li> <li>Translucent, graduated bottle</li> <li>Nozzle adjustment from fine jet to mist</li> </ul>	5 <sup>1</sup> 010646 <sup>1</sup> 048675 <sup>1</sup>	20	
	<ul> <li>4122 - 1.25 Litre Spraymist Pressure Sprayer</li> <li>Pressure sprayer for indoor use</li> <li>Easy to pressurise pump</li> <li>Nozzle adjustment from fine jet to mist</li> <li>2 year guarantee</li> </ul>	5 010646"048682"	6	
	<ul> <li>4127 - Hozelock 7 Pressure Sprayer</li> <li>Easy-fill, wide tun dish neck</li> <li>2 year guarantee</li> </ul>	5 010646 048699	6	
	<ul> <li>4005 - Promo 5 Litre Pressure Sprayer</li> <li>Lockable on/off flow control for continuous spraying</li> <li>Translucent, graduated bottle for accurate chemical mixing &amp; dosing</li> <li>2 year guarantee</li> </ul>	5 010646 048705	6	
	<ul> <li>4007 - Promo 7 Litre Pressure Sprayer</li> <li>Lockable on/off flow control for continuous spraying</li> <li>Translucent, graduated bottle for accurate chemical mixing &amp; dosing</li> <li>2 year guarantee</li> </ul>	5 "010646"048712"	6	
	<ul> <li>4010 - Promo 10 Litre Pressure Sprayer</li> <li>Lockable on/off flow control for continuous spraying</li> <li>Translucent, graduated bottle for accurate chemical mixing &amp; dosing</li> <li>2 year guarantee</li> </ul>	5 010646 048729	6	
32)	O-174 - DV	(A ALL AND FA	10	The Lore

 $\langle$ 

# Sprayers - **PLUS** spraying - Covers up to 150m<sup>2</sup> spraying - 3 year guarantee spraying - 3 year guarantee areas - Covers up to 360m<sup>2</sup> - 3 year guarantee areas

### 4602 - Killaspray® 1.25 Litre

- Small, heavy duty pressure sp
- Lockable on/off flow control for continuous spraying
- Nozzle adjustment from fine j
  - 3 year guarantee

#### 4605 - Killaspray® 5 Litre Sp

- Lockable on/off flow control for
- Wide ergonmic pump handle and emptying
- 3 year guarantee

#### 4607 - Killaspray® 7 Litre Sp

- Lockable on/off flow control for
- Wide ergonmic pump handle fillling and emptying
- Covers up to 210m<sup>2</sup>

- 4610 Killaspray® 10 Litre - Lockable on/off flow control for
- Wide ergonmic pump handle fillling and emptying
- Covers up to 300m<sup>2</sup>
- 4612 Killaspray® 12 Litre S
- Specifically designed for spray
- Contoured container, shaped comfortably fit the operators
- 4616 Killaspray® 16 Litre S
- Specifically designed for spray
- Contoured container, shaped comfortably fit the operators - Covers up to 480m<sup>2</sup>
- 3 year guarantee

5 <sup>1</sup> 010646 <sup>1</sup> 052689 <sup>11</sup> >		INFO
5 010646 048873	6	
5 010646 048743	6	
5 010646 048750	6	
5 010646 048774	4	
5 010646 048767	2	
5 010646 048781	1	
		5       1010646 0488733       6         5       1010646 0487433       6         5       010646 0487433       6         5       010646 0487500       4         5       010646 0487744       4         5       010646 048767       2



## Sprayers - **PRO** 5102 - Viton® 1.25 Litre Spr - Small heavy duty sprayer for t application of aggressive cher - Equipped with Viton fluoroela - 2 year guarantee 5105 - Viton® 5 Litre Spraye - Stainless steel lance for added - Equipped with Viton fluoroelast - Covers up to $150m^2$ - 2 year guarantee 5107 - Viton<sup>®</sup> 7 Litre Spraye - Lockable on/off flow control for spraying 074000 - Equipped with Viton fluoroela VITON

- C/ROCK **ITON a** 10
- 5110 Viton® 10 Litre Spray - Stainless steel lance for added - Equipped with Viton fluoroela - Covers up to 300m<sup>2</sup>

- Covers up to 210m<sup>2</sup>

2 year guarantee

- 2 year guarantee

#### 4140 - 4'n1 Portashower®

- Compact, portable shower
- Handy-sized, measuring only for easy storage
- Integral lance handle storage
- 2 year guarantee

			I
	5 <sup>11</sup> 010646 <sup>11</sup> 052689 <sup>11</sup> >	Ð	INFO
<b>trayer</b> the emicals astomer seals	5 010646 048842	6	
<b>/er</b> I strength stomer seαls	5 010646 048866	6	
<b>rer</b> for continuous astomer seals	5 010646 048859	6	
<b>ayer</b> ed strength astomer seals	5 010646 048873	4	
460mm high e facility	5 010646 051361	6	

#### sprayer accessories

07110





		5 010646 052689 >		INFO
	4091 - Annual Service Kit - 1.25ltr	5 010646 049542	5	
	4092 - Annual Service Kit - 5-10ltr	5 010646 049559	5	
	4093 - Annual Service Kit - 12 & 16ltr	5 010646 049566	5	
oa	4094 - Annual Service Kit - Viton	5 010646 049573	5	
	4095 - Pump Barrel - Promo	5 010646 049580	5	
	4096 - Pump Barrel - Killaspray	5 010646"049597	5	
	4097 - Pump Assembly - Knapsack	5 010646 049603	5	
	4098 - Pump Barrel Assembly - Viton	5 010646 051118	5	
	4099 - 1.3m Hose	5 010646 051125	5	
	4100 - 1.5m Knapsack Hose	5 010646 049825	5	
	4101 - Dip Tube Assembly	5 010646 049627	5	
Ŕ	4102 - Pressure Release Assembly	5 010646 049634	5	
1.00				

# sprayer accessories 4103 - Spray Nozzle Set **IOZELOCK** 4104 - Trigger Assembly - Pr 100 4105 - Trigger Assembly - Kil Knapsack 4106 - Extension Lance 10271-00K 0781000 4107 - Telescopic Lance 4110 - Harness - Killaspray 4112 - Weedkiller Cone

	5 010646°052689° >		INFO
	5 010646 049641	5	
Promo/Viton	5 010646 049658	5	
(illaspray &	5 010646 049665	5	
	5 010646 049672	5	
	5 010646 049689	5	
	5 010646 049719	5	
	5 010646 049733	5	

