



Hozelock

Leader in Innovation and Manufacturing Excellence

Hozelock is a market leading company specialising in the development, manufacture and marketing of garden watering, spraying and aquatic products, all over the world. With over 50 years of experience making high quality, innovative products, Hozelock is one of the most trusted and well-known names in the gardening industry.

Innovation


Innovation is the cornerstone of the Hozelock business philosophy. We continually invest in designing and developing new products which offer exceptional quality and practical benefits to the consumer. We are driven by our desire to make gardening simpler and more enjoyable.

Manufacturing Excellence

Hozelock are committed to manufacturing excellence, all products are manufactured to exacting ISO 9000-2000 standards. The company has recently invested in new equipment to increase production capacity and service levels.

Commitment to Customer Service

In 2008 we won the Institute of Mechanical Engineers: Manufacturing Excellence (MX) award for Customer Focus, a reflection of our commitment to customer service. With one site for design, manufacturing, distribution and commercial functions, our aim is to build on our already high customer



service levels and delivery response times.

NEW PRODUCTS

NEW ULTRA METAL RANGE ADDITIONS

Hozelock are extending their Ultra Metal range with new hose connectors, fittings and 60m cart. Hozelock understand the consumer need for a premium metal range and have been developing this range for the past 2 years. Based on current connectors and fittings this new range is set for success.

Hose connectors

The Hose End and AquaStop connectors build on the design of the soft touch fittings launched last year, adding a touch, durable and stylish zinc dye cast metal sleeve. The acetyl connector internals are kept the same, known to be the best available, while the new metal sleeve gives extra protection from damage.

The new fittings; Tap Connectors, Double Male and Hose Repair, are made from nickel plated brass making them tough, durable, stylish and resilient frost damage.

As with all Hozelock products the new Ultra Metal range has been subjected to stringent testing and user trials to ensure consumer expectations are exceeded. All the new products will have an extended 3 year guarantee.





CONTENTS



cart.



PREMIUM STORAGE

Mini AutoReel





AutoReel







Mini Auto Reel™ (EU pat. app. no. 99304819.8)

The re-wind mechanism, combined with an internal spring, means that the hose is re-wound onto the drum with the minimum of effort. The user only has to walk the hose back to the reel.

A ratchet mechanism means that the hose only re-winds when you want it to, and a safety lock affords additional protection against accidental re-wind. The reel is wall-mounted and swivels through 180°, to allow the hose to be pulled out in any direction from the wall. The reel comes fully assembled with all fittings and accessories.

2485 Mini Auto Reel™

Ready assembled wall mounted reel with 10m hose, fittings and accessories 50 10646 03668 9

2

Auto Reel™

(EU pat. app. no. 0968952.)

The ultimate in hose management, this wall mounted reel combines the selflayering mechanism with automatic hose re-wind.

An internal spring system does the work, allowing the user to walk the hose effortlessly back to the reel, while the selflayering mechanism feeds it neatly back onto the drum.

A simple ratchet ensures that the hose only re-winds when you want it to. The wall bracket and pivot tube allow the reel to swivel through 180°, to supply the hose at any angle from the wall.

The reel comes fully assembled with 20m top quality hose inside, and all connectors and fittings. Hose replacement kits and spares are available.

2490 Auto Reel™

Ready assembled wall mounted reel with 20m hose, fittings and accessories

50 10646 02681 9

1



PREMIUM STORAGE



ENCLOSED STORAGE











Compact Reel

(pat. app. no. 0500591.3)

- The Compact Reel is enclosed to protect against wear and tear.
- An easy re-wind action coupled with a viewing window also allows the user full control when manually re-winding and layering the hose.

PACK QTY

2

2

50 10646 04254 3

50 10646 04263 5

50 10646 04527 8

BARCODE

• A folding carry handle ensures the Reels are fully portable and the design means they are easy for the consumer to assemble and use.

2414 Compact Reel

Free standing reel with 25m of 11.5mm hose, connectors and nozzle

2415 2'n1 Compact Reel

Free standing reel or wall mounted reel with wall brackets, manual layering system with integral hose guide and 25m of 11.5mm hose, connectors and nozzle

Compact Cart

(pat. app. no. 0500591.3)

The Compact Cart combines the benefits of the Compact Enclosed Reel with 30m of hose, whilst offering exceptional mobility and superb ease of use.

- The Compact Cart has a tough outer case to protect the hose and provide a neat and tidy storage. The nozzle, watering and feeder hoses can be stored securely on the drip free accessory rack.
- An easy re-wind action, coupled with a viewing window and remote manual layering allows the hose to be re-wound and layered whilst avoiding dirty hands.
- The tall 900mm soft-grip towing handle can be raised or lowered for easy storage. Wide wheels ensure stability and easy movement around the garden. An integral carry handle makes for easy lifting up and down steps.

2416 0000 Compact Cart

Compact Cart with 30m of 11.5mm hose.

2416 1240 Compact Cart	1	50	10646	04529	2
Compact Cart with 25m of 15mm hose					

1



HOSE STORAGE









	PACK QTY	BARCODE
Compact Reels		
2410 30m Hose Reel	2	50 10646 01505 9
Lightweight Reel holding up to 30m of		
12.5mm hose with 1 x 2166 Hose end Connector.		
2412 30m Hose Reel		
with 15m Multi Purpose Hose	2	50 10646 01504 2
As 2410 above and additional 15m		
Multi Purpose Hose & fittings.		
2420 30m Wall Mounted Reel	2	50 10646 01506 6
Lightweight Wall Mounted Reel complete with Hose Guide and all fixings.		
2422 30m Wall Mounted Reel		
with 15m Multi Purpose Hose	2	50 10646 01507 3
As 2420 above and additional 15m Multi		
Purpose Hose.		
Boxed Hose Storage Solutions Reels		
2475 2'n1 Hose Storage System		
without hose	5	50 10646 04647 3
Complete with wall brackets & 2166 hose		
connector.		
2471 2'n1 Hose Storage System		
with 25m multi-nurnose hose	2	50 10646 04330 4
with 25m multi-purpose hose	2	50 10646 04330 4
with 25m multi-purpose hose As 2475 and 25m hose & fittings.	2	50 10646 04330 4
with 25m multi-purpose hose	2	50 10646 04330 4 50 10646 04649 7
with 25m multi-purpose hoseAs 2475 and 25m hose & fittings.24772'n1 Hose Storage System		
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose		
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose		
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose		
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose		
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings.		
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose 2488 60m Cart	2	50 10646 04649 7 50 10646 00962 1
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose	2	50 10646 04649 7
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose 2488 60m Cart	2	50 10646 04649 7 50 10646 00962 1
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose 2488 60m Cart	2	50 10646 04649 7 50 10646 00962 1
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose 2488 60m Cart	2	50 10646 04649 7 50 10646 00962 1
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose 2488 60m Cart	2	50 10646 04649 7 50 10646 00962 1
with 25m multi-purpose hose As 2475 and 25m hose & fittings. 2477 2'n1 Hose Storage System with 50m multi-purpose hose As 2475 and 50m hose & fittings. Carts 2398 60m Cart without hose 2488 60m Cart	2	50 10646 04649 7 50 10646 00962 1

HOSE STORAGE



Assembled Hose Storage Allows use as a Free Standing Reel, or Wall Mounted Reel 45m 2431 2'n1 Reel With 25m Multi-Purpose hose complete with wall bracket and fittings	2	50 10646 05222 1
2432 45m Hose Cart with 20m multi-purpose hose and fittings	2	50 10646 05223 8
2434 60m Hose Cart with 30m multi purpose hose and fittings Fully assembled, soft grip handle and accessory storage point.	2	50 10646 05225 2
2435 60m Hose Cart with 50m multi purpose hose and fittings Fully assembled, soft grip handle and accessory storage point.	2	50 10646 05224 5
2437 60m Ultra Metal Hose Cart Fully assembled without hose Soft grip handle and accessory storage point.	2	50 10646 05226 9
2436 60m Ultra Metal Hose Cart with 30m multi purpose hose and fittings Fully assembled, soft grip handle and accessory storage point.	1	50 10646 05265 8
6005 Hose Connection Set Connects the hose system to an outside tap, complete with 1.5m hose, 2 x 2166 Hose End Connectors and 2175 Tap Connector.	5	50 10646 01273 7
2360 Hose Hanger Wall mounted Hanger and storage unit for 30m of 12.5mm hose.	10	50 10646 00734 4

PACK QTY

Assembled Hose Storage

BARCODE



WATER SAVING PRODUCTS

Hozelock's award winning range of Waterwise products has been designed to help gardeners eliminate waste and make better use of water all around the garden.

Hozelock Water Retaining Gel is the fastest acting water retaining gel available. Absorbs moisture within the compost to create miniature reservoirs of water around the roots of the plants that is released slowly as and when the plants need it.

Reducing the amount of required water by up to 90%, a single application of the gel lasts an entire season and reduces the watering frequency to just once per week.



2016 Waterin			10 °		10646 04740 1
2017 Water S	-		8 10	-	10646 04739 5 10646 04737 1
Hozelock Wat	-	Feed - 250ml	10	50	10040 04/3/ 1
with slow relea					
2022 Water S	toring Gel N	lat x 4	25	50	10646 04688 6
Biodegradable Hozelock Wat		-			
PART NO.	2016	2017	202	1	2022
PACK SIZE	250 мL	500ml	250)	MAT
Pots no.	30	60	30		4
Border (m)	5	10	5		-
2026 Water B	utt Treatme	nt - 500ml	8	50	10646 04663 3
water free from 6400 litres of	s unpleasant n whilst helpi n slime and a water.	odours and ing to keep the lgae. Treats			
connector and use with any H	ct a hosepipe drop into a Hozelock spra em. Self-prim	to the integral water butt. For	2	50	10646 04657 2
2817 Water B		(it	3	50	10646 04655 8
A complete gr flower borders Contains 15m porous hose ar directly to mo	and vegetabl of supply ho nd fittings to	le patches. ose, 15m of connect			
2816 Water B	utt Containe	er Kit	5	50	10646 04652 7
to 15 plants in Supplied with	n pots and co 10m of supp 15 adjustabl	ly tube, 10m e drippers and			
7819 8000 Uli	tra Metal Ga	rden Pump Kit	1	50	10646 04890 3
Kit includes; H pump, suction sufficient press irrigation syste all Hozelock w priming. Heav	hose and file sure to operate and is convatering prod vy-duty 3.5 b	ter. Generates te any kind of npatible with ucts. Self- ar.			10/// 0/00/
7825 8000 2ir			2	50	10646 04894 1
of moving up	to 6,000 litre prone to repe np can be left	eated flooding, permanently			

Mul	ti P	urpo	se				
	1 mar			Multi Purpose	– Regular Use Hose		
				Flexible and ligh suitable for gene	ntweight, this hose is eral garden use.		
HOUR OUT M	the Paperse	10 YE/	ARS	6315 Multi Pur	pose Hose 15m	3	50 10646 00753 5
	LOA INCHA			6330 Multi Pur	pose Hose 30m	3	50 10646 00755 9
Ser Land	30m				pose Hose 50m	2	50 10646 00757 3
A Contraction			3 AVER	6915 Multi Pur Starter Se	t 15m	3	50 10646 01023 8
				6930 Multi Pur		2	50 10/// 000/0 5
				Starter Se	et 30m	3	50 10646 00948 5
Braided/ Knitted	Layers	Wall Thickness	Guarantee (years)	Stars	Diameter (mm)		
Braided	3	1.7	10	***	12.5		







Ultra Tough – Heavy Use Hose

The ultimate hardwearing hose. An extra-thick, reinforced, crush-resistant hose designed for strength and long life. The extra-thick construction provides exceptional anti-wear characteristics. Choose Ultra Tough for heavy use applications.

12.5

12.5

6530 Ultra Tougl		2	50 10646 03358 9
6550 Ultra Tougl	n™ Hose 50m	2	50 10646 00787 0
6940 Ultra Tougl Starter Set		3	50 10646 02925 4
Stars	Diameter		

Ultra F	ex.			
Ultra Flex Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitter Bitte	LAYER RESUSTANT	GUARANTEED ANTI KINK 20 YEARS	virtually eliminat	ation hose with a d reinforcing layer that tes twists & kinks. easy to manage, this hose quent users. M Hose 30m M Hose 50m M Hose
Braided/	Wall Thickness	Guarantee	Store	Diameter

2.4

20

50 10646 01949 1 50 10646 02596 6
50 10646 02597 3




5

Knitted Knitted

Ultra Pro		-	
<image/> <image/> <image/> <image/> <image/>	 Ultra Pro - Anti Kink, Heavy Use Hose The best hose in the Hozelock range. Unique five layer construction combines thick, high-tech material layers for excellent crush resistance with a special polyester knitted layer that virtually eliminates twists & kinks. Ideal for discerning gardeners. Gön Ultra Pro™ Hose 30m 6550 Ultra Pro™ Hose 50m 6500 Ultra Pro™ Hose 50m 6900 Ultra Pro™ Ho	3 2 3	50 10646 03433 3 50 10646 03434 0 50 10646 03435 7
Knitted 5 2.7 20	***** 12.5		
Image: state s	Starter Sets All Hozelock hoses are available as Starter Sets. Supplied with the high quality hose is 1x 2175 threaded outdoor tap connector, 1x 2185 Waterstop connector with auto water shut off, 1x 2166 hose end connector and an 1x 2292 adjustable spray nozzle.		
Spiral Hose Set	Spiral Hose Set Flexible and lightweight coiled hose that extends to from 1m to 15m in length and recoils for neat and tidy storage. Supplied as a complete watering set, which includes a quality multi spray gun, Waterstop connector with auto water shut off, hose end connector and threaded outdoor tap connector.	6	50 10646 03811 9
MaxiFlow Na Nie New Na Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie Nie	 Speciality Hoses 6225 Maxiflow Hose 25m Maxiflow provides higher flow than standard ½" hose 6215 Tricoflat Hose 15m Layflat hose for use with the Hozelock flood pump 	3	50 10646 04891 0 50 10646 04892 7
	6235 Spirabel Hose 3.5m Suction hose, suitable for a range of garden pumps	3	50 10646 04893 4



H O S E



FITTINGS



	PACK QTY	BARCODE
2159 Indoor Tap Connector	10	50 10646 05194 1
3/4in BSP for modern kitchen taps. This tap connector provides a secure		
method of temporarily attaching a Hozelock connector to a kitchen tap.		
2176 Round Tap Connector	10	50 10646 00506 7
For standard round or oval spout taps, maximum diameter 18mm. The		
fitting is sealed to the tap by tightening the clip.		
2177 Round Mixer Tap Connector	10	50 10646 00507 4
Similar in design to 2176, but designed to suit the normally larger spout of a		
mixing tap (maximum diameter 24mm).		
Threaded Tap Connectors		
For garden and garage taps with a male threaded outlet; the fitting screws		
to the tap, alone or with an adaptor, to provide a quick coupling. Replaceable internal washers.		
2184 ³ / ₄ in BSP female thread	10	50 10646 00525 8
with adaptor for $1/2$ in BSP thread.	10	<i>y</i> ⁰ 10010 00 <i>y</i> 2 <i>y</i> 0
2158 1 in BSP female thread	10	50 10646 00523 4
2167 ³ / ₄ in BSP female thread	10	50 10646 00524 1
2304 22mm female thread	10	50 10646 00526 5
	10	50 10646 00052 2
2274 Multi Tap Connector	10	50 10646 00853 2
Designed to fit a wide variety of square, round and mixer taps up to 43mm high by 34mm wide. Complete with a choice of sealing washers to provide		
a leak-free connection.		
2181 Non-Return Valve	5	50 10646 01897 5
All-plastic double check valve used on outside taps to prevent backflow		
siphonage of contaminated water into the mains. Suitable for all $\frac{1}{2}$ in BSP, $\frac{5}{8}$ in BSP and $\frac{3}{4}$ in BSP threaded taps.		
k		
2155 Dual Tap Connector	5	50 10646 00784 9
Allows two hoses to be connected to a single tap. One or both hoses can be	-	
selected or the water can be turned off.		
Complete with a ³ /4in BSP thread and adaptors to suit ⁵ /8in BSP and		
¹ /2in BSP threaded taps.		
2150 4-Way Tap Connector	2	50 10646 02187 6
Allows the water supply to be divided in up to four outlets including up to		
two with electronic water timers.		
2293 Y Connector	10	50 10646 00510 4
Three-way connector designed to branch a hose in two directions.		
Hose Repair Connector		
For repairing damaged hose, or permanently connecting two lengths of hose.		
2100 For 12.5mm (¹ /2 in) hose	10	50 10646 00513 5
2100 9008 Twinpack containing 2 x 2100	10	50 10646 00864 8
2200 For 19mm (³ /4 in) hose	10	50 10646 00533 3

FITTINGS

2291 Double Male Connector	10	50 10646 00520 3	
Double-ended male connector allowing			
two lengths of hose equipped with female connectors to be joined.	-		2291
Accessory Adaptors			(1111)
Threaded adaptor with male connector. 2289 ³ /4 in BSP male thread	10	50 10646 00538 8	
	10	50 10646 00794 8	2289
2170 Flat Hose & Spiral Hose Adaptor	10	50 10646 00/94 8	2205
Threaded adaptor with female connector and ³ /4in BSP male thread.	-		and the second second
Hose Connector Connects the hose to male tap connectors. Features easy-grip body and			
anti-kink hose nut.			2170
2050 For 12.5-15 mm (1/2 in & 5/8 in) hose	10	50 10646 05143 9	
2050 0025 Twinpack containing 2 x 2050	10	50 10646 05144 6	FORMER THE PARTY (PA)
2060 For 19mm (³ / ₄ in) hose	10	50 10646 05147 7	
AquaStop Connectors			
Integral valve automatically shuts off the water supply when the spray nozzle, gun or sprinkler is uncoupled. Features easy-grip body and anti- kink hose nut.			2050
2055 For 12.5-15 mm (½ in & 5⁄8 in) hose	10	50 10646 05146 0	
2065 For 19mm (³ / ₄ in) hose	10	50 10646 05148 4	
2172 0000 Garden Tap Starter Set	14	50 10646 03776 1	2055
A complete DIY kit for installing on outside tap includes double check			
valve hose and connectors. (Not Illustrated)			
2292 Hose Nozzle	10	50 10646 00518 0	
Adjustable spray fitting with male			ARIAN A
connector.			
2294 De-Luxe Hose Nozzle	5	50 10646 02679 6	
Premium soft touch adjustable spray			
nozzle, spray pattern ranges from cone to hard jet, with positive 'click-off' feature.			ALL
	-		
New Metal Fittings			2292 2294
Threaded Tap Connectors			
For garden and garage taps with a male threaded outlet; the fitting screws to the tap, alone or with an adaptor, to provide a quick coupling. Replaceable internal washers.			
2041 ³ / ₄ in BSP female thread	10	50 10646 05231 3	
with adaptor for ½ in BSP thread.	10	JU 10040 0)251 J	216 211
2042 1 in BSP female thread	10	50 10646 05232 0	111 111
2042 This by remain thread	- 10	50 10646 05232 0 50 10646 05234 4	2041 2042
Double-ended male connector allowing	10	0 10040 0)204 4	<u>/n</u>
two lengths of hose equipped with female connectors to be joined.			
Hose Repair Connector			2044
For repairing damaged hose, or permanently connecting two lengths of hose.			
2043 For 12.5mm (½ in) hose	10	50 10646 05233 7	ill state
Hose Connector			2043
Connects the hose to male tap connectors. Features easy-grip body and anti-kink hose nut.			
2030 For 12.5-15 mm (½ in & 5/8 in) hose	10	50 10646 05227 6	HOZELOCK PRO METAL
2040 For 19mm (¾ in) hose	10	50 10646 05229 0	1
AquaStop Connectors			
Integral valve automatically shuts off the water supply when the spray nozzle, gun or sprinkler is uncoupled. Features easy-grip body and anti- kink hose nut.			2030
2035 For 12.5-15 mm (¹ / ₂ in & ⁵ / ₈ in) hose	10	50 10646 05228 3	HOZHIDOK VIC MITNI
2045 For 19mm (3/4 in) hose	10	50 10646 05230 6	
			2035



MULTI SPRAY JET SPRAY


Hozelock's two entry point spray guns combine excellent performance, ergonomics and aesthetics with the latest advances in design and manufacturing technology to provide class-leading products that offer exceptional value for money.

Packed with features including a soft to touch rear trigger for comfortable operation, which can be locked in position for extra comfort during prolonged use, and an easy to use flow adjuster that gives the user complete control over the water spray.

The Jet Gun, with its choice of three spray patterns - powerful jet for garden cleaning, wide cone for general garden watering and a high-flow fast fill function, will be the first choice of people seeking an inexpensive gun for cleaning or basic watering duties.

The Multi-Spray Gun is a gardener's tool and provides five useful spray patterns - a powerful jet for garden cleaning, a wide cone for general garden watering, a flat spray for washing and light cleaning, a high-flow fast fill function, and metal rose for gentle, rain like watering.







2674 Jet Spray Gun

2676 Multi-Spray Gun

and a metal rose.

Featuring three basic spray patterns - powerful jet, wide cone and fast-fill.

Featuring five useful spray patterns powerful jet, wide cone, fast-fill, flat spray

PACK QTY BARCODE

5

5

50	10646	04861	3
50	10646	04863	7

G U N S











Ultra Metal









Stylish Range		
2690 Adjustable Nozzle Gun	6	50 10646 03780 8
Stylish metal bodied gun with a choice of jet or cone spray patterns.		
2691 Metal Rose Head Gun	6	50 10646 03781 5
Stylish metal bodied gun spray gun featuring eight varied spray patterns.		
The Hozelock Ultra range combines fantastic looks, comfortable soft-touch materials and excellent ergonomics with a range of genuinely useful, class leading spray patterns. A variable trigger flow control with a two stage locking mechanism makes the guns perfect for all garden tasks.		
2682 Hozelock Ultra™ 6	5	50 10646 03759 4
Features jet, cone and fast-fill spray options make the Ultra 6 particularly good for cleaning tasks.		
2684 Hozelock Ultra™ 9	5	50 10646 03760 0
Multi-purpose hose gun with a choice of jet, cone, fast-fill, fan, mist and metal rose spray patterns.		
2686 Hozelock Ultra™ 12	5	50 10646 03762 4
Brilliant all round performing spray gun with a choice of jet, cone, fast-fill, fan, mist and brass rose spray patterns, plus a gentle aerator spray ideal for watering pots and containers. The additional rear flow control makes the gun very easy to use.		
Ultra Metal Range		
Combines the leading spray performance of the Ultra gun range with metal construction. The die-cast metal body provides exceptional strength and a soft elastomer coating makes the guns extremely durable and comfortable to hold. All guns feature a tough plated metal male end, trigger lock and a rear flow control.		
2687 Ultra Metal 10	5	50 10646 04524 7
Ultra tough spray gun featuring jet, cone and fast-fill spray options making it ideal for all cleaning tasks.		
2688 Ultra Metal 14	5	50 10646 04522 3
Ultra tough construction and class leading spray performance make this gun the choice of gardening experts. Features a jet, cone, fast-fill, fan, mist and a plated brass rose spray pattern, plus a gentle aerator spray ideal for watering pots and containers.		

HOSE END



2044 Metal Telescopic Lance)	30 10040 04128 /
Metal Telescopic Lance with angled head		
and choice of 8 spray patterns. Extends		
by an additional 45 cms		
With the second second		
and the second second second		
2652		
- Constanting		
and the second second		
2644		
Rotating Car Brushes		
Two rotating car brushes with a water		
powered turbine that rotates the bristles		
for a superior cleaning action. Both		
brushes feature head angle adjustment,		
on/off flow control and work with liquid		
car shampoo.		
Performance depends on water pressure –		
min 2 bar.		
2605 Short Rotating Car Brush	3	50 10646 03585 9
For family size cars and motor bikes		
2607 Long Rotating Car Brush	3	50 10646 03588 0
For 4x4, estate cars, MPV and caravans		
2601 Car Wheel Brush	3	50 10646 03674 0
Lightweight, easy-to-use brush with		
on/off flow control. Complete with		
shampoo sticks.		
2603 Car Care Brush	3	50 10646 03273 5
Lightweight, easy-to-use brush with		
on/off flow control. Complete with		
shampoo sticks.		
	3	50 10646 00820 4
shampoo sticks. 2602 Jet Brush	3	50 10646 00820 4
shampoo sticks.	3	50 10646 00820 4
shampoo sticks. 2602 Jet Brush Operation allows choice of clear or soapy	3	50 10646 00820 4 50 10646 00821 1
shampoo sticks. 2602 Jet Brush Operation allows choice of clear or soapy water. Uses liquid shampoos. 2604 Professional Car Brush		
shampoo sticks. 2602 Jet Brush Operation allows choice of clear or soapy water. Uses liquid shampoos. 2604 Professional Car Brush Easi-reach car brush with lockable swivel		
shampoo sticks. 2602 Jet Brush Operation allows choice of clear or soapy water. Uses liquid shampoos. 2604 Professional Car Brush		
shampoo sticks. 2602 Jet Brush Operation allows choice of clear or soapy water. Uses liquid shampoos. 2604 Professional Car Brush Easi-reach car brush with lockable swivel head and on/off flow control. Uses liquid		



17 HOZELOCK

5

50 10646 04128 7

раск qty ba

2652 Dual Lance Spray

2644 Metal Telescopic Lance


Long reach lance with gentle rose head spray. Incorporates On/off lockable trigger and flow control, plus an aerated flow to avoid splash back ^K BARCODE 50 10646 01239 3

SPRINKLERS









271

2510



of 8-spray patterns to suit all watering shapes and types - small semi circle, large semi circle, mist, strip, large circle, small circle, square and remote jet. Complete with soft-touch easy-grip adjuster ring for

Class-leading dial sprinkler with a choice

2515 Vortex 8 Sprinkler

All Hozelock sprinklers are suitable for use with water pressures from 1 bar to to 10 bar. Area coverage is quoted at 4 bar.

with soft-touch easy-grip adjuster ring for changing spray patterns even with wet hands. Max area coverage 79m² (Max diameter 10m). Mounted on sled base to suit all surfaces

2510 Vortex Spike Sprinkler

High performance, twin arm spike sprinkler. Uses 8 jets to efficiently water turf and established plants. Max area coverage 177m² (Max diameter 15m). Mounted on tough spike for use in lawns and borders.

2520 Vortex 2'n1 Sprinkler

Four arm rotating sprinkler, which operates either as a jet spray for watering turf and established plants, or a mist spray for watering delicate plants or seedlings. Turning the easy-grip knob changes the spray mode. Max area coverage 254m² (Max diameter 18m). Mounted on sled base to suit all surfaces 5 50 10646 04553 7

50 10646 04554 4

50 10646 04552 0

5

5

SPRINKLERS



19 HOZELOCK

PACK QTY BARCODE Aquastorm Sprinklers The Aquastorm range is available as Geardrive sprinklers with a circular spray pattern, or oscillator sprinklers with a rectangular spray pattern. The innovative gearbox with built-in clutch mechanism guarantees category leading performance and reliability, whilst at the same time preventing operator misuse. All models offer a full range of spray adjustment. 2972 AquaStorm™ 15 5 50 10646 03767 9 Lawn Sprinkler with 15 hole aluminium spraybar. Max area coverage up to 180m² 2974 AquaStorm™ 17 5 50 10646 03768 6 Lawn Sprinkler with 17 hole aluminium spraybar. Max area coverage up to 200m² 2975 AguaStorm[™] 20 5 50 10646 03769 3 20 hole Lawn Sprinkler, brass nozzles give improved spray definition, for larger coverage. Max area coverage up to 260m² AquaStorm™ 2'n1 Premium Oscillating Sprinkler offering a choice of 2 spray patterns: jet and mist. 2976 AquaStorm™ 2'n1 50 10646 03770 9 2 Sprinkler has 16 jets for watering lawns and 5 misting jets for watering seedlings. Max area coverage approx 230m² 50 10646 03771 6 2977 AquaStorm™ 2'n1 XL 2 Sprinkler has 20 jets for watering lawns, 5 misting jets for watering seedlings and width of spray control. Max area coverage approx 320m² The Aquastorm[™] 360° The AquastormTM 360° range features 5 jet spray nozzles for watering lawns. Max area coverage approx 314m² or 20m diameter. 2332 Aquastorm[™] 360° Spike 5 50 10646 04278 9 Adjustable circular sprinkler with metal base spike. 2333 Aquastorm™ 360° Sled 5 50 10646 04279 6 Adjustable circular sprinkler with sled base. 5 2335 Aquastorm™ 360° 2'n1 Spike 50 10646 04280 2 As the standard product plus a mist spray for watering grass seeds and seedlings. Adjustable circular sprinkler with metal base spike. 2336 Aquastorm™ 360° 2'n1 Sled 5 50 10646 04281 9 As the standard product plus a mist spray for watering grass seeds and seedlings. Adjustable circular sprinkler with sled

base.







Aquapod - Effortless Watering System

(EU pat. app. no. 0513850.8)

Offering effortless watering, the Aquapod automatically waters plants and containers and has been specially designed for 'holiday watering' and busy gardeners alike.

Installation is quick and easy and takes less than five minutes. There are only four components, and each Aquapod blends harmoniously into the patio.

The whole system uses 90% less water than normal hand held watering devices.

Each Aquapod is equipped with five hoses at the end of each one is a self-cleaning pressure regulating dripper. Each hose can be pulled out and rewound independently to suit the layout of the patio giving maximum flexibility. Should the layout of the patio be changed it only takes two minutes to adjust the Aquapod.

Also suitable for larger patios, extra Aquapods can be added in just 2 minutes with up to nine Aquapods operating from one tap.


2822 Greenhouse Watering Kit	5	50 10646 04532 2
Waters 10 container plants This kit is perfect for watering plants in your greenhouse. Two Aquapod (inc. 10 x drippers), plus pressure regulator with two outlets, 20 metres of 4mm tubing, 10 stakes. 2823 Automatic Holiday Watering Kit	5	50 10646 04533 9
Autowaters 10 container plants		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
For fully automated watering, this set includes an AC Plus water computer, two Aquapods (inc. 10 x drippers), pressure regulator with two outlets, 20 metres of 4mm tubing, 10 stakes.		
2824 Plus Aquapod	5	50 10646 04534 6
One Aquapod (inc. 5 x drippers), 5 stakes, adaptors to convert a 1 or 2 outlet pressure regulator to 2 or 3 outlets.		
2825 Plus Hanging Basket & Hedge Kit	5	50 10646 04535 3
For extending the system to water up to 5 hanging baskets or 2.5 metres of hedge. Comprises – five 4 litre per hour pressure compensating drippers, one 10m of 4mm tubing, 5 stakes and one 'T' piece connector & adaptors to convert a 1 or 2 outlet pressure regulator to 2 or 3 outlets. 2772 10m of 4mm hose	5	50 10646 04030 3
Allows extra Aquapods to be added –		
comprising one 10m length of 4mm tubing.		

20 HOTELOCK













	QTT	DAILCODE
2754 Mini Auto Kit	5	50 10646 04009 9
For the precise watering of either a hedge, with a length of up to 10m, or 15 container plants. Contains: pressure reducer, 15m of 4mm micro tube, 10 wall clips and 10 stakes for 4mm micro tube, 15 pressure compensating drippers and connectors.		
2755 Maxi Auto Kit	5	50 10646 04010 5
For the precise watering of either a hedge, with a length of up to 10m, or 20 container plants. Contains: Pressure reducer, 15m of 13mm supply tube, 10m of 4mm micro tubing , 5 x 13mm wall clips, 5 x 4mm wall clips, 10 x 13mm stakes, 10 x 4mm stakes, 20 pressure compensating drippers and connectors.		
2756 Deluxe Auto Kit	5	50 10646 04011 2
For watering of 20 container plants or 10m of hedge, or a border 5m by 2m. Contains: AC Plus water computer, pressure reducer, 15m of 13mm supply tube,		
10m of 4mm micro tubing , 5 x 13mm wall clips, 5 x 4mm wall clips, 10 x 13mm stakes, 10 x 4mm stakes, 20 pressure compensating drippers and connectors.		
Standard Soaker Hose - Dia. 12.5mm		
6762 Length - 15m	5	50 10646 01031 3
6764 Length - 25m	5	50 10646 01297 3
Waters beds and borders without waste. This porous hose is ideal for establishing young plants and hedges. Supplied complete with System 2 connectors which allow several hose lengths to be connected in series.		
4LPH Dripper Hose		
13mm pressure compensating dripper hose with 4LPH drippers every 30cm. Use straight to water borders.		
2774 Dripper Hose - 25m	5	50 10646 04015 0
2775 Dripper Hose - 50m	5	50 10646 04016 7
Sprinkler Hose		
6755 Length - 7.5m	10	50 10646 00688 0
6756 Length - 15m	5	50 10646 00945 4
Perforated flat hose which produces a gentle sprinkler effect when used upright and a deep soaking action when reversed. Supplied with end cap and screw-in		


PACK QTY BARCODE

Supplied with end cap and screw-in connector. Can be used in series.



2705 Aqua Control 1	2	50 10646 01802 9
Electronic water timer with dial programing, offering a variety of watering durations from once per week up to four times per day. Five once-a-day options of variable durations are supplemented by 8 pre-set programs offering a range of watering schedules. Comes with aide- memoire sticker. Inlet size (1/2", 3/4", 1") 2700 Aqua Control Plus	2	50 10646 03675 7
Electronic timer with dial and button programing, allowing the user to select the current time, watering start time, watering frequency and watering duration. Program acceptance is confirmed by an audible 'beep'. Any element of the program can be re-set without the need to totally re-program the timer. Inlet size (1/2", 3/4", 1")		
 2701 Aqua Control Pro & Rain Sensor The most versatile and easy-to-operate electronic water timer with large interactive LCD screen using the same familiar menu configeration found on most mobile telephones. Conserves water by linking directly to a remote Rain Sensor, which immediately cancels any watering setting once rain is detected. Connects directly to the Aqua Control Pro using the 10m cable supplied and when rain is detected automatically overrides the watering program. There is a choice range of 4 programing methods:- 'One-Touch' for immediate watering A choice of 13 pre-set programs 'Watering Manager' – with up to 4 different programs per day Large tactile buttons allow any program to be quickly and easily changed Inlet size (1/2", 3/4", 1") 	2	50 10646 05259 7









	PACK QTY	OUTER PACK QTY	BARCODE
Tap Connectors			
2150 4-Way Tap Connector Allows the water supply to be divided in up to four outlets including two with Electronic Water Timers.	1	2	50 10646 02187 6
2289 Accessory Adaptor-male	1	10	50 10646 00538 8
Use to convert 2760 Pressure Reducer and 2761 Hose/Tap Connector to Hozelock quick-connect system.	ľ	10	
2760 Pressure Reducer Reduces pressure to a constant 20psi (1.5 bar) for optimum performance. Supplied with 13mm and 4mm outlets.	1	5	50 10646 04012 9

	Pipeline			
	• 13mm			
and the second second	13mm Supply Hose			
	Highly flexible, UV stable, central supply tube. 2764 25m 13mm Hose	25m	5	50 10646 04018 1
	2765 Flow Control Valve –13mm	1	5	50 10646 04019 8
2764 2765 13mm	In-line 13mm valve shuts off or adjusts the flow in the 13mm supply tube.			
a state of the loss				
ALL PARA	2766 000 Filt and Course story 12 and	2	10	50 10(46 04020 4
Contraction and a second	2766 90° Elbow Connector –13mm For making 90 degree turns in the 13mm supply tube.	2	10	50 10646 04020 4
	2767 'T' piece – 13mm	2	10	50 10646 04022 8
2766 13mm 2767 13mm	For branching the 13mm supply tube.			
VL - CARLON				
ALL STREET				
	2768 Straight Connector -13mm	2	10	50 10646 04024 2
	For extending the 13mm supply tube. 2769 End Plug – 13mm	3	10	50 10646 04026 6
2768 2769 3 13 mm	For closing off ends of 13mm supply tube.	5	10	0 10040 04020 0
	2779 Blanking Plug	10	10	50 10646 04035 8
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Seals holes in supply tube.			
2770 - 2770 -	2770 Stake –13mm	5	10	50 10646 04027 3
2779 13mm 2770 13mm	Holds the supply tube in position.			
C. C	2771 Wall Clip – 13mm	10	10	50 10646 04029 7
A STREET, STRE	Secures supply tube to walls or fences.			
	2799 Hole Punch	1	10	50 10646 04062 4
2771 13mm 2799 13mm	Punches holes in supply tube and dismantles micro jets.			
	• — 4mm			
	4mm Hose			
	Small bore tubing used to supply individual plants. Highly flexible and UV stable.			
	2772 - 10m 4mm Hose	10m	5	50 10646 04030 3
	2776 Flow Control Valve – 4mm	2	5	50 10646 04032 7
2772 4mm 2776 4mm	In-line 4mm valve shuts off or adjusts the flow in the 4mm supply tube.			
and a second sec	2777 'T' piece – 4mm	10	10	50 10646 04033 4
	For branching the 4mm supply tube			
	2778 Straight Connector - 4 mm	10	10	50 10646 04034 1
2777 - 2778 4mm &	For joining micro tube to supply tube, or two lengths of micro hose / micro soaker hose.			
4mm 2776 13mm	<u> </u>			
THE REAL PROPERTY AND INCOMENTS				
	2781 Stake –4mm Holds the micro tube in position.	10	10	50 10646 04036 5
A STATE OF STATE	2782 Wall Clip – 4mm	10	10	50 10646 04038 9
	Secures micro tube to walls or fences.			
2781 4mm 2782 4mm				

AUTO V	VATERII	NG	PACK QTY	OUTER PACK QTY	BARCODE
		Drippers			
1451					
	and the second second				
a grant		2783 4 LPH End of line Dripper	10	5	50 10646 04039 6
		Simple dripper that provides fixed 4LPH at 1.5 bar.			
		2784 4 LPH In-line Pressure Compensating Dripper	5	5	50 10646 04042 6
2783	2784	Self-regulating dripper designed to give a constant 4LPH regardless of the water pressure. For in line use.			
5					
A Long					
	A DESCRIPTION OF				
<u> </u>	S S S	2785 4 LPH End of Line Pressure Compensating Dripper Self-regulating dripper designed to give a constant 4LPH regardless of the	5	10	50 10646 04043 3
AUTO		water pressure. For end of line use.			
2705	2796	2786 In-line Adjustable Mini Sprinkler (0-40ьрн)	5	5	50 10646 04046 4
2763	2700 30 cm	Mini sprinkler with adjustable flow for in-line use.			
AF GALLER	10, 10, 10				
Les are					
Contra and the					
6) S	6)	2787 End of Line Adjustable Mini Sprinkler (0-40LPH) Mini Sprinkler with adjustable flow for end of line use.	10	5	50 10646 04048 8
	40L/H MAX	2788 End of Line Adjustable Mini Sprinkler on Stake (0-40LPH)	5	5	50 10646 04050 1
2707		Adjustable sprinkler mounted on a 12cm stake complete with 4 mm))	J0 10040 040J0 1
2787 30 cm	2700 <u>30 cm</u>	tube adaptor.			
- Alter					
See Street		2789 High Spike	3	5	50 10646 04052 5
	6	Combines with any of the micro jet sprinklers to raise the spray pattern up			
	55L/H MAX	to 35cm			
2700	2700	2790 90° Micro Jet	6	10	50 10646 04053 2
2789	2790 2 m	Produces ¹ /4 circle spray pattern			
STR. SPACE	1 at all				
Contraction of the					
DEAL ALL NO	1000	2704 4000 Minus Int		10	50 10(/(0/05/ 0
	6)	2791 180° Micro Jet Produces semi-circle spray pattern	6	10	50 10646 04054 9
SSL/H MAX					
2701	2792	2792 360° Micro Jet	6	10	50 10646 04055 6
2751 2 m	2752 2 m	Produces a full circle spray pattern			
State State	- GY ST				
a she	The state of the second				
dia trace		2793 90° Adjustable Micro Jet	3	10	50 10646 04056 3
6) M. 199	<u> </u>	Adjustable flow $1/4$ circle micro jet	3	10	0 10040 04000 3
	SSL/H MAX		2	1.0	50 10(46 0/057 0
2793	2794	2794 180° Adjustable Micro Jet Adjustable flow ¹ /2 circle micro jet	3	10	50 10646 04057 0
		Adjustable flow ² /2 circle micro jet			
	1 5 C W				
22.					
	6- 6- 6- 6- 6- 6- 6- 6- 6- 6- 6- 6- 6- 6	2795 360° Adjustable Micro Jet	3	10	50 10646 04058 7
		Adjustable flow full circle micro jet	5	10	0 10040 04000 /
District Max			-	1.0	50 10646 04050
2795	2796	2796 Strip Micro Jet	6	10	50 10646 04059 4
		Produces narrow elongated spray pattern			
STATISTICS PA					
A DATES	120 250	2797 Mister Microjet	6	10	50 10646 04060 0
551/H		Produces a fine concentrated mist	0	10	0 10040 04000 0
MAX 1	MAX		2	1.0	50 10(4(0/0(1 7
2797	2798	2798 360° Mini Sprinkler	2	10	50 10646 04061 7
Joem	511	Adjustable flow, rotating, full circle sprinkler			



An easy to use, cost effective range of basic outdoor pressure sprayers, available in 3 sizes: 5, 7, 10 litres. The promo sprayers are multi-purpose sprayer ideal for treating palnts, vegetables and fruit trees.

The Promo range features:

- Locakable on/off flow control and trigger
- Spray nozzle that can be easily adjusted from jet for spot treatment to cone and mist afor chemical application to wider areas
- Easy-fill, wide tun dish neck
- Lightweight, ergonomic pump handle for easy pressurisation
- Translucent, graducated bottle for accurate chemical mixing and dosing







	QTY	BARCODE
Promo		
4005 Promo 5 litre Sprayer	6	50 10646 04870 5
4007 Promo 7 litre Sprayer	6	50 10646 04871 2
4010 Promo 10 litre Sprayer	6	50 10646 04872 9

26 HOTELOCK



The heavy duty Killaspray pressure sprayer range is available in 6 sizes: 1.25, 5, 7, 10, 12, 16 litres. All the sprayers give easy, accurate & cost effective application of water, insecticides, pesticides, fungicides & water-soluble fertilisers.

The Killaspray range features :

- Packaging that clearly communicates the features and benefits of the enhanced range.
- Lockable on/ off flow control trigger, with unbreakable fibre glass lance, where fitted.
- Spray nozzle that can be easily adjusted from jet for spot treatment to cone and mist for chemical application to wider areas.
- Wide reinforced neck for easy filling and emptying.
- Heavy duty metal shaft in the pump mechanism for extra strength and long life.
- Wide, comfortable, ergonomic pump handle for easy pressurisation.
- Translucent, graduated bottle for accurate chemical mixing and dosing.
- Killaspray 5, 7, 10, 12, 16 litre sprayers are all supplied with carrying strap or harness.
- 3 year guarantee (guarantee excludes seals, hose and lance).





Killaspray®

4602 Killaspray® 1.25 Litre
4605 Killaspray® 5 Litre
4607 Killaspray® 7 Litre
4610 Killaspray® 10 Litre
4612 Killaspray® 12 Litre
4616 Killaspray® 16 Litre

50	10646	04873	6
50	10646	0/07/	2

BARCODE

PACK QTY

6

	50	10646	04874	3
	50	10646	04875	0
	50	10646	04877	4
	50	10646	04876	7
	50	10646	04878	1



KILLASPRAY PLUS

The Killaspray Plus pressure sprayer range is available in 5 sizes: 5, 7, 10, 12, 16 litres. The Killaspray Plus sprayer range has been designed to appeal to keen and interested gardeners, and those looking for best in class performance. The features of these sprayers make them a joy to use; they give easy, accurate & even application of water, insecticides, pesticides, fungicides & water-soluble fertilisers.

The Killaspray Plus range features:

- Packaging that clearly communicates the features and benefits of the enhanced range.
- Large comfortable trigger with on / off and internal filter to prevent blockages.
- Telescopic lance for extra reach (50 85 cm) and to prevent bending.
- Spray nozzle that can be easily adjusted from jet, for spot treatment, to cone and mist for chemical application to wider areas.
- Weed killer cone & fan spray to prevent spray drift when using weedkiller treatment.
- Wide reinforced neck for easy filling and emptying.
- Base with foot rest to provide extra stability in use
- Heavy duty metal shaft in the pump mechanism for extra strength and long life.
- Wide, comfortable, ergonomic pump handle for easy pressurisation
- Translucent, graduated bottle for accurate chemical mixing and dosing
- All models feature comfortable, adjustable carry straps to allow backpack use.
- 5 year guarantee (excludes seals, hose & lance).









Killaspray® Plus

5 Litre
7 Litre
10 Litre
12 Litre
16 Litre

QTY BARCODE

	50	10646	04879	8
	50	10646	04880	4
	50	10646	04881	1
	50	10646	04882	8
	50	10646	04883	5





Range of three small indoor sprayers. Turning the nozzle changes the pattern from a fine jet to a mist. All bottles are graduated.



50

20

6

4120 0.5 litre Spraymist trigger sprayer
4121 1.0 litre Spraymist trigger sprayer
4122 1.25 litre Spraymist pressure
sprayer

50 10646 04866 8 50 10646 04867 5 50 10646 04868 2



A range of four sprayers specially designed for heavy duty applications, which require resistance to more aggressive chemicals. Equipped with a set of Viton® fluoroelastomer seals, and where required, stainless steel lance. Consult our local representative for further advice on use.

Viton® is a registered trade mark of Dupont





5102 Viton® - 1.25ltr Sprayer	6	50 10646 04884 2
5105 Viton® - 5ltr Sprayer	6	50 10646 04886 6
5107 Viton® - 7ltr Sprayer	6	50 10646 04885 9
5110 Viton® - 10ltr Sprayer	4	50 10646 04887 3



Compact, portable shower specifically designed for leisure activities such as camping or around the garden. The Portashower comprises of a handysized pressure sprayer, measuring only 460mm high for easy storage, integral lance handle storage facility, lockable on/off flow control handle and 2m hose.

Can be used in areas with water restrictions.



4140 4'n 1 Portashower®



6

50 10646 05136 1



SPRAYERS - SPARES

A comprehensive range of spare parts and accessories for use with Hozelock pressure sprayers.



4091 Annual Service Kit - 1.25ltr	5
4092 Annual Service Kit	5
4093 Annual Service Kit - 12 & 16ltr	5
4094 Annual Service Kit - Viton	5
4095 Pump Barrel - Promo	5
4096 Pump Barrel - Killaspray	5
4097 Pump Assembly - Knapsack	5
4098 Pump Barrel Assembly - Viton	5
4099 1.3m Hose	5
4100 1.5m Knapsack Hose	5
4101 Dip Tube Assembly	5
4102 Pressure Regulator Assembly	5
4103 Spray Nozzle Set	5
4104 Trigger Assembly - Promo/Viton	5
4105 Trigger Assembly - Killaspray & Knapsack	5
4106 Extension Lance	5
4107 Telescopic lance	5
4108 Harness - Promo/Viton	5
4109 Harness - Knapsack	5
4110 Harness - Killaspray	5
4111 Root Waterer Feeder	5
4112 Weedkiller Cone	5
4113 Hanging Basket Waterer	5

PACK QTY	BAR	CODE	
5	50	0 10646 04954	2
5	50	0 10646 04955	9
5	50	0 10646 04956	6
5	50	0 10646 04957	3
5	50	0 10646 04958	0
5	50	0 10646 04959	7
5	50	0 10646 04960	3
5	50	0 10646 05111	8
5	50	0 10646 05112	5
5	50	0 10646 04982	5
5	50	0 10646 04962	7
5	50	0 10646 04963	4
5	50	0 10646 04964	1
5	50	0 10646 04965	8
5	50	0 10646 04966	5
5	50	0 10646 04967	2
5	50	0 10646 04968	9
5	50	0 10646 04969	6
5	50	0 10646 04970	2
5	50	0 10646 04971	9
5	50	0 10646 04972	6
5	50	0 10646 04973	3
5	50	0 10646 04974	0

