

metabo[®]
professional power tools & accessories



2010

Pocket Catalogue | Winter/Spring

4 - 21	Cordless	56	Metal Cutting Abrasive Chop Saw
22-24	Cordless Kits NEW!	57 - 58	Disc Accessories NEW!
24	Lithium-ion Battery Packs	59 - 60	Circular Saws
25	Bit Sets	61	Circular Saw Blade Accessories
26-27	Gloves NEW!	62 - 63	Jig Saws NEW!
28 - 29	Impact Drills	64	Reciprocating Saw
30 - 32	Rotary Only Drills	64	Planer
33	Dry Wall Screw Gun NEW!	65	Paint remover
34 - 37	SDS Plus Rotary Hammers	65 - 66	Reciprocating Saw & Planer Accessories
37 - 39	SDS Plus Max Hammers	67 - 71	Sanders
40 - 41	Drill Accessories	72	Sanding/Polishing Accessories
42 - 50	Angle Grinders NEW!	73	Router
51 - 52	Angle Grinders (Large)	73 - 75	Special Purpose Machines
53	Wall Chasers	76 - 78	Bench Grinders
54	Polishing/Burnishing Machines	78 - 81	Hedge Trimmers
55	Die Grinders		

Metabo - Renowned specialists for power tools

Metabo is a medium-sized brand-name manufacturer with operations in over 100 countries worldwide. Having manufactured in Germany since the launch of its first drill in 1924, Metabo is well known as a premium brand in the international electrical tool and machinery market.


With Metabo you can trust that our products are designed to perform, built to last and quality tested in the most extreme environments where conditions are often even more demanding than reality. In this we can assure you that our tools will deliver in all areas of the construction industry time and time again.

Time is money and quality pays dividends.

That's why professionals invest in Metabo.

Metabo XXL 3-Year Warranty

Metabo products are designed for a long and useful service life, but for added peace of mind on your investment we also offer you the extra long Metabo XXL 3 Year Warranty.



Did you know?

Metabo are the only manufacturer to offer an extended 3 year warranty on all machines, chucks, batteries and chargers!* If any of these items should fail within the warranty period Metabo will repair or replace these items free of charge (under Metabo's discretion). All purchases must be registered on-line at www.metabo.co.uk within 4 weeks of purchase to qualify. *Warranty only covers part failure due to faulty assembly or manufacture. It does not cover wear and tear or miss-use. Metabo Green and Blue machines come with a 1 year warranty as standard.


Metabo Symbols Key

 3 year Lithium Online Warranty	 CODE! Secure technology	 Constant speed under load	 Torque limiting slip clutch
 AVC Anti-Vibration Control Vibration dampening system	 Autobalancing (lower vibration)	 3 Mechanical Gears	 4 Mechanical Gears
 ESCP Protects battery and machine from overloading	 Rotating Back Handle	 Certified German standard	 Vibration dampening handle

Battery Concept

Metabo's electronic single cell protection system (ESCP) is not like any other. Instead of looking at the general health of battery pack as a whole, the Metabo system constantly monitors each individual cell's condition and status whilst working and charging. This means that no cell is ever left behind before it is at 100% health and ready to go.

With deep discharge protection, overcharge protection and monitored overload and overheat shut-off as well as fan controlled battery cooling whilst charging, these batteries are designed to work hard and last longer. Metabo only use the highest grade lithium-ion cells available, with the highest power density ratings in their respective class.



Electronic Switch

- Soft start when starting the machine. There is a slow increase in power (No stall current), thereby sparing all components and considerably increasing their life span.
- Variable speed change (stepless)
- Quick stop prevents switch-off delay of the machine.
- Rubber coated switch for feel and user comfort.
- Electronic overload and underload cut-off
- Battery pack temperature monitoring and cut-off
- Acoustic warning signal upon cut-off
- LED lights up badly lit areas
- Electronic Impuls Switch - **Unique to Metabo!**



Impuls Switch

- Impuls function with flashing LED status display. Metabo's unique impuls function (boost pulse switch) provides short bursts of boost torque through the drill bit. This makes finishing off difficult screws, extracting difficult screws or starting off holes in polished surfaces far quicker and easier than you'd normally expect.

Motors Concept

The new motor concept had a main goal: To increase performance while at the same time to reduce the size. Our success in improving this power density is evident by the size comparisons vs previous Metabo machines. To also guarantee a longer service life, motor cooling and motor overload (burn-out) protection have also been improved.

L-Class / LT-Class Motors

- Identical Motor length in all classes enabling consistent and ergonomic design in all machines.
- Improved power density enabling more compact size and lower weight (reduction in length by approx. 17mm).
- Optimised ventilation slots and overload range for a lower temperature level thereby longer life span.
- Improved cooling principal and efficiency for longer periods of use.

LTX-Class Motors

- 4-pole motor for enhanced precision and durability.
- Stronger magnets (rare earth magnets) which improve the power and torque for a higher power density.
- Up to 75% improved efficiency.
- Patented high performance carbon brush system. 4 carbon brushes instead of two give increased possible torque output.

Battery Design

All the following batteries employ the advanced Metabo ESCP system, with overcharge, deep discharge, overheat and overload protection. The cell pack is float mounted for aided shock resistance. LED battery charge level indicator, with dust proof switch. Air ducts for use with air-cooled charger for quicker charging and longer battery life.

Li PowerCompact - Metabo PowerCompact batteries use grade 'A' lithium cells with 1.3 Ah batteries. These batteries are extremely light and compact.

Li PowerPlus - The PowerPlus range use high grade 2.6 Ah professional quality cells that are capable of producing up to 40 amps under continuous use. The PowerPlus cells are on a par with the best of the best in the market today.

Li PowerExtreme - As the name suggests the PowerExtreme pack produces absolute extreme performance. Using high 50 amp output cells, with 2.6 Ah capacity and low internal resistance, the PowerExtreme packs are able to produce 25% more power output than any other manufacturer! This coupled with the 4 pole motor on the SB 18 LTX means this machine is capable of producing an industry leading 100 Nm torque. Invest in the best.



EVEN THE MIGHTY DON'T MAKE IT THIS EASY.

The LTX Power Extreme range are the lightest and most powerful machines on the market today within their respective class. These muscle-machines are perfectly suited for the needs of the construction industry. The two speed gear box is coupled to the extreme power battery pack and innovative 4-pole motor which combined delivers unbeatable power output. This makes them problem solvers even on the hardest of jobs - when drilling screws with diameters up to 10 mm, and when drilling holes into wood up to max. 50 mm. With a maximum torque of **100 Nm!** Even the largest of screws can be handled without a problem!



(SB 18 LTX Pictured right)



Very Comfortable Side Handle
Maximum comfort, minimum fatigue

Spanner Flat for Removing Gear Chucks
Allows you to change the chuck easily

Hex Bit Holder in Spindle
Enables chuck free working, considerably reduces the length - a bonus for when you need to screwdrive into tight spaces

43mm Multi Use Collar
For 360° rotation of side handle. Can be fitted to a drill stand, right Angle Attachment, PowerShear, Dust kit (See page 8)

Innovative Gear Speed Selection Switch
Optimally suited for one-handed operation; for right or left handed use

'QuickFire' One handed forward and reverse switch
for right or left handed use

Stylish Ergonomic Design
For comfortable secure use.

Battery Charge Level Indicator
Helps ensure you never run short of juice

LED Work light
Lights up the darkest of working areas

Unique Impuls Function
"Strength boost" on tricky tasks, such as spot-drilling smooth surfaces (tiles, pipe) or removing difficult screws

Innovative Battery Technology
Very high quality lithium-ion battery cells for outstanding performance. AIR COOLED charging technology for a quicker charge time and a long battery pack service life

NEW Cordless Attachments **NEW!**

The Metabo multi collar on the new range of BS, SB LT or LTX machines allows the fitment of a multitude of useful attachments. One tool, up to 6 uses! Drill, Screw, Hammer, Angle drive and Shear, and drill with dust extraction.

The NEW SB 18 LTX Power Extreme is the lightest and most powerful combi in its class. The two speed gear box with hammer action is coupled to the extreme power battery pack and innovative 4-pole motor which combined delivers unbeatable power output. This compact muscle-machine is perfectly suited for the needs of the construction industry. Distinguished by its ergonomic, compact design, other features include the new innovative adjustable torque clutch system, the unique impuls function (boost pulse switch), LED work light, strong aluminium die cast gear housing and the hex end bit holder. This is a tremendously strong machine designed to work as hard as you do.



PowerShear Attachment **NEW!**

A real innovation! It is now possible to adapt your Metabo BS, SB LT or LTX into a metal/plastic cutting shear. Useful for portable onsite cut and fix jobs. The PowerShear will cut sheet steel, corrugated sheet, box profile etc. Also great for cutting expanded metal mesh, card, plastics, PVC/GRP roof lights, fibreglass sheet etc.

Never get stuck on-site again! The PowerShear will cut up to 0.8 mm stainless steel, 1.0 mm sheet steel, 1.2 mm sheet fibreglass and 1.5 mm of aluminium.

Machine not included, see page 10 onwards.

WORLD FIRST!



Order Number	UKPOWERSHEAR
--------------	--------------

Right Angle Attachment **NEW!**

Calling all plumbers and electricians! For the first time it is now possible to fit a true right angle attachment onto your Metabo cordless drill. This means you can now drill perfectly at 90° into floor and roofing joists, perfect for when working within a restricted 400 mm span. Ideal for smooth installation of wiring looms, twin & earth, poly pipe etc, no kinks, no nicks, no wasted time!

The Metabo right angle attachment puts out as much as you put in. With a 1:1 drive ratio 100% power output is guaranteed. Comes with 1/2" - 20 UNF thread for all standard 13mm chucks. Rotates 360°. Fits main Metabo rotary drills with 43 mm collar, recommended with BS/SB LT/LTX machines, BE 622, SBE 750 and SBE 1010 - select dependant upon application.

Machine not included, see page 10 onwards.

WORLD FIRST!



Order Number	631078000
--------------	-----------

Dust Extraction Attachment **NEW!**

Dust is becoming more and more of an issue regarding health a safety these days. With the Metabo dust kit* it is now possible to not only protect yourself, but also your working surroundings from dust plumes that can originate from drilling into masonry.

A WORLD FIRST for cordless drill/drivers/combi's! Ideal for homes, schools, offices and hospitals.

*Must be used in conjunction with a vacuum cleaner.

Kit comprises of extraction unit for drilling with Ø4-20 mm bits, plunge depth stop, support handle, universal rubber vacuum connector and Ø28 mm - 5 m long hose.

Machine not included, see page 10 onwards.

WORLD FIRST!



Order Number	631600000
--------------	-----------

BS 14.4 LTX Li PowerExtreme

The BS 14.4 LTX PowerExtreme is the lightest and most powerful drill/driver in its class. The extreme power battery pack coupled with a new innovative 4-pole motor delivers unbeatable power output. Distinguished by its ergonomic, compact design, other features include the new innovative adjustable torque clutch system, the unique impuls function (boost pulse switch), LED work light, strong aluminium die cast gear housing and the hex end bit holder.

Cordless

FEATURES

- 14.4V Cordless Drill/Driver
- 2 x 2.6Ah Li-Power Extreme batteries
- Max torque (soft/hard) - 38/88Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 45mm, steel - 13mm, Concrete - n/a
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Weight - 1.9kg



Comes with carry case!



Order Number 602143580

SB 14.4 LTX Li PowerExtreme

The SB 14.4 LTX PowerExtreme is the lightest and most powerful combi in its class. The two speed gear box with hammer action is coupled to the extreme power battery pack and innovative 4-pole motor which combined delivers unbeatable power output. Distinguished by its ergonomic, compact design, other features include the new innovative adjustable torque clutch system, the unique impuls function (boost pulse switch), LED work light, strong aluminium die cast gear housing and the hex end bit holder.

Cordless

FEATURES

- 14.4V Cordless Combi Drill
- 2 x 2.6Ah Li-Power Extreme batteries
- Max torque (soft/hard) - 40/92Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 45mm | steel - 13mm | Concrete - 13mm
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Maximum impact rate - 28,000bpm
- Weight - 2.0kg



Comes with carry case!



Order Number 602146580

BS 18 LTX Li PowerExtreme

The BS 18 LTX PowerExtreme is the lightest and most powerful drill/driver in its class. The extreme power battery pack coupled with a new innovative 4-pole motor delivers unbeatable power output. This muscle-machine is perfectly suited for the needs of the construction industry. Distinguished by its ergonomic, compact design, other features include the new innovative adjustable torque clutch system, the unique impuls function (boost pulse switch), LED work light, strong aluminium die cast gear housing and the hex end bit holder. This is a tremendously strong machine designed to work as hard as you do.

Cordless

FEATURES

- 18V Cordless Drill/Driver
- 2 x 2.6Ah Li-Power Extreme batteries
- Max torque (soft/hard) - 42/96Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 50mm | steel - 13mm | Concrete - n/a
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Weight - 2.0kg



Comes with carry case!



Order Number 602145580

METABO TIP!
* Remove the chuck to reveal a hex end bit holder for use as a screwdriver. This reduces the length of the drill to just 180 mm in length with a PZ2 bit inserted (needs to be used with bit retaining bush 631281).

SB 18 LTX Li PowerExtreme

The SB 18 LTX PowerExtreme is the lightest and most powerful combi in its class. The two speed gear box with hammer action is coupled to the extreme power battery pack and innovative 4-pole motor which combined delivers unbeatable power output. This muscle-machine is perfectly suited for the needs of the construction industry. Distinguished by its ergonomic, compact design, other features include the new innovative adjustable torque clutch system, the unique impuls function (boost pulse switch), LED work light, strong aluminium die cast gear housing and the hex end bit holder. This is a tremendously strong machine designed to work as hard as you do.

Cordless

FEATURES

- 18V Cordless Combi Drill
- 2 x 2.6Ah Li-Power Extreme batteries
- Max torque (soft/hard) - 44/100Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 50mm | steel - 13mm | Concrete - 16mm
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Maximum impact rate - 28,000bpm
- Weight - 2.1kg



Comes with carry case!

METABO FACT!
*100Nm Torque!



Order Number 602148580

METABO TIP!
Remove chuck and fit with right angle attachment 631078 to allow you to drill at right angles through joists for laying pipe work.

See page 8 & 28

THE STRONG AND STURDY TYPE.



Innovative Torque Clutch
 Patent protected, torque clutch system extends usable torque range and significantly reduces machine length

New Gear Speed Selection Switch
 Optimally suited for one-handed operation; for right or left handed use

Hex Bit Holder in Spindle
 Enables chuck free working, considerably reduces the length - a bonus for when you need to screw-drive into tight spaces

43mm Multi Use Collar
 For 360° rotation of side handle. Can be fitted to a drill stand or angle attachment

Die-cast Aluminium Gear Housing
 For strength and improved heat dissipation

Soft Grip, Non Slip Trigger Switch

Stylish Ergonomic Design
 For comfortable secure use.

Unique Impuls Function
 "Strength boost" on tricky tasks, such as spot-drilling smooth surfaces or removing damaged screws

LED Work light
 Lights up the darkest of working areas

Innovative Battery Technology
 Very high quality lithium-ion battery cells for outstanding performance. AIR COOLED charging technology for a quicker charge time and a long battery pack service life



(BS 14.4 LT Pictured left)

Cordless

Cordless

BS 14.4 LT Li PowerPlus

The BS 14.4 LT PowerPlus drill/driver is a strong reliable companion for medium duty trade applications such as woodworking, interior construction and installations. Distinguished by its compact, lightweight design, features include a new innovative adjustable torque clutch system which extends the usable torque range, a unique impuls function (boost pulse switch) for finishing off difficult screws or starting off holes in polished surfaces.

Cordless

FEATURES

- 14.4V Cordless Drill/Driver
- 2 x 2.6Ah Li-Power Plus batteries
- Max torque (soft/hard) - 24/55Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 30mm | steel - 13mm | Concrete - n/a
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Weight - 1.8kg



Comes with carry case!



METABO TIP!

"Remove the chuck to reveal a hex end bit holder for use as a screwdriver. This reduces the length of the drill to just 170 mm in length with a PZ2 bit inserted (needs to be used with bit retaining bush 631281)."



Order Number 602137580

SB 14.4 LT Li PowerPlus

The SB 14.4 LT PowerPlus combi is a strong reliable drill with a two speed gear box and hammer action. Designed for medium duty trade applications such as woodworking, interior construction and installations. Distinguished by its compact, lightweight design, features include a new innovative adjustable torque clutch system which extends the usable torque range, a unique impuls function (boost pulse switch) for finishing off difficult screws or starting off holes in polished surfaces.

FEATURES

- 14.4V Cordless Combi Drill
- 2 x 2.6Ah Li-Power Plus batteries
- Max torque (soft/hard) - 25/57Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 30mm | steel - 13mm | Concrete - 12mm
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Maximum impact rate - 28,000bpm
- Weight - 1.9kg



Comes with carry case!



METABO TIP!

"Charge for an extra 30 minutes to boost battery capacity up to 16 volts!"



Order Number 602140580

Cordless

BS 18 LT Li PowerPlus

The BS 18 LT PowerPlus drill/driver is a strong reliable companion for medium duty trade applications such as woodworking, interior construction and installations. Distinguished by its compact, lightweight design, features include a new innovative adjustable torque clutch system which extends the usable torque range, a unique impuls function (boost pulse switch) for finishing off difficult screws or starting off holes in polished surfaces.

Cordless

FEATURES

- 18V Cordless Drill/Driver
- 2 x 2.6Ah Li-Power Plus batteries
- Max torque (soft/hard) - 26/60Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 30mm | steel - 13mm | Concrete - n/a
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Weight - 1.9kg



Comes with carry case!



METABO TIP!

"Charge for an extra 30 minutes to boost battery capacity up to 20 volts!"



Order Number 602139580

SB 18 LT Li PowerPlus

The SB 18 LT PowerPlus combi is a strong reliable drill with a two speed gear box and hammer action. Designed for medium duty trade applications such as woodworking, interior construction and installations. Distinguished by its compact, lightweight design, features include a new innovative adjustable torque clutch system which extends the usable torque range, a unique impuls function (boost pulse switch) for finishing off difficult screws or starting off holes in polished surfaces.

FEATURES

- 18V Cordless Combi Drill
- 2 x 2.6Ah Li-Power Plus batteries
- Max torque (soft/hard) - 27/62Nm
- Adjustable torque from - 1.5-13Nm
- Drill bit diameter in, wood - 30mm | steel - 13mm | Concrete - 12mm
- Speed at no load (1st/2nd gear) 0-400/0-1400 rpm
- Maximum impact rate - 28,000bpm
- Weight - 2.0kg



Comes with carry case!



METABO TIP!

"Charge for an extra 30 minutes to boost battery capacity up to 20 volts!"



Order Number 602142580

Cordless

SSD 14.4 LT Li PowerPlus

The SSD 14.4 LT PowerPlus 1/4" hex drive impact driver makes light work of driving screws into wood or driving hex head self tapping screws into metal/concrete. Impact drivers offer both high speed rotation and high torque rotary impact motion. The two combined result in greatly increased speed and far less fatigue versus conventional drill/drivers, ideal for demanding applications. Other benefits include; reduced risk of the bit from jumping out the screw head (cam-out), effortless driving of fixings, minimal strain on the wrist, natural 'shock effect' to help release stubborn screws/bolts etc.

FEATURES

- 14.4V Cordless Impact Driver
- 2 x 2.6Ah Li-Power Plus batteries
- Max. Torque (setting 3) - 140Nm
- Max. Torque (setting 2) - 115Nm
- Max. Torque (setting 1) - 75Nm
- Speed at No load (setting 3) - 2,600 rpm
- Speed at No load (setting 2) - 2,100 rpm
- Speed at No load (setting 1) - 1,500 rpm
- Weight 1.7kg

Order Number 602125500



METABO FACT!
"Special 3 speed change switch, slow, fast and extreme speed settings."

METABO TIP! "Cheap bits can be prone to shattering when used with impact drivers. Use quality bits to avoid disappointment."

Comes with carry case!



SSW 14.4 LT Li PowerPlus

The SSW 14.4 LT PowerPlus with 1/2" drive. High torque impact wrench designed for tightening or removing stubborn rusty nuts or bolts. Comes with variable speed trigger and special 3 speed change switch which comes in particularly useful when dealing with smaller fasteners.

FEATURES

- 14.4V Cordless Impact Wrench
- 2 x 2.6Ah Li-Power Plus batteries
- Max. Torque (setting 3) - 200Nm
- Max. Torque (setting 2) - 130Nm
- Max. Torque (setting 1) - 90Nm
- Speed at No load (setting 3) - 2,600 rpm
- Speed at No load (setting 2) - 2,100 rpm
- Speed at No load (setting 1) - 1,500 rpm
- Weight 1.7kg

Order Number 602126500



Comes with carry case!

METABO FACT!
"Special 3 speed change switch, slow, fast and extreme speed settings."




SSD 18 LT Li PowerPlus

The SSD 18 LT PowerPlus 1/4" hex drive impact driver makes light work of driving large screws/augers into wood or driving hex head self tapping screws into metal/concrete. Impact drivers offer both high speed rotation and high torque rotary impact motion. The two combined result in greatly increased speed and far less fatigue versus conventional drill/drivers, ideal for demanding applications. Other benefits include; reduced risk of cam-out, effortless driving of large fixings, minimal strain on the wrist, natural 'shock effect' to help release stubborn screws/bolts etc.

FEATURES

- 18V Cordless Impact Driver
- 2 x 2.6Ah Li-Power Plus batteries
- Max. Torque (setting 3) - 160Nm
- Max. Torque (setting 2) - 125Nm
- Max. Torque (setting 1) - 80Nm
- Speed at No load (setting 3) - 2,650 rpm
- Speed at No load (setting 2) - 2,150 rpm
- Speed at No load (setting 1) - 1,600 rpm
- Weight 1.8kg

Order Number 602127580



METABO FACT!
"Special 3 speed change switch, slow, fast and extreme speed settings."

METABO TIP! "Cheap bits can be prone to shattering when used with impact drivers. Use quality bits to avoid disappointment."

Comes with carry case!



SSW 18 LT Li PowerPlus

The SSW 18 LT PowerPlus with 1/2" drive. Very high torque impact wrench designed for tightening or removing the most stubborn rusty nuts or bolts. Comes with variable speed trigger and special 3 speed change switch which comes in particularly useful when dealing with smaller fasteners.

FEATURES

- 18V Cordless Impact Wrench
- 2 x 2.6Ah Li-Power Plus batteries
- Max. Torque (setting 3) - 220Nm
- Max. Torque (setting 2) - 145Nm
- Max. Torque (setting 1) - 105Nm
- Speed at No load (setting 3) - 2,650 rpm
- Speed at No load (setting 2) - 2,150 rpm
- Speed at No load (setting 1) - 1,600 rpm
- Weight 1.8kg

Order Number 602128500



Comes with carry case!

METABO TIP!
"Charge for an extra 30 minutes to boost battery capacity up to 20 volts!"



BHA 18 LT Li PowerPlus

The BHA 18 LT PowerPlus SDS hammer is designed to be a fast, lightweight hole shooter. Best suited for drilling 5, 6, 8, 10, 12 mm holes 150 mm deep, perfect for installing fixtures and fittings. Features include; high speed pneumatic hammer mechanism, large comfortable grip area, shoulder strap and vibration dampening side handle and clutch for machine and operator safety.

COMING SOON!

Comes with carry case!

METABO TIP!
"Charge for an extra 30 minutes to boost battery capacity up to 20 volts!"



Order Number 600228580



KSA 18 LTX Li PowerExtreme - Includes carry case

The KSA 18 LTX PowerExtreme circular saw distinguishes itself through precision and outright extreme performance. Ideal for joiners, carpenters and installers amongst others. Features include LED light for illuminating the cutting area, line-clear dust blow ports, 45° base bevel, side fence to aid parallel cuts and a quick stop blade brake for operator safety.
* Compatible with new 1.5 m guide rail (631213) + adaptor (631019)

FEATURES

- 18V Cordless Circular Saw
- 2 x 2.6Ah Li-Power Extreme batteries
- ASC 30+ minute intelligent air cooled battery charger
- No load speed: 2700/min
- Adjustable cutting depth: 0 - 53.5mm
- Max. Cutting depth at 45/90° - 42/53.5mm
- Saw blade diameter: 165mm
- Includes a saw blade and parallel guide
- Weight: 4.3kg

Order Number 602268380



METABO FACT!
"Will cut 47 meters of chip board 19mm thick on one full battery!"

Comes with carry case!



ASE 18 LTX Li PowerExtreme

The ASE 18 LTX PowerExtreme is designed for the toughest jobs. This high performance machine is commonly used for rough cuts in wood, plastic, metal pipe, wood with nails, aerated block, ideal for demolition and refurbishment work. Features include a 180° rotating blade for overhead use, a sturdy and simple "Quick" blade change system, robust rubber sheath over aluminium die-cast gear housing and world leading Metabo extreme battery packs.

FEATURES

- 18V Cordless Reciprocating Saw
- 2 x 2.6Ah Li-Power Extreme batteries
- ASC 30+ minute intelligent air cooled battery charger
- Includes 3 saw blades
- Keyless saw blade change
- Adjustable stop
- Strokes at no load: 0 - 2700/min
- Saw blade stroke: 27mm
- Weight: 3.6kg

Order Number 602269580



Comes with carry case!

METABO FACT!
"Will make 20 cuts through 100 x 120 mm softwood beam on one full battery."



ULA 14.4 - 18

The ULA 14.4 - 18V cordless lamp is designed for the new Metabo range of slide on lithium-ion battery packs. The free standing design has a tilting head with 6 different pre-set positions. Fitted with a powerful halogen bulb, and variable beam giving spot to wide angle protection.

FEATURES

- 14.4-18V Cordless halogen lamp
- 6 tilting positions
- Max. Duration of illumination at 18V - 10 Hours

Order Number 602311000

Maximum run time

14.4 Volt; 1.3 Ah	4 hours
14.4 Volt; 2.6 Ah	8 hours
18 Volt; 1.3 Ah	5 hours
18 Volt; 2.6 Ah	10 hours

Please note: battery pack not supplied as standard.
(See page 24 for battery pack purchases).

Replacement bulb
Order No. 343074560
List Price £4.12 exc VAT
List Price £4.84 inc VAT



BS 14.4 Li PowerCompact

Introducing the compact lithium-ion powered 14.4V drill/driver weighing in at a mere 1.35kg! The BS 14.4 Li PowerCompact has been designed to be extremely lightweight and comfortable. Perfect for light to medium duty work as a bench top machine or general purpose drill/driver. This machine comes with a new motor and electronics concept, optimised cooling ventilation slots, electronic single cell protection (ESCP), a high powered LED work light and quick ASC 30 minute diagnostic charger.

FEATURES

- 14.4V Cordless drill/screwdriver
- 2 x 1.3Ah Li-Power Compact batteries
- Two speed gearbox, with 20 Torque settings
- Speed at load 0 - 450 / 0 - 1,600rpm
- Weight 1.35kg
- Torque (soft/hard) 20/40Nm
- Drilling diameter in Steel - 10mm, Wood - 25mm
- Chuck capacity 1 - 13mm

Comes with carry case!



METABO FACT!

"Will drill at least eighty 5mm by 100mm screws into softwood on one battery pack. Best suited for driving screws up to 6/8mm in diameter."



Now with a 13mm Chuck!



Order Number 602135680

KHA 24 Li

The new KHA 24 is one of the fastest, lightest and most technologically advanced cordless 28V SDS drills on the market. With Lithium-ion technology, metabo's CODE! secure system protecting against unauthorised use and VTC electronics. This German built machine has got it all.

FEATURES

- 3 function gearbox: SDS, chisel and rotary
- 2 x 28V 2.2Ah Li-ion batteries and ASS 15+ minute charger
- Weights only 3.7kg
- VTC Electronics for constant speed
- CODE! Security system
- Speed at no load: 0-1,040/rpm
- Impact rate of 4,700 bpm - 2.2J blow force
- Capacity in concrete 20mm, steel 13mm, wood 22mm
- Tri-axis vibration reading: 18m/s² in accordance with EN607 45-2-6

Comes with carry case!



"I have yet to find a surface which didn't instantly succumb to the power of its combined drill and hammer."

www.workshopwindow.com

Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat



Order Number 600190580



BS 18 Li PowerCompact

Introducing the compact lithium-ion powered 18V drill/driver weighing in at a mere 1.40kg! The BS 18 Li PowerCompact has been designed to be extremely lightweight and comfortable. Perfect for light to medium duty work as a bench top machine or general purpose drill/driver. This machine comes with a new motor and electronics concept, optimised cooling ventilation slots, electronic single cell protection (ESCP), a high powered LED work light and quick ASC 30 minute diagnostic charger.

FEATURES

- 18V Cordless drill/screwdriver
- 2 x 1.3Ah Li-Power Compact batteries
- Two speed gearbox with 20 Torque settings
- Speed at load 0 - 450 / 0 - 1,600rpm
- Weight 1.4kg
- Torque (soft/hard) 24/48Nm
- Drilling diameter in Steel - 10mm, Wood - 25mm
- Chuck Capacity 1 - 13mm

Comes with carry case!



METABO FACT!

"Will drill at least eighty 5mm by 100mm screws into softwood on one battery pack. Best suited for driving screws up to 6/8mm in diameter."



Now with a 13mm Chuck!



Order Number 602136580

PowerMaxx Li Pro MKII

High performance lithium-ion powered 7.2V drill/driver. The Metabo PowerMaxx Li Pro has been designed with the professional in mind. This forth generation machine is ideal for electricians, kitchen fitters, plumbers, shop fitters etc. The PowerMaxx can access those awkward areas and still deliver uncompromising power to get the job done. This newly revamped pocket-sized model comes with a high powered LED light, aesthetically enhanced design and for the first time allows the chuck to be mounted directly onto the end of the angle attachment to allow angled drilling into tight spaces.

FEATURES

- 7.2V Cordless drill/screwdriver
- 2 x 2.2 Ah Lithium-ion batteries
- Two speed gearbox
- Drive in up to 1,250 3x20/25mm screws in one charge
- Superfast 60 minute charger
- Comes complete with keyless chuck, angle attachment and 20 piece bitset

Comes with carry case!



"Getting screws into tight spaces at awkward angles, are all in a days work for the PowerMaxx Li Pro."

www.Tool-Review.co.uk



Order Number 600078580



Twin Pack PowerCompact **NEW!**

PowerCompact twin pack with 18V drill/driver and impact driver. Compact, light and handy.

Includes:
BS 18 Li & SSD 18 Carcasses,
2 PowerCompact batteries,
ASC30 + Toolbag



Order Number	UK2PIECEKIT1
--------------	--------------

3 Piece Kit PowerPlus **NEW!**

3 piece kit with 18V drill/driver, circular saw and impact driver. Ideal for kitchen/shop fitters and woodworkers alike.

Includes:
BS 18 LT, KSA 18 & SSD 18 Carcasses,
2 PowerPlus batteries,
ASC30 + Toolbag with wheels



Order Number	UK3PIECEKIT
--------------	-------------

NEW! Twin Pack PowerPlus

PowerPlus twin pack with 18V combi and impact driver. A good solid all-round performer with a host of unique features.

Includes:
SB 18 LT & SSD 18 Carcasses,
2 PowerPlus batteries,
ASC30 + Toolbag



Order Number	UK2PIECEKIT3
--------------	--------------

NEW! 4 Piece Kit PowerExtreme

4 piece PowerExtreme kit. Industry leading performance with four of the most frequently asked for machines.

Includes:
SB18 LTX, KSA 18,
SSD 18 & ULA Carcasses,
3 PowerExtreme batteries,
ASC30 + Toolbag with wheels



Order Number	UK4PIECEKIT
--------------	-------------

Twin Pack PowerExtreme **NEW!**

PowerExtreme twin pack with 18V combi and impact driver. The markets most powerful twin pack. A special package with a long list of unique features.

Includes:
SB 18 LTX & SSD 18 Carcasses,
2 PowerExtreme batteries,
ASC30 + Toolbag

Comes with carry case!



Order Number	685014380
--------------	-----------

5 Piece Kit PowerExtreme **NEW!**

5 piece PowerExtreme kit. Currently Metabo's largest kit offering all our main machines at fantastic kit value.












Includes:
SB18 LTX, KSA 18, ASE 18,
SSD 18 & ULA Carcasses,
3 PowerExtreme batteries,
ASC30 + Toolbag with wheels




Order Number	UK5PIECEKIT
--------------	-------------

Pick 'n' Mix and create your own kits!

Description	Part Number	Item
BS 18 LTX Drill/Driver Carcass (Can be used with Power-Plus or Power-Extreme batteries)	602145850	
SB 18 LTX Combi Carcass (Can be used with Power-Plus or Power-Extreme batteries)	602148850	
KSA 18 LTX Circular Saw Carcass (Can be used with Power-Plus or Power-Extreme batteries)	602268850	
ASE 18 LTX Recip Saw Carcass (Can be used with Power-Plus or Power-Extreme batteries)	602269850	
SSD 18 LT/LTX Impact Driver Carcass (Can be used with Power-Plus or Power-Extreme batteries)	602127850	
SSW 18 LT/LTX Impact Wrench Carcass (Can be used with Power-Plus or Power-Extreme batteries)	602128850	
Metabo Heavy Duty Tool Bag	UKTOOLBAG	
Metabo Heavy Duty Tool Bag (Small)	UKTOOLBAGS	

Description	Part Number	Item
7.2V 2.2 Ah PowerMaxx Li-ion	625487000	
25.2/28V 2.2 Ah KHA 24 Li-ion	625489000	
14.4V 1.3 Ah Li-Power Compact	625467000	
18V 1.3 Ah Li-Power Compact	625468000	
14.4V 2.6 Ah Li-Power Plus	625456000	
18V 2.2 Ah Li-Power Plus	625469000	
18V 2.6 Ah Li-Power Plus	625457000	
14.4V 2.6 Ah Li-Power Extreme	625458000	
18V 2.6 Ah Li-Power Extreme	625459000	
ASC 30 Minute 240V Diagnostic Charger	240V - 627057000 110V - 627058000	
ASC 15 Minute 240V Diagnostic Charger	240V - 627293000	

15 Piece Bit Set



14 x Screwdriver bits, 25mm length.
Phillips: PH1, PH2;
Pozidriv: PZ1, PZ2;
Slotted: SL4, SL6; H3, H4, H5;
Torx: T10, T15, T20, T25, T30

1 x Magnetic bit holder

Order Number 630427000

26 Piece Bit & Wrench Set



18 x Screwdriver bits, 25mm length.
Phillips: PH1, PH2, PH3;
Pozidriv: PZ1, PZ2, PZ3;
Slotted: SL4, SL5.5, SL6.5
Hexagon: H3, H4, H5, H6;
Torx: T10, T15, T20, T25, T30;

5 x Spline sockets - 6,7,8,10,13mm

1 x 1/4" Adapter | Extension | Wrench

Order Number 630426000

32 Piece Bit Set



30 x Screwdriver bits, 25mm length.
Phillips: PH 1, PH 2, PH2, PH 3
Pozidriv: PZ 1, PZ 2, PZ 2, PZ 3
Slotted: SL 3, SL 4, SL 5, SL 6
Hexagon: H 3, H 4, H 5, H 6
Torx: T 10, T 15, T 20, T 25, T 27, T 30, T 40
Torx Tamper: T 10, T 15, T 20, T 25, T 27, T 30, T 40

1 x Adapter | Magnetic bit holder

Order Number 630445000

71 Piece Bit Set



60 x Screwdriver bits, 25mm length.
Phillips: PH1x3, PH2x6, PH3x3;
Pozidriv: PZ1x3, PZ2x6, PZ3x3;
Slotted: SL4x3, SL6x3; H4x3,
Hexagon: H5x3, H6x3;
Torx: T10x3, T15x3, T20x3, T25x3, 27x3, T30x3, T40x3

9 x Screwdriver bits, 75mm length.
PH1, PH2, PH3; PZ1, PZ2; SL4, SL6; T20, T25;

1 x Extension | Magnetic bit holder

Order Number 630425000

Carpenters Gloves **NEW!**

Highly protective carpenters gloves ideal for all weather use. With open finger design for extra dexterity, slip-resistant fingers and palm padding, these robust gloves will give you comfort and protection all year round.

Full Fingered Gloves **NEW!**

Highly protective full fingered gloves ideal for all weather use. With slip-resistant fingers and palm padding, these robust gloves will give you comfort and protection all year round.

Carpenters Gloves



Thick padded palm
For comfort and protection

Reinforced stitching
throughout for added
strength and durability

Reinforced thumb and fore
finger joint for use with
power tools

High grip finger and palm
fabric

Open finger design on each
hand allowing you to pick up screws,
nails and deal with intricate items
whilst still benefitting from glove
protection and comfort.



Elasticised branded strap
for a secure fit

Large towel sweat band on
back for wiping brow

Thumb knuckle guard
for extra protection

Breathable back for extra
comfort and heat dissipation

Machine washable up to 40° *

Available in L & XXL sizes *



Elasticised branded strap
For a secure fit

Large towel sweat band on
back for wiping brow

Thumb knuckle guard
For extra protection

Breathable back for extra comfort
and heat dissipation

Reinforced stitching throughout
for added strength and
durability

Reinforced thumb and fore finger
joint for use with power tools

Thick padded palm for comfort
and protection

High grip finger and palm fabric

Machine washable up to 40° *

Available in L & XXL sizes *

Full Fingered Gloves

Carpenters Gloves



Keep mobile. Stay protected.

Size L

Order Number	UKCARPGL
--------------	----------

Size XXL

Order Number	UKCARPGXXL
--------------	------------



Full fingered. Full protection.

Size L

Order Number	UKFULLGL
--------------	----------

Size XXL

Order Number	UKFULLGXXL
--------------	------------

Full Fingered Gloves

SBE 610

The SBE 610 sets new standards in the 610W impact drill class. With an innovative cup housing body, aluminium die-cast housing and light weight ergonomic design, Metabo have once again raised the bar for impact drills.

SBE 750

The SBE 750 is a popular 750W impact drill. The machine incorporates many of Metabo's core design strengths with the use of the Metabo marathon motor, safety clutch, auto-stop carbon brushes, aluminium die cast gear housing and rubber coated back handle. In general impact drills come into their own when drilling 12mm bits into stone, concrete or brick. In rotary only mode they are ideal for drilling into wood, metal, plastics and even glass. With the right attachments they can be used for driving in screws, stirring paint/plaster/mortar, polishing, sanding, grinding metal or removing rust.

Impact Drills

FEATURES	
High speed impact mechanism for unbeatable drilling performance	
Well balanced ergonomic design for greater working comfort	
Special front venting ducts direct exhaust air forwards and downwards away from the users eye	
Drill diameter: concrete 12mm, steel 10mm, softwood 25mm	
13mm double sleeve all metal keyless chuck	
Weight 1.7kg	



"I can't fault the efficiency of the drilling system. It is fast and devilishly efficient. The pressure required to drill is reduced over the conventional impact systems and makes light of a variety of materials including concrete."

Woodworking plans and projects

Comes with carry case!



Order Number	110V - 606101610 240V - 606101590
--------------	--------------------------------------

FEATURES	
Torque 18/6Nm	
Drill diameter: concrete 20mm, steel 13/8mm, softwood 40/25mm	
Speeds at no load 0-1.000/0-3.000rpm	
Rated input power 750W	
Speed at rated load 530rpm/1.600rpm	
Max impact rate 57,000 bpm	
Chuck capacity 1-13mm	
Weight (excluding mains lead) 2.3kg	
Tri-axis vibration reading: 21 m/s ² in accordance with EN607 45-2-1	



Comes with carry case!



Order Number	110V - 600760610 240V - 600760590
--------------	--------------------------------------



Impact Drills

SBE 705

The SBE 705 is a professional 705W impact drill with variable speed dial, double sleeve keyless chuck, marathon motor and auto-stop carbon brushes. Metabo developed the world's first mass produced impact drill. It substantiates their reputation as a leading manufacturer of durable, robust and technically sophisticated impact drills.

SBE 1010 With CODE! Security Technology

The SBE 1010 is Metabo's top of the range impact drill. This sophisticated piece of kit uses a reliable high torque 1,010W marathon motor and an array of special electronic features to give unbeatable drilling performance and long service life. CODE! protection against theft and unauthorised use. CODE! key supplied as accessory: 623127000

Impact Drills

FEATURES	
Torque 16/6Nm	
Drill diameter: Concrete 20mm, steel 13/8mm, softwood 40/25mm	
Speeds at no load 0-1.000/0-3.000rpm	
Rated input power 705W	
Speed at rated load 560rpm/1.700rpm	
Max impact rate 57,000 bpm	
Metabo S: Automatic Safety Clutch for machine and operator safety	
Chuck capacity 1,5-13mm	
Weight (excluding mains lead) 2.3kg	



Comes with carry case!



Order Number	110V - 600709610 240V - 600709590
--------------	--------------------------------------



FEATURES	
Torque 28/10Nm	
Drill diameter: Concrete 20mm, steel 16/8mm, softwood 40/25mm	
Speeds at no load 0-900/0-2.600rpm	
Rated input power 1010W	
Speed at rated load 900rpm/2.600rpm	
Max impact rate 50,000 bpm	
Metabo S: Automatic Safety Clutch	
Chuck capacity 1-13mm	
Weight (excluding mains lead) 2.4kg	
Tri-axis vibration reading: 22 m/s ² in accordance with EN607 45-2-1	

Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat



Comes with carry case!



Order Number	110V - 601108610 240V - 601108590
--------------	--------------------------------------

"Everything about this drill tells me that the manufacturer intends you to enjoy many years of service from it. Yes this is an excellent drill on all accounts."

The Router



Impact Drills

BE 4006

The BE 4006 is a compact, lightweight rotary drill, perfectly formed for bench top work in wood, metal and plastics. Rotary only drills are usually considered as specialist machines, however Metabo's vast range can cover a whole host of applications. This class are in their element for high tolerance drilling in wood, plastic and metal. Small high speed models come into their own for those repetitive small jobs where as high torque models are ideal for use with diamond cores, torque screws, augers and paddles etc.

Rotary Only Drills

FEATURES	
Torque 6Nm	
Drill diameter: Steel 6mm, Softwood 12mm	
Speeds at no load 0-4,000rpm	
Rated input power 400W	
Speed at rated load 2,400rpm	
Spindle thread 1/2"-20 UNF	
Chuck capacity 1-10mm	
Spindle with hex recess 1/4" (6.35mm)	
Weight (excluding mains lead) 1.2kg	



METABO FACT!
"Very high run speed of 4,000 rpm!"

Order Number	110V - 600554390 240V - 600554380
--------------	--------------------------------------

BDE 1100

The BDE 1100 is a high torque rotary drill with a 1,100W motor which kicks out an impressive 55 Nm of torque. With a variable speed trigger to ensure the right speed for the job and mechanical safety clutch for machine and operator safety. The BDE 1100 is designed for use with high torque dependant accessories.

Rotary Only Drills

FEATURES	
Torque 55/22Nm	
Drill diameter: Steel 16/10mm, softwood 40/25mm	
Speeds at no load 0-640/0-1.200rpm	
Rated input power 1.100W	
Speed at rated load 430rpm/800rpm	
Collar diameter 43mm	
Spindle thread 5/8"-16 UNF	
Chuck capacity 3-16mm	
Weight (excluding mains lead) 3.8kg	



METABO TIP!
"For your safety it is best to ensure you have a firm grip, secure stance and always drill below shoulder level."

METABO FACT!
55 Nm of soft driving torque will help drive some of the largest bits available.

Order Number	110V - 600806390 240V - 600806380
--------------	--------------------------------------



BE 622

The BE 622 is a compact, high torque rotary drill for tough jobs. Ideal for drilling with large diameter hole saws, augers and torque screws, die cast aluminium gear housing for optimum heat dissipation. With Metabo S: Automatic Safety Clutch for machine and operator safety. The angle attachment package makes the BE622 an unbeatable problem solver, fantastic value!

Rotary Only Drills

FEATURES	
Torque 35Nm	
Drill diameter: Steel 16mm, softwood 40mm	
Speeds at no load 0-550/rpm	
Rated input power 620W	
Speed at rated load 330/rpm	
Collar diameter 43mm	
Chuck capacity 1,5-13mm	
Spindle with hexagon recess 6,35mm	
Weight (excluding mains lead) 2.1kg	



METABO FACT!
"Extremely high torque for such a compact machine!" Need Cordless? see page 8.

	(Machine Only.)	(Metabo + Angle Attach.)
Order Number	110V - 600626390 240V - 600626380	110V - UK600626392 240V - UK600626382



BDE 1100 With 5 Piece Diamond Core Set + Heavy Duty Tool Bag

The BDE 1100 with 5 or 3 piece diamond core set is a great value for money package. The cores are designed with a serrated tooth pattern for quick clean cuts. 5 Piece kit core diameters equal: 38mm, 52mm, 65mm, 117mm, 127mm. Kit also includes an SDS Plus adaptor, 250mm long SDS Plus adaptor, Hex adaptor, 250mm long Hex adaptor, Pilot drill bit and extractor drift key. 3 Piece kit core diameters equal: 38mm, 52mm, 117mm.

Rotary Only Drills

FEATURES	
Torque 55/22Nm	
Drill diameter: Steel 16/10mm, softwood 40/25mm	
Speeds at no load 0-640/0-1.200rpm	
Rated input power 1.100W	
Speed at rated load 430rpm/800rpm	
Collar diameter 43mm	
Spindle thread 5/8"-16 UNF	
Chuck capacity 3-16mm	
Weight (excluding mains lead) 3.8kg	



METABO TIP!
"For your safety it is best to ensure you have a firm grip, secure stance and always drill below shoulder level."

	5 Piece Kit	3 Piece Kit
Order Number	110V - UK600806391 240V - UK600806381	110V - UK600806392 240V - UK600806382



WBE 700

High powered 705W Angle Drill with 10mm geared chuck and variable speed thumb wheel for pre-selection of speed. The WBE 700 is particularly useful for drilling holes in floor and roofing joists in preparation for laying wiring looms or copper/pvc pipe.

FEATURES

Torque 8Nm
Drill diameter: Steel 10mm, softwood 25mm
Speeds at no load 850 - 2.050rpm
Rated input power 705W
Speed at rated load 1.500rpm
Spindle thread 1/2"-20 UNF
Chuck capacity 1-10mm
Weight (excluding mains lead) 1.8kg



METABO TIP!
Market leading 705W motor makes this machine ideal for joist work. Need cordless? See Page 8.



Order Number	240V - 600512000
--------------	------------------

Rotary Only Drills

SE 4000 + SM 5-55 Feed Gun **NEW!**

The kit comprises of the SE 4000 screwdriver gun with SM5-55 collated screw attachment, scaffold hook and nose cone in carry case. The SE4000 + SM5-55 will allow you to work quickly and effectively saving you both time and money over single action screwdrivers. Benefits include its compact design, high speed rpm rating, low noise claw clutch, depth adjustment, trigger lock on and lightweight design (only 1.7kg!) allowing for comfortable single handed/overhead use. The collated screw attachment is removable and with the fitment of the supplied nose cone the SE 4000 can be used as a stand-alone forward and reverse screw driver, a really useful feature making it ideal for refurb work. Perfect for drywall installers, plasterers, carpentry, construction and refurb companies. The auto-feed gun works with commercial collated screw strips. Designed for use with screws with a length of 25 – 55 mm, a maximum screw head diameter of 9.5 mm and a maximum screw shaft diameter of 5 mm.

METABO FACT!
Compatible with the most common industry screw strips. One of the lightest guns on the market, only 1.7kg!

FEATURES

Max tightening torque: 6Nm
Speeds at no load 0-4,000rpm
Rated input power 400W
Speed at rated load 2,400rpm
Bit retainer: Hexagon recess 1/4" (6.35mm)
Weight (excluding mains lead) 1.2kg (Machine only)
Weight (excluding mains lead) 1.7kg (Machine & Feed)



Dry Wall Screw Gun

RWE 1100 Inc. Paddle

High powered machine Ideal for stirring and mixing plasterers/paints etc. Safety clutch for machine and operator safety. Full range of Metabo accessories with M14 thread available. With variable speed soft start trigger for pre-selection of speed. Includes paddle: 631964000.

FEATURES

Torque 45Nm
Maximum stirring paddle Ø 160mm
Speeds at no load 0-700rpm
Rated input power 1,100W
Speed at rated load 480rpm
Collar diameter 43mm
Bit retainer M14 female thread
Includes free 130mm paddle with bottom to top mixing effect
Quick change adapter shown on machine not supplied as standard
Weight (excluding mains lead) 3.4kg

631953000	130mm top-bottom paddle	List (exc. VAT): £42.41
631954000	160mm top-bottom paddle	List (exc. VAT): £50.69
631964000	130mm bottom-top paddle	List (exc. VAT): £42.41
631965000	160mm bottom-top paddle	List (exc. VAT): £50.69
631966000	Quick adapter	List (exc. VAT): £26.80



Order Number	110V - UK60111390 240V - UK60111380
--------------	--

Rotary Only Drills

MACHINE ONLY

Order Number	110V - 620004390 240V - 620004000
--------------	--------------------------------------

MACHINE AND FEED GUN

Order Number	110V - 620005390 240V - 620005000
--------------	--------------------------------------

Metabo screws are compatible for use with other collated screwdrivers: Senco, Makita, Ryobi, Hilti, Quick Drive & Milwaukee.

Part No.	Description			
625500000	2 bits. Phillips 2 head. 157 mm in length			
631619000	SM 5-55 Auto-Feed Magazine for SE 4000 or SE 2800			
<i>For gypsum plaster boards on a substructure made of sheet steel profiles up to 0.8 mm thick.</i>				
635170000	Box of 1000 phosphate coated screws. 20 x 50 strips. Phillips 2 head. 3.9 x 25 mm long. Fine thread, point: sharp.			
635171000	Box of 1000 phosphate coated screws. 20 x 50 strips. Phillips 2 head. 3.9 x 35 mm long. Fine thread, point: sharp.			
635172000	Box of 1000 phosphate coated screws. 20 x 50 strips. Phillips 2 head. 3.9 x 45 mm long. Fine thread, point: sharp.			
<i>For gypsum plaster boards on a substructure made of wood.</i>				
635173000	Box of 1000 phosphate coated screws. 20 x 50 strips. Phillips 2 head. 3.9 x 25 mm long. Course thread, point: sharp.			
635174000	Box of 1000 phosphate coated screws. 20 x 50 strips. Phillips 2 head. 3.9 x 35 mm long. Course thread, point: sharp.			
635175000	Box of 1000 phosphate coated screws. 20 x 50 strips. Phillips 2 head. 3.9 x 45 mm long. Course thread, point: sharp.			

Dry Wall Screw Gun

BHE 24

BHE 24 with 2 function gearbox: SDS and rotary. Variable speed trigger and quick change chuck capability – three jaw keyless quick change available as accessory (631921000). Our hammers hit hard and are perfect for working in hard materials such as stone or concrete. The pneumatic hammer mechanism generates high-energy impacts allowing the user to effortlessly drive the bit or chisel into masonry. Metabo hammers are versatile, robust, ergonomic, powerful and reliable, all properties that the trade demands.

SDS Plus Rotary Hammers

FEATURES	
Drilling capacity in Concrete with hammer drill bits 24mm, SDS plus. Steel 13mm, softwood 30mm	
Rated input power 705W	
Speed at rated load 750rpm	
Max impact rate 4,600bpm	
Max single blow energy 2.2J	
Collar diameter 43mm	
Tri-axis vibration reading 11m/s ² in accordance with EN607 45-2-6	
Weight (excluding mains lead) 2.4kg	
Order Number	110V - 600243390 240V - 600243000



Comes with carry case!



KHE 24 SP

KHE 24 SP with 3 function gearbox: SDS, chisel and rotary. Entry level SDS Hammer built to Metabo's high quality standard, with back to basic features. Die cast aluminium gear housing increases the service life of the machine. The machine is more robust and dissipates heat faster.

SDS Plus Rotary Hammers

FEATURES	
Drilling capacity in Concrete with hammer drill bits 24mm, SDS plus	
No load speed 0-1,000rpm	
Rated input power 705W	
Speed at rated load 750rpm	
Max impact rate 4,600bpm	
Max single blow energy 1.8J	
Tri-axis vibration reading 15m/s ² in accordance with EN607 45-2-6	
Weight (excluding mains lead) 2.4kg	
Order Number	110V - 600230390 240V - 600230380



Comes with carry case!



BHE 26 With CODE! Security Technology



BHE 26 with 2 function gearbox: SDS and rotary. Variable speed trigger, VTC electronics for constant speed control under load, CODE! protection against theft and unauthorised use. Our hammers hit hard and are perfect for working in hard materials such as stone or concrete. The pneumatic hammer mechanism generates high-energy impacts allowing the user to effortlessly drive the bit or chisel into masonry. Metabo hammers are versatile, robust, ergonomic, powerful and reliable, all properties that the trade demands.

SDS Plus Rotary Hammers

FEATURES	
Drilling capacity in Concrete 26mm, SDS plus, Masonry 65mm, Steel 13mm, softwood 40mm	
No load speed 0-1,000rpm	
Rated input power 750W	
Speed at rated load 1,000rpm	
Max impact rate 4,600bpm	
Max single blow energy 2.3J	
Collar diameter 43mm	
Tri-axis vibration reading 12m/s ² in accordance with EN607 45-2-6	
Weight (excluding mains lead) 2.6kg	
Order Number	110V - 600336390 240V - 600336000



Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat



KHE 26 With CODE! Security Technology Incl. 3 Jaw Chuck

KHE 26 with 3 function gearbox: SDS, chisel and rotary. Variable speed trigger, VTC electronics for constant speed control under load gives unbeatable drilling performance, CODE! protection against theft and unauthorised use. Also includes thermal overload and thermal cut-out protection, carbon brush wear indicators and re-start protection.

SDS Plus Rotary Hammers

FEATURES	
Drilling capacity in Concrete with hammer drill bits 20mm, SDS plus, Masonry with core bits 65mm	
No load speed 0-1,000rpm	
Rated input power 800W	
Speed at rated load 1,000rpm	
Max impact rate 4,600bpm	
Max single blow energy 2.3J	
Tri-axis vibration reading 12m/s ² in accordance with EN607 45-2-6	
Weight (excluding mains lead) 2.7kg	
Collar diameter 43mm	
Order Number	110V - 600337890 240V - 600337880



Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat

Comes with carry case!



KHE 28 With CODE! Security Technology

The KHE 28 with 3 function gearbox: SDS, chisel and rotary. This improved machine represents new standards in the 2-3kg hammer class. A new gear box design delivers significantly improved hitting force without sacrificing service life. Improved safety clutch, new easy select function switch and vibration dampening VibraTech side handle compliments the machines existing array of features. Also includes variable speed trigger and VTC electronics for constant speed control under load.

FEATURES

- Drilling capacity in Concrete with hammer drill bits 28mm, SDS plus, Masonry with core bits 68mm
- No load speed 0-950rpm
- Rated input power 1.010W
- Speed at rated load 950rpm
- Max impact rate 4,400bpm
- Max single blow energy 3J
- Collar diameter 50mm
- Tri-axis vibration reading 16m/s² in accordance with EN607 45-2-6
- Weight (excluding mains lead) 2.9kg

Order Number 110V - 600364390
240V - 600364000



Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat

"I've always rated Metabo as being about the best SDS hammers available. The new KHE28 is a prime example of what makes them champions."

Good Woodworking

Comes with carry case!



UHE 28 With CODE! Security Technology Incl. 3 Jaw Chuck

This top of the range UHE 28 boasts class leading features. With a four function gear box this multi machine has got what you need to cover virtually every application. Includes vibration dampening VibraTech handle, VTC electronics for constant speed under load, Safety clutch and CODE! security. Why buy four machines when one will do it all?!

FEATURES

- Torque 22/8Nm
- Drilling capacity in Concrete 28mm, SDS plus, Masonry 80mm, Steel 16/8mm, Softwood 40/20mm
- Rated input power 1,010W
- Speed at rated load 950/2,600rpm
- Max impact rate 4,400bpm
- Collar diameter 43mm
- Chuck capacity 1.5-13mm
- Tri-axis vibration reading 16m/s² in accordance with EN607 45-2-6
- Weight (excluding mains lead) 2.8kg

Order Number 110V - 600361390
240V - 600361380

Comes with carry case!



Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat



KHE 32 With CODE! Security Technology Incl. 3 Jaw Chuck

KHE 32 with 3 function gearbox: SDS, chisel and rotary. Variable speed trigger, VTC electronics for constant speed control under load, CODE! protection against theft and unauthorised use. Metabo Safety Clutch. The mechanical clutch slips when a disc/bit jams protecting machine and user from sudden machine kick back. CODE! key supplied as accessory: 623127000

FEATURES

- Drilling capacity in Concrete with hammer drill bits 32mm, SDS plus, Masonry with core bits 80mm
- No load speed 0-780rpm
- Rated input power 900W
- Speed at rated load 780rpm
- Max impact rate 3,800bpm
- Max single blow energy 3.5J
- Collar diameter 50mm
- Tri-axis vibration reading 18m/s² in accordance with EN607 45-2-6
- Weight (excluding mains lead) 3.5kg

Order Number 110V - 600332390
240V - 600332000



Code Key not supplied as standard. Order No. 622500000 List £30.00 ex vat



Comes with carry case!

MHE 56

The range of Metabo heavy duty SDS Max hammers have been designed to work in the most demanding of working environments day in day out. Be it for gas, water or air con installation, demolition work or general refurbishment work these machines have the power and features to get the job done without complication.

FEATURES

- VTC Electronics, Brush wear display, Lock switch, cut-off carbon brushes
- Rated input power 1,300W
- Max impact rate 2,650bpm
- Impact force 10J
- Tri-axis vibration reading 11.3m/s² in accordance with EN607 45-2-6
- Weight (excluding mains lead) 5.7kg
- Magnesium die-cast gear housing

Order Number 110V - 600366390
240V - 600366000



Comes with carry case!



KHE 56

Common features for the Metabo SDS Max range include: high performance hammer mechanisms, all metal gear boxes, tough ergonomic housing designs and Metabo's MVT active vibration dampening technology which helps keep vibration levels down to a minimum. All machines are backed up with Metabo's three year warranty if registered online within 4 weeks of purchase.

FEATURES

Brush wear display, Lock switch, cut-off carbon brushes, rotation stop, vibration damping system

Rated input power 1,300W

Speed at rated load 0-450 rpm

Max impact rate 2,840bpm

Impact force 14J

Drill diameter,
SDS Bits - 45mm / Core - 100mm

Tri-axis vibration reading 12.3m/s² in accordance with EN607 45-2-6

Weight (excluding mains lead) 6.7kg

Magnesium die-cast gear housing

Order Number 110V - 600340390
240V - 600340000



Comes with carry case!



MHE 96

Metabo VibraTech (MVT) uses an integrated dampening system on the handles to help reduce vibration levels and therefore help lessen the impact on joints. The additional side handle can be positioned in three places. The adjustable front handle can be rotated 360°, in conjunction with the long, slim design this aids comfort and safety when working in a horizontal or upright position.

FEATURES

Brush wear display, Lock switch, cut-off carbon brushes, vibration damping system

Rated input power 1,600W

MVT additional handle, front handle, tube of grease, duster, carry case

Max impact rate 1,950bpm

Impact force 27J

Tri-axis vibration reading 11m/s² in accordance with EN607 45-2-6

Weight (excluding mains lead) 11kg

Magnesium die-cast gear housing

Order Number 110V - 600396390
240V - 600396000



Comes with carry case!



KHE 76

The KHE 76 is a high performance, hard-hitting SDS Max machine. Coupled with the latest vibration reduction technology, the key here is that this machine allows you to work quickly and safely*. Comes with a two function gear box for hammer drilling and chiselling. Suitable for medium to heavy-duty breaking. *Please refer to HSE website for details on safe permissible trigger time for this machine, www.hse.gov.uk/vibration/hav/vibrationcalc.htm

FEATURES

Brush wear display, Lock switch, cut-off carbon brushes, rotation stop, vibration damping system

Rated input power 1,500W

Speed at rated load 0-300rpm

Max impact rate 2,735bpm

Impact force 16J

Drill Diameter,
SDS Bits - 52mm / Core - 150mm

Tri-axis vibration reading 9.7m/s² in accordance with EN607 45-2-6

Weight (excluding mains lead) 8.4kg

Magnesium die-cast gear housing

Order Number 110V - 600341390
240V - 600341000



Comes with carry case!



KHE 96

The KHE 96 has all the features and benefits of the MHE 96 but with the added benefit of a two function gear box. This gives you the power of a dedicated breaker and a high capacity drill in one. In addition to the Vibra-tech handle, this machine also has an active vibration dampening system in the rear handle. Less vibration, less fatigue, more protection for the user.

FEATURES

Brush wear display, Lock switch, cut-off carbon brushes, rotation stop, vibration damping system, torque limiting clutch

Rated input power 1,700W

Speed at rated load 125-250rpm

Max impact rate 1,950bpm

Impact force 27J

Drill Ø SDS Bits-50mm, Core-150mm

MVT additional handle, front handle, tube of grease, duster, carry case

Tri-axis vibration reading 12.4m/s² in accordance with EN607 45-2-6

Weight (excluding mains lead) 11.8kg

Order Number 110V - 600596390
240V - 600596000



Comes with carry case!



Screwdriver Bits	
Part No.	Description
631557000	25 Screwdriver bits Torsion PZ1 - 25mm
631558000	25 Screwdriver bits Torsion PZ2 - 25mm
631559000	25 Screwdriver bits Torsion PZ3 - 25mm
624436000	25 Screwdriver bits Torsion TX15 - 25mm
624437000	25 Screwdriver bits Torsion TX20 - 25mm
624438000	25 Screwdriver bits Torsion TX25 - 25mm

SDS Plus / Max Chisels	
Part No.	Description
631456000	SDS Plus tile chisel 250mm
631421000	SDS Plus pointed chisel 250mm
631420000	SDS Plus flat chisel 250mm
631425000	SDS Plus scaling chisel 250mm
631422000	SDS Plus chasing gouge 250mm
623352000	SDS Max pointed chisel 400mm
623354000	SDS Max flat chisel 400mm
623355000	SDS Max scaling chisel 400x50mm
623357000	SDS Max chasing gouge 300mm

Drill Accessories	
Part No.	Description
627193000	TC tipped masonry drills (8pcs.) - (Ø - 3,4,5,6,7,8,9,10mm)
627202000	8 Wood twist drills with centring point - (Ø - 3,4,5,6,7,8,9,10mm)
627164000	HSS-R Metal drills (19 pcs.) - (Ø - 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10mm)
631078000	Angle drill and screwdriver attachment
636226000	Keyless chuck Futuro top 1-13mm, 1/2" - 20 UNF
636620000	Chuck Futuro plus S2M 1.5 - 13mm, 1/2" - 20 UNF
636621000	Chuck Futuro plus S1 1.5 - 13mm, 1/2" - 20 UNF
635250000	Geared Chuck 1.5 - 13mm, 1/2" - 20 UNF
635167000	Chuck key size 2 sb
631285000	Connection piece SDS-plus, 1/2" - 20 UNF
623371000	SDS MAX to SDS Adaptor
623372000	SDS MAX to Spline shank Adapter
623127000	CODE! Security Key fob

SDS Plus (Pro 4) Drill Bits - 2 Cutting Edges	
Part No.	Description
631821000	SDS Plus Pro 4 - 4 spiral helix / 5 x 160mm
631864000	SDS Plus Pro 4 - 4 spiral helix / 5 x 210mm
631823000	SDS Plus Pro 4 - 4 spiral helix / 5.5 x 160mm
631825000	SDS Plus Pro 4 - 4 spiral helix / 6 x 160mm
631826000	SDS Plus Pro 4 - 4 spiral helix / 6 x 210mm
631866000	SDS Plus Pro 4 - 4 spiral helix / 6 x 260mm
631828000	SDS Plus Pro 4 - 4 spiral helix / 6.5 x 160mm
631876000	SDS Plus Pro 4 - 4 spiral helix / 6.5 x 260mm
631830000	SDS Plus Pro 4 - 4 spiral helix / 7 x 160mm
631831000	SDS Plus Pro 4 - 4 spiral helix / 7 x 210mm
631833000	SDS Plus Pro 4 - 4 spiral helix / 8 x 160mm
631834000	SDS Plus Pro 4 - 4 spiral helix / 8 x 210mm
631835000	SDS Plus Pro 4 - 4 spiral helix / 8 x 260mm
631838000	SDS Plus Pro 4 - 4 spiral helix / 10 x 160mm
631839000	SDS Plus Pro 4 - 4 spiral helix / 10 x 210mm
631840000	SDS Plus Pro 4 - 4 spiral helix / 10 x 260mm
630519000	SDS Plus Pro 4 - 4 spiral helix / 10 x 450mm
631844000	SDS Plus Pro 4 - 4 spiral helix / 12 x 160mm
631845000	SDS Plus Pro 4 - 4 spiral helix / 12 x 210mm
631846000	SDS Plus Pro 4 - 4 spiral helix / 12 x 260mm
630526000	SDS Plus Pro 4 - 4 spiral helix / 12 x 450mm
631849000	SDS Plus Pro 4 - 4 spiral helix / 14 x 160mm
631801000	SDS Plus Pro 4 - 4 spiral helix / 14 x 450mm
631855000	SDS Plus Pro 4 - 4 spiral helix / 16 x 210mm
630531000	SDS Plus Pro 4 - 4 spiral helix / 16 x 450mm

SDS Plus Drill Bits - 2 Cutting Edges	
Part No.	Description
630536000	SDS Plus / 20 x 200mm
630590000	SDS Plus / 20 x 300mm
630537000	SDS Plus / 20 x 450mm
630539000	SDS Plus / 22 x 450mm
630549000	SDS Plus / 25 x 450mm

SDS Plus Drill Bits - 4 Cutting Edges	
Part No.	Description
631702000	SDS Plus 4 / 16 x 450mm
631706000	SDS Plus 4 / 20 x 450mm
631710000	SDS Plus 4 / 25 x 450mm
631711000	SDS Plus 4 / 28 x 450mm
631712000	SDS Plus 4 / 30 x 450mm

SDS Plus (Pro 4) Drill Bits - 4 Cutting Edges	
Part No.	Description
626200000	SDS-Plus Pro 4 Premium / 5.0 x 110 mm
626201000	SDS-Plus Pro 4 Premium / 5.0 x 160 mm
626202000	SDS-Plus Pro 4 Premium / 5.5 x 110 mm
626203000	SDS-Plus Pro 4 Premium / 5.5 x 160 mm
626204000	SDS-Plus Pro 4 Premium / 6.0 x 110 mm
626205000	SDS-Plus Pro 4 Premium / 6.0 x 160 mm
626206000	SDS-Plus Pro 4 Premium / 6.0 x 210 mm
626207000	SDS-Plus Pro 4 Premium / 6.0 x 260 mm
626208000	SDS-Plus Pro 4 Premium / 6.0 x 310 mm
626209000	SDS-Plus Pro 4 Premium / 6.5 x 160 mm
626210000	SDS-Plus Pro 4 Premium / 6.5 x 210 mm
626211000	SDS-Plus Pro 4 Premium / 6.5 x 260 mm
626212000	SDS-Plus Pro 4 Premium / 6.5 x 310 mm
626213000	SDS-Plus Pro 4 Premium / 7.0 x 110 mm
626214000	SDS-Plus Pro 4 Premium / 7.0 x 160 mm
626215000	SDS-Plus Pro 4 Premium / 8.0 x 110 mm
626216000	SDS-Plus Pro 4 Premium / 8.0 x 160 mm
626217000	SDS-Plus Pro 4 Premium / 8.0 x 210 mm
626218000	SDS-Plus Pro 4 Premium / 8.0 x 260 mm
626219000	SDS-Plus Pro 4 Premium / 10.0 x 110 mm
626220000	SDS-Plus Pro 4 Premium / 10.0 x 160 mm
626221000	SDS-Plus Pro 4 Premium / 10.0 x 210 mm
626222000	SDS-Plus Pro 4 Premium / 10.0 x 260 mm
626223000	SDS-Plus Pro 4 Premium / 10.0 x 310 mm
626224000	SDS-Plus Pro 4 Premium / 10.0 x 450 mm
626225000	SDS-Plus Pro 4 Premium / 12.0 x 160 mm
626226000	SDS-Plus Pro 4 Premium / 12.0 x 210 mm
626227000	SDS-Plus Pro 4 Premium / 12.0 x 260 mm
626228000	SDS-Plus Pro 4 Premium / 12.0 x 310 mm
626229000	SDS-Plus Pro 4 Premium / 12.0 x 450 mm
626230000	SDS-Plus Pro 4 Premium / 14.0 x 160 mm
626231000	SDS-Plus Pro 4 Premium / 14.0 x 210 mm
626232000	SDS-Plus Pro 4 Premium / 14.0 x 310 mm
626233000	SDS-Plus Pro 4 Premium / 14.0 x 450 mm

Miscellaneous	
Part No.	Description
630584000	7 Piece SDS Plus Set in Metal Case Ø 5, 6, 6, 8, 8, 10, 12mm
630477000	5 Piece SDS Plus bit and chisel set
630488000	5 Piece SDS Max chisel set (type 1)
630489000	5 Piece SDS Max chisel set (type 2)

Picture shown:
SDS Plus (Pro 4) Drill
bit - 2 Cutting edges



Drill Accessories

Drill Accessories

Drill Accessories

Drill Accessories



~~GOOD VIBRATIONS.~~




The WEA 14-125 has a tri-axis reading of just 3.6m/s²!!

3.6m/s² gives an ELV (exposure limit value) of 15 hours & 26 minutes, i.e. Enough time for a full honest days work! Most grinders run around 7 m/s² giving an ELV of only 4 hours & 5 minutes, i.e. not even enough time for a full shift.

For more info please see: www.hse.gov.uk/vibration/hav

People who use angle grinders everyday are all too familiar with equipment vibration and in many aspects are aware of its effect on their health. The Metabo Vibratex system now uses autobalancing technology to help reduce the level of vibration users can be exposed to. From compact models up to industrial grinders, we now have the widest range of low vibration grinders on the market.

It's what's inside that counts.



What is 'Dead-Mans'?



The machine turns off automatically when the hand is released from the switch. This helps protect the user and the working area from disc impact should the grinder be dropped. Especially important for those working in confined spaces, at height or in areas of high conductivity.

What size grinders are available with 'Dead-Mans'?

4 1/2", 5", 6". Please ask your area sales manager for details on these specialist 5" and 6" models. Also inherent in each grinder is our infamous long life marathon motor for up to 5 times service life, safety clutch, auto-stop carbon brushes and resin protected switches.

Why use autobalancing technology?

Our auto-balancing technology ('A') in our WEPA models brings vibration figures down to an industry leading 3.6 m/s². This is not only great for protecting users against exposure to excessive hand-arm vibration, but is also proven to increase disc life and machine service life.

Why have variable speed?

Variable speed electronics in our 'E' models allow you to change the speed for the right accessory, for example cup and wire brushes to cutting discs whilst also maintaining that speed under load.



Combined, Metabo have more tangible features and benefits in our grinders than any other power tool manufacturer in the market today!

"That's why professionals choose Metabo."



The NEW WP 8-115 Quick has all the features and benefits of the W 8-115, but now with a dead-mans paddle switch and the quick disc change nut. This is an industrial quality grinder in a popular UK disc size, designed to work in demanding working environments. The main features include: dead-mans paddle switch, quick disc change nut, safety clutch, cast aluminium gear housing, precision bearings, sintered gears, VibraTech side handle, armature protection grid, large sonically balanced fan, long life marathon motor, resin coated windings and auto-stop carbon brushes.



FEATURES	
Grinding wheel	115mm, 4 ^{1/2} "
Torque	2.2Nm
No load speed	10,000rpm
Rated input power	800W
Spindle thread	M14
Weight (excluding mains lead)	1.8kg
Tri-axis vibration reading	6m/s ² in accordance with EN607 45-2-3



Order Number	110V - 600267390 240V - 600267000
--------------	--------------------------------------



Grinders

Grinders

Grinders

Grinders

W 6-100

The compact problem solver! The W6-100 has been designed for getting into tight awkward spaces that other grinders just can not reach. With a thin, lightweight body shape the W6-100 is ideal for one handed finishing work or two handed cutting.

FEATURES	
Grinding wheel	100mm, 4"
Torque	1.6Nm
No load speed	11,000rpm
Rated input power	650W
Spindle thread	M10
Weight (excluding mains lead)	1.5kg

"The smallest most compact grinder on the market today"

Comes with carry case!



Order Number	240V - 606110000
--------------	------------------

W 8-115

The new W8-115 is a popular 115 mm 4 1/2" industrial quality angle grinder. Metabo is well known for its industrial quality angle grinders. These German built machines distinguish themselves from the crowd through the use of high quality, high performance components. Made to work day-in, day-out, in the most demanding of working environments these new grinders will pay for themselves in high productivity and low downtime - guaranteed!

FEATURES	
Grinding wheel	115mm, 4 1/2"
Torque	2.2Nm
No load speed	10,000rpm
Rated input power	800W
Spindle thread	M14
Weight (excluding mains lead)	1.8kg
Tri-axis vibration reading	6m/s ² in accordance with EN607 45-2-3



Order Number	110V - 600259390 240V - 600259380
--------------	--------------------------------------

W 6-115 With Carry Case

The compact problem solver! The W6-115 has been designed for getting into tight awkward spaces that other grinders just can not reach. With a thin, lightweight body shape the W6-115 is ideal for one handed finishing work or two handed cutting.

FEATURES	
Grinding wheel	115mm, 4 1/2"
Torque	1.6Nm
No load speed	11,000rpm
Rated input power	650W
Spindle thread	M14
Weight (excluding mains lead)	1.5kg

"The smallest most compact grinder on the market today"



Order Number	240V - 606111590 110V - 606111610
--------------	--------------------------------------

WE 9-125 Quick

The new WE9-125 Quick is a 125 mm 5" industrial quality angle grinder with variable speed, VC electronic speed stabilised under moderate loading, restart protection and the Metabo Quick system for quick disc change without tools. The main features include, higher powered marathon motors, increased motor protection, increased fan flow rates giving better cooling and longer service life, new ergonomics and mechanical safety clutches and vibration dampening side handles fitted as standard.

FEATURES	
Grinding wheel	125mm, 5"
Torque	2.5Nm
No load speed	3,000-10,000rpm
Rated input power	950W
Spindle thread	M14
Weight (excluding mains lead)	1.9kg
With quick nut	for quick blade change without tools
Tri-axis reading	5.5m/s ² in accordance with EN607 45-2-3



Order Number	110V - 600269390 240V - 600269000
--------------	--------------------------------------

variable speed dial

W 11-125 Quick

The new W11-125 Quick is a 125 mm 5" industrial quality angle grinder with a powerful 1,100W motor. Also includes the Metabo Quick system for quick disc change without tools. Die cast aluminium gear housing increases the service life of the machine, it is more robust and dissipates heat faster.

FEATURES

- Grinding wheel 125mm, 5"
- Torque 3Nm
- No load speed 10,000rpm
- Rated input power 1,100W
- Spindle thread M14 x 1.5
- Weight (excluding mains lead) 2kg
- With Quick nut for quick blade change without tools
- Tri-axis vibration reading: 7m/s² in accordance with EN607 45-2-3



Order Number	110V - 600270390 240V - 600270380
--------------	--------------------------------------

WE 14-125 Quick Variable Speed Grinder

The new WE14-125 Quick is an extremely powerful 125 mm 5" industrial quality angle grinder with variable speed, VTC electronic speed stability under heavy loading, VTC thermal overload protection, restart protection and the Metabo Quick system for quick disc change without tools.

FEATURES

- Grinding wheel 125mm, 5"
- Torque 3.3Nm
- No load speed 7,000 - 10,500rpm
- Rated input power 1,400W
- Spindle thread M14
- Weight (excluding mains lead) 1.9kg
- With Quick Nut for quick blade change without tools
- Tri-axis vibration reading 6.5m/s² in accordance with EN607 45-2-3



Order Number	110V - 600281390 240V - 600281000
--------------	--------------------------------------

variable speed dial

WB 11-125 Quick Mechanical brake stops disc in under 3 seconds

Designed for working environments where safety is paramount Metabo have brought a completely new model to the range. The WB11-125 contains a mechanical safety break which brings the machine to a stop from 10,000 rpm to 0 rpm within just 3 seconds of the user switching off the machine! This not only increases user safety, but allows the user to work much faster as they do not have to wait long for the machine to stop to change discs or change working position etc.

FEATURES

- Grinding wheel 125mm, 5"
- Torque 3Nm
- No load speed 10,000rpm
- Rated input power 1,100W
- Spindle thread M14 x 1.5
- Weight (excluding mains lead) 2kg
- With Quick Nut for quick blade change without tools
- Tri-axis vibration reading: 7m/s² in accordance with EN607 45-2-3



Order Number	110V - 600274390 240V - 600274000
--------------	--------------------------------------

WEA 14-125 Quick Low Vibration Grinder + Variable Speed

The WEA14-125 with variable speed uses the latest vibration reduction auto-balancing technology. This technology brings down the already low reading of 6.5m/s² to just 3.6m/s²!! The system also helps to increase accessory life, improves finish and increases productivity. The main features include, higher powered marathon motors, increased motor protection, increased fan flow rates giving better cooling and longer service life, new ergonomics and mechanical safety clutches and vibration dampening side handles fitted as standard.

FEATURES

- Grinding wheel 125mm, 5"
- Torque 3.3Nm
- No load speed 7,000-10,500rpm
- Rated input power 1,400W
- Spindle thread M14
- Weight (excluding mains lead) 1.9kg
- With quick nut for quick blade change without tools
- Tri-axis reading 3.6m/s² in accordance with EN607 45-2-3



"VS another German brand, I did come to the conclusion that I would prefer to use the Metabo. Not only are the vibration levels noticeably less, but the whole package is just so much more up-to-date."

Tool Business and Hire

METABO FACT!
The grinder of choice for leading UK industrial giants.



Order Number	110V - 601105390 240V - 601105000
--------------	--------------------------------------

low vibration grinder & variable speed dial

W 14-125 ERGO

The W14-125 Ergo is an extremely powerful 125 mm 5" industrial quality angle grinder with a rotating back handle. This gives the user great working power in a flexible form, ideal for where the machine is used for both grinding and cutting applications.

W 23-180

The W23-180 is an extremely powerful 180mm 7" industrial quality angle grinder with a rotating back handle. This gives the user great working power in a flexible form, ideal for where the machine is used for both grinding and cutting applications.

Grinders

FEATURES	
Grinding wheel	125mm, 5"
Torque	5Nm
No load speed	10,000rpm
Spindle thread	M14
Weight (excluding mains lead)	2.8kg
Rated load speed	7,300rpm
Tri-axis vibration reading:	7m/s ² in accordance with EN607 45-2-3



Order Number	110V - 606250390 240V - 606250000
--------------	--------------------------------------

FEATURES	
Grinding wheel	180mm, 7"
Torque	14Nm
No load speed	8,500rpm
Rated input power	2,300W
Rated load speed	5,800rpm
Spindle thread	M14
Weight (excluding mains lead)	4.9kg
Tri-axis vibration reading:	9m/s ² in accordance with EN607 45-2-3



Order Number	110V - 606410390 240V - 606410000
--------------	--------------------------------------

Grinders

WE 14-150 Quick

The new WE14-150 Quick is an extremely powerful 150 mm 6" industrial quality angle grinder with variable speed, VTC electronic speed stability under heavy loading, VTC thermal overload protection, restart protection and the Metabo Quick system for quick disc change without tools.

W 21-230

Popular heavy duty 9" Grinder. Metabo is well known for its industrial quality range of angle grinders. These German built machines distinguish themselves from the crowd through the use of high quality, high performance components. Made to work day-in, day-out, in the most demanding of working conditions this angle grinder will pay for itself in high productivity and low downtime - guaranteed!

Grinders

FEATURES	
Grinding wheel	150mm, 6"
Torque	3.5Nm
No load speed	6,000-9,000rpm
Rated input power	1,400W
Spindle thread	M14
Weight (excluding mains lead)	1.9kg
With Quick nut for quick blade change without tools	
Tri-axis vibration reading:	6m/s ² in accordance with EN607 45-2-3



Order Number	110V - 600286390 240V - 600286000
--------------	--------------------------------------



FEATURES	
Grinding wheel	230mm, 9"
Torque	14Nm
No load speed	6,600rpm
Rated input power	2,100W
Spindle thread	M14
Weight (excluding mains lead)	4.8kg
Includes carry case	
Tri-axis vibration reading:	8m/s ² in accordance with EN607 45-2-3



	MACHINE ONLY	+ CARRY CASE
Order Number	110V - 606405390 240V - 606405380	110V - UK606405394 240V - UK606405384

Grinders

W 23-230

The W23-230 is a powerful 230mm 9" industrial quality angle grinder with a 2,300W motor. The rotating back handle, gives the user greater working power in a flexible form, ideal for where the machine is used for both grinding and cutting applications on a regular basis.

Grinders

FEATURES	
Grinding wheel 230mm, 9"	
Torque 17Nm	
No load speed 6,600rpm	
Spindle thread M14	
Rated input power 2,300W	
Weight (excluding mains lead) 4.9kg	
Rated load speed 4,600rpm	
Tri-axis vibration reading: 7m/s ² in accordance with EN607 45-2-3	

Order Number	110V - 606415390 240V - 606415380
--------------	--------------------------------------



MFE 30 Inc. 2 Diamond discs and carry case

MFE 30 Wall Chaser. Compact design, powerful motor and Metabo electronics for speed stability and overheat protection make this machine suitable for quick, clean cutting and wall chasing. LED overload protection, electronic soft start, S-automatic torque limiting clutch. Features dust extraction through handle. Two Diamond blades and metal carry case supplied as standard.

Wall Chasers

FEATURES	
Rated input power 1,400W	
Diameter of cutting disc 125mm (5")	
Possible groove widths 10/17/23/30mm	
Cutting depth adjustable 0-30mm	
No load speed 8,200rpm	
Weight (without mains cable) 3.9kg	
Highly recommended: Use with Metabo ASR 2025 (see pg55) Vacuum cleaner and suction hose 630344000	

Order Number	110V - UK601119391 240V - UK601119381
--------------	--



W 25-230

The W25-230 is an extremely powerful 230mm 9" industrial quality angle grinder with a 2,500W motor. 2,500 Watts gives the users a huge amount of power, perfect for diamond cutting applications. The rotating back handle, gives the user greater working power in a flexible form, ideal for where the machine is used for both grinding and cutting applications on a regular basis.

Grinders

FEATURES	
Grinding wheel 230mm, 9"	
Torque 18Nm	
No load speed 6,600rpm	
Rated input power 2,500W	
Spindle thread M14	
Weight (excluding mains lead) 5.3kg	
Rated load speed 4,500rpm	
Tri-axis vibration reading: 8m/s ² in accordance with EN607 45-2-3	

Order Number	110V - 606425390 240V - 606425000
--------------	--------------------------------------



MFX 65 Inc. 2 Diamond discs and carry case

MFX 65 Wall Chaser. This powerful large 9" wall chaser is designed for chasing / trenching up to 65mm deep. The 2,500W motor comes with soft start. Vibration dampening VibraTech side handle, Metal Carry Case and two Diamond blades supplied as standard.

Wall Chasers

FEATURES	
Rated input power 2,500W	
Diameter of cutting disc 230mm (9")	
Possible groove widths 3/9/17/29/33/37/41mm	
Cutting depth adjustable 20-65mm	
No load speed 6,600rpm	
Rated load speed 4,500rpm	
Weight (without mains cable) 7.7kg	
Highly recommended: Use with Metabo ASR 2025 (see pg 67) Vacuum cleaner and suction hose 630344000	

Order Number	110V - UK601225390 240V - UK601225000
--------------	--



PE 12-175 Inc. 150mm Backing Pad

The PE 12-175 is a high performance polisher with variable speed, speed stability, thermal cut out. Designed for the automotive and granite polishing industry.

Polisher

FEATURES	
Backing Pad up to Max. 175mm	
Torque 14Nm	
No load speed 700-2,200rpm	
Rated input power 1,200W	
Rated load speed 2,200rpm	
Spindle thread M14	
Weight (excluding mains lead) 2.4kg	



Order Number	240V - UK602175382
--------------	--------------------

GE 700

Popular Industrial quality high speed die grinder with variable speed. This machine is also known as a straight grinder. Ideal for finishing work in hard to reach places. Usually used with milling bits and pink aluminium oxide bits.

Die Grinders

FEATURES	
No load speed 7,000-27,000rpm	
Collet bore of collet chuck 6mm	
Rated input power 710W	
Weight (excluding mains lead) 1.8kg	
Rated load speed 20,000rpm	



Order Number	110V - 606303390 240V - 606303000
--------------	--------------------------------------

SE 12-115 Inc. Metal Case & Accessories

Specially designed for burnishing/finishing stainless steel, steel, non-ferrous metals and wood. The machine is provided in a sheet steel case with a set of accessories that is tailored to the basic applications for tarnishing and burnishing stainless steel. Applications: Treating steel and stainless steel: Fettleing, grinding, removing scratches and polishing stainless steels or coloured metals, for example: Mail boxes and banisters, Container construction, Fittings for the chemical and foodstuffs industry, Kiln engineering and kitchen construction, Stainless steel construction elements. It can also be used for Wood craftwork: Removing old colours and cleaning wooden surfaces, removing graffiti, creating rustic wooden surfaces, smoothing stripped woods and polishing stained wooden surfaces.

Burnisher

FEATURES	
Abrasive wheel diameter 100-115mm Abrasive wheel width 50-100mm	
Electronics, Vario Tacho Constamatic (VTC)	
No load speed 900-2,810rpm	
Rated input power 1,200W	
Spindle thread M14	
Weight (excluding mains lead) 3kg	
Includes Metal Case & accessories	
Output power 720W	



Comes with carry case!



Order Number	110V - 602115610 240V - 602115500
--------------	--------------------------------------

GE 900

Industrial quality high torque die grinder aka straight grinder with variable speed. Ideal for finishing work in hard to reach places. Usually used with flap discs and milling bits. Die cast aluminium gear housing increases the service life of the machine, it is more robust and dissipates heat faster.

Die Grinders

FEATURES	
No load speed 2,500-6,000rpm	
Collet bore of collet chuck 6mm	
Rated input power 900W	
Weight (excluding mains lead) 2kg	
Rated load speed 5,000rpm	



Order Number	110V - 606305390 240V - 606305000
--------------	--------------------------------------

CS23-355 Inc. 1 Cutting Disc

The NEW CS 23 – 355 is powerful 2,300W Metal cutting chop saw. Designed for use with abrasive wheels this machine will produce precise cuts in steel, non-ferrous metals, iron and cast profiles. Coupled with high performance statistics this machine has been designed with ease of use and transportation in mind.

Metal Cutting Chop Saw

FEATURES	
Disc Diameter 355mm	
Bit retainer, diameter 25.4mm	
No load speed 4,000rpm	
Rated input power 2,300W	
Max cutting Ø Bar steel 65mm, Pipes 125mm. Shaped steels 115-130mm	
Weight 16.9kg	
Maximum opening of vice jaws 238mm	
Dimensions of base plate 468 x 282mm	
Order Number	110V - 602335390 240V - 602335380



Disc Accessories



Disc Accessories

Disc Accessories NEW!

As of the 1st of December 2009 it became the responsibility of the power tool manufacturer to offer as an accessory semi-enclosed wheel guards for angle grinders. These guards give extra protection for users. They are particularly important for when using the machine for cutting applications as risk of 'disc-burst' is more common.

Metabo angle grinders come with the standard wheel guard included with the machine. We offer you the following sizes in the new semi-enclosed design.



Semi-enclosed Wheel Guards	
Part No.	Description
630814000	Semi-Wheel guard W6-115
630369000	Semi-Wheel guard 100 mm
630366000	Semi-Wheel guard 115 mm
630367000	Semi-Wheel guard 125 mm
630368000	Semi-Wheel guard 150 mm
630370000	Semi-Wheel guard 180 mm
630371000	Semi-Wheel guard 230 mm

Cutting Discs	
Part No.	Description
616446000	Novoflex 100 x 2.5 x 16.0 steel
616442000	Novoflex 115 x 2.5 x 22.2 steel
616444000	Novoflex 125 x 2.5 x 22.2 steel
616450000	Novoflex 180 x 3.0 x 22.2 steel
616452000	Novoflex 230 x 3.0 x 22.2 steel
616113000	Flexiamant super 100 x 2.0 x 16.0 steel
616188000	Flexiamant super 115 x 1.0 x 22.2 steel
616189000	Flexiamant super 125 x 1.0 x 22.2 steel
616111000	Flexiamant super 180 x 2.0 x 22.2 steel
616115000	Flexiamant super 230 x 2.5 x 22.2 steel
616338000	Flexiamant super 350 x 3.0 x 25.4 steel
616180000	Flexiarapid 100 x 1.6 x 16.0 stainless steel
616186000	Flexiarapid 115 x 1.0 x 22.2 stainless steel
616187000	Flexiarapid 125 x 1.0 x 22.2 stainless steel
616184000	Flexiarapid 180 x 1.6 x 22.2 stainless steel
616185000	Flexiarapid 230 x 1.9 x 22.2 stainless steel

Diamond Discs	
Part No.	Description
624306000	115 x 22.23mm Diamond disc NEW08
624307000	125 x 22.23mm Diamond disc NEW08
624310000	230 x 22.23mm Diamond disc NEW08

Disc Accessories

Lamellar Discs

Part No.	Description
624238000	Lamellar disc P24 115mm
624241000	Lamellar disc P40 115mm
624243000	Lamellar disc P60 115mm
624244000	Lamellar disc P80 115mm
624239000	Lamellar disc P120 115mm
624275000	Lamellar disc P40 125mm
624277000	Lamellar disc P60 125mm
624278000	Lamellar Disc P80 125mm
624279000	Lamellar disc P120 125mm

Grinding Discs

616429000	Novoflex 100 x 6.0 x 16.0 steel
616460000	Novoflex 115 x 6.0 x 22.2 steel
616462000	Novoflex 125 x 6.0 x 22.2 steel
616465000	Novoflex 180 x 6.0 x 22.2 steel
616468000	Novoflex 230 x 6.0 x 22.2 steel
616745000	Flexiamant 100 x 6.0 x 16.0 steel
616726000	Flexiamant 115 x 6.0 x 22.2 steel
616730000	Flexiamant 125 x 6.0 x 22.2 steel
616560000	Flexiamant 180 x 6.0 x 22.2 steel
616572000	Flexiamant 230 x 6.0 x 22.2 steel
616461000	Novoflex 115 x 6.0 x 22.2 stone
616463000	Novoflex 125 x 6.0 x 22.2 stone
616459000	Novoflex 150 x 6.0 x 22.2 stone
616467000	Novoflex 180 x 6.0 x 22.2 stone
616469000	Novoflex 230 x 6.0 x 22.2 stone

Wire Cup Brushes

623796000	Wire cup brush steel 70 x M14 x 0.35mm
623710000	Wire cup brush steel 80 x M14 x 0.8mm
623711000	Wire cup brush steel 100 x M14 x 0.8mm
623801000	Wire cup brush stainless steel 70 x M14 x 0.35mm

Miscellaneous


316023660	Quick Nut M14 - Small (spare part)
630800000	Quick Nut M14 - Large
630705000	Inner Support Flange - (for small grinders)
630706000	Adjusting Nut M14 - (for small grinders)
623910000	Flat-pin spanner, Grinding wheel Ø 115/230mm
623934000	Flat-pin spanner, Grinding wheel Ø 115/150mm
623935000	Flat-pin spanner, Grinding wheel Ø 180/230mm
631071000	Full view safety goggles (anti-mist, anti-scratch)

Compact, lightweight circular saw, includes a safety clutch, a rotatable and stoppable extraction nozzle, a 54 mm depth of cut and a lubrication system for a long service life.

FEATURES

- Saw blade diameter 160mm
- No load speed 6,000rpm
- Maximum cutting depth at 90° 54mm
- Maximum cutting depth at 45° 38mm
- Cutting depth adjustable 0-54mm
- Rated input power 1010W
- Weight 3.4kg
- Rated load speed 4,200rpm
- Cutting speed at rated load 35m/s

Order Number 240V - 600540000



Comes with carry case!



Circular Saws

KS 66 Inc. Carry case

Popular, tough, high performance German built circular saw with 66 mm depth of cut. Other features include: Metabo S-automatic torque limiting clutch, Spindle lock for easy blade change, sturdy aluminium die cast saw housing, fully closed guide plate for secure support, clearly visible cutting indicator for sawing after initial cut, safety lock switch to prevent unintentional start of the machine, bevel cuts possible up to 45°, auto-stop carbon brushes, precision guide rail available as accessory: 631250000.

FEATURES

- Saw blade diameter 190mm
- No load speed 4,200rpm
- Maximum cutting depth at 90° 66mm
- Maximum cutting depth at 45° 47mm
- Cutting depth adjustable 0-66mm
- Rated input power 1,400W
- Weight 5.5kg
- Rated load speed 3,200rpm
- Cutting speed at rated load 28m/s

Order Number 110V - 600542390
240V - 600542380



"The big steel base makes for a stable, easy to handle saw on cutting big sheets in particular. The powerful motor cuts effortlessly and noise is acceptable"

Woodworking plans and projects

Comes with carry case!



Circular Saws

Disc Accessories

Disc Accessories

KS 66 PLUS Inc. Metabox IV

The KS 66 Plus, is a truly professional machine. It includes a new double parallel rip fence helping to ensure straight and accurate cuts, as well as a table that bevells all the way to 45° ensuring maximum precision every time. Other features include a rotational dust extraction port, magnesium die cast housing and a high performance motor with safety clutch to protect the machine and user.

FEATURES

- Saw blade diameter 190mm
- Maximum cutting depth at 90° 66mm, 45° 47mm
- Cutting depth adjustable 0-66mm
- Rated input power 1,400W
- Weight 5.5kg
- Double parallel rip fence
- Magnesium die cast table and hood
- 14 TCT blade
- Soft Grip Handle

Comes with carry case!



Order Number 110V - 600544390
240V - 600544000

KSE 68 PLUS Inc. Metabox IV

The KSE 68 Plus is Metabo's top of the range circular saw. The solid magnesium cast frame ensures precise cutting results at full capacity in the hardest of materials. The speed can be adjusted to suit the application, while VTC electronics automatically keeps the speed constant under load giving you confidence of a smooth and accurate cut. Further advantages include a sturdy parallel fence, safety clutch, riving knife, lifting lever and a wide range of adaptable accessories.

FEATURES

- Saw blade diameter 190mm
- Maximum cutting depth at 90° 68mm, 45° 48mm
- Cutting depth adjustable 0-68mm
- Rated input power 1600W
- Weight 5.6kg
- Double parallel rip fence
- Magnesium die cast table and hood
- 14 TCT blade / Soft Grip Handle
- Thumb lever to manually lift riving knife
- Variable speed 2,000 - 4,200/min

Comes with carry case!



Order Number 110V - 600545390
240V - 600545000

Saw Blade Accessories

Part No.	Description <small>Material, diaxbore, no.teeth, type</small>	Suitable for Machine
Power Cut		
344162850	HW/CT 165 x 16, 18 WZ	KSAP18, KSA18 LTX
628002000	HW/CT 160 x 20, 10 WZ	KS54 / KSE55 Plus & Vario Plus
628005000	HW/CT 190 x 30, 14 WZ	KS66 / KSE68 Plus
628006000	HW/CT 190 x 30, 16 FZ/FA	KS66 / KSE68 Plus
628008000	HW/CT 210 x 30, 24 WZ	KS210 / KGS255
628013000	HW/CT 250 x 30, 24 WZ	KS250 / KGS301, 303, 331
628012000	HW/CT 250 x 30, 24 WZ	PK255 / PKU250 / PKF255 (V8) / Optal26, Maxi26, CB310, MF310
628015000	HW/CT 315 x 30, 20 FZ	TKHS315 / KGT300
628016000	HW/CT 315 x 30, 24 WZ	TKHS315
Precision Cut		
628030000	HW/CT 160 x 20, 24 WZ	KSAP18, KSA18 LTX
628035000	HW/CT 190 x 30, 48 WZ	KS66 / KSE68 Plus
628036000	HW/CT 210 x 30, 30 WZ	UK220 / PK200
628037000	HW/CT 210 x 30, 40 WZ	KS210 / KGS255 / UK220 / PK200
628039000	HW/CT 210 x 30, 42 WZ	UK220 / PK200
628038000	HW/CT 210 x 30, 42 FZ/TR	KS210 / KGS255 / UK220 / PK200
628045000	HW/CT 250 x 30, 34 WZ	KGT500, 501, 550 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26, Maxi26, CB310, MF310
628046000	HW/CT 250 x 30, 42 WZ	KGT500, 501, 550 / PK255 / PKU250 / PKF255 / PKF255 (V8) / Optal26, Maxi26, CB310, MF310
628047000	HW/CT 250 x 30, 48 WZ	KS250 / KGS301, 303, 331
628048000	HW/CT 250 x 30, 60 WZ	KS250 / KGS301, 303, 331
628049000	HW/CT 250 x 30, 60 WZ	TS250 / PKU250 / PK255 / Optal26, Maxi26, CB310, MF3
628054000	HW/CT 305 x 30, 60 WZ	KGS305
628055000	HW/CT 305 x 30, 80 WZ	KGS305
628056000	HW/CT 315 x 30, 48 WZ	TKHS315
628057000	HW/CT 315 x 30, 48 WZ	KGS305 / KGT300 / TKHS315
628058000	HW/CT 315 x 30, 84 WZ	KGS305 / KGT300 / TKHS315
Multi Cut		
628071000	HW/CT 160 x 20, 30 WZ	KS54 / KSE55 Plus & Vario Plus
628072000	HW/CT 160 x 20, 42 WZ	KS54 / KSE55 Plus & Vario Plus
628075000	HW/CT 190 x 30, 36 WZ	KS54 / KSE55 Plus & Vario Plus
628077000	HW/CT 190 x 30, 56 FZ/TR	KS54 / KSE55 Plus & Vario Plus
628078000	HW/CT 210 x 30, 54 FZ/TR	KGS255 / Ks E 1678 S-Signal
628080000	HW/CT 210 x 30, 60 FZ/TR	KGS255 / Ks E 1678 S-Signal
628079000	HW/CT 210 x 30, 60 WZ	KGS255 / Ks E 1678 S-Signal
628081000	HW/CT 210 x 30, 64 WZ	UK 220 / PK200
628088000	HW/CT 250 x 30, 80 FZ/TR	KGS301, 303, 331 / KGT500, 501, 550 / TS250 / PKU250 / PK255 / PKF255 / Optal26, Maxi26, CB310, MF310
628091000	HW/CT 305 x 30, 96 FZ/TR	KGS305
628092000	HW/CT 315 x 30.96 FZ/TR	KGS305

STEB 70 Quick Blade Release **NEW!**

The new STEB 70 is a compact, lightweight jigsaw with a 70 mm depth of cut. Small and easy to use. The main features include; new quick blade release mechanism, 4 stage orbit settings, line-clear splinter blower, variable speed control and dial, modern design with rubber coated 'D' handle for a comfortable, secure grip. Inc carry case.



For the DIY enthusiast



For the semi-pro



On/off dust blow/line clear function



Shown with guide rail accessory



Extended parallel fence and circle cutting attachment available as an accessory 631340000

This jig saw can be used with the Metabo 1.5 m guide rail 631213000,

jig saw guide 631249000 is also required.

Comes with carry case!

FEATURES	
Strokes at no load	1,000-3,300rpm
Bevel left/Right	- 45°
Levels of pendulum stroke	4
Cutting depth	Wood - 70 mm Nonferrous Metal - 20 mm Sheet Steel - 6 mm
Rated Input Power	570W
weight [kg]	2.0 kg

Order Number	240V - 601040500
--------------	------------------

STE 80 Quick Blade Release

Compact, light weight jig saw with 80 mm depth of cut and variable speed electronics, speed stability under moderate loading and dust blow line clearance ducting. Precision guide rail available as accessory: 631250000.

FEATURES

Torque	5.5Nm
Strokes at no load	1,000-3,000rpm
Levels of pendulum stroke	4
Rated input power	610W
Weight (excluding mains lead)	2.3kg
Maximum thickness of material in,	Wood 80mm, Nonferrous metals 25mm, Sheet steel 8mm



Comes with carry case!




Order Number	110V - 606100550 240V - 606100500
--------------	--------------------------------------

STEB 135 Quick Blade Release

Heavy duty, jigsaw with powerful 720W motor and 135 mm depth of cut. Other features include, variable speed electronics, speed stability under moderate loading, 4 stage pendulum action, quick change blade system and dust blow line clearance ducting. Precision guide rail available as accessory: 631250000.

FEATURES

Torque	7Nm
Strokes at no load	1,000-3,000rpm
Levels of pendulum stroke	5
Rated input power	720W
Weight (excluding mains lead)	2.6kg
Maximum thickness of material in,	Wood 135mm, Non-ferrous metals 35mm, Sheet steel 10mm



Comes with carry case!



STEB 135 - Bow Handle

Order Number	110V - 611000610 240V - 611000590
--------------	--------------------------------------

STE 135 - Body Grip

Order Number	240V - 610900500
--------------	------------------

PSE 1200 With 3 Blades Included

Heavy duty reciprocating/sabre saw. Suitable for cutting, wood, metals and plastics. With powerful 1,200W motor, variable speed trigger, strokes up 2,600 per minute and 28 mm in length. Two stage pendulum action for smooth or rapid cuts. All metal quick change saw blade mechanism.

FEATURES

- Torque 15Nm
- Strokes at no load 0-2,600rpm
- Saw blade stroke 28mm
- Rated input power 1,200W
- Weight (excluding mains lead) 4kg

Comes with carry case!

Order Number 240V - 601301000



LF 724

The LF 724 strips paint, varnish, and other coatings on flat wood surfaces. Unique on Market - Estimated 70% time saving over using conventional chemical/heat methods - Environmentally Friendly - 0-0.3mm cutting depth. The S-automatic clutch protects machine and user should you run into a nail/screw etc. The machine has 4 reversible solid tungsten carbide blades and creates minimal dust during use.

FEATURES

- Cutting edge cycle 80mm
- Lateral milling height 28mm
- Maximum rebate depth unlimited
- No load speed 10,000rpm
- Rated input power 710W
- Rated load at speed 7,200rpm
- Axial moulding/routing depth 0-0.3mm
- Radial moulding/routing depth 0.15mm
- Weight (without mains cable) 2.6kg

Order Number 240V - 600724000



Comes with carry case!



"According to Metabo the LF 724 removes paint 70% faster than other methods. Although I can't vouch for that number, I can say that the tool removes paint much faster than you can remove it by heating and scraping - and there's no need to constantly clean and sharpen the scraper."

JLC Magazine

Reciprocating Saw

Paint Remover

HO882 Kit Inc. Metabox III & Chip Bag

Heavy duty planer with 3mm depth of cut and 82mm wide base. Includes Metabox III and chip collection bag. 'V' groove, milled in the front part of the planer place for easy 45° chamfering. Convertible left or right chip ejection outlets.

FEATURES

- Planing width 82mm
- Adjustable planing depth 0-3mm
- Maximum rebate depth 23mm
- No load speed 12,000rpm
- Rated input power 800W
- Rated load at speed 8,200rpm
- Length of planer base 290mm
- Weight (without mains cable) 3.3kg

Now with Metabox III!

MACHINE + METABOX III + CHIP BAG

Order Number 110V - UK600882392
240V - UK600882382



Planer/Reciprocating Saw Accessories

Carbide Planer Blades

Part No.	Description
630282000	2 Universal Carbide Planer blades 82mm width (HO 0882)
631660000	Reversible Carbide blades - 10 per packing unit, (LF 724)
631720000	Reversible Carbide blades - 4 per packing unit, (LF 724)

Sabre Saw Blades

631094000	2 Sabre saw blades S922VF
631097000	2 Sabre saw blades S1122VF
631407000	5 Sabre saw blades S1222VF
631488000	5 Sabre saw blades S1531L
631491000	5 Sabre saw blades S922BF
631096000	2 Sabre saw blades S1122BF
631080000	2 Sabre saw blades S922EF
631493000	5 Sabre saw blades S1122EF
631140000	2 Sabre saw blades S1411D
631495000	5 Sabre saw blades S1122VF
631985000	5 Sabre saw blades S711VF
631909000	5 Sabre saw blades S1025BF
631925000	5 Sabre saw blades S610DF

Planer

Planer / Recip Accessories

Planer/Reciprocating Saw Accessories

Part No.	Description
631494000	5 Sabre saw blades S1122BF
631492000	5 Sabre saw blades S922VF
631988000	5 Sabre saw blades S1431L

Miscellaneous

631213000	Precision guide rail - (Suitable for jig/circular saws and router models OFE 738 / OFE1229. Can be used on KS66 Plus / KSE68 Plus with right accessories, also adaptable to most other manufacturing machines.)
631211000	Connector - (For joining two precision guide rails)
631031000	Set of two clamps - (For fixing precision guide rail onto work surfaces)
631019000	Guide plate - (For use with KSAP18 / KS54 / KS54 SP and circular saws on the precision guide rail no. 631213000)
631020000	Adapters - (For use with the KS66 and KS68 Plus Circular saws on the precision guide rail no. 631213000)
624598000	Metabox - 395 x 295 x 315mm - (For KS66 Plus / KS68 Plus)

Jig Saw Accessories

Jig Saw Blades

623629000	5 Jig saw blades T318A
623924000	5 Jig saw blades T118A NEW
623925000	5 Jig saw blades T118B NEW
623648000	5 Jig saw blades T227D
623969000	5 Jig saw blades T101B NEW
623923000	5 Jig saw blades T101D NEW
623650000	5 Jig saw blades T101BR
623651000	5 Jig saw blades T101AO
623703000	100 Jigsaw blades wood T101B
623960000	5 Jig saw blades T244D NEW
623921000	5 Jig saw blades T144D NEW
623697000	5 Jig saw blades T318B
623632000	5 Jig saw blades T111C
623636000	5 Jig saw blades T118G
623639000	5 Jig saw blades T127D
623677000	5 Jig Saw Blades T345XF
623950000	5 Jig saw blades T118AF NEW
623686000	5 Jig Saw Blades T101BRF
623676000	5 Jig saw blades T123X
623926000	5 Jig saw blades T218A NEW
623675000	5 Jig Saw Blades T234X
623920000	5 Jig saw blades T119B NEW
623706000	100 Jig saw blades metal T118A

FSR 200 Intec

This small lightweight 1/4" palm sheet sander is perfect for one handed use. It has a very good power to weight ratio making it perfect for getting the job done quickly and professionally in those tight, awkward places. Also includes the new Metabo Intec dust filter unit to help aid dust containment.

FEATURES

Base plate 114 x 102mm
Intec dust filter unit
Orbital frequency at no load 26,000rpm
Rated input power 200W
Orbital frequency at rated load 22,000rpm
Oscillating circuit 1.4mm
Weight (without mains cable) 1.25kg

Comes with carry case!

Comes with punch plate!

METABO TIP!

"To ensure the best possible health and safety protection, Metabo recommends that all sanders are used with a dedicated dust extraction machine such as the ASR 2025."



Order Number 240V - 600066500

FSX 200 Intec

This small lightweight palm disc sander is perfect for one handed use. It has a very good power to weight ratio making it perfect for getting the job done quickly and professionally in those tight, awkward places. Also includes the new Metabo Intec dust filter unit to help aid dust containment.

FEATURES

Diameter of backing pad 125mm
Intec dust filter unit
No load speed at 11,000rpm
Rated input power 240W
Rated load speed at 9,500rpm
Oscillating circuit 2.7mm
Weight (without mains cable) 1.3kg

Comes with carry case!

Order Number 240V - 609225500



FMS 200 Intec

This small lightweight palm tri sander is perfect for one handed use. It has a very good power to weight ratio making it perfect for getting the job done quickly and professionally in those tight, awkward places. Also includes the new Metabo Intec dust filter unit to help aid dust containment.

FEATURES

Base plate 100 x 147mm
Orbital frequency at no load 26,000rpm
Intec dust filter unit
Rated input power 200W
Orbital frequency at rated load 22,000rpm
Oscillating circuit 1.4mm
Weight (without mains cable) 1.25kg

Comes with carry case!

Order Number 240V - 600065500

"Despite being one of the most powerful machines on test, this is also one of the quietest." *Good Woodworking,*



SXE 400

Body grip design orbit sander with high stock removal rate for hard to reach places. Suitable sanding wood, metals, plastics and plaster. Very suitable for sanding inner and outer curves. Light and handy machine for convenient one-hand operation, Vario-speed (V) electronics, Thumbwheel for pre-selection of speed. External dust extraction outlet to allow connection to vacuum cleaner.

FEATURES

Diameter of backing pad 80mm
No load speed at 5,000-10,000rpm
Rated input power 220W
Rated load speed at 6,000rpm
Oscillating circuit 3mm
Weight (without mains cable) 1.2kg

Order Number 240V - 600405000




DSE 300 Intec

Body grip design tri-sander with high stock removal rate for hard to reach places. Suitable sanding wood, metals, plastics and plaster. Very suitable for sanding inner and outer curves. Light and handy machine for convenient one-hand operation, Vario-speed (V) electronics, Thumbwheel for pre-selection of speed. Also includes the Metabo Intec dust filter unit to help aid dust containment.

FEATURES

Base plate corner to corner 93mm
Intec dust filter unit
Orbital frequency at no load 14,000-22,000rpm
Rated input power 300W
Orbital frequency at rated load 18,000rpm
Oscillating circuit 1.8mm
Weight (without mains cable) 1.3kg

Order Number 240V - 600311530



SXE 425 TurboTec

Powerful light weight machine with Turbo Boost switch for a professional finish. Also includes the new Metabo Intec dust filter unit to help aid dust containment.

FEATURES

Disc Diameter 125mm
Intec dust filter unit
Variable speed
Rated input power 320W
Turbo boost switch
Included as standard: 3 perforated cling-fit T sanding sheet
Oscillating circuit 5mm
Weight (without mains cable) 2kg
Intec dust collection cartridge, removable, additional handle, hexagonal spanner

Order Number 240V - 600131000



METABO TIP!
"To ensure the best possible health and safety protection, Metabo recommends that all sanders are used with a dedicated dust extraction machine such as the ASR 2025."

SXE 450 TurboTec

The SXE 450 TurboTec boasts many features high power, compact in size and very lightweight. It also comes with a new Intec dust filter unit to help aid dust containment plus the TurboBoost switch for maximum stock removal. Improved ergonomics, styling, gearing and bearing system reduces vibration by 25%!! The orbit diameter gives a fine finish 2.8 or higher stock removal (6.2 mm) capability allowing the machine to work harder so you don't have to. The SXE 450 TurboTec PRO PACK NEW contains SXE 450 TurboTec sander, 1 x 25 pack mixed sanding discs, lambswool bonnet and polishing sponge, all in a Metabox III.

FEATURES

Disc Diameter 150mm
Variable speed
Rated input power 350W
Turbo boost switch
Inc. 3 perforated cling-fit T sanding sheets
Duo oscillating circuit 2.8/6.2mm
Weight (without mains cable) 2.2kg
Additional handle, hexagonal spanner



MACHINE ONLY

Order Number	110V - 600129390 240V - 600129380
--------------	--------------------------------------

PRO PACK NEW!

Order Number	110V - UK600129393 240V - UK600129383
--------------	--

SR 356

Professional third sheet sander with 350 W motor and 2.5 mm random orbit diameter. This professional sander comes into its own when working on large flat surfaces where a premium quality finish is required. High stock removal capability with even finish results. Perfect for sanding into edges / corners. Low vibration design with ergonomic grip and sturdy aluminium base.

FEATURES

Base plate 92 x 190mm
Orbital frequency at no load 22,000rpm
Rated input power 350W
Orbital frequency at rated load 15,000rpm
Oscillating circuit 2.5mm
Weight (without mains cable) 2.5kg



Order Number	110V - 600356420 240V - 600356000
--------------	--------------------------------------

BAE 75

The BAE 75 is a stylish 3" belt sander. This well thought through machine is designed for rapid stock removal on flat/ slightly bowed surfaces. A key benefit is that this machine comes supplied with a bench mount inversion kit, including stand and parallel fence. The machine can then be used as a bench sander for sanding and shaping individual work pieces. Features include a powerful 1,010W motor, "Quick" change belt system, variable speed thumb wheel, lock on trigger, comfortable rubber-coated rear bow handle, anti-static dust bag and a rubber external dust extraction adaptor for connecting to a vacuum cleaner.

FEATURES

Rated input power - 1010W
Torque - 12Nm
Sanding/grinding width - 75mm
Sanding belt support surface - 85 x 150mm
Sanding belt size - 75 x 533mm
No load belt speed - 240 - 450m/min
Weight (without mains cable) - 4.7kg



METABO TIP!
"To ensure the best possible health and safety protection, Metabo recommends that all sanders are used with a dedicated dust extraction machine such as the ASR 2025."


Order Number	240V - 600375000
--------------	------------------

SR 358

Professional half sheet sander with 350 W motor and 2.5 mm random orbit diameter. This professional sander comes into its own when working on large flat surfaces where a premium quality finish is required. High stock removal capability with even finish results. Perfect for sanding into edges / corners. Low vibration design with ergonomic grip and sturdy aluminium base.

FEATURES

Base plate 112 x 230mm
Orbital frequency at no load 22,000rpm
Rated input power 350W
Orbital frequency at rated load 15,000rpm
Oscillating circuit 2.5mm
Weight (without mains cable) 2.7kg



"Smooth to use and sturdily built, this German made, professional sander is highly recommended."
Good Woodworking



Order Number	110V - 600358420 240V - 600358380
--------------	--------------------------------------

Sanding Sheets

Part No.	Description
625619000	10 Sanding sheets P40 115x103 mm - FSR200
625621000	10 Sanding sheets P80 115x103 mm - FSR200
625623000	10 Sanding sheets P120 115x103 mm - FSR200
625625000	10 Sanding sheets P240 115x103 mm - FSR200
625628000	10 assorted sanding sheets 115x103 mm - FSR200
625603000	10 Sanding sheets P40 100x150 mm - FMS200
625605000	10 Sanding sheets P80 100x150 mm - FMS200
625607000	10 Sanding sheets P120 100x150 mm - FMS200
625609000	10 Sanding sheets P240 100x150 mm - FMS200
625610000	10 assorted sanding sheets 100x150 mm - FMS200

Sanding Discs

Part No.	Description
631584000	25 Sanding discs P40 Ø125 mm - SXE425 & FSX200
631586000	25 Sanding discs P80 Ø125 mm - SXE425 & FSX200
631587000	25 Sanding discs P120 Ø125 mm - SXE425 & FSX200
631589000	25 Sanding discs P240 Ø125 mm - SXE425 & FSX200
631583000	25 assorted sanding discs Ø125 mm - SXE425 & FSX200
624019000	25 Cling-fit sanding discs P40 Ø150 mm - SXE450
624020000	25 Cling-fit sanding discs P60 Ø150 mm - SXE450
624021000	25 Cling-fit sanding discs P80 Ø150 mm - SXE450
624022000	25 Cling-fit sanding discs P100 Ø150 mm - SXE450
624023000	25 Cling-fit sanding discs P120 Ø150 mm - SXE450
624024000	25 Cling-fit sanding discs P180 Ø150 mm - SXE450
624025000	25 Cling-fit sanding discs P240 Ø150 mm - SXE450
624026000	25 Cling-fit sanding discs P320 Ø150 mm - SXE450
624027000	25 Cling-fit sanding discs P400 Ø150 mm - SXE450
624066000	25 assorted sanding discs Ø150 mm - SXE450

Polishing Accessories

Part No.	Description
624037000	Velcro-faced intermediate disc 150 mm
631233000	Cling-fit polishing sponge Ø160 mm
631217000	Cling-fit lambswool polishing bonnet Ø160 mm
631168000	Cling-fit felt disc, 5 mm thick Ø150 mm
624038000	Cling-fit nylon-web abrasive P100 Ø150 mm
624039000	Cling-fit nylon-web abrasive P280 Ø150 mm



Professional OFE 1229 ¼" router with 1,200W motor and speed stability electronics for constant speed under load to aid smooth even finishes. Features include: Precision dial gauge for fine tuning the routing depth within 0.1 mm increments, three-level stop to pre-select up to 3 different routing depths, sturdy two-column guide, robust plastic-covered aluminium die cast bearing flange, hardened and ground interchangeable collect chuck for precise concentricity of tools, spindle lock for easy router bit change, thumbwheel for pre-selection of speed, turn the machine on and off without releasing the handle, aluminium die cast base plate with coating for easy sliding, parallel guide/ripping fence guided in prisms, auto-stop carbon brushes, external dust extraction outlet.

FEATURES

- Maximum plunge depth 50mm
- No load speed 5,000-25,500rpm
- Rated input power 1,200W
- Rated load speed 25,500rpm
- Collet bore of collet 8mm & 1/4"
- Weight (without mains cable) 3.4kg

Comes with carry case!



INC. METABOX

Order Number	110V - 601229390 240V - 601229000	110V - UK601229392 240V - UK601229382
--------------	--------------------------------------	--

"Engineering is superb on this German machine. A big 1200W motor, soft start, full-wave electronics an LED speed indicator and a massive turret are just some of the great features."
Good Woodworking




Router

ASR 2025 Vacuum Cleaner With Auto Take Off

1,200W vacuum cleaner with especially high suction rate. The professional's choice for use during the job with the power tool or cleaning up debris after the job is done. Suitable for extracting dust, solid particles and non-flammable fluids (bag removed). Comes as standard with two pleated filters for maximum filter rates. Auto-filter clean function through use of magnetic filter vibration device. Filters down to dust class M, transmittance < 0.5% with bag installed. Run your power tool directly through the vac via the auto take-off plug – auto-start. Soft start for longer motor service life. Optimum nose dampening. A large range of optional accessories are available for this machine.

FEATURES

- Air output (at fan) 61 litres/sec
- Vacuum 248 HPA (mbar)
- Filter surface 8,600cm²
- Rated input power 1,200W
- Container volume 25 litres
- Suction hose - L x 2.5m Ø 35mm (631752000), handle adapter, 2 suction pipes, crevice nozzle, universal nozzle, paper filter bag (631935000)



With twin filters!

"With the extra wide head (available as an accessory) this vacuum cleaner has proven to be an excellent purchase. In the first month it has already paid for itself. Our larger banquet rooms that previously had taken 3 hours to vacuum can now be done in under 1 hour!"

Chilworth-Manor Hotel

Order Number	110V - 602022390 240V - 602022380
--------------	--------------------------------------



Special Purpose Machines

KE 3000 Glue Gun

For gluing wood, plastics, carton, glass, ceramic, stone, textiles, cork, leather, metal etc. Also suitable for sealing, joining and for repairs with hot-melt type adhesive. Other features include: Mechanical glue feed, nozzle with heat guard, hot-melt type adhesive temperature stability, strap and supporting surface on housing for safe stop after use, anti-drip nozzle to help prevent the adhesive dripping.

FEATURES

- For hot melt type glue sticks
- Diameter 11mm
- Length 200mm
- Maximum glue output 18g/min
- Warm up time 6mins
- Processing temperature 200°C
- Weight (without mains cable) 0.25kg



Order Number 240V - 618121000

HE 2000 Hot Air Gun

Professional heat gun / hot air gun. Suitable for dust-free removal of all metal and wood varnished coatings, for drying fresh varnished coats and filler compounds, for thawing frozen water pipes, for crimping cable ends, for repairing welding tents, boats and other similar applications, for removing/applying stickers and vinyl labelling. Other features include: High service life due to easy-to-clean air filter, powerful motor with optimum device cooling system, three blower levels, three heating levels and self contained cooling stand at rear.

FEATURES

- Volume of air 250/270/500 l/min
- Air temperature 50 - 600 °C
- Rated input power 1,500W
- Weight (without mains cable) 0.75kg
- Inc. 2 Nozzles & 2 Scrapers - 240V only.



Includes 2 x nozzles and 2 x scrapers. - 240V ONLY.



Order Number 110V - 602005420
240V - 602005580



H 1600 Hot Air Gun

Professional heat gun / hot air gun. Suitable for dust-free removal of all metal and wood varnished coatings, for drying fresh varnished coats and filler compounds, for thawing frozen water pipes, for crimping cable ends, for repairing welding tents, boats and other similar applications, for removing/applying stickers and vinyl labelling. Other features include: High service life due to easy-to-clean air filter, powerful motor with optimum device cooling system, three blower levels, three heating levels and self contained cooling stand at rear.

FEATURES

- Volume of air 250/350/500 l/min
- Air temperature 50/350/550 °C
- Rated input power 1,600W
- Weight (without mains cable) 0.7kg



Order Number 110V - 601605420
240V - 601605380

HE 2300 Control Hot Air Gun

Professional heat gun / hot air gun with digital LCD temperature indicator. Capable of high temperatures up to 650°C. Suitable for dust-free removal of all metal and wood varnished coatings, for drying fresh varnished coats and filler compounds, for thawing frozen water pipes, for crimping cable ends, for repairing welding tents, boats and other similar applications, for removing/applying stickers and vinyl labelling. Other features include: High service life due to easy-to-clean air filter, powerful motor with optimum device cooling system, three blower levels, three heating levels and self contained cooling stand at rear.

FEATURES

- Volume of air 250/270/500 l/min
- Air temperature 50 - 650 °C
- Rated input power 2,300W
- Weight (without mains cable) 0.75kg



Order Number 240V - 602305000

DSW 5175

500W 175mm (7") Sturdy Bench Grinder for sharpening, grinding and de-burring work. Features include: Quiet, maintenance-free induction motor. Emergency stop switch for optimum user safety, rotor shaft mounted on ball bearing for long service life of the Machine. Adjustable work piece supports and eye shields for optimum protection from debris. Protective hoods with rear extraction port.

FEATURES	
Grinding wheels diameter 175 x 25mm	
Maximum speed 2,840rpm	
Rated input power 500W	
Extraction nozzle, internal diameter 41mm	
Standard equipment: Normal corundum grinding wheels 36P and 60N	



Order Number	240V - 605175000
--------------	------------------

Bench Grinders

DSD 6175

550W 175mm (7") Sturdy Bench Grinder for sharpening, grinding and de-burring work. Features include: Three phase quiet, maintenance-free induction motor. Emergency stop switch for optimum user safety, rotor shaft mounted on ball bearing for long service life of the Machine. Adjustable work piece supports and eye shields for optimum protection from debris. Protective hoods with rear extraction port.

FEATURES	
Grinding wheels diameter 175 x 25mm	
Maximum speed 2,840rpm	
Rated input power 550W	
Extraction nozzle, internal diameter 41mm	
Standard equipment: Normal corundum grinding wheels 36P and 60N	



Order Number	400V - 606175000
--------------	------------------

Bench Grinders

DSW 9200

500W 200mm (8") Sturdy Bench Grinder for sharpening, grinding and de-burring work. Features include: Quiet, maintenance-free induction motor. Emergency stop switch for optimum user safety, rotor shaft mounted on ball bearing for long service life of the Machine. Adjustable work piece supports and eye shields for optimum protection from debris. Protective hoods with rear extraction port.

FEATURES	
Grinding wheels diameter 200 x 25mm	
Maximum speed 3,000rpm	
Rated input power 700W	
Extraction nozzle, internal diameter 41mm	
Standard equipment: Normal corundum grinding wheels 36P and 60N	



Order Number	240V - 609200000
--------------	------------------

Bench Grinders

DSD 9201

550W 200mm (8") Sturdy Bench Grinder for sharpening, grinding and de-burring work. Features include: Three phase quiet, maintenance-free induction motor. Emergency stop switch for optimum user safety, rotor shaft mounted on ball bearing for long service life of the Machine. Adjustable work piece supports and eye shields for optimum protection from debris. Protective hoods with rear extraction port.

FEATURES	
Grinding wheels diameter 200 x 25mm	
Maximum speed 3,000rpm	
Rated input power 500W	
Extraction nozzle, internal diameter 41mm	
Standard equipment: Normal corundum grinding wheels 36P and 60N	



Order Number	400V - 609201000
--------------	------------------

Bench Grinders

DSD 9250

900W 250mm (10") Sturdy Bench Grinder for sharpening, grinding and de-burring work. Features include: Three phase quiet, maintenance-free induction motor. Emergency stop switch for optimum user safety, rotor shaft mounted on ball bearing for long service life of the Machine. Adjustable work piece supports and eye shields for optimum protection from debris. Protective hoods with rear extraction port.

Bench Grinders

FEATURES	
Grinding wheels diameter	250 x 40mm
Maximum speed	1,500rpm
Rated input power	900W
Extraction nozzle, internal diameter	35mm
Standard equipment:	Normal corundum grinding wheels 36P and 60N



Order Number	400V - 609250000
--------------	------------------

HS 55 Standard

Lightweight and handy hedge trimmer with 450W motor, 550mm blade length and 18mm cutting capacity. Other features include: Safety clutch for machine and operator safety should the blade jam. Quick stop brake – brings the blade to stop within 0.05 seconds. Cable stress reliever, impact guard for blade protection when cutting up to close to walls, trees trunks, fence posts etc.

FEATURES	
Cutting strength	18mm
Blade length	550mm
Blade clearance	28mm
Blade speed	3,100rpm
Rated input power	450W
With 10m of quick release cable	supplied as standard
Weight (without mains cable)	3.6kg



Order Number	240V - 620017000
--------------	------------------

Hedge Trimmers

HS 45 Standard

Lightweight and handy hedge trimmer with 450W motor, 450mm blade length and 18mm cutting capacity. Metabo hedge trimmers of the standard class are light and compact, and also offer technology of the highest order. As with all Metabo hedge trimmers the blades are laser cut from solid steel and then diamond ground to give smooth razor sharp edges for long lasting sharpness and effortless cutting time and time again.

Hedge Trimmers

FEATURES	
Cutting strength	18mm
Blade length	450mm
Blade clearance	28mm
Blade speed	3,100rpm
Rated input power	450W
With 10m of quick release cable	supplied as standard
Weight (without mains cable)	3.4kg



Order Number	240V - 620016000
--------------	------------------

HS 65 Standard

Lightweight and handy hedge trimmer with 450W motor, 650mm blade length and 18mm cutting capacity. Did you know? No matter the user, no matter the trade, no matter the Industry Metabo are the only manufacturer to offer a 3 year warranty on machines, chucks, batteries and chargers! Register online within four weeks of purchase at www.metabo.co.uk

FEATURES	
Cutting strength	18mm
Blade length	650mm
Blade clearance	28mm
Blade speed	3,100rpm
Rated input power	450W
With 10m of quick release cable	supplied as standard
Weight (without mains cable)	3.8kg



Order Number	240V - 620018000
--------------	------------------

Hedge Trimmers

Hedge Trimmers SLIMLINE



① Cable stress relief tie. Helps ensure safe and proper use and prevents cable damage.



② Carbon brush service cover/cable service cover makes for simple service and repair (HS 88 only).



③ Ergonomically formed bow type handle, for comfortable and safe two-handed operation. Upon release blade stops in 0.05 seconds.



④ Optimised exhaust outlet underneath the machine aids cooling and directs exhaust air away from the users eyes.



⑤ Patented blade release system for quick tool less blade change, (HS 88 Quick only). High quality laser cut diamond ground blades used on entire Metabo range.




HS 8755 SLIMLINE

Powerful SLIMLINE hedge trimmer with 560W high torque motor, 550mm blade length and 20mm cutting capacity. Metabo SLIMLINE hedge trimmers offer you all the usual Metabo qualities you would expect from a professional product with features to match. The SLIMLINE range offers the user powerful high torque motors with a 20mm cutting capacity and a three position grip handle design, giving the user up to 50% added reach through use of the back handle.

FEATURES

- Cutting strength 20mm
- Blade length 550mm
- Blade speed 3,100rpm
- Rated input power 560W
- With 10m of quick release cable supplied as standard
- Weight (without mains cable) 3.9kg



Order Number 240V - 608755000

HS 8745 SLIMLINE

Powerful SLIMLINE hedge trimmer with 560W high torque motor, 450mm blade length and 20mm cutting capacity. Metabo SLIMLINE hedge trimmers offer you all the usual Metabo qualities you would expect from a professional product with features to match. The SLIMLINE range offers the user powerful high torque motors with a 20mm cutting capacity and a three position grip handle design, giving the user up to 50% added reach through use of the back handle.

FEATURES

- Cutting strength 20mm
- Blade length 450mm
- Blade speed 3,100rpm
- Rated input power 560W
- With 10m of quick release cable supplied as standard
- Weight (without mains cable) 3.8kg




Order Number 240V - 608745000

HS 8765 SLIMLINE

Powerful SLIMLINE hedge trimmer with 560W high torque motor, 650mm blade length and 20mm cutting capacity. Metabo SLIMLINE hedge trimmers offer you all the usual Metabo qualities you would expect from a professional product with features to match. The SLIMLINE range offers the user powerful high torque motors with a 20mm cutting capacity and a three position grip handle design, giving the user up to 50% added reach through use of the back handle.

FEATURES

- Cutting strength 20mm
- Blade length 650mm
- Blade speed 3,100rpm
- Rated input power 360W
- With 10m of quick release cable supplied as standard
- Weight (without mains cable) 4kg



Order Number 240V - 608765000

Hedge Trimmers

Hedge Trimmers

Hedge Trimmers

Hedge Trimmers