



All products shown are in compliance with the appropriate European regulations.

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union (incl. Switzerland) are covered by an European

Ryobi® reserves the right to revise product specifications at any time without notice.




We continue to offer a 2 year warranty on all our products*

*Excluding spares and accessories.

At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their garden tools.



Every Ryobi® garden tool is a culmination of outstanding performance coupled with value and proven reliability making Ryobi® the number one choice for home-users.



New for 2011

As one of the largest and most innovative manufacturers of power and garden tools in the world, Ryobi[®] are dedicated to delivering outstanding performance and reliability.

Lithium-Ion 36V Range

Our new 36V Lithium-Ion range offers petrol performance and run time but with up to 97% less vibration and noise and best of all there are no emissions during use.

Being battery powered means no more mixing petrol and 2 stroke oil and storing messy cans of petrol, and without the cost of fuel, it's actually up to 50 times cheaper to run than equivalent petrol units.

To find out more view the range on pages 8–10.

One Plus™ 18V Range

The One Plus™ system is a unique 18V tool range in which one battery and charger can be used with up to 30 power and garden tools.

All the power of 18V with the cost saving of only having to buy the battery and chargers you need. Simply buy a starter kit, or an individual tool, battery and charger.

Then use the same battery to power any tool from the extensive range, removing the added expense of buying batteries and chargers with every tool purchase; saving you money. That's why it's the clever way to buy tools.

For more information see pages 12-15.





Lawnmower

Meet the new family of mowers. Whether it's petrol performance, from a Subaru® engine or cordless convenience from a 36V Lithium-lon battery,

32-33 or for information on our cordless mowers see pages 10-11. Ryobi® has a mower to suit you.



To find out more regarding our petrol mowers see page

TEK4™

TEK4™ cordless tools provide maximum performance durability and run time. Each TEK4™ tool is powered by a 4V reusable Lithium-Ion battery and is designed for ultimate performance and ease of use. Ergonomic and light weight, TEK4™ tools handle the toughest garden pruning and trimming tasks with fade free power, and over 2.000 recharges. The TEK4™ battery is interchangeable with all TEK4™ products including power tools.

See more about the range on pages 16–17.






Cordless Garden Tools

36V Lithium-lon Tools	8-10
48V Lawnmower	
One Plus™ 18V Tools	11 12–15
One Plus™ 18V Kits	13–14
TEK4™ Tools	16–17
117121	
and the same of th	
AND DESCRIPTIONS	
	STATE OF THE STATE OF
L long	
	WATER STATE OF THE
	- The second sec
	A 26 M
	The state of the s





Cordless Freedom, No Petrol, No Cable, No Hassle

- **01** Petrol performance and run time with 97% less vibration and noise, with no emissions during use.
- **02** Products are up to 50 times cheaper to run a season than equivalent petrol products.
- 03 Hassle free, no mixing of petrol and 2 stroke oil or storing messy petrol cans, just plug in the battery and go.



RHT36

NEW

36V Lithium-Ion Hedge Trimmer

Features

- 1 powerful 36V (2.6Ah) Lithium-Ion battery and charger
- . Up to 90 minutes run time
- Anti-slip teeth grip each branch during cutting for a cleaner cut and more efficient trimming
- Laser cut diamond ground blades are precision cut and ultra sharp for cleaner cutting results
- HedgeSweep[™] blade easily removes clippings during cutting
- Metal blade protector prevents damage when cutting against surfaces
- Heavy Duty Block Release[™] gear box retracts the blade if it gets stuck on a hard branch
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

1 x 36V (2.6Ah) Lithium-Ion battery, Blade sheath, HedgeSweep™, Charger

Specification

Power input:	36V battery
Cutting capacity	y: 20mm
Blade length:	550mm
Stroke rate:	3,000spm
Charge rate:	
60%	60 minutes
100%	100 minutes
Maiaht.	/ 2kg





RLT36

NEW

36V Lithium-Ion Line Trimmer

Features

- 1 powerful 36V (2.6Ah) Lithium-Ion battery and charger
- Up to 60 minutes run time
- · Rear mount battery for better balance and weight distribution
- Variable speed trigger extends run time and allows for trimming against delicate surfaces
- · Ergonomic front handle helps reduce vibration and improves comfort
- Angled boom for improved balance
- Metal plant protector protects flowers and delicate surfaces
- · Auto-feed line conveniently maintains optimal cutting length
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

1 x 36V (2.6Ah) Lithium-lon battery, auto-feed line, Charger

Specification

Weight

Power i	nput:	36V	battery
Cutting	diamet	er: 28	-33cm
Max			
speed:	9,000	10,0	000rpm
Line foo	d evete	m· Aı	to food

Line type: 1.5mm twisted
Charge rate:
60% 60 minutes
100% 100 minutes



RCS36

36V Lithium-Ion Chainsaw

Features

- 1 powerful 36V (2.6Ah) Lithium-Ion battery and charger
- Up to 100 cuts through 4" (10cm) logs
- Top mount battery for better balance and weight distribution
- Chain speed optimized for highest torque to virtually eliminate motor stalls during heavy cutting loads
- · Wrap around handle for improved comfort during use
- · Auto oiler automatically lubricates bar and chain to prolong tool life
- Toolless chain tensioner quickly and easily adjusts chain tension for best performance
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

1 x 36V (2.6Ah) Lithium-Ion battery, Bar & chain oil, Scabbard, Charger

Specification

NEW

Power input:	36V battery
Torque:	4.4Nm
Chain/Bar lengt	th: 30cm
Chain speed:	3.7m/s
Toolless	
chain tensioner	r: Yes
Oil tank capacit	ty: 110ml
Charge rate:	
60%	60 minutes
100%	100 minutes
Weight:	4.4kg





RBL36B

NEW

NEW

36V Lithium-Ion Blower

Features

- Accepts 36V Lithium-Ion batterie (sold separately)
- . Over 30 minutes of run time at full speed
- Top mount battery gives better balance and weight distribution
- Full variable speed trigger reduces noise, improves run time and gives the user more control
- Removeable high speed nozzle gives the option for high speed for wet leaves and debris or high air volume for dry, loose matter
- \bullet GripZone $\mbox{^{TM}}$ overmould technology for improved comfort with a positive grip

Included as standard

High speed nozzle

Specification

Power input:	36V battery
Airspeed:	up to 250km/h
Switch:	Variable Speed
Weight:	3.1kg



RLM3640LI

36V Lithium-Ion Lawnmower

Features

- Cuts up to 400m² on a single charge
- Convenient single point height adjust lever for 5 lengths of grass cutting
- 40cm deck for large cutting width
- Bumpers to protect the mower when cutting close to hard surfaces
- · Quick release folding handles for easy storage
- Large 50 litre capacity collection bag, also collapses for easy storage
- 2-in-1 operation: bagging and mulching
- Safety key for accidental start prevention

Included as standard

1 x 36V (2.6Ah) Lithium-Ion battery, 1 x mulching plug, Charger

Power input:	36V	battery
Deck size /		
cutting diamet	er:	40cm
Blade speed:	3.	500rpm
Drive mechanis	sm:	Push
Mulching capal	ole:	Yes
Charge rate:		
60%	60	minutes
100%	100	minutes
Weight:		18.0kg



FOR FULL RANGE OF ACCESSORIES PLEASE SEE PAGE 18-21





The Power of Petrol with Cordless Simplicity

- 01 Easily accessible 48V battery gives longer run time, whist running costs remain low.
- 02 52cm cutting deck with 3-in-1 bagging, mulching and side eject.
- 03 Cuts up to 2,000m² on one battery charge.



RLM4852L

48V Cordless Lawnmower

- Cuts up to 2,000m² with with up to 90 minutes run time per charge
- · Convenient single point height adjust lever for 7 lengths of grass cutting
- Easy access to the battery
- 52cm deck for increased cutting width
- . Bumpers to protect the mower when cutting close to hard surfaces
- 3-in-1 operation: bagging, mulching and side eject
- Safety key for accidental start prevention

Included as standard

1 x 48V Lead acid battery, Mulching plug, Side eject kit

Power input:	48V battery
Deck size /	
cutting diame	ter: 52cm
Motor speed:	3,000rpm
Drive	
mechanism:	Self-propelled
Mulching cap	able: Yes
Weight:	43.1kg





18V One Plus™ Range



The Ryobi® One Plus™ System is a unique tool range in which one battery and charger can be used with up to 25 power tools and 5 garden tools.

So you can have as many tools as you need, but you only have to pay for the batteries & chargers once!



HOW DO I START?

Buy a starter kit including tool, battery and charger.

THE CLEVER WAY TO BUY CORDLESS GARDEN TOOLS

Next tool purchase; no need to buy another battery and charger. Save money!

Choose any tool and buy the battery and charger separately.

RLT1830LI

18V One Plus™ Line Trimmer Starter Kit with Compact Lithium-Ion Battery

Features

- 1 powerful 18V (1.4Ah) Lithium-Ion Compact One Plus™ battery and Super Charger
- Up to 25 minutes run time
- · Extendable shaft to suit your style of working
- · Lock-out safety switch
- Fully adjustable 'D' handle
- · Rotatable head for edging
- Pivoting head for trimming under hedges & decks, and on slopes
- Auto-feed line advances when you release the trigger and decelerate
- Metal plant protector protects flowers and delicate surfaces
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1.4Ah) Compact Lithium-Ion battery, Super Charger

Specification

Weight:

Power input: No load speed: 8,000rpm Line feed system: Auto Feed Cutting path width: 300mm Cutting line 1.6mm diameter: Charge rate: 100% 45 minutes

3.2kg



OLT1831

NEW

18V One Plus™ Line Trimmer

Features

- Up to 25 minutes run time (battery and charger sold separately)
- · Extendable shaft to suit your style of working
- · Lock-out safety switch
- Fully adjustable 'D' handle
- Rotatable head for edging
- · Pivoting head for trimming under hedges & decks, and on slopes
- Auto-feed line advances when you release the trigger and decelerate
- · Metal plant protector protects flowers and delicate surfaces
- GripZone™ overmould technology for improved comfort with a positive grip

Specification

18V battery Power input: No load speed: 8,000rpm Line feed system: Auto Feed Cutting path width: 300mm Cutting line 1.6mm diameter: Charge rate: 100% 45 minutes 2.3kg Weight:





RHT1850LI

18V One Plus™ Hedge Trimmer Starter Kit with Compact Lithium-Ion Battery

Features

- 1 powerful 18V (1.4Ah) Lithium-Ion Compact One Plus[™] battery and Super Charger
- Up to 35 minutes run time
- 500mm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep[™] compatible blade bar (sold separately)
- Large 16mm cutting capacity
- Large front handle for comfortable cutting
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1.4Ah) Compact Lithium-Ion battery, Blade sheath, Super Charger

Specification

Power input:	18V battery
Cutting capacity	16mm
Stroke rate:	2,400spm
Blade length:	500mm
Charge rate:	
100%	45 minutes
Weight:	2.7kg



OHT1851

18V One Plus™ Hedge Trimmer

Features

- Up to 35 minutes run time (battery and charger sold separately)
- 500mm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep[™] compatible blade bar (sold separately)
- Large 16mm cutting capacity
- · Large front handle for comfortable cutting
- \bullet GripZone $^{\scriptscriptstyle\mathsf{TM}}$ overmould technology for improved comfort with a positive grip

Included as standard

Blade sheath

Power input:	18V battery
Cutting capacity:	: 16mm
Stroke rate:	2,400spm
Blade length:	500mm
Weight:	2.2kg



OBL1802

18V One Plus™ Blower

Features

- Accepts 18V One Plus™ NiCad or Lithium-Ion batteries (sold separately)
- Powerful but quiet blower / sweeper
- 120mph (193km/h) airflow speed
- · Light weight for easy operation
- · Ergonomic flick switch
- · High speed nozzle design with debris scrapper
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x nozzle

Specification

Power input:	18V battery
Air flow speed:	120mph
	(193km/h)
Neight:	1.6kg



OPS1821

18V One Plus™ Pruner

Features

- Accepts 18V One Plus™ NiCad or Lithium-Ion batteries (sold separately)
- Shaft extends 40cm for hard to reach branches up to 3.5 meters high
- Toolless blade clamp for quick and easy blade changes
- · Lock-out safety switch
- Integrated branch hook to pull branches to the ground
- Fully adjustable 'D' handle
- · Takes standard reciprocating saw blades
- 22mm stroke length
- 3,000spm no load speed
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Blade

Specification

NEW

Power input:	18V battery	
lo load speed:	3,000spm	
Max cutting capacity:		
wood)	102mm	
Stroke length:	22mm	
Veight:	2.7kg	



OGS1821

18V One Plus™ Shear & Shrubber

Features

- Accepts 18V One Plus[™] NiCad or Lithium-Ion batteries (sold separately)
- · Light weight for easy operation
- · Sealed maintenance free blade gears
- Toolless blades for quick changes
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x grass cutting blade, 1 x shrubbing blade

Specification

NEW

18V battery Power input: Cutting capacity: 8mm Shrubber blade: 200mm Shear blade: 100mm Weight without blade: 1.4kg





Includes shrubbing blade







TEK4™ cordless electronic tools provide maximum performance, durability and run time.

Each TEK4™ tool is powered by a 4V reusable Lithium-Ion battery, and is designed for ultimate performance and ease of use. The TEK4™ battery is interchangeable with all TEK4™ products.

TEK4™ Lithium-Ion batteries have longer run times, fade free power, over 2,000 recharges, and a single charge performance up to the equivalent of 3 AA alkalines.



RGS410

TEK4™ Lithium-Ion Shear Shrubber

Features

- 4V Lithium-Ion battery gives up to 55 minutes of run time on one battery charge
- Precision ground blades provide cleaner cutting results
- Toolless blade clamp allows you to quickly and easily change blades
- . Trigger lock out prevents accidental starting

Included as standard

1 x 4V Lithium-Ion battery, Charger

Specification

Power input:	4V	
Cutting capacity:	8mm	
Shrubber blade:	120mm	
Shear blade:	80mm	
Charge rate:		
100% 210–270	minutes	
Pole Attachment		
Compatible:	Yes	
Weight with shrubber		
attachment:	0.6kg	
Weight with grass shear		
attachment:	0.5kg	





RLP416

TEK4™ Lithium-Ion Lopper

Features

- 4V Lithium-lon battery gives up to 500 9mm cuts on one battery charge
- Precision ground blade provide cleaner cutting results
- 30° Angled handle for optimium user comfort
- Trigger lock out prevents accidental starting

Included as standard

1 x 4V Lithium-Ion battery, Charger

Specification

NEW

Power input	:	4V
Cut capacity		
Soft woo	d	16mm
Hard woo	od	10mm
Pole Attachr	nent	
Compatible:		Yes
Charge rate:		
100% 2	10–270	minutes
Weight:		0.7kg





BATTERY & CHARGER OPTIONS

36V BATTERIES



Specification

Description

System

Battery Chemistry



1 x 36V (2.6Ah) Lithium-lon Battery





18V LITHIUM-ION COMPACT BATTERIES & CHARGER KITS









Specification

Description

System

Battery Chemistry

BPL18151

1 x 18V (1.4Ah) Lithium-Ion Battery





BPL18152

2 x 18V (1.4Ah) Lithium-Ion Batteries





BLK18151

1 x 18V (1.4Ah) Lithium-Ion Battery & Super Charger





Not available in UK

BLK18152

2 x 18V (1.4Ah) Lithium-Ion Batteries & Super Charger





4V TEK4™ **BATTERIES**



Description

System

Battery Chemistry



AP4001

1 x 4V (1.5Ah) Lithium-Ion Battery

RYOBITE 4





18V NICAD COMPACT BATTERIES & CHARGER KITS











Specification

Description

System

Battery Chemistry

BPP1817M

1 x 18V (1.7Ah) NiCad Battery

ONE :

NICAG

BPP1817M2

2 x 18V (1.7Ah) NiCad Batteries

ONE #

NICAG

BCP1817M

1 x 18V (1.7Ah) NiCad Battery & Charger

ONE :

MACAD Not available in UK BCP1817M2

2 x 18V (1.7Ah) NiCad Batteries & Charger

ONE #

NICAS

18V LITHIUM-ION BATTERIES & CHARGER KITS



Description

System

Battery Chemistry



BPL1820

1 x 18V (2.4Ah) Lithium-Ion Battery







BPL18202

2 x 18V (2.4Ah) Lithium-Ion Batteries





Not available in UK



BLK1820

1 x 18V (2.4Ah) Lithium-Ion Battery & Super Charger





Not available in UK



BLK18202

2 x 18V (2.4Ah) Lithium-Ion Battery & Super Charger





Not available in UK

CHARGERS













Specification

Description

System

Battery Chemistry

BCL3620

Charger for 36V Lithium-lon batteries



BCL1418

Super Charger for both Lithium-lon and NiCad batteries





BC1815SM

Fast Charger for NiCad batteries





BCS618

6 Port Battery Maintenance System suitable for Lithium-Ion and NiCad batteries





BFG1218

Battery Fuel Gauge fits all 18V Lithium-lon and NiCad batteries





AP4021

TEK4™ Battery Charger with 2 x 4V (1.5Ah) batteries

RYOBITE(4



CORDLESS ACCESSORIES


36V ACCESSORIES

Specification
Description
System
Fits

1 x spool cover, spo with 1.5mm twisted
with 1.5mm twisted
with 1.5mm twisted
with 1.5mm twisted
न्तापसासामा डाउ४
<u> </u>
RLT36
RLI36








18V ACCESSORIES

Specification	
Description	
System	
Fits	

ication	RAC124	RAC125	RAC300
tion	1 x spool cover, spool with 1.6mm line	3 x spools with 1.6mm line	Shear Replacement Blade
	BONE +	TE ONE +	ONE +
	RLT1830Li 0LT1831	RLT1830Li 0LT1831	OGS1820/OGS1821






48V MOWER ACCESSORIES RAC305 RAC405 RAC404 Specification RAC408 500mm HedgeSweep™ Lawnmower Lawnmower Description Lawnmower Debris removal 16"/ 40cm blade replacement bag 20"/52cm blade **414144 41**4444 System SOV ONE+ RHT1850Li/RHT36 RLM3640Li RLM3640Li RLM4852L Fits

Specification RAC301 RAC302 RAC303 RAC304 Description Replacement Replacement grass Wheel and pole Replacement shrubber blade lopper blade grass shear blade attachment System RYOBITE 4 RYOBITE 4 RYOBITE 4 RYOBITE 4 Fits RGS410 **RGS410** RGS410 RLP416

4V TEK4™ ACCESSORIES









The StartEasy™ system enables fast and easy starting.



Turn one power unit into eight tools.



The easiest starting petrol garden power tools in the world.



The lightest 4 stroke garden power tools in their class

RLT26CDS

26cc StartEasy™ Line Trimmer

Features

- StartEasy[™] carburettor for easy starting
- · Advanced engine design for optimum power and low emissions
- Split shaft for Expand-it[™] attachment compatibility
- · Light weight and ergonomic design
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench,

Specification

Engine type:	2 stroke
Engine	
displacement:	26cc
Output power:	0.9hp
Tank capacity:	0.251
Cutting path width:	43cm
Line diameter:	2.4mm
Weight:	4.3kg







RLT30CESA

30cc StartEasy™ Line Trimmer

Features

- StartEasy[™] carburettor for easy starting
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it™ attachment compatibility
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, Ergo handle

Specification

Engine type:	2 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.421
Cutting path width:	43cm
Line diameter:	2.4mm
Weight:	5.3kg







RLT30CET

30cc TouchStart™ Line Trimmer

Features

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- · Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it[™] attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, TouchStart™ charger and battery, Ergo handle, Quick release shoulder harness

Specification

Engine type:	2 stroke
Tou	ıchStart™
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.421
Cutting path width:	43cm
Line diameter:	2.4mm
Weight:	6.7kg







RLT430CES

30cc 4 Stroke Line Trimmer

Features

- No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- Split shaft for Expand-it[™] attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

4 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, Ergo handle

Engine type:	4 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.351
Cutting path width:	43cm
Line diameter:	2.4mm
Weight:	5.1kg







RBC26SES

26cc StartEasy™ Line Trimmer

Features

- StartEasy[™] carburettor for easy starting
- Advanced engine design for optimum power and low emissions
- Split shaft for Expand-it™ attachment compatibility
- Tri-Arc™ hardened steel brush cutting blade
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- · Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Reel-Easy™ cutting head with 6m cutting line, Wrench, Tri-Arc blade, quick release shoulder strap, Ergo handle

Specification

Engine type:	2 stroke
Engine	
displacement:	26cc
Output power:	0.9hp
Tank capacity:	0.251
Cutting path width:	
String head	46cm
Blade	20cm
ine diameter:	2.4mm
Jandle type: Fran	D handle

5.2ka







RBC30SESA

30cc StartEasy™ Brush Cutter

Features

- Powerful 30cc 2 stroke engine with 1hp output
- StartEasy[™] carburettor for easy starting
- Split shaft for Expand-it[™] attachment compatibility
- Tri-Arc[™] hardened steel brush cutting blade
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- · Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, Quick release shoulder strap, Wrench, Ergo handle

Available with a bike handle as RBC30SBSA see range summary on page 35

RBC30SET

30cc TouchStart™ Brush Cutter

Features

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- · Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it[™] attachment compatibility
- Tri-Arc[™] hardened steel brush cutting blade
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- · Centrifugal clutch for easier starting
- Anti-vibration handle for added safety and user comfort

Included as standard

2 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, TouchStart™ charger and battery, Quick release shoulder strap, Wrench, Ergo handle

RBC30SBT

30cc TouchStart™ Bike Handle Brush Cutter

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for compact storage and Expand-it™ attachment compatibility
- Tri-Arc[™] hardened steel brush cutting blade
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- Centrifugal clutch for easier starting
- · Fully adjustable rotating bike handle for comfort and storage convenience

Included as standard 2 stroke oil, Tri-Arc $^{\text{\tiny{TM}}}$ blade, Reel-Easy $^{\text{\tiny{TM}}}$ cutting head with 6m cutting line, TouchStart $^{\text{\tiny{TM}}}$ charger and battery, Quick release shoulder strap, Wrench, bike handle

Specification

Weight:

Engine type:	2 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.421
Cutting path width:	
String head	46cm
Blade	20cm
Line diameter:	2.4mm
Handle type: Ergo	D handle
Weight:	6.0kg







Specification

Engine type:	2 stroke
	$TouchStart^{\scriptscriptstyle{\intercal}}$
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.421
Cutting path wi	idth:
String head	46cm
Blade	20cm
Line diameter:	2.4mm
Handle type: I	rgo D handle
Weight:	6.7kg
-	







NOT AVAILABLE IN UK

Engine type:	2 stroke
	TouchStart™
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.42
Cutting path w	idth:
String head	46cm
Blade	20cm
Line diameter:	2.4mm
Handle type:	Bike handle
Weight:	7.4kg









RBC430SES

30cc 4 Stroke Brush Cutter

Features

- . No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- Reel-Easy[™] bump feed head with patented 'Thread and load' system for rapid line refills
- Tri-Arc[™] hardened steel brush cutting blade
- · Anti-vibration handle for added safety and user comfort
- Split shaft for compact storage and Expand-it[™] attachment compatibility
- · Centrifugal clutch for easier starting

Included as standard

4 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting line, Quick release shoulder strap, Wrench, Ergo handle

Specification

Engine type:	4 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.351
Cutting path width:	
String head	46cm
Blade	20cm
Line diameter:	2.4mm
Handle type: Fron	D handle

6.0kg

COMPATIBLE





RBC430SBS

30cc 4 Stroke Bike Handle Brush Cutter

Features

- . No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- · Fully adjustable rotating bike handle for comfort and storage
- Split shaft for compact storage and Expand-it™ attachment compatibility
- Reel-Easy™ bump feed head with patented 'Thread and load' system for rapid line refills
- Tri-Arc[™] hardened steel brush cutting blade
- · Centrifugal clutch for easier starting
- · Anti-vibration handle for added safety and user comfort

Included as standard

4 stroke oil, Tri-Arc™ blade, Reel-Easy™ cutting head with 6m cutting, line, Quick release safety harness, Wrench, Bike handle

RBC40SB

40cc Professional Brush Cutter

- Powerful 40cc engine with 1.7hp output
- Full crank engine for extended engine life and reduced vibration
- Fully adjustable rotating bike handle for comfort and storage convenience
- Solid drive shaft for added durability
- · Centrifugal clutch for easier starting
- Quick release fixed line cutting head

Included as standard

Quick release safety harness, 3 tooth hardened steel blade, Fixed line head with 10 lines, Bike handle, Wrench

Specification

Weight:

Engine type:	4 stroke
Engine	
displacement:	30cc
Output power:	1hp
Tank capacity:	0.351
Cutting path wid	ith:
String head	46cm
Blade	20cm
Line diameter:	2.4mm
Handle type:	Bike handle
Weight:	7.4kg





Specification

Engine type:	2 stroke
full	crank engine
Engine	
displacement:	40cc
Output power:	1.7hp
Tank capacity:	1.21
Cutting path wid	ith:
String head	42cm
Blade	26cm
Line diameter:	2.7mm
Handle type:	Bike handle
Weight:	7.9kg



RBC52SB

52cc Professional Brush Cutter

Features

- Powerful 52cc engine with 1.9hp output
- Full crank engine for extended engine life and reduced vibration
- Fully adjustable rotating bike handle for comfort and storage
- · Solid drive shaft for added durability
- · Centrifugal clutch for easier starting
- · Quick release fixed line cutting head

Included as standard

Quick release safety harness, 3 tooth hardened steel blade, Fixed line head with 10 lines, Bike handle, Wrench

2 stroke
ık engine
52cc
1.9hp
1.21
42cm
26cm
2.7mm
e handle
7.9kg





Turn one power unit into eight tools



Features

Quick Release – Simply use the quick release mechanism on the shaft to remove the trimmer or cutter head and connect the Expand-it™ attachment – within a few seconds you have a new garden power tool.





AHF04

Articulating Hedge Trimmer

Features

- Blade length: 44cm
- Cutting capacity: 28mm
- Blade type: dual reciprocating
- 90° articulating blade for comfortable cutting in any angle
- 2.0kg

AHF03

Hedge Trimmer

Features

- Blade length: 45cm

- 2.1kg



APR04

Pole Pruner

Features

- Chain speed: 30m/s
- 15° angled blade for more comfortable and safer cutting
- · Automatic chain oiler and clear oil tank
- Metal spike bumpers for easier and safer cutting
- 2.5kg



ABE04

Blower



AQTT03

Cultivator

Features

- Tine diameter: 20cm
- Number of tines: 4
- 6.2kg



AED04

Edger

Features

- Blade diameter: 23cm
- Edging depth: 1.3cm 7cm
- Adjustable edging depth
- Ergonomic shaft angle
- Dual sided blade for higher efficiency and longer life
- 2.0kg



ABC03

Brush Cutter

Features

• 2.1kg



ALT03

Line Trimmer

Features



AEX002

Extension Shaft

Features

- Length: 62cm
- Ideal for extending pole pruner or hedge trimmer attachments
- 0.7kg



Features

- 01 Patented EasyEdge™ technology offers a quick and simple transition between grass trimming and edging modes without letting go of the handles.
- 02 Fully adjustable front handle with GripZone™ and telescoping shaft offers maximum comfort and ease of use at any angle or height.
- 03 GripZone™ and Livetool Indicator™ for comfortable use and added user safety.







RLT5030S

500W EasyEdge™ Line Trimmer

- Patented EasyEdge™ technology featuring a spring assisted pedal for smooth transition from grass trimming to edging mode
- · Automatic feed spool head
- Powerful 500W high performance motor
- Telescoping shaft and fully adjustable front handle for optimum user comfort
- Plant protector for safe cutting and great finish
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear and front handle for user comfort

Power:		500W
Cutting path	width:	30cm
Line cutting		
system:	Α	uto-feed
Line type:	2)	(1.5mm
		twisted
Weight:		3.1kg



RLT4025

400W Line Trimmer

Features

- . Innovative barrel wheel and rotating rear handle for edging
- · Automatic feed spool head
- · Easy to use and handle due to ergonomic design and telescopic shaft

Power: 400W Cutting path width: 25cm

Stine cutting system: Auto-feed Line type: 2 x 1.5mm twisted Weight: 2.3kg



RLT3025F

300W Folding Line Trimmer

Features

- Mid-shaft joint allows folding for easy storage and transportation
- Ergonomic arm support handle for improved balance and one-handed operation
- · Efficient 300W motor for low weight and sufficient power

Specification

Power:		300W
Cutting path	width:	25cm
Line cutting		
system:	Bu	mp head
Line type:	2)	(1.2mm
Weight:		1.9kg



RLT6038EX

600W Line Trimmer

Features

- · Rear mount motor for full control at high motor power
- Wide cutting path
- · Split shaft for easy transport and storage
- · Fully adjustable front handle
- Livetool™ indicator glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Included as standard

Shoulder strap

Also available as a 1,000W version, see range summary on page 36

Specification

Power:	600W
Cutting path	width: 38cm
Line cutting	
system:	Bump head
Line type:	2 x 1.5mm
	twisted
Weight:	4.3kg



RBC1000EX

1,000W Brush Cutter

Features


- Rear mount motor for full control with 1,000W motor power
- Wide cutting path
- Split shaft for easy transport and storage
- Fully adjustable front handle
- Livetool[™] indicator glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Included as standard

Shoulder strap, dual line bump head, blade

Power:	1,000V
Cutting path w	
String head	38cn
Blade	20cm
Line cutting	
system:	Bump hea
Line type:	2 x 2.00mm
	twiste
Weight:	4.8k





Ultimate Power

- 01 Subaru® engine for ultimate performance.
- 02 The mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser.

Powered by



RLM4617SM

175cc Lawnmower

Features

- Subaru® 175cc OHC powerful engine
- 46cm deck for large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Single point height adjustment for 7 length of grass cutting
- · Bumpers to protect the mower when cutting close to hard surfaces

Included as standard

55 litre grass bag, mulching plug

Specification

Engine: 175cc OHC

Deck size /
cutting diameter: 46cm

Motor speed: 2,800rpm

Drive
mechanism: Self-propelled
2-in-1 Grass bagging
& mulching

Mulching plug supplied: Yes

Weight: 32.5kg



RLM5219SME

190cc Lawnmower

Features

- Subaru® 190cc OHC powerful engine
- 52cm deck for increased cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Single point height adjustment for 7 length of grass cutting
- · Bumpers to protect the mower when cutting close to hard surfaces
- Side eject feature allows mower to cut long, rough grass

Included as standard

55 litre grass bag, mulching plug, side eject kit

Specification

Engine: 190cc OHC

Deck size /
cutting diameter: 52cm

Motor speed: 2,800rpm

Drive
mechanism: Self-propelled
3-in-1 Grass bagging,
mulching & side eject

Mulching plug supplied: Yes

Weight: 34.5kg



RLM140HP

140cc Lawnmower

Features

- Powerful 140cc OverHead Valve engine
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 length of grass cutting
- Large grass bag for convenient cutting

Included as standard

55 litre grass bag

Specification

Engine: 140cc OHV
Deck size /
cutting diameter: 46cm
Motor speed: 2,800rpm
Weight: 30.0kg



RLM140SP

140cc Self-propelled Lawnmower

Features

- · Self propelled lawn mower for optimum user comfort
- Powerful 140cc OverHead Valve engine
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Single point height adjustment for 7 length of grass cutting
- · Large grass bag for convenient cutting

Included as standard

55 litre grass bag

Specification

Engine: 140cc OHV
Deck size /
cutting diameter: 46cm
Motor speed: 2,800rpm
Weight: 32.0kg



RANGE SUMMARY & ACCESSORIES

PETROL LINE TRIMMERS & BRUSH CUTTERS





RLT30CESA







Specification
Engine type
Engine Displacement
Output power
Tank capacity
Cutting path width (string head)
Cutting path width (blade)
Line diameter
Handle type
Weight

2 stroke	
26cc	
0.9hp	
0.251	
43cm	
_	
2.4mm	
D handle	
4.3kg	

2 stroke	3
30cc	
1hp	1
0.421	0
43cm	4
-	Ξ
2.4mm	2
Ergo D handle	E
5.3kg	6

30cc	e TouchStart
1hp	
0.421	
43cm	
-	
2.4mn	n
Ergo D) handle
6.7kg	

RLT430CES
4 stroke
30cc
1hp
0.351
43cm
-
2.4mm
Ergo D handle
5.1kg

	20000000
ŀ	RBC26SES
-	2 stroke
	26cc
-).9hp
).251
-	16cm
2	20cm
2	2.4mm
) handle
5	5.2kg

Accessories	
171040	45 04
LTA012	15m 2.4mm cutting line for Reel-Easy™
LTA013	50m 2.4mm cutting line for Reel-Easy™
LTA024	Tri-Arc™ replacement blade for brush cutters
LTA034	Replacement blade for brush cutters
LTA035	Line trimmer replacement head
LTA036/LTA040/	Pro-Cut II™ replacement cutting line (x20)
LTA050	
LTA039	Pro-Cut II™ replacement head and line (x10)
LTA042	Reel-Easy™ replacement head with line
RGA006	Line trimmer safety kit
ACC002	2 stroke oil 76ml
ACC004	2 stroke oil 1I
RGA004	4 stroke multigrade engine oil

~	
_	
/	
/	
1	
<u>/</u> /	
~	
~	

	-
<u> </u>	V
/	V
	~
./	./
<u> </u>	<u>/</u>
	<u></u>
	<u></u>
<u> </u>	V V V
	-
	*

<u>v</u>	V
<u>v</u>	<u>v</u>
✓	✓
<u>v</u>	<u>v</u>
<u>v</u>	<u>v</u>
	<i>V V V</i>
<u>′</u>	


































F	RBC52SB
2	stroke full crank
5	2cc
	.9hp
1	.21
4	2cm
2	6cm
2	.7mm
В	ike handle
7	.9kg
_	

RANGE SUMMARY & ACCESSORIES

ELECTRIC LINE **TRIMMERS** & BRUSH **CUTTERS**



Specification	
Power	
Cutting diameter	
Line Cutting system	
Line type	
Telescoping shaft	
Edging facility	
Plant protector	
Livetool Indicator™	
GripZone™	
Weight	

INO		
No		
No		
No		
1.9kg		
<u> </u>		
<i>V</i>		
<i>V</i>		
<i>V</i>		
<u>v</u> <u>v</u>		
<u>v</u> <u>v</u>		
<i>V V</i>		

RLT3025F

300W

25cm

Bump head

2 x 1.2mm

RLT4025

400W

25cm

Auto-feed 2 x 1.5mm twisted

Yes, barrel wheel

110	100, 0
No	No
No	Yes
No	Yes
1.9kg	2.3kg
	-
<u>v</u>	
<u></u>	
	<u> </u>
	-
	-

RLT5030S	RLT6038E
	•
500W	600W
30cm	38cm
Auto-feed	Bump head
2 x 1.5mm twisted	2 x 1.5mm tw
Yes	No
Yes, EasyEdge™	No
Yes	No
Yes	Yes
Yes	Yes
3.1kg	4.3kg
	•

<u> </u>
✓

RLT1000EX	RB
1,000W	1,00
38cm	20cm
	38cn
Bump head	Bum
2 x 1.5mm twisted	2 x 2
No	No
No	No
No	No
Yes	Yes
Yes	Yes
4.8kg	4.8kg

1,000W	
20cm	String
38cm	Blade
Bump hea	ıd
2 x 2.0mm	n twisted
No	
No	
No	
Yes	
Yes	
4.8kg	

LTA062	2 replacement spools for RLT5030S
LTA025	Complete replacement
	bump head – RLT6038EX
LTA026	Spool + Line accessory
	pack – RLT6038EX
LTA031	Complete replacement bump head
LTA032	Spool + Line accessory pack

LTA008 15m of 1.2mm orange cutting line LTA055 Complete replacement bump head LTA054 2 replacement spools for RLT4025

Accessories



EXPAND-IT™ ATTACHMENTS





APR04	
AFNU4	
<u> </u>	
<u> </u>	
V	




ALT03	
V	
-	



ABC03		
-		
-		
<u> </u>		

PETROL LAWNMOWER ACCESSORIES



Accessories	
RAC401	Lawnmower 18 "/46cm replacement blade
RAC407	Lawnmower 20"/52cm replacement blade
RAC400	Lawnmower 18"/46cm replacement blade
RAC402	Mower bag (no metal frame)
RAC403	Mulching Plug



RLM5219SME

190cc OHC

2,800rpm

19-76mm

52cm

Yes

551

34.5kg

RLM4617SM	
175cc OHC	
46cm	
2,800rpm	
Yes	
19-76mm	
551	
32.5kg	
-	

		_
<u> </u>		_
		_
		-
		-




RLM140HP		
140cc OHV		
46cm		
2,800rpm		
No		
19-76mm		
551		
30.0kg		

140cc OHV	_
46cm	
2,800rpm	
Yes	
19-76mm	
551	
32.0kg	

<u> </u>	<u> </u>
<u>/</u>	V
<u> </u>	<u> </u>







Features

- 01 Toolless chain tensioner.
- 02 Anti-vibration handle.
- 03 Dual post chain break.
- 04 Clear view fuel tank.









RCS3335C

33cc Petrol Chainsaw

Features

- Power full 2-stroke 33cc engine
- · 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- · Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Engine displacement: Power: 1.8hp (1.3kW) Chain/Bar length: 33cm Chain speed: 12.5m/s Case: Yes Toolless chain tensioner: Yes Fuel tank capacity: 0.581 Oil tank capacity: 0.351

4.8kg

Specification

Weight:



RCS3535CB

35cc Petrol Chainsaw

Features

- · 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Specification

Engine	
displacement:	35cc
Power:	2hp (1.5kW)
Chain/Bar lengt	th: 35cm
Chain speed:	12.5m/s
Case:	Yes
Toolless	
chain tensioner	: Yes
Fuel tank capac	city: 0.31
Oil tank capacit	ty: 0.21
Weight:	5.3kg



RCS4040CB

40cc Petrol Chainsaw

Features

- Powerful 2 stroke 40cc engine
- · 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Toolless chain tensioning system
- · Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Engine	
displacement:	40cc
Power: 2.1hp	(1.6kW)
Chain/Bar length:	40cm
Chain speed:	12.5m/s
Case:	Yes
Toolless	
chain tensioner:	Yes
Fuel tank capacity:	0.31
Oil tank capacity:	0.21
Weight:	5.4kg



RCS4640C

NEW

46cc Petrol Chainsaw

Features

- Powerful 2 stroke 46cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- · Toolless chain tensioning system
- · Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Coming spring 2011

Specification

Engine	
displacement:	46cc
	(1.8kW)
Chain/Bar length:	40cm
Chain speed:	12.5m/s
Case:	Yes
Toolless	
chain tensioner:	Yes
uel tank capacity:	0.51
Oil tank capacity:	0.31
Neight:	5.4kg



RCS4845C

NEW

48cc Petrol Chainsaw

Features


- Powerful 2 stroke 48cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- Toolless chain tensioning system
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Specification

Engine	
displacement:	48c
	hp (1.9kW
Chain/Bar length	
Chain speed:	12.5m/
Case:	Ye
Toolless	
chain tensioner:	Ye
Fuel tank capaci	ty: 0.5
Oil tank capacity	: 0.3
Weight:	5.4k



RCS5150C

51cc Petrol Chainsaw

NEW

Features

- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Deluxe carry case

Included as standard

Bar & chain oil, 2 stroke oil, Carry case, Wrench

Engine	
displacement:	51cc
Power: 2.7	'hp (2kW)
Chain/Bar length:	50cm
Chain speed:	12.5m/s
Case:	Yes
Toolless	
chain tensioner:	No
Fuel tank capacity:	0.5
Oil tank capacity:	0.3
Weight:	5.4kg



RCS1835

1,800W Electric Chainsaw

Features

- Toolless chain tensioning system
- · Fast acting chain brake for added safety
- Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] rear handle for user comfort

Included as standard

Bar & chain oil

Specification					
Power:	1,800				
Chain/Bar length:	35cr				
Chain speed:	13m/				
Toolless					
chain tensioner:	N				
Oil tank capacity:	0.2				
Weight:	5.1k				
Cable length:	10r				

0



RCS2040

2,000W Electric Chainsaw

Features

- Powerful 2,000W motor
- Toolless chain tensioning system
- · Fast acting chain brake for added safety
- Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear handle for user comfort

Included as standard

Bar & chain oil

Specification	
Power:	2,000W
Chain/Bar length:	40cm
Chain speed:	13m/s
Toolless	
chain tensioner:	Yes
Oil tank capacity:	0.2
Weight:	5.2kg
Cable length:	10n



RPP720

Electric Pole Pruner

Features

- Light weight 720W motor for ergonomic pole operation
- 15° angled cutting head for safer and easier cutting
- Telescopic fiber glass pole for long reach
- Automatic chain and bar lubrication
- Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Included as standard

Bar & chain oil, Wrench, shoulder harness


Power:	720W
Chain/Bar length:	20cm
Chain speed:	15m/s
Oil tank capacity:	51ml
Weight:	3.5kg
Cable length:	8m





Features

- 01 Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges safely in different angles.
- 02 Lasercut precision blade with anti-skid technology for highest cutting performance and prolonged life.
- 03 HedgeSweep™ sweeps remaining clippings away from the hedge.





RHT2660DA

26cc StartEasy™ Petrol Hedge Trimmer

Features

- Powerful 26cc 2 stroke engine
- 5 position rotating rear handle for optimum user comfort
- Dual reciprocating precision blade for less vibration
- StartEasy[™] carburettor for easy starting

Included as standard

2 stroke oil, Wrench

Engine	
displacement:	26cc
Power:	0.9hp
Blade length:	60cm
Cutting capacity:	28mm
Blade type:	dual-action
Blade speed:	2,600min ⁻¹
Weight:	5.3kg



RHT400

400W Electric Hedge Trimmer

Features

- Dual reciprocating blade for less vibration
- 180 degree loop front trigger handle for enhanced user comfort
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] rear handle for user comfort

Specification

400W
45cm
18mm
dual-action
r: No
1,700min ⁻¹
3.0kg



RHT500R

500W Electric Hedge Trimmer

Features

- Dual reciprocating diamond ground blade for great finish while cutting and less vibration
- T blade protector to guard blade
- HedgeSweep[™] capable blade
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different angles
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone[™] rear and front handle for added user comfort

Specification

500W
55cm
24mm
dual-action
r: Yes
3,000min ⁻¹
3.4kg



RHT600RL

600W Electric Hedge Trimmer with HedgeSweep™

Features

- · Laser cut high precision blade for cleanest cut
- HedgeSweep™ debris sweeper for easy removal of clippings
- Powerful 600W motor
- T blade protector to guard blade
- · Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different angles
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear and front handle for added user comfort

Included as standard

HedgeSweep™

Specification

Power:	600W
Blade length:	60cm
Cutting capacity:	27mm
Blade type:	dual-action
T Blade protecto	r: Yes
Blade speed:	3,000min ⁻¹
Weight:	3.8kg





RPT400

Electric Articulating Pole Hedge Trimmer

Features

- Light weight 400W motor
- 135 degree articulating trimming head
- Telescopic fiber glass pole for long reach
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] handle for user comfort

Power:	400W
Blade length:	40cm
Cutting capacity:	17mm
Blade type:	dual-action
T Blade protector	r: No
Blade speed:	1,700min ⁻¹
Length of produc	t: 195mm
Length extended:	230mm
Weight:	4.1kg



RANGE SUMMARY & ACCESSORIES

CHAINSAWS & POLE PRUNER



		Service Control of the Control of th	No. of the last	A STATE OF THE PARTY OF THE PAR	1	1	1	A STATE OF THE PARTY OF THE PAR
Specificat	tion	RCS3335C	RCS3535CB	RCS4040CB	RCS4640C	RCS4845C	RCS5150C	RCS1835
Engine displa Power Chain/Bar len Chain speed Case Toolless chai Fuel tank cap Oil tank capa Weight	n tensioner acity	33cc 1.8hp (1.3kW) 33cm 12.5m/s Yes Yes 0.58l 0.35l 4.8kg	35cc 2hp (1.5kW) 35cm 12.5m/s Yes Yes 0.3l 0.2l 5.3kg	40cc 2.1hp (1.6kW) 40cm 12.5m/s Yes Yes 0.3l 0.2l 5.4kg	46cc 2.43hp (1.8kW) 40cm 12.5m/s Yes Yes 0.5l 0.3l 5.4kg	48cc 2.57hp (1.9kW) 45cm 12.5m/s Yes Yes 0.5l 0.3l 5.4kg	51cc 2.7hp (2kW) 50cm 12.5m/s Yes No 0.5l 0.3l 5.4kg	N/A 1,800W 35cm 13m/s No Yes - 0.2l 5.1kg
Chain Acc	cessories							
CSA044 CSA044	20cm low profile skip tooth narrow kerf pruner chain 35cm 3/8 inch low profile full complement chain 40cm 3/8 inch low profile	<i>v</i>	<i>v</i>					
CSA054	full complement chain 35cm high performance							<u>~</u>
CSA056 RAC228 RAC230 RAC232	chain for electric chainsaws 40cm high performance chain for electric chainsaws 40cm chain for RCS4640C 45cm chain for RCS4845C 50cm chain for RCS5150C				<i>v</i>			
Bar Acces	ssories							
CSA035 CSA041 CSA047 CSA055 CSA057 RAC229 RAC231 RAC233	35cm petrol chainsawbar 20cm pruner chainsawbar 40cm petrol chainsawbar 35cm electric chainsawbar 40cm electric chainsawbar 40cm bar for RCS4640C 45cm bar for RCS4845C 50cm bar for RCS5150C		<i>y</i>	<i>V</i>				<u>v</u>
Oils								
ACC002 ACC003 ACC004 ACC005	2 stroke oil 76ml Chain &bar oil 76ml Chain &bar oil 11 2 stroke oil 11	<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u>	<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u>	<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u>	<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u>	<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u>	<u>v</u> <u>v</u> <u>v</u> <u>v</u> <u>v</u>	<u>v</u>
Safety Ge RGA008 RGA007	Chainsaw protective gloves Chainsaw safety helmet	<i>v</i>	<u>v</u> <u>v</u>	<i>v</i>	<u>v</u> <u>v</u>	<i>V</i>		<u>v</u> <u>v</u>





HEDGE TRIMMERS









Yes - 0.2l	RCS2040			
2,000W 40cm 13m/s No Yes - 0.2l				
40cm 13m/s No Yes - 0.2l				
13m/s No Yes –	2,000W			
No Yes - 0.2l	40cm			
No Yes - 0.2l 5.2kg	13m/s			
	No			
	Yes			
	_			
5.2ka	0.21			
	5.2kg			

RPP720
N/A 720W
20cm
15m/s No
No -
51 ml 3.5kg











RPT400
-
400W
40cm
17mm
dual-action
No
1,700min ⁻¹
4.1kg











Features

- 01 The unique and innovative PowerMulching™ blades protect the fan from being damaged by debris such as stones and twigs, which can be accidently sucked up during use. The blades also increase the mulching capacity of the tool by chopping and mulching the leafs twice.
- 02 Telescopic tubes for easy storage and wheels for easy use and manoeuvrability.





RBV2800S

Electric Blower Vac with PowerMulching™

Features

- · High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching[™] blades allowing high impact resistance and high mulching ratio
- · Quick change lever to switch between blow and vacuum mode
- Telescoping tubes with double safety switching for easy storage and
- Shoulder strap for added comfort and control
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone™ rear handle and adjustable front handle for user comfort

Included as standard

Collection bag, Shoulder strap

Specification

Airspeed:	up to 320km/h
Air volume:	14m³/min
Mulching Rat	io: 15:1
Collection ba	g
capacity:	451
Max Power:	2,800W
Variable Spee	ed: No
Weight:	5.5kg





RBV3000VP

Variable Speed Electric Blower Vac with PowerMulching™

Features

- Variable speed selection for added user control
- · High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching[™] blades allowing high impact resistance and high mulching ratio
- Quick change lever to switch between blow and vacuum mode
- · Telescoping tubes with double safety switching for easy storage and
- Livetool Indicator[™] glows blue when plugged into power supply
- GripZone[™] rear handle and adjustable front handle for user comfort

Included as standard

Collection bag, Shoulder strap

Specification

Airspeed: up t	to 320km/h
Air volume: up to	14m³/min
Mulching Ratio:	15:1
Collection bag	
capacity:	451
Max Power:	3,000W
Variable Speed:	Yes
Weight:	5.5kg





RBV26

26cc Petrol Blower Vac

Features

- Light and compact 26cc 2 stroke blower with vacuum capabilities
- · High performance blower and mulching vacuum with adjustable speed
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- StartEasy[™] carburettor for easy starting

Included as standard

2 stroke oil, Collection bag, Wrench, Vacuum tubes, Blower tubes

Engine	
displacement	: 26cc
Airspeed:	up to 320km/h
Air volume: u	ıp to 12m³/min
Mulching Rati	io: 12:1
Collection bag	g
capacity:	401
Power:	0.9hp
Weight:	4.5kg



RBL30MVB

30cc Petrol Mulching Blower Vac

Features

- Quick change lever to switch between blow and vacuum mode without changing tubes
- Powerful 30cc 2 stroke engine
- High mulching efficiency with the metal mulching blade
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue
- Shoulder strap for added comfort and control

Included as standard

2 stroke oil, Collection bag, Wrench, Quick release shoulder harness

Specification

Engine Disp	lacem	ent:	30cc
Airspeed:	up to	250)km/t
Air volume:	up to	13m	1³/mir
Mulching Ra	atio:		12:1
Collection b	ag		
capacity:			40
Power:			1hp
Weight:			7.5kg





RBL30BPT

30cc TouchStart™ Petrol Backpack Blower

Features

- TouchStart™ push button start system for easy starting. Includes an on-board charging system
- Powerful 30cc 2 stroke engine with 1hp output
- Cruise control throttle on ergonomic throttle arm allows to set and maintain desired speed during prolonged use
- Ergonomic backpack frame, with breathable back padding for improved user comfort
- Starter rope included as a backup
- Low noise blower

Included as standard

2 stroke oil, TouchStart $^{\scriptscriptstyle\mathsf{TM}}$ charger and battery, Wrench

Specification

	L
nt: 30c)(
up to 290km/	/
up to 10m3/m	11
1h	I
7.8k	((
	up to 290km/ up to 10m³/m 1h



RSH2455

2,400W Electric 'Quiet' Shredder/Mulcher

Features

- · Crushing and cutting action is ideal for composting
- Auto reverse unblocking system
- Automatic self feeding operation
- Large top hopper for easy feeding of branches and leaves
- Very quiet operation
- Robust metal frame and large wheels for easy handling
- Overload protection for added user safety
- Livetool Indicator™ glows blue when plugged into power supply

Included as standard

Collection bag

Power:	2,400W
Cutting system:	Cutting/
cr	ushing gear
Max. cutting	
diameter:	40mm
Cable length:	12m
Noight:	25 Nka



RSH2400R

2,400W Electric Shredder/Mulcher

Features

- Powerful impact shredder with two reversible blades
- . Shreds branches of up to 40mm
- · Reinforced frame for improved strength and stability
- · Large top hopper for easy feeding of branches and leaves
- Overload protection for added user safety
 Livetool Indicator™ glows blue when plugged into power supply

Included as standard

Collection bag, Plunger, Spanners

Specification	
Power:	2,400W
Cutting system:	Impac
	blades
Max. cutting	
diameter:	40mm
Cable length:	10m
Weight:	13.5kg
-	



ELS52

1,500W Electric Log Splitter

Features

- Powerful 4 tons split force
- Strong tubular frame to hold logs safely in place while operating
- · Large wheels and rubber grip handles for easy manoeuvring

Specification	
Power:	1,500W
Split force:	4 tons
Maximum	
log length:	52cm
Cable length:	12m

45.0kg

Weight:



RCP1000

1,000W Electric Cultivator

Features

- Powerful brush motor with 4 tines
- · Adjustable cutting width
- Foldable handles for easy transportation and storage
- Livetool Indicator[™] glows blue when plugged into power supply
- \bullet GripZone $^{\scriptscriptstyle\mathsf{TM}}$ overmould technology for improved comfort with a positive grip

Specification

NEW

Power:	1,050W
Cutting width:	18-30cm
Cutting depth:	20.5cm
Tine diameter:	23cm
Cutting speed:	350rpm
Weight:	16.0kg



RANGE SUMMARY & ACCESSORIES

BLOWERS & VACS



Specification
Engine Displacement
Airspeed
Air volume
Mulching Ratio
Collection bag capacity
Power
Weight

RBV2800S
-
320km/h
14m³/min
15:1
451
2,800W
5.5kg

RBV3000VP
_
up to 320km/h
up to 14m³/min
15:1
451
3,000W
5.5kg

RBV26	
26cc	
up to 320km/h	
up to 12m³/min	
12:1	
401	
0.9hp	
4.5kg	


RBL30MVB	
30cc	
up to 250km/h	
up to 13m³/min	
12:1	
401	
1hp	
7.5kg	

RBL	30BPT	
30cc		
up to	290km/h	
up to	10m³/mir	1
N/A		
N/A		
1hp		
7.8kg		

Accessories	
ACC038	Replacement collection bag
ACC017	Replacement collection bag
ACC023	Replacement collection bag
RAC358	Replacement collection bag











SHREDDERS & LOG SPLITTERS








Specification
Power
Cutting system
Max. cutting diameter
Cable length
Weight
Split force
Maximum log length


RSH2455
2,400W
Cutting/crushing gear
40mm
12m
25.0kg
-

RSH2400R
2,400W
Impact blades
40mm
10m
13.5kg

ELS52
1,500W
-
-
12m
45.0kg
4 tons
52cm

Accessories	
ACC030 ACC033	Replacement cutting knives Replacement collection bag






CULTIVATORS



Specification	
Power	
Cutting width	
Cutting depth	
Tine diameter	
Cutting speed	
Weight	

Accessories	
ACC030	Replacement cutting knives
ACC033	Replacement collection bag











Features

- 01 2-in-1 pressure washer. Works as a regular pressure washer, but also in upright mode for decking, patios and pavements.
- 02 33cm surface cleaner for up to 10 x faster results.
- 03 Compatible with the Expand-it™ range of pressure washer accessories.







RPW100S

100bar Pressure Washer

Features

- Siphon feature for drawing water from ponds, lakes, holding tanks, etc.
- Compact design for easy transportation
- Lance with adjustable spray nozzle
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

Vario lance, Detergent bottle, Siphon feature, Turbo lance

100bar Working pressure: 105bar Max pressure: Flow rate: 360l/h Motor power: 1,400W Hose length: 6m Built-in kart: No I ance nozzle connection: Fixed Detergent tank: Bottle

supplied

Specification



RPW120S

120bar Pressure Washer

Features

- · Siphon feature for drawing water from ponds, lakes, holding tanks, etc.
- Compact design for easy transportation
- · Lance with adjustable spray nozzle
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

Vario lance, Detergent bottle, Siphon feature, Turbo lance

Specification

Working pressure:	120bar
Max pressure:	130bar
Flow rate:	360l/h
Motor power:	1,600W
Hose length:	6m
Built-in kart:	No
Lance nozzle	
connection:	Fixed
Detergent tank:	Bottle
-	supplied



RPW120X

120bar Pressure Washer with Quick Connect Lance

Features

- · Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- Siphon feature
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

25° spray nozzle, LP Soap/Rinse nozzle, Fixed brush, Turbo nozzle

Specification

Working pressure:	120bar
Max pressure:	140bar
Flow rate:	400l/h
Motor power:	1,800W
Hose length:	6m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect
Determent tenle	O D

Detergent tank: On Board





RPW105DM

DualClean™ 2-In-1 Pressure Washer

Features

- Innovative 2-in-1 design: works as a regular pressure washer or as a powerful upright surface cleaner
- 33cm surface cleaner for up to 10x faster results
- · Integrated detergent tank increases cleaning power
- Handle doubles up as Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

25° spray nozzle, LP Soap/Rinse nozzle, Turbo nozzle

Specification

Working pressure:	105bar
Max pressure:	120bar
Flow rate:	340l/h
Motor power:	1,600W
Hose length:	6m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect

Detergent tank: On Board



RPW120HS

120bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge™ pump technology produces simultaneous high pressure cleaning and high flow rinsing for outstanding results
- Combination of 2 jets produces class-leading flow rates for rinsing away dirt
- Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

0° spray nozzle, 25° spray nozzle, Fixed brush, Turbo nozzle

Specification

Working pressure:	120bar
Max pressure:	140bar
Flow rate:	570(LP)
+ 3	20(HP)I/h
Motor power:	1,700W
Hose length:	8m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect
Detergent tank:	On Board



RPW130HS

130bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge™ pump technology produces simultaneous high pressure cleaning and high flow rinsing for outstanding results
- Combination of 2 jets produces class-leading flow rates for rinsing away dirt
- · Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

 $0\,^\circ$ spray nozzle, $25\,^\circ$ spray nozzle, $40\,^\circ$ spray nozzle, Fixed brush, Turbo nozzle

Working pressure:	130ba
Max pressure:	150ba
Flow rate:	570(LP)
+ 3	60(HP)I/h
Motor power:	1,800W
Hose length:	8m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	k Connec
Detergent tank:	On Board



RPW140HS

140bar HydroSurge™ Pressure Washer

Features

- \bullet Groundbreaking HydroSurge $^{\scriptscriptstyle\mathsf{TM}}$ pump technology produces simultaneous high pressure cleaning and high flow rinsing for $% \left(1\right) =\left(1\right) \left(1\right$ outstanding results
- · Combination of 2 jets produces class-leading flow rates for rinsing
- · Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Integrated detergent tank increases cleaning power
- Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

0° spray nozzle, 15° spray nozzle, 25° spray nozzle, 40° spray nozzle, Fixed brush, Turbo nozzle

Specification

Working press	ure: 140bar
Max pressure:	160bar
Flow rate:	620(LP)
	+ 400(HP)I/h
Motor power:	2,300W
Hose length:	10m
Built-in kart:	Yes
Lance nozzle	
connection: (Quick Connect
Detergent tank	: On Board



COMPATIBLE



RPW150HS

150bar HydroSurge™ Pressure Washer

Features

- Groundbreaking HydroSurge[™] pump technology produces simultaneous high pressure cleaning and high flow rinsing for outstanding results
- · Combination of 2 jets produces class-leading flow rates for rinsing away dirt
- Quick Connect-style lance for easy switching of spray nozzles
- Robust metal frame with telescopic handle and wheels for easy transportation and storage
- Convenient hose reel
- Integrated detergent tank increases cleaning power
- . Apply Soap with one jet, clean with the other
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

Hose reel, 0° spray nozzle, 15° spray nozzle, 25° spray nozzle, 40° spray nozzle, Fixed brush, Turbo nozzle

Working pressure:	150bai
Max pressure:	170bai
Flow rate:	620(LP)
+ 4	40(HP)I/h
Motor power:	2,300W
Hose length:	10m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	k Connect
Detergent tank:	On Board







Petrol Pressure Washers



Features

- 01 Robust metal frame with wheels for easy transportation.
- 02 Quick connect style lance for easy switching of spray nozzles.
- 03 Compatible with the Expand-it™ range of pressure washer accessories.



RPW2400

172bar Petrol Pressure Washer

Features

- Robust metal frame with wheels for easy transportation
- · Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

 $0\,^\circ$ spray nozzle, $25\,^\circ$ spray nozzle, $40\,^\circ$ spray nozzle, LP Soap/Rinse nozzle

Specification

Working pressure:	172bar
Flow rate:	520l/h
Motor power:	163cc
Engine:	OHV
Hose length:	8m
Built-in kart:	Yes
Lance nozzle	
connection: Quick	Connect
Detergent tank:	In Line





RPW2500WB

3-in-1 Petrol Pressure Washer

Features

- 3-in-1 design: walk-behind mode, detached-deck mode or standardspray mode
- 38cm wide surface cleaning deck for up to 10x faster results
- Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it[™] range of pressure washer accessories

Included as standard

0° spray nozzle, 15° spray nozzle, 25° spray nozzle, Soap Blaster™ nozzle

Working pressure	: 180ba
Flow rate:	5201/h
Motor power:	160cc
Engine: F	Honda OHV
Hose length:	5m
Built-in kart:	Yes
Lance nozzle	
connection: Qui	ck Connec
Detergent tank:	In Line





RANGE SUMMARY & ACCESSORIES

PRESSURE WASHER ACCESSORIES

Expand-it™ Accessories are a series of products designed to enhance your pressure washer cleaning power and efficiency. Due to the innovative Expand-it™ connection system and Universal Brand fit™ these accessories are compatible with all popular pressure washers.

Hoses			
PWA101	Replacement / Extension Hose – 8m	0	M22 x 14/15mm compatible union at both ends. Includes a 22mm adaptor for extending hoses
PWA102	Replacement / Extension Hose – 12m	9	M22 x 14/15mm compatible union at both ends. Includes a 22mm adaptor for extending hoses
PWA199	Starter Kit	~ Q A	Includes pressure washer gun, lance, 8m hose and 25° nozzle for general cleaning
Guns & land	es		
PWA201	Pressure Washer Gun		With M22 hose connection. Requires compatible lance – eg PWA204.
PWA202	High Performance Pressure Washer Gun		With M22 hose connection. Requires compatible lance - eg PWA205 / PWA204.
PWA204	Universal Lance	-	Lance featuring Quick Connect nozzle attachment. Includes bayonet pack for compatibility with existing pressure washer guns, and a 25° nozzle for general cleaning.
PWA205	Metal Lance	-	Fits any M22-pressure washer gun. Features a Quick Connect attachment for a wide choice of cleaning nozzles.
PWA208	Underbody Lance		Fits any pressure washer gun via supplied bayonets.
PWA209	Drain Cleaner – 15m	0	Fits onto pressure washer gun via M22 or supplied bayonets. Self-propelling to clear blockages from pipes or drains.
Adaptors &	Connectors		
PWA300	Kärcher Adaptor	1	Connects Universal Lance and Brushes to Karcher guns.
PWA301	Bosch / MacAllister Adaptor	ı	Connects Universal Lance and Brushes to Bosch, MacAllister and other FAIP guns.
PWA302	Ryobi / Homelite / Black&Decker Adaptor	å	Connects Universal Lance and Brushes to Ryobi (RPW100/120 E/S), Homelite (HPW080E), Black&Decker and other AR guns.
PWA303	Nilfisk / Lavor Adaptor	4	Connects Universal Lance and Brushes to Nilfisk and Lavor guns.
PWA306	M22 Adaptor	ı	Connects Universal Lance and Brushes to M22 guns.
PWA307	Quick Connect to M22 Adaptor	•	Converts Quick Connect-style lances into M22, for further compatibility.

Nozzles			
PWA400	0° Nozzie		Fits onto a Quick Connect nozzle attachment. Ideal for spot cleaning.
PWA401	15° Nozzie	A Parameter Control	Fits onto a Quick Connect nozzle attachment. Ideal for heavy cleaning.
PWA402	25° Nozzle	A	Fits onto a Quick Connect nozzle attachment. Ideal for general-purpose cleaning.
PWA403	40° Nozzle	PE)	Fits onto a Quick Connect nozzle attachment. Ideal for light, delicate cleaning.
PWA404	Soap / Rinse Nozzle	M	Fits onto a Quick Connect nozzle attachment. Ideal for applying detergent, or rinsing.
PWA405	4-Nozzle Set	ALIE .	Fits onto a Quick Connect nozzle attachment. A set of cleaning nozzles stored in a convenient rubber holder.
PWA407	6 in 1 Nozzle	P	Fits onto a Quick Connect nozzle attachment. 0°, 15°, 25°, Rinse, Low Pressure Soap and High Pressure Soap – all in 1 convenient nozzle.
PWA408	4 in 1 Nozzle	Q	Fits onto a Quick Connect nozzle attachment. 0°, 25°, Low Pressure Soap and High Pressure Soap – all in 1 convenient nozzle.
PWA409	Turbo Nozzle	1	Fits onto a Quick Connect nozzle attachment. Dynamic jet for more Power:ful cleaning. Also knows as a 'Dirt Blaster'.
Brushes & C	Cleaning Heads		
PWA500	Rotating Brush	-	Fits onto pressure washer gun via the supplied bayonets. Ideal for cars and other vehicles, the high pressure water stream rotates the brush, to provide active cleaning Power.
PWA501	Fixed Brush		Fits onto pressure washer gun via the supplied bayonets. The high pressure water stream makes cleaning easier and more effective.
PWA502	Soft Bristle Wash Brush	~	Fits onto pressure washer gun via the supplied bayonets. The high pressure water stream makes cleaning easier and more effective.
PWA508	Universal Patio Head		Fits onto pressure washer gun via the supplied bayonets. The application of $2 \times \text{high}$ pressure water jets directly onto the target surface provides up to $10 \times \text{faster}$ cleaning, with consistant, streak-free results.

INDEX

Contents		3
New Products		4 – 5
Cordless	Garden Tools	6 – 17
Li-lon 36\	V & 48V Tools	8 – 11
RHT36 RLT36 RCS36 RBL36B RLM3640LI RLM4852L	36V Li-Ion Hedge Trimmer 36V Li-Ion Line Trimmer 36V Li-Ion Chainsaw 36V Li-Ion Blower 36V Li-Ion Lawnmower 48V Cordless Lawnmower	9 9 9 10 10
One Plus	12 – 17	
RLT1830LI OLT1831 RHT1850LI OHT1851 OBL1802 OPS1821 OGS1821 RGS410 RLP416	18V One Plus™ Line Trimmer Starter Kit with Compact Lithium-Ion Battery 18V One Plus™ Line Trimmer 18V One Plus™ Hedge Trimmer Starter Kit with Compact Lithium-Ion Battery 18V One Plus™ Hedge Trimmer 18V One Plus™ Blower 18V One Plus™ Pruner 18V One Plus™ Shear & Shrubber TEK4™ Lithium-Ion Shear Shrubber TEK4™ Lithium-Ion Shear Lopper	13 13 14 14 15 15 15 17
Battery &	Charger Options	18 – 19
Cordless	Accessories	20 – 21
Lawn Car	re Tools	22 – 37
Petrol Tools		24 – 27
RLT26CDS RLT30CESA RLT30CET RLT430CES RBC26SES RBC30SESA RBC30SET RBC30SET RBC430SES RBC430SES RBC430SES RBC430SBS RBC430SBS	26cc StartEasy™ Line Trimmer 30cc StartEasy™ Line Trimmer 30cc TouchStart™ Line Trimmer 4 Stroke Line Trimmer 26cc StartEasy™ Brush Cutter 30cc StartEasy™ Brush Cutter 30cc TouchStart™ Brush Cutter 4 Stroke Brush Cutter 4 Stroke Brush Cutter 4 Stroke Bike Handle Brush Cutter 4 Crofessional Brush Cutter 52cc Professional Brush Cutter	25 25 25 25 26 26 26 26 27 27 27 27
Expand-it	t [™] Attachments	28 – 29
AHF04 AHF03 APR04 ABE04 AQTT03 AED04 ABC03 ALT03 AEX002	Articulating Hedge Trimmer Hedge Trimmer Pole Pruner Blower Cultivator Edger Brush Cutter Line Trimmer Extension Shaft	29 29 29 29 29 29 29 29 29

Electric To	ools	30 -	- 31
RLT5030S RLT4025 RLT3025F RLT6038EX RBC1000EX	500W EasyEdge™ Line Trimmer 400W Line Trimmer 300W Folding Line Trimmer 600W Line Trimmer 1,000W Brush Cutter		30 31 31 31 31
Petrol Law	nmowers	32 -	33
RLM4617SM RLM5219SME RLM140HP RLM140SP	175cc Lawnmower 190cc Lawnmower 140cc Lawnmower 140cc Self-propelled Lawnmower		33 33 33 33
Range Sur	mmary & Accessories	34 -	37
Tree & Hee	dge Care Tools	38 -	- 47
Chainsaws	\$	40 -	- 43
RCS3335C RCS3535CB RCS4040CB RCS4640C RCS4845C RCS5150C RCS1835 RCS2040 RPP720	33cc Petrol Chainsaw 35cc Petrol Chainsaw 40cc Petrol Chainsaw 46cc Petrol Chainsaw 48cc Petrol Chainsaw 51cc Petrol Chainsaw 1,800W Electric Chainsaw 2,000W Electric Chainsaw Electric Pole Pruner		41 41 42 42 42 43 43 43
Hedge Trimmer			- 45
RHT2660DA RHT400 RHT500R RHT600RL RPT400	26cc StartEasy™ Petrol Hedge Trimmer 400W Electric Hedge Trimmer 500W Electric Hedge Trimmer 600W Electric Hedge Trimmer with HedgeSweep™ Electric Articulating Pole Hedge Trimmer		44 45 45 45 45
Range Sur	mmary & Accessories	46 -	47
Garden Tid	ly Up	48 –	- 55
Blowers/Va	acs, Log Splitter & Cultivators	50 -	- 53
RBV2800S RBV3000VP RBV26 RBL30MVB RBL30BPT RSH2455 RSH2400R ELS52 RCP1000	Electric Blower Vac with PowerMulching™ Variable Speed Electric Blower Vac with PowerMulching™ 26cc Petrol Blower Vac 30cc Petrol Mulching Blower Vac 30cc TouchStart™ Petrol Backpack Blower 2,400W Electric 'Quiet' Shredder/Mulcher 2,400W Electric Shredder/Mulcher 1,500W Electric Log Splitter 1,000W Electric Cultivator		51 51 52 52 52 52 53 53
Range Sun	nmary & Accessories	54 -	55

Pressure	Washers	56 – 65
Electric P	ressure Washers	58 – 61
RPW100S RPW120S RPW120X RPW105DM RPW120HS RPW130HS RPW140HS RPW150HS	100bar Pressure Washer 120bar Pressure Washer 120bar Pressure Washer with Quick Connect Lance DualClean™ 2-In-1 Pressure Washer 120bar HydroSurge™ Pressure Washer 130bar HydroSurge™ Pressure Washer 140bar HydroSurge™ Pressure Washer 150bar HydroSurge™ Pressure Washer	59 59 59 60 60 60 61 61
Petrol Pressure Washers		
RPW2400 RPW2500WB	172bar Petrol Pressure Washer 3-in-1 Petrol Pressure Washer	63 63
Pressure	Washer Accessories	64 – 65