





# At Ryobi® we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their garden tools.

Every Ryobi® garden tool is a culmination of outstanding performance coupled with value and proven reliability making Ryobi® the number one choice for home-users.

#### **CONTENTS**

Key	4-5
Newfor2013	6-9
Cordless G arden Tools	10-27
Lawn C are	28-45
Tree and Hedge Care	46-55
Garden Ti dy U p	56-63
Pressure W ashers	64-67

#### SYOB!

#### **KEY**



Mowing Area



**Cutting Height** 



Self-propelled



48V Battery



Charging Time



Hedge Trimmer Blade Length



Hedge Trimmer Hedge Trimmer **Cutting Capacity** Laser Cut



36V Battery



Mulching Ratio



Charging Time



18V Battery



**Cutting Path** Diameter



**Cutting Line** Diameter



Length



Nm



**High Speed** Nozzle



Tool-less



Blower Speed



Variable Speed



Low Noise



Anti-Vibration



Mower Cutting Volume



Tool-less Shear



Telescoping Shaft



Hedge Trimmer



Blade Length Diamond Ground Pruner



Tool-less Pruner



Blade Width Shear



Air Volume



Blade Length Shear



2 Stroke Engine



XXcc



Horse Power



Tri-Arc+™ Blade





Bike Handle



Watt



**Bump Head** 



Chain Pitch



Collection Bag Size



Chainsaw Bar Length



Hedge Trimmer Rotating Rear Handle



**Telescoping** Tubes



**Quick Connection** 



Bar



Flow Rate I/h



Siphon Function



Detergent Dispenser



Auto Feed



Fuel Gauge



Auto Feed Twist Line



Rotating Bike Handle









# Guide to key features

# Look out for these innovative features on our product pages...



Ergonomic tool design to aid user's standing position during tool use



StartEasy™ carburettor for easy starting on our petrol brush cutters



Simple transition from edging to trimming applications on line trimmers



RealEasy<sup>™</sup> bump feed heads for rapid line replenishment on line trimmers



18V battery platform with inter-changable batteries across a range of power and garden tools



No mixing of fuel and oil required on our 4-Cycle petrol line trimmers and brush cutters



Products compatible with our Expand-it™ attachments, enabiling the user to adapt a power head into up to 7 tools with a range of after market accessories



Debris sweeper for hedge trimmers, to aid easy removal of clippings



Monitors and balances individual cells in our 36V batteries. Maximises run times, storage life and safety, while providing 10% more usable power



Hardened steel brush cutter cutting blade



Offers the user extended reach at a comfortable holding position on hedge trimmers




# **NEW from Ryobi® 2013**

Do More - maximum performance & extended run time



# VERTEBRAE"

Ryobi's new standard in garden equipment designed for optimum comfort and usability.





# Designed with user comfort in mind





# Ryobi<sup>®</sup> Engine Technology: Choosing the correct power platform

Ryobi® handheld petrol tools are built on solid engine platforms, perfectly suited to the size and demands of the required task.



# PoWR LT2™ series



2-Cycle 26cc and 30cc products





· Perfectly balanced.

· Easy starting.

· Great versatility.







# **POWR LT4™ series**

4-Cycle 30cc products



- · 4-cycle. No mixing.
- Excellent power-to-weight ratio.
- More torque. Better performance.
- · Great versatility.
- Better durability.
- · Lower emissions.









# **POWR XT™ series**

2-Cycle 25,4cc, 42cc and 51cc products





# POWR XT

- Full crank. Less vibration.
- · Best performance.
- · Best versatility.
- Excellent user comfort.
- · Best durability.







Optional warranty extension available.

# **CORDLESS GARDEN TOOLS**

48V Lawnmower	11
36V Lithium-ion Tools	11-15
One Plus™ 18V Tools	16-20
TEK4™ Tools	21
Battery & Charger Summary	22-23
Range Summary & Accessories	24-27





# RLM4852L 48V Cordless Lawnmower

Nr. Code: 5133000681 EAN Code: 4892210812681

#### **Features**

- Cuts up to 2.000m² per charge
- · Convenient single point height adjust lever for 7 lengths of grass cutting
- Easy access to the battery
- 52cm deck for increased cutting width















#### Included as standard

1 x 48V Lead acid battery, mulching plug, side eject kit

# RHT36 36V Lithium-ion 2,6Ah Hedge Trimmer

Nr. Code: 5133000725 FAN Code: 4892210811813

#### **Features**

- Up to 90 minutes run time
- Anti-slip teeth grip each branch during cutting for a cleaner cut and more efficient trimming
- Laser cut diamond ground blades are precision cut and ultra sharp for cleaner cutting results
- Heavy duty Block Release<sup>™</sup> gear box retracts the blade if it gets stuck on a hard branch





#### Included as standard

1 x 36V (2,6Ah) Lithium-ion battery, blade sheath, HedgeSweep™, charger













# **RLT36 36V Lithium-ion 2,6Ah Line Trimmer**

Nr. Code: 5133000683 EAN Code: 4892210811790

#### **Features**

- Up to 60 minutes run time
- · Rear mount battery for better balance and weight distribution
- · Variable speed trigger extends run time and allows for trimming against delicate surfaces
- · Auto-feed line conveniently maintains optimal cutting length





#### Included as standard

1 x 36V (2,6Ah) Lithium-ion battery, auto-feed line, charger













RLM4852L		RHT36		RLT36	
Power input:	48V battery	Power input:	36V battery	Power input:	36V battery
Deck size/cutting diameter:	52cm	Cutting capacity:	20mm	Cutting diameter:	28-33cm
Motor speed:	3.000rpm	Blade length:	55cm	Max speed:	9.000-10.000rpm
Drive mechanism:	Self-propelled	Stroke rate:	3.000spm	Line feed system:	Auto-feed
Mulching capable:	Yes	Charge rate:	100% 100min.	Line type:	1,5mm twisted
Weight:	43,1kg	Weight:	4,2kg	Charge rate:	100% 100min.
				Weight:	4,1kg



# RBC36X26B 36V Lithium-ion 4,0Ah Bike Handle

## **Brush Cutter**

Nr. Code: 5133001813 EAN Code: 4892210818492

#### **Features**

- Up to 90 minutes free run time with a powerful 4,0Ah battery
- Two in one functionality, supplied with both line trimming head and brush cutter blade
- · Rear mount battery and inline motor for better balance and weight distribution
- · Variable speed trigger for extended run time









1 x 36V (4,0Ah) Lithium-ion battery, Tri-Arc+™ blade, cutting head with 1.6mm line, bike handle, double shoulder harness, charger













# RBC36X26E 36V Lithium-ion 4,0Ah Ergo Handle

#### **Brush Cutter**

Nr. Code: 5133001851 FAN Code: 4892210819048

#### **Features**

- Up to 90 minutes free run time with a powerful 4,0Ah battery
- . Two in one functionality, supplied with both line trimming head and brush cutter blade
- · Rear mount battery and inline motor for better balance and weight distribution
- · Variable speed trigger for extended run time



**VERTEBRAE** 



#### Included as standard

1 x 36V (4,0Ah) Lithium-ion battery, Tri-Arc+™ blade, cutting head with 1.6mm line, ergo handle, single shoulder strap, charger

















Power input:	36V battery	Power input:	36V battery
Cutting width:	Brush cutter 26cm / Line cutter 30cm	Cutting width:	Brush cutter 26cm / Line cutter 30cm
Line diameter:	1,6mm	Line diameter:	1,6mm
Blade speed:	9.000rpm	Blade speed:	9.000rpm
String speed:	8.000rpm	String speed:	8.000rpm
Charge rate:	100% 135min.	Charge rate:	100% 135min.
Weight:	Brush cutter 5.06kg / String trimmer 5.18kg	Weight:	Brush cutter 4.46kg / String trimmer 4.58kg



# RCS36 36V Lithium-ion 2,6Ah Chainsaw

Nr. Code: 5133000677 EAN Code: 4892210811776

#### **Features**

- Up to 100 cuts through 4" (10cm) logs
- . Top mount battery for better balance and weight distribution
- Chain speed optimized for highest torque to virtually eliminate motor stalls during heavy cutting loads
- · Auto oiler automatically lubricates bar and chain to prolong tool life







#### Included as standard

1 x 36V (2.6Ah) Lithium-ion battery, scabbard, charger











# RBL36B 36V Lithium-ion Blower

Nr. Code: 5133000676 EAN Code: 4892210811769

#### **Features**

- · Accepts 36V Lithium-ion battery (sold separately)
- Over 30 minutes of run time at full speed
- · Full variable speed trigger reduces noise, improves run time and gives the user more control
- · Removable high speed nozzle gives the option for high speed removal of wet leaves and debris, or high air volume for dry, loose matter







#### Included as standard

High speed nozzle









RCS36		RBL36B	
Power input:	36V battery	Power input:	36V battery
Torque:	4,4Nm	Airspeed:	up to 250km/h
Chain/bar length:	30cm	Switch:	Variable speed
Chain speed:	3,7m/s	Weight:	3,1kg
Tool-less chain tensioner:	Yes		
Charge rate:	100% 100min.		
Weight:	4.4ka		

**14** | 36V LI-ION TOOLS

# **RLM36X40 36V Lithium-ion 4,0Ah Lawnmower**

Nr. Code: 5133001747 EAN Code: 4892210817754





#### **Features**

- Cuts up to 600m<sup>2</sup> on a single battery charge with a powerful 4,0Ah battery
- · Convenient single point height adjust lever for 5 lengths of grass cutting
- · 40cm deck for large cutting width
- Bumpers to protect the mower when cutting close to hard surfaces

#### 2.6Ah version also available as RLM3640Li

Nr. Code: 5133000679 EAN Code: 4892210812667





















#### Included as standard

1 x 36V (4,0Ah) Lithium-ion battery, 1 x mulching plug, charger





#### **Features**

- Cuts up to 600m² on a single battery charge with a powerful 4,0Ah battery
- · Ergonomic handle design, with multiple grip positions and adjustable height for improved comfort
- Convenient single point height adjust lever for 5 lengths of grass cutting
- · 40cm deck for large cutting width
- · Bumpers to protect the mower when cutting close to hard surfaces























1 x 36V (4,0Ah) Lithium-ion battery, 1 x mulching plug, charger

RLM36X40		RLM36X40H	
Power input:	36V battery	Power input:	36V battery
Deck size/cutting diameter:	40cm	Deck size/cutting diameter:	40cm
Blade speed:	3.500rpm	Blade speed:	3.500rpm
Drive mechanism:	Push	Drive mechanism:	Push
Mulching capable:	Yes	Mulching capable:	Yes
Charge rate:	100% 135min.	Charge rate:	100% 135min.
Weight:	18,0kg	Weight:	17,8kg



**RLM36X40L** 36V Lithium-ion 4,0Ah Lawnmower with LED battery indicator

5

NEW

Nr. Code: 5133001855 EAN Code: 4892210819086

#### **Features**

Cuts up to 600m² on a single battery charge with a powerful 4,0Ah battery

- Ergonomic handle design, with multiple grip positions and adjustable height for improved comfort
- LED battery indicator
- · Convenient single point height adjust lever for 5 lengths of grass cutting
- · 40cm deck for large cutting width
- Bumpers to protect the mower when cutting close to hard surfaces







# Included as standard

1 x 36V (4,0Ah) Lithium-ion battery, 1 x mulching plug, charger















#### RLM36X40L

Power input:	36V battery	
Deck size/cutting diameter:	40cm	
Blade speed:	3.500rpm	
Drive mechanism:	Push	
Mulching capable:	Yes	
Charge rate:	100% 135min.	
Weight:	17,8kg	



# With One+ buying your first tool is just the beginning...





# Start...

Buy any tool then expand your family for less. Buy additional tools without batteries and chargers, as a cost effective way to grow your collection.

# Choose from over 35 garden & power tools

Ryobi's unique One+ system consists of range of over 35 tools for both home and garden that can all be powered using one battery and charger. Buy the tools you want at the time you need them and avoid paying over the odds for excess batteries and chargers. With everything from drills to radios, trimmers to paint sprayers the choice is there for you to grow your family of tools in whatever direction you want





# Choose a kit...

We offer a range of combination kits with different tools, batteries and chargers.

Or

# Pick a tool...

Select the tool, battery & charger you want from the range as individual items.





# RLT1825LI 18V One Plus™ EasyEdge

## Lithium-ion Line Trimmer

Nr. Code: 5133001806. EAN Code: 4892210818423

#### **Features**

- Two handle design for improved user comfort
- EasyEdge<sup>™</sup> for quick transition to edging mode
- . 25cm cutting path for efficient cutting rate
- · Auto-feed line advances when you release the trigger



EASY (SEDGE



#### Included as standard

1 x 18V Compact Lithium-ion battery, charger











# **RLT1830LI** 18V One Plus™ Lithium-ion Line Trimmer

#### **Features**

- Up to 25 minutes run time
- Extendable shaft to suit your style of working
- Rotatable head for edging
- Auto-feed line advances when you release the trigger



Available as a bare unit without battery and charger as OLT1831

Nr. Code: 5133000728 FAN Code: 4892210812896

#### Included as standard

1 x 18V Compact Lithium-ion battery, charger









# RHT1850LI 18V One Plus™ Lithium-ion Hedge Trimmer

Nr. Code: 5133000735 EAN Code: 4892210812582

#### **Features**

- Up to 35 minutes run time
- 50cm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep™ compatible blade bar (sold separately)



DIT4996LI

Available as a bare unit without battery and charger as OHT1851

Nr. Code: 5133000729 EAN Code: 4892210812902

#### Included as standard

1 x 18V Compact Lithium-ion battery, blade sheath, charger








_		
r.	$\overline{}$	41
- 10	~)	1hr
П	<u>~</u>	3
П	تتكلم	
П	-	-

NLI 1025LI		REI 1030EI		NITI TOSULI	
Power input:	18V battery	Power input:	18V battery	Power input:	18V battery
No load speed:	9.300rpm	No load speed:	8.000rpm	Cutting capacity:	16mm
Line feed system:	Auto-feed	Line feed system:	Auto-feed	Stroke rate:	2.400spm
Cutting path width:	25cm	Cutting path width:	30cm	Blade length:	50cm
Cutting line diameter:	1,6mm	Cutting line diameter:	1,6mm	Charge rate:	100% 60min.
Charge rate:	100% 180min.	Charge rate:	100% 60min.	Weight:	2,7kg
Weight:	1,65kg	Weight:	3,2kg		



RHT1850XLI 18V One Plus™ Long Reach

**Hedge Cutter Kit** 

Nr. Code: 5133001626 EAN Code: 4892210816924

#### **Features**

 4-position articulating head and rotating rear handle for optimum reach in all cutting applications

- · Central trigger for easy use in extended reach position
- HedgeSweep<sup>™</sup> debris sweeper for easy removal of clippings








#### Included as standard

1 x 18V Compact Lithium-ion battery, HedgeSweep™ blade sheath, charger



Nr. Code: 5133001249 EAN Code: 4892210815439











Power input:	18V battery	
Cutting capacity:	16mm	
Stroke rate:	2.400spm	
Blade length:	50cm	
Charge rate:	100% 180min.	
Weight:	3,73kg	

articulating



# RPP1820LI 18V One Plus™ Pole Saw Kit



Nr. Code: 5133001628 EAN Code: 4892210816948

#### **Features**

Tool-less chain tensioner quickly and easily adjusts chain tension for best performance

· Extendable shaft for a reach of up to 4 metres

30° angled cutting head for safer and easier cutting



Also available as a bare unit without battery and charger as OPP1820

Nr. Code: 5133001250 EAN Code: 4892210815446



#### Included as standard

1 x 18V Compact Lithium-ion battery, bar & chain oil, scabbard, charger











Nr. Code: 5133000730 EAN Code: 4892210812612

#### **Features**

Accepts 18V One Plus<sup>™</sup> NiCad or Lithium-ion batteries (sold separately)

Shaft extends 40cm for hard to reach branches up to 3,5 meters high

· Tool-less blade clamp for quick and easy blade changes

· Integrated branch hook to pull branches to the ground





#### Included as standard

1 x blade

RPP1820LI







Power input:	18V battery	Power input:	18V battery
Chain/bar length:	20cm	No load speed:	3.000spm
Chain speed:	5,5m/s	Max. cutting capacity:	wood 102mm
Charge rate:	100% 180min.	Stroke length:	22mm
Weight:	4,1kg	Weight:	2,7kg

# OBL1802 18V One Plus™ Blower

Nr. Code: 5133000731 EAN Code: 4892210812605

#### **Features**

- Accepts 18V One Plus™ NiCad or Lithium-ion batteries (sold separately)
- · Powerful but quiet blower/sweeper
- 120mph (193km/h) airflow speed
- Light weight for easy operation
- · High speed nozzle design with debris scrapper





#### Included as standard

1 x nozzle







OGS1821 18V One Plus™ Shear & Shrubber

Nr. Code: 5133000732 EAN Code: 4892210812568

#### **Features**

- Accepts 18V One Plus<sup>™</sup> NiCad or Lithium-ion batteries (sold separately)
- · Light weight for easy operation
- · Sealed maintenance free blade gears
- · Tool-less blades for quick changes





#### Included as standard

1 x grass cutting blade, 1 x shrubbing blade











OBL1802		OGS1821	
Power input:	18V battery	Power input:	18V battery
Air flow speed:	120mph (193km/h)	Cutting capacity:	8mm
Weight:	1,6kg	Shrubber blade:	200mm
		Shear blade:	100mm
		Weight without blade:	1,4kg



# **RGS410 TEK4™ Lithium-ion Shear Shrubber**

Nr. Code: 5133000678 EAN Code: 4892210812506

#### **Features**

- 4V Lithium-ion battery gives up to 55 minutes of run time on one battery charge
- · Precision ground blades provide cleaner cutting results
- Tool-less blade clamp allows you to quickly and easily change blades
- Trigger lock out prevents accidental starting



#### Included as standard

1 x 4V Lithium-ion battery, shrubber blade, shear blade, charger









# **RLP416 TEK4™ Lithium-ion Lopper**



Nr. Code: 5133000682 EAN Code: 4892210812490

#### **Features**

- 4V Lithium-ion battery gives up to 500 9mm cuts on one battery charge
- Precision ground blade provide cleaner cutting results
- 30° Angled handle for optimum user comfort
- · Trigger lock out prevents accidental starting





#### Included as standard

1 x 4V Lithium-ion battery, charger





# RGSLP4 Lopper and Shear Shrubber Kit

Nr. Code: 5133000927 EAN Code: 4892210814142

#### **Features**

· Combination kit including both the 4V shear shrubber and lopper



#### Included as standard

1 x 4V Lithium-ion battery, charger



	RGS410		RLP416	
	Power input:	4V battery	Power input:	4V battery
	Cutting capacity:	8mm	Cutting capacity:	Soft wood 16mm, Hard wood 10mm
	Shrubber blade:	120mm	Pole attachment compatible:	Yes
	Shear blade:	80mm	Charge rate:	100% 210-270min.
	Charge rate:	100% 210-270min.	Weight:	0,7kg
	Pole attachment compatible:	Yes		
•••	Weight with shrubber blade:	0,6kg		

# BATTERY & CHARGER OPTIONS

## 36V LITHIUM-ION **BATTERIES & CHARGERS**







Specification		
Description		
Description		
System		


1 x (4,0Ah) Lithium-ion Battery

BPL3640

BPL3626 1 x (2,6Ah) Lithium-ion Battery

801

BPL3615 1 x (1,5Ah) Lithium-ion Battery





5132002277

*5*600

5133001875 4892210812483 4892210819413

18V NICAD COMPACT **BATTERIES &** CHARGER KITS

**EAN Code** 









BCP18172SM

Specification Description

1 x 18V (1,7Ah) NiCad Battery

BPP1817M

2 x 18V (1,7Ah) NiCad Batteries

BPP1817M2

1 x 18V (1,7Ah) NiCad Battery & Charger

BCP1817M

2 x 18V (1,7Ah) NiCad Batteries & Charger

System Battery Chemistry

Nr Code 5133001053 4892210108890 **EAN Code** 

ONE

NICAD

NICAD 5133000292 5132000041

4892210100542

NICAD

ONE NICAD

5133001573 4892210104021 4892210108869

18V LITHIUM-ION **COMPACT BATTERIES** & CHARGER KITS



1 x 18V

(1.3Ah)

Battery

Lithium-ion



1 x 18V

(1.5Ah)

Battery

Lithium-ion



RB18L26

1 x 18V

(2.6Ah)

Battery

Lithium-ion



RB18L40

1 x 18V

(4.0Ah)

Battery

Lithium-ion



RBC18L13

1 x 18V

(1.3Ah)

Lithium-ion

Super Charger

Battery &



RBC18LL13

2 x 18V

(1.3Ah)

Lithium-ion

Super Charger

Battery &

Specification

Description

System **Battery Chemistry** 

**न्य**पराधिएक 5133001904 4892210124074

ONE

न्तापासीयकान् <u>न्यप्राधिताः</u> 5133001906

ONE #

नापराधीराज्य

ONE #

ONE

ONE <u>न्यप्राधिताः</u>

<u>न्यपातीया</u>क

Nr. Code **EAN Code** 

ONE

5133001905 4892210124081

4892210124098

5133001908 4892210124159



## 18V LITHIUM-ION **BATTERIES & CHARGER KITS**

Specification

**Battery Chemistry** 

Nr. Code

**EAN Code** 

Description



#### **RBC18L15**

1 x 18V (1,5Ah) Lithium-ion Battery & Super Charger



#### RBC18L40

ONE

1 x 18V (4,0Ah) Lithium-ion Battery & Super Charger



#### RBC18LL15

2 x 18V (1,5Ah) Lithium-ion Batteries & Super Charger

ONE




RBC18LL40

2 x 18V (4,0Ah) Lithium-ion Batteries & Super Charger



#### <u>न्यपानियान</u>् <u>न्यपातिस्या</u>

5133001916 4892210124234



<u>न्यप्राधिताल</u>्यः

5133001910

4892210124173



5133001912 4892210124210





# **CHARGERS**

Specification

Description

System



#### BCL14181H

Super Charger for both Lithium-ion & NiCad Batteries



#### BCS618

6 Port Battery Maintenance System suitable for Lithium-Ion & NiCad Batteries





5132000042 4892210106346

#### Specification

**GAUGE** 

Description



Battery Chemistry

Nr. Code EAN Code



#### BFG1218

**Battery Fuel Gauge** fits all 18V Lithium-ion & NiCad **Batteries** 





5132000043 4892210106353

# Battery Chemistry

Nr. Code **EAN Code** 

5133001127

4892210117991

#### BSPL1213

1 x 12V (1,3Ah) Battery



#### AP4021

TEK4™ Battery Charger with 2 x 4V (1,3Ah) Batteries

#### RYOBITE(4)

<u>न्तप्राधीयकः</u>



1 x 4V (1,3Ah) Lithium-ion Battery

#### RYOBITE (4)

<u>न्यप्रितिशाल</u>्य

# <u>न्यपातीयान</u>्द

5133000381 4892210110732 5132000147 4892210110718

# **BATTERIES & CHARGER KITS** (12V - 4V)

# Specification

Description

System

**Battery Chemistry** 

Nr. Code **EAN Code**  5133001732 4892210120687

# **RANGE SUMMARY & ACCESSORIES**

## 48V cordless product range



#### RLM4852L

48V Cordless Lawnmower

Power input:	48V battery
Deck size/cutting diameter:	52cm
Motor speed:	3.000rpm
Drive mechanism: S	elf-propelled
Mulching capable:	Yes
Weight:	43,1kg

#### Included as standard

1 x 48V Lead acid battery
Mulching plug
Side eject kit

#### 48V lawnmower accessories

Specification

Description

System Nr. Code

Nr. Code EAN Code

#### RAC408

Lawnmower 20"/ 52cm blade

5132002448 4892210813787

## 36V cordless product range



#### RBC36X26B 36V Lithium-ion 4,0Ah Bike Handle Brush Cutter

Power input: 36V battery Cutting width: Brush cutter 26cm Line cutter 30cm Line diameter: 1,6mm Blade speed: 9.000rpm String speed: 8.000rpm Charge rate: 100% 135min. Weight: Brush cutter 5,06kg String trimmer 5,18kg

#### Included as standard

1 x 36V (4,0Ah) Lithium-ion battery
Tri-Arc+™ blade
Cutting head with 1,6mm line
Bike handle
Double shoulder harness
Charger

#### RBC36X26E 36V Lithium-ion

4,0Ah Ergo Handle Brush Cutter		
Power input:	36V battery	
Cutting width:	Brush cutter 26cm	
	Line cutter 30cm	
Line diameter:	1,6mm	
Blade speed:	9.000rpm	
String speed:	8.000rpm	
Charge rate:	100% 135min.	
Weight:	Brush cutter 4,46kg	
	String trimmer 4,58kg	

#### Included as standard

1 x 36V (4,0Ah) Lithium-ion battery
Tri-Arc + \*\* blade
Cutting head with 1,6mm line
Bike handle
Single shoulder harness
Charger

#### RCS36 36V Lithium-ion

2.6 Ah Chainsaw

L.O 7 III OHAIHOAN	
Power input:	36V battery
Torque:	4,4Nm
Chain/bar length:	30cm
Chain speed:	3,7m/s
Tool-less chain tension	er: Yes
Oil tank capacity:	110ml
Charge rate:	100% 100 min.
Weight:	4,4kg

#### Included as standard

1 x 36V (2,6Ah) Lithium-ion battery
Bar & chain oil
Scabbard
Charger



36V Lithium-ion Blower

Power input:	36V battery
Airspeed:	up to 250km/h
Switch:	Variable speed
Weight:	3,1kg

#### Included as standard

High speed nozzle



#### 36V cordless product range



#### RLM36X40 36V Lithium-ion

4.0Ah Lawnmowei

1,07 111 20111111101110	•
Power input:	36V battery
Deck size/cutting dian	
Blade speed:	3.500rpm
Drive mechanism:	Push
Mulching capable:	Yes
Charge rate:	100% 135 min.
Weight:	18,0kg

#### Included as standard

1 x 36V	(4,0Ah)	Lithium-ion battery
1 x mulo	hing plu	лg
Charger		

#### RLM36X40H 36V Lithium-ion

4.0Ah Lawnmower

Power input:	36V battery
Deck size/cutting diameter:	: 40cm
Blade speed:	3.500rpm
Drive mechanism:	Push
Mulching capable:	Yes
Telescoping handle:	Yes
Charge rate: 10	0% 135 min.
Weight:	17,8kg

#### Included as standard

x 36V (4,0Ah) Lithium-ion battery	
x mulching plug	
Charner Charner	

#### RLM36X40L 36V Lithium-ion 4,0Ah Lawnmower

with LED battery ind	dicator
Power input:	36V battery
Deck size/cutting diame	
Blade speed:	3.500rpm
Drive mechanism:	Push
Mulching capable:	Yes
LED battery indicator:	Yes
Telescoping handle:	Yes
Charge rate:	100% 135 min.
Weight:	17,8kg

Charger

Included as standard 1 x 36V (4,0Ah) Lithium-ion battery 1 x mulching plug

#### RHT36 36V Lithium-ion

RHT36 36V Lithium-ion			
2.6 Ah Hedge Trir	nmer		
Power input:	36V battery		
Cutting capacity:	20mm		
Blade length:	55cm		
Stroke rate:	3.000spm		
Charge rate:	100% 100 min.		
Weight:	4,2kg		
	-		

#### Included as standard

1 x 36V (2,6Ah) Lithium-ion battery Blade sheath HedgeSweep Charger

#### RLT36 36V Lithium-ion 2.6 Ah Line Trimmer

Power input:	36V battery
Cutting diameter:	28-33cm
Max speed:	9.000-10.000rpm
ine feed system:	Auto-feed
ine type:	1,5mm twisted
Charge rate:	100% 100 min.
Neiaht:	4.1ka

RAC126

1 x spool cover, spool

with 1,5mm twisted line

#### Included as standard

1 x 36V (2,6Ah) Lithium-ion battery Auto-feed line Charger

#### 36V accessories

Specification RAC114 Description Complete replacement spool head System

*3*60 RBC36X26B / RBC36X26E 5132002669 4892210819727

RAC227

Replacement

12"/30cm chain

€60

RCS36

*53* RBC36X26B / RBC36X26E

RAC305

Debris removal

26cm Brush cutter

replacement blade

RAC117

£50V RLT36 / RLT36C33 5132002668 5132002435 4892210819734 4892210813527

> RAC404 Lawnmower 16"/ 40cm blade

*€6*1/

#### RAC127 3 x spools with 1,5mm twisted line

£5V RLT36 / RLT36C33 5132002449

4892210813763

#### RAC405 Lawnmower replacement bag

*€6*1/ RLM3640LI / RLM36X40 RLM36X40H / RLM36X40L 5132002446

4892210813503

# €31 RCS36

RAC226

12" / 30cm

replacement bar

5132002486 4892210814333

#### Specification Description

System Fits

Fits

Nr. Code

**EAN Code** 

Nr. Code EAN Code 5132002436 4892210813510

*€6*1/ RHT1850LI / RHT36

500mm HedgeSweep™

5132002437 4892210813466 RLM3640LI / RLM36X40 RLM36X40H / RLM36X40L 5132002438 4892210813497



# RANGE SUMMARY **& ACCESSORIES**

# 18V cordless product range



RLT18	25LI	18V	One	Plus™	Easy
Edward I	Charles to a	:-	at 1.3a	a Talas	

Eage Lithium-ion Line	ırımmer
Power input:	18V battery
No load speed:	9.300rpm
Line feed system:	Auto-feed
Cutting path width:	25cm
Cutting line diameter:	1,6mm
Charge rate 100%:	180min.
Weight:	1,65kg

#### Included as standard

1 x 18V Compact Lithium-ion battery Charger

#### RLT1830LI

18V One Plus™ Line Trimmer

	40)(1 11
Power input:	18V battery
No load speed:	8.000rpm
Line feed system:	Auto-feed
Cutting path width:	30cm
Cutting line diameter:	1,6mm
Charge rate 100%:	60min.
Weight:	3,2kg

#### Included as standard

1 x 18V Compact Lithium-ion battery Charger

#### RHT1850LI

18V One Plus™ Hedge Trimmer

Power input:	18V battery
Cutting capacity:	16mm
Stroke rate:	2.400spm
Blade length:	50cm
Charge rate 100%:	60min.
Weight:	2,7kg

#### Included as standard

1 x 18V Compact Lithium-ion battery Blade sheath Charger

#### RHT1850XLI 18V One Plus™

Long Reach Headcutter Kit			
Power input:	18V battery		
Cutting capacity:	16mm		
Stroke rate:	2.400spm		
Blade length:	50cm		
Charge rate 100%:	180min.		
Weight:	3,73kg		

#### Included as standard

1 x 18V Compact Lithium-ion battery HedgeSweep™ blade sheath Charger

#### RPP1820LI

18V One Plus™ Pole Saw Kit

Power input:	18V battery
Chain/bar length:	20cm
Chain speed:	5,5m/s
Charge rate 100%:	180min.
Weight:	4,1kg

#### Included as standard

1 x 18V Compact Lithium-ion battery Bar & chain oil Scabbard Charger

#### OPS1821

18V One Plus™ Pruner

Power input:	18V battery
No load speed:	3.000spm
Max. cutting capacity:	wood 102mm
Stroke length:	22mm
Weight:	2,7kg

#### Included as standard

Blade

#### OBL1802

18V One Plus™ Blower

Power input:	18V battery
Air flow speed:	120mph (193km/h)
Weight:	1,6kg

#### Included as standard

#### OGS1821 18V One Plus™

Shear & Shrubber

Power input:	18V battery
Cutting capacity:	8mm
Shrubber blade:	200mm
Shear blade:	100mm
Weight without blade:	1,4kg

#### Included as standard Grass cutting blade

Shrubbing blade



18V accessories							
Specification	RAC124	RAC125	RAC300	RAC305	RAC234	RAC308	ACC001
Description	1 x spool cover, spool with 1,6mm line	3 x spools with 1,6mm line	Shear Replacement Blade	50cm Hedge Sweep™	8"/20cm Replacement Chain	Shrubber Replacement Blade	Pruner Saw Blade
System	ONE	ONE	ONE	ONE	ONE	ONE	ONE
Fits	RLT1830LI 0LT1831 RL1825LI 0LT1825	RLT1830LI 0LT1831 RL1825LI 0LT1825	OGS1820/ OGS1821	OHT1850X/ HT1850XLI RHT1850LI/ OHT1851 RHT1850XLI/ OHT1850X	OPP1820 / PP1820LI	OGS1820/ OGS1821	OPS1821
Nr. Code EAN Code	5132002433 4892210813473	5132002434 4892210813480	5132002426 4892210813015	5132002437 4892210813466	5132002588 4892210817648	5132002457 4892210813541	5132000140 5034716003104



#### RGS410 TEK4™ Lithium-ion Shear Shrubber

Power input:	4V battery
Cutting capacity:	8mm
Shrubber blade:	120mm
Shear blade:	80mm
Charge rate 100%:	210-270min.
Weight with shrubber at	tachment: 0,6kg
Weight with grass shear	•
attachment:	0,5kg

#### Included as standard

1 x 4V Lithium-ion batter	ry
Shear blade	
Shrubber blade	
Charger	



# RLP416 TEK4™ Lithium-ion

Lopper	
Power input:	4V battery
Cut capacity:	
Soft wood	16mm
Hard wood	10mm
Charge rate 100%:	210-270min.
Weight:	0.7ka

#### Included as standard

1 x 4V Lithium-ion battery Charger

Specification	RAC301	RAC302	RAC303	RAC304
Description	Replacement grass shear blade	Replacement grass shrubber blade	Wheel and pole attachment	Replacement lopper blade
System	RYOBITE(4	RYOBITE(4)	RYOBITE(4)	RYOBITE(4)
Fits	RGS410	RGS410	RGS410 / RLP416	RLP416
Nr. Code EAN Code	5132002452 4892210813428	5132002453 4892210813435	5132002454 4892210813442	5132002455 4892210813459

# LAWN CARE

Petrol Line Trimmers / Petrol Brush Cutters	29-33
Expand-lt™	34–35
Electric Line Trimmers	36-37
Petrol Lawnmowers	38-41
Range Summary & Accessories	42-45



# RLT26CDS 26cc POWRLTZ Series Line Trimmer

Nr. Code: 5133000259 EAN Code: 4892210811080

#### **Features**

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power
- Split shaft for Expand-it™ attachment compatibility
- ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills



#### Included as standard

2 stroke oil, ReelEasy™ cutting head with 6m cutting line, wrench, D handle









# RBC26SESB 26cc POWRLTZ Series











# **Brush Cutter**

Nr. Code: 5133001882 EAN Code: 4892210819482

#### **Features**

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills





#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness











# RBC26SBB 26cc POWRLTZ Series

# Bike Handle Brush Cutter

Nr. Code: 5133001883 EAN Code: 4892210819499

#### **Features**

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills
- · Fully adjustable Vertebrae harness for maximum comfort

















#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness 2.4mm

RLT26CDS	RBC26SESB	RBC26SBB
Engine type: PoWR LT2 <sup>™</sup> 2 Stroke	Engine type: PoWR LT2™ 2 Stroke	Engine type: PoWR LT2 <sup>™</sup> 2 Stroke
Engine displacement: 26cc	Engine displacement: 26cc	Engine displacement: 26cc
Output power: 0,9hp	Output power: 0,9hp	Output power: 0,9hp
Tank capacity: 0,25I	Tank capacity: 0,25I	Tank capacity: 0,25l
Cutting path width: 43cm	Cutting path width: 26/46cm	Cutting path width: 26/46cm
Line diameter: 2,4mm	Line diameter: 2,4mm	Line diameter: 2,4mm
Weight: 4,3kg	Weight: 5,2kg	Weight: 6,1kg



# RLT30CESA 30cc POWRLTZ Series Line Trimmer

Nr. Code: 5133001648 EAN Code: 4892210816450

#### **Features**

- Advanced PoWR LT2™ 30cc 2cvcle engine for optimum power
- Powerful 30cc 2 stroke engine with 1hp output
- Split shaft for Expand-it<sup>™</sup> attachment compatibility
- ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills





#### Included as standard

2 stroke oil, ReelEasy™ cutting head with 6m cutting line, wrench, ergo handle



# RBC30SESB 30cc POWRLTE Series **Brush Cutter**

Nr. Code: 5133001884 EAN Code: 4892210819505

#### **Features**

- Advanced PoWR LT2™ 30cc 2cycle engine for optimum power
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy<sup>™</sup> bump feed head with patented 'thread and load' system for rapid line refills





#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness











# **Bike Handle Brush Cutter**

Nr. Code: 5133001885 EAN Code: 4892210819512

#### **Features**

Advanced PoWR LT2™ 30cc 2cycle engine for optimum power

RBC30SBSB 30cc POWRLTE Series

- Bike handle for comfort and storage convenience
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy<sup>™</sup> bump feed head with patented 'thread and load' system for rapid line refills





#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness 2.4mm













RLT30CESA		RBC30SES	В	RBC30SBSE	3
Engine type:	PoWR LT2™ 2 Stroke	Engine type:	PoWR LT2 <sup>™</sup> 2 Stroke	Engine type:	PoWR LT2 <sup>™</sup> 2 Stroke
Engine displacement:	30cc	Engine displacemen	t: 30cc	Engine displacement:	30cc
Output power:	1hp	Output power:	1hp	Output power:	1hp
Tank capacity:	0,421	Tank capacity:	0,421	Tank capacity:	0,421
Cutting path width:	43cm	Cutting path width:	46cm	Cutting path width:	46cm
Line diameter:	2,4mm	Line diameter:	2,4mm	Line diameter:	2,4mm
Weight:	5,3kg	Weight:	6,0kg	Weight:	6,7kg



# RLT430CESB 30cc POWRLT4 Series 4 Cycle Line Trimmer

Nr. Code: 5133000021 EAN Code: 4892210808219

#### **Features**

- Advanced PoWR LT4™ lightweight 30cc 4cvcle engine for 30% more power without the need to mix oil and fuel
- · No mixing of fuel & oil required
- Light weight 30cc 4 stroke engine with 1hp output
- Split shaft for Expand-it™ attachment compatibility
- ReelEasy™ bump feed head with patented 'Thread and load' system for rapid line refills















#### Included as standard

4 stroke oil, ReelEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness

\*4 cycle products only recommended for use with: ABE04; AQTT03; ABC03; ALT03; AED04; AFM03







# RBC430SESC 30cc POWRLT4 Series **4 Cycle Ergo Handle Brush Cutter**

Nr. Code: 5133001886. FAN Code: 4892210819529

#### **Features**

- Advanced PoWR LT4™ lightweight 30cc 4cycle engine for 30% more power without the need to mix oil and fuel
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills

















# Included as standard

4 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, ergo handle, single harness

# RBC430SBSC 30cc POWRLT4 Series

## 4 Cycle Bike Handle Brush Cutter

Nr. Code: 5133001887 EAN Code: 4892210819192

#### **Features**

- Advanced PoWR LT4™ lightweight 30cc 4cycle engine for 30% more power without the need to mix oil and fuel
- Bike handle for comfort and storage convenience
- 26cm Tri-Arc+™ hardened steel brush cutting blade
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills



















#### Included as standard

4 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness

#### **RLT430CESB** RBC430SESC RBC430SBSC POWR LT4™ 4 Stroke POWR LT4<sup>™</sup> 4 Stroke POWR LT4™ 4 Stroke Engine type: Engine type: Engine type: Engine displacement: 30cc Engine displacement: 30cc Engine displacement: 30cc 1hp Output power: 1hp Output power: 1hp Output power: Tank capacity: 0,351 Tank capacity: 0,351 Tank capacity: 0,351 Cutting path width: Cutting path width: 43cm 46cm Cutting path width: 46cm Line diameter: 2,4mm Line diameter: 2,4mm Line diameter: 2,4mm Weight: Weight: 5.1ka Weight: 6.0ka 7.4ka





RBC254FSB 25,4cc POWE XT Series **Full Crank Brush Cutter** 

Nr. Code: 5133001878 EAN Code: 4892210819185















- Powr XT™ Full crank engine delivers durability and performance
- · 2-in-1 functionality with a blade for clearing and a line trimmer head for trimming
- · Fully adjustable rotating bike handle for comfort and storage convenience
- ReelEasy™ bump feed head with patented 'thread and load' system for rapid line refills
- 26cm Tri-Arc+ ™ hardened steel brush cutting blade

#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness











#### RBC254FSB

11002041 00		
Engine type:	Full Crank-stroke	
Engine displacement:	25,4cc	
Output power:	1,2hp	
Tank capacity:	0,621	
Cutting path width / Blade cutting path:	46 / 26cm	
Line diameter:	2 4mm	
Weight:	7.4ka	

# RBC42FSB 42cc POWR XT Series











Nr. Code: 5133001876 EAN Code: 4892210819161

#### **Features**

- Powr XT<sup>™</sup> Full crank engine delivers durability and performance
- 2-in-1 functionality with a blade for clearing and a line trimmer head for trimming
- · Full crank engine for extended engine life and reduced vibration
- · Fully adjustable rotating bike handle for comfort and storage convenience
- ReelEasy<sup>™</sup> bump feed head with patented 'thread and load' system for rapid line refills
- 26cm Tri-Arc+™ hardened steel brush cutting blade





















#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle. Vertebrae harness











# **Full Crank Brush Cutter**

Nr. Code: 5133001877 EAN Code: 4892210819178

#### **Features**

- Powr XT<sup>™</sup> Full crank engine delivers durability and performance
- · 2-in-1 functionality with a blade for clearing and a line trimmer head for trimming
- Powerful 52cc engine with 1.9hp output
- · Full crank engine for extended engine life and reduced vibration
- Fully adjustable rotating bike handle for comfort and storage convenience
- ReelEasy<sup>™</sup> bump feed head with patented 'thread and load' system for rapid line refills
- 26cm Tri-Arc+™ hardened steel brush cutting blade























7,9kg

#### Included as standard

2 stroke oil, RealEasy™ cutting head with 6m cutting line, wrench, bike handle, Vertebrae harness

#### RBC42FSB

# Full Crank-stroke

Engine displacement:	42CC
Output power:	1,7hp
Tank capacity:	1,11
Cutting path width / Blade cutting path:	42 / 26cm
Line diameter:	2,4mm
Weight:	7 9ka

## RBC52FSB

Weight:

Engine type:	Full Crank-stroke
Engine displacement:	52cc
Output power:	1,9hp
Tank capacity:	1,11
Cutting path width / Blade cutting path:	42 / 26cm
Line diameter:	2,4mm



# Turn 1 power unit into 7 tools



#### **Features**

Quick Release – Simply use the quick release mechanism on the shaft to remove the trimmer or cutter head and connect the Expand-it™ attachment – within a few seconds you have a new garden power tool.









Art.-No.: 5133001715 EAN Code: 4892210817419



#### AHF05

#### **Articulating Hedge Trimmer**

#### Features

- . Blade length: 44cm
- . Cutting capacity: 28mm Blade type: dual reciprocating
- . 90° articulating blade for comfortable cutting in any angle
- 2,0kg

Art.-No.: 5133001927 EAN Code: 4892210819369



#### AHF03

#### **Hedge Trimmer**

#### **Features**

- . Blade length: 45cm . Cutting capacity: 11mm
- . Blade type: dual reciprocating
- 2,1kg

Art.-No.: 5132000036 EAN Code: 4892210801005



APR04

#### **Pole Pruner**

#### Features

- Chain speed: 30m/s15° angled blade for more
- comfortable and safer cutting
- · Automatic chain oiler and
- clear oil tank Metal spike bumpers for
- easier and safer cutting
- 2,5kg

Art.-No.: 5133001733 EAN Code: 4892210817518



AEX002

#### **Extension Shaft**

#### **Features**

- Length: 62cm
- · Ideal for extending pole pruner or hedge trimmer attachments
- 0,7kg

Art.-No.: 5132000035 EAN Code: 4892210803405



#### ABE04 **Blower**

#### Features

- · Air speed: 240km/h
- · Air volume: 8m3/min
- Leaf Guard™ technology for higher efficiency
- 1,4kg

Art.-No.: 5133001735 EAN Code: 4892210817532



AQTT03 Cultivator

#### Features

. Tine diameter: 20cm

Art.-No.: 5132000039

EAN Code: 4892210800978

- . Number of tines: 4
- 6,2kg



ABC03

#### **Brush Cutter**

#### Features

- Blade diameter: 20cm
- Tri-Arc™ cutting blade
- 2,1kg





ALT03

#### **Line Trimmer**

#### Features

- Line diameter: 2,4mm
- · Cutting swath: 46cm Number of cutting lines: 2
- · Straight shaft line trimmer
- attachment
- **1**,7kg

Art.-No.: 5133000446 EAN Code: 4892210800985




Nr. Code: 5133001251 EAN Code: 4892210815453

#### **Features**

- Efficient 300W motor for optimum power to weight ratio
- · 25cm cutting path for efficient cutting rate
- 2 handle design and rotating upper shaft for edging

EASY SEDGE



# RLT4027 400W Line Trimmer

Nr. Code: 5133001804 FAN Code: 4892210818409

#### **Features**

- · Light weight and adjustable, ideal for sustained periods of use
- 27cm cutting path for efficient cutting rate
- Adjustable handle for d support and balance
- Extendable shaft for optimum height adjustment
- Adjustable head for both edging and trimming
- · Cable management hook and wall mount storage solutions
- Overmould handle for improved comfort during use



VERTEBRAE





IMPROVED







# **RLT5030S 500W EasyEdge™ Line Trimmer**

Nr. Code: 5133001213 EAN Code: 4892210815781

#### **Features**

- Patented EasyEdge<sup>™</sup> technology featuring a spring assisted pedal for smooth transition from grass trimming to edging mode
- Automatic feed spool head
- · Powerful 500W high performance motor
- Telescoping shaft and fully adjustable front handle for optimum user comfort















#### **RLT3025S RLT4027 RLT5030S** Power: 300W Power: 400W Power: 500W Cutting path width: 25cm 30cm Cutting path width: 27cm Cutting path width: Line cutting system: Bump head Line cutting system: Auto-feed Line cutting system: Auto-feed 2 x 1,2mm 2 x 1,5mm twisted Line type: Line type: 2 x 1,5mm twisted Line type: Weight: 1,65kg Weight: Weight: 3,1kg







#### **Features**

- · Rear mount motor for full control at high motor power
- · Wide cutting path
- · Split shaft for easy transport and storage
- · Fully adjustable front handle



AHF05, APR04, ABE04

## Included as standard

Shoulder strap



## **Features**

Rear mount motor for full control with 1000W motor power

RLT1038 1000W Rear Mount Line Trimmer

- · Wide cutting path
- · Split shaft for easy transport and storage

Nr. Code: 5133001241 EAN Code: 4892210815217

· Fully adjustable front handle



EXPAND-IT"	AHF05, APR04, ABE04	
COMPATIBLE		
Included as	standard	
Shoulder strap, dual	line bump head	
• • • • • • • • • • • • • • • • • • • •	•	

AHF05, APR04, ABE04  COMPATIBLE  Included as standard			Brush Cutter RBC1020 Nr. Code: 5133001245 EAN Code: 4892210815231
Shoulder strap, dual line bump head			38cm 1.5mm
RLT7038		RLT1038	
Power:	700W	Power:	1000W
Cutting path width:	38cm	Cutting path width:	38cm

Power:	700W	Power:	1000W
Cutting path width:	38cm	Cutting path width:	38cm
Line cutting system:	Bump head	Line cutting system:	Bump head
Line type:	2 x 1,5mm twisted		2 x 1,5mm twisted
Weight:	4,8kg	Weight:	4,8kg



RLM4614SME 140cc 46cm Self-propelled

**Mulching Lawnmower** 

Nr. Code: 5133001895 EAN Code: 4892210819604

#### **Features**

- Powerful 140cc engine
- · 46cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- · Large hard top grass bag for clipping collection
- Integrated drinks holder



#### Included as standard

55 litre hard top grass bag, mulching plug, side eject kit 







## RLM4617SME Subaru® 175cc 46cm Self-propelled ( **Mulching Lawnmower**





Nr. Code: 5133001896 EAN Code: 4892210819611

#### **Features**

- Powerful 175cc Subaru® engine
- · 46cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- Large hard top grass bag for clipping collection
- Integrated drinks holder



#### Included as standard

55 litre hard top grass bag, mulching plug, side eject kit

**RLM4614SME** 

#### RLM4617SME

Engine:	140cc	Engine:	175cc Subaru®
Deck size/cutting of	liameter: 46cm	Deck size/cutting of	iameter: 46cm
Engine speed:	2.800rpm	Engine speed:	2.800rpm
Drive mechanism:	Self propelled	Drive mechanism:	Self propelled
4-in-1:	Grass bagging, mulching, rear eject & side eject	4-in-1:	Grass bagging, mulching, rear eject & side eject
Mulching plug sup	plied: Yes	Mulching plug sup	plied: Yes
Weight:	32,0kg	Weight:	32,5kg

## RLM5317SME Subaru® 175cc 53cm Self-propelled





## **Mulching Lawnmower**

Nr. Code: 5133001897 EAN Code: 4892210819628

#### **Features**

- Powerful 175cc Subaru® engine
- . 53cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- · Large grass bag for clipping collection
- Integrated drinks holder
- · Large rear wheel for smooth drive and grip



#### Included as standard

70 litre grass bag, mulching plug, side eject kit













**Mulching Lawnmower** 

Nr. Code: 5133001922 EAN Code: 4892210819659

#### **Features**

- Powerful 190cc Subaru® engine
- . 53cm deck for a large cutting width
- · Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Single point height adjustment for 7 lengths of grass cutting
- Large hard top grass bag for clipping collection
- Integrated drinks holder
- · Large rear wheel for smooth drive and grip
- Variable engine speed lever on control panel



#### Included as standard

70 litre hard top grass bag, mulching plug, side eject kit









#### RI M5317SMF

TIEM 30 173		
Engine:		175cc Subaru®
Deck size/cutting d	liameter:	53cm
Engine speed:		2.800rpm
Drive mechanism:		Self propelled
4-in-1:	Grass bagging, mulching,	rear eject & side eject
Mulching plug supp	plied:	Yes
Weight:		38.5ka

<b>RLM5319SI</b>	NEB
Engine:	190cc Subaru®
Deck size/cutting dia	neter: 53cm
Engine speed:	2.800rpm
Drive mechanism:	Self propelled
4-in-1: (	rass bagging, mulching, rear eject & side eject
Mulching plug suppl	ed: Yes
Weight:	42,0kg

RLM1451ME 140cc Mulching Lawnmower (

Nr. Code: 5133001702 EAN Code: 4892210817273

#### **Features**

- 140cc OHV powerful engine
- 51cm deck for large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- · Side eject feature allows mower to cut long, rough grass
- Individual wheel height settings 6 lengths of grass cutting



#### Included as standard

Side eject kit

RLM1956MEB Subaru® 190cc Mulching Lawnmower



#### **Features**

- Powerful 190cc Subaru® engine
- . 56cm deck for a large cutting width
- Mulching function finely chops and redistributes grass clippings into the ground as a natural fertiliser
- Integrated drinks holder
- · Large rear wheel for smooth drive and grip

Nr. Code: 5133001921 EAN Code: 4892210819598

Individual wheel height settings – 5 lengths of grass cutting



#### Included as standard

Mulching plug, side eject kit

RLM1451ME

190
CC



Engine:	140cc OHV	Engine:	190cc Subaru®
Deck size/cutting diameter:	51cm	Deck size/cutting diameter:	56cm
Engine speed:	2.800rpm	Engine speed:	2.800rpm
Drive mechanism:	Push	Drive mechanism:	Push
2-in-1 <sup>-</sup>	Mulching & side eject	2-in-1:	Mulching & side eject

RLM1956MEB

Mulching plug supplied: Yes
Weight: 30,0kg

# RANGE SUMMARY & ACCESSORIES

## PETROL LINE TRIMMERS & BRUSH CUTTERS



2 stroke

26cc

0,9hp



RBC26SESB

2 stroke

26cc

NEW



RBC26SBB

2 stroke

26cc



Specification		
Engine type		
Engine displacement		
Output power		
Tank capacity		
Cutting path width (string head)		
Cutting path width (blade)		
Line diameter		
Handle type		
Weight		
Accessories		
RAC104 15m x 2,4mm cutting line		

50m x 2,4mm cutting line

Tri-Arc™ replacement blade for brush cutters, 20cm

Tri-Arc+™ replacement blade for brush cutter, 26cm

Line trimmer replacement head Pro-Cut II™ replacement cutting

ReelEasy™ replacement head

4 stroke multigrade engine oil

with line

2 stroke oil 76ml

2 stroke oil 11

RAC105

RAC108

RAC117

RAC106

ACC002

ACC004

RGA004


LTA036/LTA040/ LTA050 RAC115

0,011p	
0,251	
0,201	_
43cm	
_	
	_
2,4mm	
D handle	
Dilanuic	
4,3kg	
<u> </u>	
•	
-/	
•	
•	
•	
	Ī
V	
V	
-	
V	

0,9hp	0,9hp
0,251	0,251
46cm	46cm
26mm	26mm
2,4mm	2,4mm
Ergo D handle	Bike har
5,2kg	6,1kg
	-
<u> </u>	~
<u> </u>	~
<u> </u>	~
V	~
<b>~</b>	~
<b>~</b>	~
<u> </u>	<u>~</u>
<u> </u>	~

_	RLT30CESA
_	2 stroke
	30cc 1hp 0,42l 43cm - 2,4mm Ergo D handle 5,3kg
_	
_	<u>,                                      </u>
	<u>~</u>
_	
_	





# RANGE SUMMARY & ACCESSORIES

# ELECTRIC LINE TRIMMERS & BRUSH CUTTERS



Specification	RLT3025S	RLT4027	RLT5030S	RLT7038	RLT1038	RBC1020
Power Cutting diameter	300W 25cm	400W 27cm	500W 30cm	700W 38cm	1000W 38cm	1000W 20cm
Line cutting system Line type	Bump head 2 x 1,2mm	Bump head 2 x 1,5mm twisted	Auto-feed 2 x 1,5mm twisted	Bump head 2 x 1,5mm twisted	Bump head 2 x 1,5mm twisted	Tri-Arc™ blade 2 x 1,5mm twisted
Telescoping shaft Edging facility	No Yes	Yes Yes	Yes Yes, EasyEdge+™	No No	No No	No No
Plant protector GripZone™ Weight	No No 1,65kg	Yes Yes 2,7kg	Yes Yes 3,1kg	No Yes 4,8kg	No Yes 4,8kg	No Yes 4,8kg
Accessories						
RAC100 15m x 1,2mm cutting line RAC122 Spool, cover, spring replacement for RLT4027		<u>,                                     </u>				
RAC123 3 spools for RLT4027 RAC129 2 replacement spools for RLT5030S RAC118 Spool, cover, spring replacement			<u>~</u>			
RAC119 3 x spools RAC120 Spool, cover, spring replacement RAC108 Tri-Arc™ replacement blade	<u></u>			<u>~</u>	<u> </u>	<u>/</u>

### **EXPAND-IT™ ATTACHMENTS**



Accessories	Α
CSA038 Replacement chain for Expand-it™ pole pruner	_
CSA039 Replacement bar for Expand-it™ pole pruner	עוני וני
ACC005 Bar & chain oil 11 LTA012 Replacement 15m line for ALT03	<u>~</u>
RAC108 Replacement Tri-Arc™ blade for ABC03	-

	_
ALT03	ABC03
V	
	<u> </u>



## **PETROL LAWNMOWER ACCESSORIES**







Specification
Engine
Deck size/cutting diameter
Power at working speed
Self-propelled
Height adjustment
Grass bag size
Weight

KLIVI4614SIVIE	RLIVI4617SIVIE
140cc	175cc
46cm	46cm
2.800rpm	2.800rpm
Yes	Yes
19-76mm	19-76mm
551	551
32,0kg	32,5kg

RLM5317SME
175cc
53cm
2.800rpm Yes
19–76mm
701
38,5kg

Accessories
RAC400 46cm replacement mower blade
RAC402 Replacement mower bag (bag only, no metal frame)
RAC403 Mulching plug
RAC407 52cm replacement mower blade
RAC409 53cm replacement mower blade

<u>v</u>	
<u>v</u>	

V

## **PETROL LAWNMOWER ACCESSORIES**



Specification
Engine
Deck size/cutting diameter
Power at working speed
Self-propelled
Height adjustment
Grass bag size
Weight

HEIVIOO 190IVIED
190cc
53cm
2.800rpm
Yes
19-76mm
701
42,0kg

RLM1451ME	RLM1956MEB
140cc OHV	190cc
51cm	56cm
2.800rpm	2.800rpm
No	No
20-78mm	19-76mm
N/A	N/A
29,0kg	30,0kg
-	

Access	sories
RAC409	53cm replacement mower blade
RAC410	51cm replacement mower blade
RAC411	56cm replacement mower blade

<b>✓</b>	
 	<u> </u>

# TREE AND HEDGE CARE

Petrol Chainsaws	47-48
Electric Chainsaws	49
Electric Pole Pruner	50
Petrol Hedge Trimmer	50
Electric He dge Trimmers	51-53
Range Summary & Accessories	54-55





## RCS4235B 42cc POWR XT Series Chainsaw (35cm bar)



Nr. Code: 5133001880 EAN Code: 4892210819239

#### **Features**

- Powr XT™ Full crank engine delivers durability and performance
- Powerful 2 stroke 42cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- · Tool-less chain tensioning system
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels



#### Included as standard

Bar & chain oil. 2 stroke oil. wrench











## RCS4240B 42cc POWR XT Series Chainsaw (40cm bar)





Nr. Code: 5133001881 EAN Code: 4892210819246

#### **Features**

- Powr XT<sup>™</sup> Full crank engine delivers durability and performance
- · Powerful 2 stroke 42cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- · Fast acting inertia activated chain brake for increased safety
- Tool-less chain tensioning system
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels



#### Included as standard

Bar & chain oil. 2 stroke oil, wrench











RCS4235B		RCS4240B	
Engine displacement:	42cc	Engine displacement:	42cc
Power:	2,1hp (1,6kW)	Power:	2,1hp (1,6kW)
Chain/bar length:	35cm	Chain/bar length:	40cm
Chain speed:	23,8m/s	Chain speed:	23,8m/s
Tool-less chain tensioner:	Yes	Tool-less chain tensioner:	Yes
Fuel tank capacity:	0,31	Fuel tank capacity:	0,3l
Weight:	5,3kg	Weight:	5,4kg

48 | PETROL CHAINSAWS

## RCS5133CB 51cc POWR XT Series Chainsaw (33cm bar)

Nr. Code: 5133001860 EAN Code: 4892210819208

#### **Features**

- Powr XT™ Full crank engine delivers durability and performance
- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Convenient and robust side access chain tensioner
- Automatic chain and bar lubrication
- Clear fuel and oil tank for easy view of fluid levels
- · Tool less air filter access

#### Included as standard

Bar & chain oil. 2 stroke oil, wrench, carry case











## RCS5140B 51cc POWR XT Series Chainsaw (40cm bar)

Nr. Code: 5133001859 EAN Code: 4892210819222

#### **Features**

- Powr XT<sup>™</sup> Full crank engine delivers durability and performance
- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during prolonged use
- Fast acting inertia activated chain brake for increased safety
- Convenient and robust side access chain tensioner
- Automatic chain and bar lubrication
- · Clear fuel and oil tank for easy view of fluid levels
- Tool less air filter access

#### Included as standard

Bar & chain oil. 2 stroke oil, wrench













## RCS5145B 51cc POWR XT Series Chainsaw (45cm bar)

Nr. Code: 5133001858 EAN Code: 4892210819215

#### **Features**

- Powr XT<sup>™</sup> Full crank engine delivers durability and performance
- Powerful 2 stroke 51cc engine
- 3-point anti-vibration isolation for user comfort and reduced fatigue during
- Fast acting inertia activated chain brake for increased safety
- Automatic chain and bar lubrication
- . Clear fuel and oil tank for easy view of fluid levels
- · Tool less air filter access
- Convenient and robust side access chain tensioner

#### Included as standard

Bar & chain oil. 2 stroke oil. wrench











RCS5133CB		RCS5140B		RCS5145B	
Engine displacement:	51cc	Engine displacement:	51cc	Engine displacement:	51cc
Power:	2,7hp (2kW)	Power:	2,7hp (2kW)	Power:	2,7hp (2kW)
Chain/bar length:	33cm	Chain/bar length:	40cm	Chain/bar length:	45cm
Chain speed:	22,2m/s	Chain speed:	22,2m/s	Chain speed:	22,2m/s
Tool-less chain tensioner:	No	Tool-less chain tensioner:	No	Tool-less chain tensioner:	No
Fuel tank capacity:	0,581	Fuel tank capacity:	0,581	Fuel tank capacity:	0,581
Weight:	5,4kg	Weight:	5,4kg	Weight:	5,4kg



## RCS1835 1800W Electric Chainsaw



Nr. Code: 5133001215 EAN Code:4892210815804

#### **Features**

- Tool-less chain tensioning system
- · Fast acting chain brake for added safety
- · Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator<sup>™</sup> glows blue when plugged into power supply
- GripZone™ rear handle for user comfort



#### Included as standard

Bar & chain oil







RCS2040 2000W Electric Chainsaw



Nr. Code: 5133001218 EAN Code: 4892210815835

#### **Features**

- Powerful 2000W motor
- Tool-less chain tensioning system
- · Fast acting chain brake for added safety
- · Automatic chain and bar lubrication
- · Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator<sup>™</sup> glows blue when plugged into power supply
- GripZone™ rear handle for user comfort



#### Included as standard

Bar & chain oil







RCS1835		RCS2040	
Power:	1800W	Power:	2000W
Chain/bar length:	35cm	Chain/bar length:	40cm
Chain speed:	13m/s	Chain speed:	13m/s
Tool-less chain tensione	er: Yes	Tool-less chain tensioner:	Yes
Oil tank capacity:	0,21	Oil tank capacity:	0,21
Weight:	5,1kg	Weight:	5,2kg



## RPP720 720W Electric Pole Pruner

Nr. Code: 5133001221 EAN Code: 4892210815866

#### **Features**

- Light weight 720W motor for ergonomic pole operation
- . 15° angled cutting head for safer and easier cutting
- Telescopic fiber glass pole for long reach
- · Automatic chain and bar lubrication
- Clear view window on oil tank for easy control of chain and bar oil levels
- Livetool Indicator™ glows blue when plugged into power supply
- GripZone<sup>™</sup> handle for user comfort



#### Included as standard

Bar & chain oil, wrench, shoulder harness











#### **Features**

- Advanced PoWR LT2™ 26cc 2cycle engine for optimum power to weight ratio
- . 5 position rotating rear handle for optimum user comfort
- Dual reciprocating precision blade for less vibration
- · Effortless starting every time



















#### Included as standard

2 stroke oil, wrench

1111200011	RPP720 RHT2660I
------------	-----------------

Power:	720W	Engine displacement:	26cc
Chain/bar length:	20cm	Power:	0,8hp
Chain speed:	15m/s	Blade length:	60cm
Oil tank capacity:	51ml	Cutting capacity:	28mm
Weight:	3,5kg	Blade type:	Dual-action
		Weight:	5,3kg



## RHT4245 420W Electric Hedge Trimmer





Nr. Code: 5133001809 EAN Code: 4892210818454

#### **Features**

- · Light-weight and comfortable to use
- · Dual action blade for improved cutting performance
- Diamond ground blade for improved durability
- Loop front trigger handle for enhanced comfort

















Nr. Code: 5133001811 EAN Code: 4892210818478

#### **Features**

- · Light-weight and comfortable to use
- Dual action blade for improved cutting performance
- · Diamond ground blade for improved durability
- · Loop front trigger handle for enhanced comfort
- GripZone<sup>™</sup> overmould for user comfort











RHT4245		RHT5050	
Power:	420W	Power:	500W
Blade length:	45cm	Blade length:	50cm
Cutting capacity:	18mm	Cutting capacity:	20mm
Blade type:	Dual-action	Blade type:	Dual-action
T-blade protector:		T-blade protector:	No
Blade speed:	1.500min <sup>-1</sup>	Blade speed:	1.500min <sup>-1</sup>
Weight:	2,7kg	Weight:	2,8kg



## RHT5555R 550W Electric Hedge Trimmer







- Dual reciprocating diamond ground blade for great finish while cutting and less vibration
- · T-blade protector to guard blade
- HedgeSweep<sup>™</sup> capable blade
- · Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different
- Livetool Indicator<sup>™</sup> glows blue when plugged into power supply
- GripZone<sup>™</sup> rear and front handle for added user comfort

#### Included as standard

No standard equipment











## RHT6260RL 620W Electric Hedge Trimmer

### with HedgeSweep™

Nr. Code: 5133001847 FAN Code: 4892210819123

#### **Features**

Weight:

- · Laser cut high precision blade for cleanest cut
- HedgeSweep<sup>™</sup> debris sweeper for easy removal of clippings
- Powerful 620W motor
- . T-blade protector to guard blade
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges in different angles
- Livetool Indicator<sup>™</sup> glows blue when plugged into power supply

#### Included as standard













3,8kg

#### HedgeSweep™

HI I BBBBH	KH I 020UKL	
Power: 550W	Power: 620W	
Blade length: 55cm	Blade length: 60cm	
Cutting capacity: 24mm		
Blade type: Dual-action	Blade type: Dual-action	
T-blade protector: Yes	T-blade protector: Yes	
Blade speed: 1.500min <sup>-1</sup>	Blade speed: 1.500min <sup>-1</sup>	

3,5kg

Weight:

## RHT7065RL 700W Electric Hedge Trimmer

## with HedgeSweep™

Nr. Code: 5133001849 EAN Code: 4892210819147

#### **Features**

- Laser cut diamond ground blades are precision cut and ultra sharp for cleaner cutting results
- Powerful 700W motor
- Unique rotating rear handle in combination with large loop front trigger makes it possible to cut hedges at different angles
- Dual reciprocating blade for less vibration
- HedgeSweep<sup>™</sup> debris sweeper for easy removal of clippings

#### Included as standard

No standard equipment









## RPT4045 400W Pole Hedge Trimmer

Nr. Code: 5133001253 EAN Code: 4892210815651

#### **Features**

- Light weight 400W motor
- 135° articulating trimming head
- Telescopic fiber glass pole for long reach
- Laser cut high precision blade for a cleaner cut
- Livetool Indicator<sup>™</sup> glows blue when plugged into power supply
- GripZone<sup>™</sup> handle for user comfort





#### Included as standard

No standard equipment









# RHT450X 450W Extended Reach Hedge Trimmer Nr. Code: 5133001239 EAN Code 4892210815194

#### **Features**

- 3 position pivoting head allows trimming at multiple angles
- · 45cm dual action diamond ground hardened steel blades
- HedgeSweep<sup>™</sup> compatible





#### Included as standard

No standard equipment











RHT7065RL		RPT4045		RHT450X	
 Power:	700W	Power:	400W	Power:	450W
 Blade length:	65cm	Blade length:	45cm	Blade length:	45cm
 Cutting capacity:	32mm	Cutting capacity:	18mm	Cutting capacity:	18mm
 Blade type:	Dual-action	Blade type:	Dual-action	Blade type:	Dual-action
 T-blade protector:	Yes	T-blade protector:	No	T-blade protector:	No
 Blade speed:	1.500min <sup>-1</sup>	Blade speed:	1.700min <sup>-1</sup>	Blade speed:	1.700min <sup>-1</sup>
 Weight:	4,3kg	Weight:	4,1kg	Weight:	2,72kg

# RANGE SUMMARY & ACCESSORIES

## **CHAINSAWS & POLE PRUNER**

Specification















POWR XT

POWR XT

POWR XT



RCS4235B



RCS4240B



RCS5133CB




RCS5140B



RCS5145B

Specification	<u>NU34233B</u>	NU34240D	NUODIOOUD	NU33140B	<u>NU33143B</u>
Engine displacement	42cc	42cc	51cc	51cc	51cc
Power	2,1hp (1,6kW)	2,1hp (1,6kW)	2,7hp (2kW)	2,7hp (2kW)	2,7hp (2kW)
Chain/Bar length	35cm	40cm	33cm	40cm	45cm
Chain speed	23,8m/s	23,8m/s	22,2m/s	22,2m/s	22,2m/s
Case	No	No	Yes	No	No
Tool-less chain tensioner	Yes	Yes	No	No	No
Fuel tank capacity	0,31	0,31	0,581	0,581	0,581
Oil tank capacity	0.21	0.21	0.351	0.351	0.351
Weight	5,3kg	5,4kg	5,4kg	5,4kg	5,4kg
Chain Accessories		_		_	
RAC220 20cm low profile skip tooth	<u> </u>		-	_	_
narrow kerf pruner chain RAC221 35cm 3/8 inch low profile				_	_
full complement chain					
RAC222 40cm 3/8 inch low profile		<u></u>			
full complement chain					
RAC223 35cm high performance					
chain for electric chainsaws					
RAC224 40cm high performance		-			_
chain for electric chainsaws					
RAC228 40cm chain		_			_
RAC230 45cm chain					
RAC232 50cm chain for RCS5150C			· .	_	_
RAC237 33cm chain			<u> </u>		
Bar Accessories					
RAC210 35cm petrol chainsaw bar				===	:
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar	<u></u>				
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar	<u>v</u>				
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar	<u></u>				
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar		<u> </u>			
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar	v	v			
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar RAC233 50cm bar for RCS5150C	v			v	
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar		v		<u>v</u>	
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar RAC233 50cm bar for RCS5150C					
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC212 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar RAC233 50cm bar for RCS5150C RAC236 33cm bar					
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar RAC233 50cm bar for RCS5150C RAC236 33cm bar					
RAC210 35cm petrol chainsaw bar RAC211 20cm pruner chainsaw bar RAC212 40cm petrol chainsaw bar RAC213 35cm electric chainsaw bar RAC214 40cm electric chainsaw bar RAC231 45cm bar RAC233 50cm bar for RCS5150C RAC236 33cm bar  Oils  ACC002 2 stroke oil 76ml					





# **GARDEN TIDY UP**

Petrol Blowers and Vacs	57-58
Electric Blowers and Vacs / Shredders / Cultivator / Log Splitters / Invertor Generator	59-61
Range Summary & Accessories	62-63



## RBV26 26cc POWRLTZ Series Blower Vac

Nr. Code: 5133000175 EAN Code: 4892210810663

#### **Features**

Advanced PoWR LT2™ 26cc 2cvcle engine for optimum power

· Light and compact 26cc 2 stroke blower with vacuum capabilities

High performance blower and mulching vacuum with adjustable speed

· Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue

StartEasy<sup>™</sup> carburettor for easy starting





#### Included as standard

2 stroke oil, collection bag, wrench, vacuum tubes, blower tubes

















Nr. Code: 5133001815 EAN Code:4892210818096

#### **Features**

- Advanced PoWR LT2<sup>™</sup> 26cc 2cycle engine for optimum power
- · High air speed up to 290km/h
- Lightweight frame with back support for comfort during usage
- · High speed nozzle providing high thrust
- Ergonomic backpack frame with breathable back padding for improved user comfort





#### Included as standard

2 stroke oil. blower tubes









RBV26		RBL20BP	
Engine displacement:	26cc	Engine displacement:	26cc
Airspeed:	up to 320km/h	Airspeed:	up to 290km/h
Air volume:	up to 12m³/min		11m³/min
Mulching ratio:	12:1	Mulching ratio:	N/A
Collection bag capacity:	401	Collection bag capacity:	N/A
Power:	0,9hp	Power:	0,9hp
Weight:	4,5kg	Weight:	5,5kg



## RBL42BP 42cc POWR XT Series Backpack Blower





Nr. Code: 5133001879 EAN Code: 4892210818874

#### **Features**

- Powr XT™ Full crank engine delivers durability and performance
- Powerful 42cc 2stroke engine
- High air flow up to 14,1cm3/min
- · High speed nozzle providing high thrust
- Ergonomic Vertebrae<sup>™</sup> backpack frame with breathable back padding for improved user comfort
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue













## RBL30MVB 30cc POWRLTZ Petrol Blower Vac



## with PowerMulching™

Nr. Code: 5133001112 EAN Code: 4892210814708

#### **Features**

- Advanced PoWR LT2™ 30cc 2cycle engine for optimum power
- Quick change lever to switch between blow and vacuum mode without changing tubes
- · Powerful 30cc 2 stroke engine
- · High mulching efficiency with the metal mulching blade
- Cruise control throttle allows to set and maintain desired speed during prolonged use to reduce user fatigue



Shoulder strap for added comfort and control

#### Included as standard

2 stroke oil, collection bag, wrench, quick release shoulder harness













RBL42BP		RBL30MVB	
Engine displacement:	42cc	Engine displacement:	30cc
Airspeed:	up to 300km/h	Airspeed:	up to 250km/h
Air volume:	14,1m³/min	Air volume:	up to 13m³/min
Mulching ratio:	N/A	Mulching ratio:	12:1
Collection bag capacity:	N/A	Collection bag capacity:	401
Power:	2,2hp	Power:	1hp
Weight.	8 2kn	Weight.	7.5kg



## **RBV2800S** 2800W Electric Blower Vac with PowerMulching™



Nr. Code: 5133000179 EAN Code: 4892210809391

#### **Features**

- High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching™ blades allowing high impact resistance and high mulching ratio
- Quick change lever to switch between blow and vacuum mode
- Telescoping tubes with double safety switching for easy storage and transport
- Shoulder strap for added comfort and control
- Livetool Indicator™ glows blue when plugged into power supply



#### Included as standard

Collection bag, shoulder strap











**RBV3000VP 3000W Variable Speed Electric Blower Vac** 

## with PowerMulching™

Nr. Code: 5133000180 EAN Code: 4892210809414

#### **Features**

- Variable speed selection for added user control
- High airspeed, airflow and mulching ratio at low power consumption
- PowerMulching™ blades allowing high impact resistance and high mulching ratio
- Quick change lever to switch between blow and vacuum mode
- Telescoping tubes with double safety switching for easy storage and transport



#### Included as standard

Collection bag, shoulder strap













## RSH2455 2400W Electric 'Quiet' Shredder/Mulcher

Nr. Code: 5133001235 EAN Code: 4892210816092

#### **Features**

- Crushing and cutting action is ideal for composting
- Auto reverse unblocking system
- Automatic self feeding operation
- · Large top hopper for easy feeding of branches and leaves
- Very quiet operation
- Robust metal frame and large wheels for easy handling
- Overload protection for added user safety
- Livetool Indicator<sup>™</sup> glows blue when plugged into power supply

#### Included as standard

Collection bag, plunger







RBV2800S		RBV3000VP		RSH2455	
 Power:	2800W max.	Power:	3000W max.	Power:	2400W
 Airspeed:	up to 320km/h	Airspeed:	up to 320km/h	Cutting system:	Cutting/crushing gear
 Air volume:	14m³/min	Air volume:	up to 14m³/min	Max. cutting diameter	: 40mm
 Mulching ratio:	15:1	Mulching ratio:	15:1	Cable length:	12m
 Collection bag capacity:	451	Collection bag capacity:	451	Weight:	25,0kg
 Variable speed:	No	Variable speed:	Yes		
Weight:	5,5kg	Weight:	5,5kg		



## RSH2400R 2400W Electric Shredder/Mulcher

Nr. Code: 5133001234 EAN Code: 4892210816085

#### **Features**

- Powerful impact shredder with two reversible blades
- · Shreds branches of up to 40mm
- · Reinforced frame for improved strength and stability
- Large top hopper for easy feeding of branches and leaves
- · Overload protection for added user safety
- Livetool Indicator™ glows blue when plugged into power supply





#### Included as standard

Collection bag, plunger

# RCP1000 1020W Electric Cultivator

Nr. Code: 5133000181 EAN Code: 4892210810281

#### **Features**

- · Powerful brush motor with 4 tines
- Adjustable cutting width
- · Foldable handles for easy transportation and storage



RSH2400R		RCP1000	
Power:	2400W	Power:	1020W
Cutting system:	Impact blades	Cutting width:	18-30cm
Max. cutting diameter:	40mm	Cutting depth:	20,5cm
Cable length:	10m	Tine diameter:	23cm
Weight:	13,5kg	Cutting speed:	350rpm
		Weight:	16,0kg



## RLS4A 1500W Electric Log Splitter

Nr. Code: 5133001698 EAN Code: 4892210815958



#### **Features**

- Powerful 4 tons split force
- · Strong tubular frame to hold logs safely in place while operating
- Large wheels and rubber grip handles for easy manoeuvring



## RLS5A 2200W Electric Log Splitter



Nr. Code: 5133001700 EAN Code: 4892210815934

#### **Features**

- Powerful 5 tons split force
- Strong tubular frame to hold logs safely in place while operating
- Large wheels and rubber grip handles for easy manoeuvring
- · Attachable legs supplied to raise log splitter to convenient waist height



## **RIG2000 2000W Invertor Generator**



Nr. Code: 5133001694 EAN Code: 4892210817259

#### **Features**

- · Powerful 4 cycle engine with no need to mix fuel and oil
- Quiet operation, 50% less noise than standard generators
- · Clean power, safe for sensitive electronics
- Auto idle feature, enables longer run time and saves fuel when less power is required





106



RLS4A		RLS5A		RIG2000	
Power:	1500W	Power:	2200W	Engine displacement:	106cc
Split force:	4 tons	Split force:	5 tons	Engine type:	OHC 4 stroke
Maximum log length:	52cm	Maximum log length:	52cm	Compression ratio:	8,5:1
Cable length:	12m	Cable length:	12m	Output: 2000	OW (1600W running)
Weight:	45,0kg	Weight:	48,0kg	Fuel tank capacity:	3,61
				Weight:	23,0kg

## **RANGE SUMMARY & ACCESSORIES**

### **BLOWERS** & VACS







Specification
Engine displacement
Airspeed
Air volume
Mulching ratio
Collection bag capacity
Power
Weight
Accessories

RAC353 Replacement collection bag RAC350 Replacement collection bag RAC358 Replacement collection bag

RBV26
26cc
up to 320km/h
up to 12m³/min
12:1
401
0,9hp
4,5kg

RBL26BP	RBL42BP
26cc	42cc
up to 290km/h	up to 300km/h
up to 11m³/min	 14,1m³/min
V/A	N/A
V/A	N/A
0,9hp	 2,2hp
5,5kg	8,2kg

### **BLOWERS** & VACS



RBL30MVB 30cc up to 250km/h





Specification
Engine displacement
Airspeed
Air volume
Mulching ratio
Collection bag capacity
Power
Weight

, op oou		up to Lociting !!
Air volum	e	up to 13m³/min
Mulching	ratio	12:1
Collection	bag capacity	401
Power		1hp
Weight		7,5kg
Access	ories	
RAC353	Replacement collection bag	
RAC350	Replacement collection bag	V
RAC358	Replacement collection bag	

RBV2800S	RBV3000VP
_	=
320km/h	up to 320km/h
14m³/min	up to 14m³/min
15:1	15:1
451	451
2800W max.	3000W max.
5,5kg	5,5kg
<u> </u>	<u> </u>
	-



## **SHREDDERS & LOG SPLITTERS**









Specification	RSH2455
Power	2400W
Cutting system	Cutting/crushing gea
Max. cutting diameter	40mm
Cable length	12m
Weight	25,0kg
Split force	-
Maximum log length	-
Accessories	
ACC030 Replacement cutting knives	
RAC352 Replacement collection bag	V

	RS
ar	240 Imp 40r 10r 13,
	_
	~

H2400R	RLS4A
WOO	1500W
act blades	-
nm	-
n	12m
5kg	45,0kg
	4 tons
,	52cm

RLS5A
2200W
_ _ 12m
48,0kg
5 tons 52cm

## **ELECTRIC CULTIVATOR**







Power Cutting width Cutting depth	
Cutting depth	
T' 1' 1	
Tine diameter	
Cutting speed	
Weight	

RCP1000	
1020W	
18-30cm	
20,5cm	
23cm	
350rpm	
16,0kg	

Specification
Engine displacement
Engine type
Compression ratio
Rated running watts
Fuel tank capacity
Weight

RIG2000	-
106cc	-
OHC 4 stroke 8,5:1	
1600W 3,6l	-
23,0kg	

## **PRESSURE WASHERS**

Pressure Washers 65
Pressure Washer A ccessories 66–67





## RPW2400 172bar Petrol Pressure Washer



Nr. Code: 5133001729 EAN Code: 4892210816757

#### **Features**

- Robust metal frame with wheels for easy transportation
- Quick Connect-style lance for easy switching of spray nozzles
- Compatible with the Expand-it™ range of pressure washer accessories















## **RPW140H 140bar Electric Pressure Washer**

Nr. Code: 5133001690. FAN Code: 4892210815538

#### **Features**

- Siphon feature for drawing water from ponds, lakes, holding tanks etc.
- Cord and hose wrap for tidy storage
- Quick Connect lance and storage
- In-built detergent tank for cleaning applications



#### Included as standard

0°. 25°. soap/rinse and turbo nozzles











## RPW150H 150bar Electric Pressure Washer

Nr. Code: 5133001692 EAN Code: 4892210815514

#### **Features**

- Siphon feature for drawing water from ponds, lakes, holding tanks etc.
- · Cord and hose wrap for tidy storage
- Quick Connect lance and storage
- . In-built detergent tank for cleaning applications



#### Included as standard

0°, 25°, soap/rinse and turbo nozzles









RPW2400		RPW140H	
Working pressure:	172bar	Working pressure:	140bar
Flow rate:	520l/h	Flow rate:	378l/h
Engine:	163cc OHV	Motor power:	1700W
Hose length:		Hose length:	
Lance nozzle connection:	Quick Connect	Lance nozzle connection:	Quick Connect
Detergent tank:	In Line	Detergent tank:	In-built

#### RPW150H

150

Working pressure:	150bar
Flow rate:	378l/h
Motor power:	1800W
Hose length:	7,5m
Lance nozzle connection:	Quick Connect
Detergent tank:	In-built

# PRESSURE WASHER ACCESSORIES

## PRESSURE WASHER ACCESSORIES

Expand-it™ Accessories are a series of products designed to enhance your pressure washer cleaning power and efficiency. Due to the innovative Expand-it™ connection system and Universal Brand fit™ these accessories are compatible with all popular pressure washers.

Hoses			
PWA101	Replacement / Extension Hose – 8m	0	M22 x 14/15mm compatible union at both ends.
ArtNo.: 5132000156	EAN Code: 4892210809674		Includes a 22mm adaptor for extending hoses
PWA102	Replacement / Extension Hose – 12m	$\circ$	M22 x 14/15mm compatible union at both ends.
ArtNo.: 5132000157	EAN Code: 4892210809681		Includes a 22mm adaptor for extending hoses
PWA199	Starter Kit		Includes pressure washer gun, lance, 8m hose and
ArtNo.: 5132000158	EAN Code: 4892210811158		25° nozzle for general cleaning
Guns & Lances			
PWA201	Pressure Washer Gun		With M22 hose connection. Requires compatible lance
ArtNo.: 5132000159			- eg PWA204.
PWA202	High Performance Pressure Washer Gun		With M22 hose connection. Requires compatible lance
	EAN Code: 4892210809735		eg PWA205 / PWA204.
PWA204	Universal Lance		Lance featuring Quick Connect nozzle attachment. Includes
ArtNo.: 5132000161	EAN Code: 4892210809742	4	bayonet pack for compatibility with existing pressure washe guns, and a 25° nozzle for general cleaning.
PWA205	Metal Lance		Fits any M22-pressure washer gun. Features a Quick
ArtNo.: 5132000162	EAN Code: 4892210809759		Connect attachment for a wide choice of cleaning nozzles.
PWA208	Underbody Lance		Fits any pressure washer gun via supplied bayonets.
ArtNo.: 5132000163	EAN Code: 4892210809773	*	
PWA209	Drain Cleaner – 15m		Fits onto pressure washer gun via M22 or supplied bayonets.
ArtNo.: 5132000164	EAN Code: 4892210809780		Self-propelling to clear blockages from pipes or drains.
Adaptors & Conn	ectors		
PWA300	Kärcher Adaptor	1	Connects Universal Lance and Brushes to Kärcher guns.
ArtNo.: 5132000165	EAN Code: 4892210809797	-	
PWA301	Bosch / MacAllister Adaptor		Connects Universal Lance and Brushes to Bosch,
ArtNo.: 5132000166			MacAllister and other FAIP guns.
PWA302	Ryobi / Homelite / Black&Decker Adaptor	±	Connects Universal Lance and Brushes to Ryobi (RPW100/120
ArtNo.: 5132000167	EAN Code: 4892210809810		E/S), Homelite (HPW080E), Black&Decker and other AR guns.
PWA303	Nilfisk / Lavor Adaptor	4	Connects Universal Lance and Brushes to Nilfisk and
ArtNo.: 5132000168	EAN Code: 4892210809827	8	Lavor guns.
PWA306	M22 Adaptor		Connects Universal Lance and Brushes to M22 guns.
ArtNo.: 5132000169	EAN Code: 4892210809858		
PWA307	Quick Connect to M22 Adaptor	<u> </u>	Converts Quick Connect-style lances into M22, for further



Nozzles		
PWA400	0° Nozzle	Fits onto a Quick Connect nozzle attachment. Ideal for sp
ArtNo.: 5132000171	EAN Code: 4892210809872	cleaning.
PWA401	15° Nozzle	Fits onto a Quick Connect nozzle attachment. Ideal for
	EAN Code: 4892210809889	heavy cleaning.
PWA402	25° Nozzle	Fits onto a Quick Connect nozzle attachment. Ideal for
	EAN Code: 4892210809896	general-purpose cleaning.
PWA403	40° Nozzle	Fits onto a Quick Connect nozzle attachment. Ideal for lig
	EAN Code: 4892210809902	delicate cleaning.
PWA404	Soap / Rinse Nozzle	Fits onto a Quick Connect nozzle attachment. Ideal for
	EAN Code: 4892210809919	applying detergent, or rinsing.
PWA405	4-Nozzle Set	Fits onto a Quick Connect nozzle attachment. A set of
	EAN Code: 4892210809926	cleaning nozzles stored in a convenient rubber holder.
PWA407	6 in 1 Nozzle	Fits onto a Quick Connect nozzle attachment. 0°, 15°, 25
ArtNo.: 51320001//	EAN Code: 4892210809940	Rinse, Low Pressure Soap and High Pressure Soap – all 1 convenient nozzle.
PWA408	4 in 1 Nozzle	Fits onto a Quick Connect nozzle attachment. 0°, 25°, Lo
	EAN Code: 4892210809957	Pressure Soap and High Pressure Soap – all in 1 conveni
7.1.1.110.1.0102000110	2111 0000. 100221000000	nozzle.
PWA409	Turbo Nozzle	Fits onto a Quick Connect nozzle attachment. Dynamic je
ArtNo.: 5132000179	EAN Code: 4892210809964	more powerful cleaning. Also knows as a 'Dirt Blaster'.
Brushes & Cleani	ng Heads	
PWA500	Rotating Brush	Fits onto pressure washer gun via the supplied bayonets.
ArtNo.: 5132000180	EAN Code: 4892210809995	Ideal for cars and other vehicles, the high pressure water
		stream rotates the brush, to provide active cleaning Power
PWA501	Fixed Brush	Fits onto pressure washer gun via the supplied bayonets.
ArtNo.: 5132000181	EAN Code: 4892210810007	The high pressure water stream makes cleaning easier at
		more effective.
PWA502	Soft Bristle Wash Brush	/ Fits onto pressure washer gun via the supplied bayonets.
ArtNo.: 5132000182	EAN Code: 4892210810014	The high pressure water stream makes cleaning easier at
		more effective.
PWA508	Universal Patio Head	Fits onto pressure washer gun via the supplied bayonets.
ArtNo.: 5132002271	EAN Code: 489221081278	The application of 2 x high pressure water jets directly or
		the target surface provides up to 10 x faster cleaning, wit
		consistant, streak-free results.



28 – 45

## Index

		RLT26CDS	26cc PoWR LT2™ Series Line Trim
Ryobi® E	ingine Technology 8	- 9 RBC26SES	
		RBC26SBB	26cc PoWR LT2™ Series Bike Han
Cordless	Garden Tools 10 -	- 27 RLT30CES	A 30cc PoWR LT2™ Series Line Trim
		RBC30SES	
Li-Ion 36	V & 48V Tools 11 -	- 15 RBC30SBS	
	40V O cellege I conserve		SB 30cc PoWR LT4™ Series 4 Cycle
RLM4852L	48V Cordless Lawnmower		SC 30cc PoWR LT4™ Series
HT36	36V Lithium-ion 2,6Ah Hedge Trimmer	11 PPC4206B	4 Cycle Ergo Handle Brush Cutter SC 30cc PoWR LT4™ Series
ILT36	36V Lithium-ion 2,6Ah Line Trimmer		4 Cycle Bike Handle Brush Cutter
BC36X26B	36V Lithium-ion 4,0Ah Bike Handle Brush Cutter	12 12 RBC254FS	=
BC36X26E	36V Lithium-ion 4,0Ah Ergo Handle Brush Cutter	12 RBC254FS 13 RBC42FSB	.,
CS36	36V Lithium-ion 2,6Ah Chainsaw	13 RBC52FSB	
BL36B	36V Lithium-ion Blower		3200 FOWN AT Selles Full Graff
LM36X40	36V Lithium-ion 4,0Ah Lawnmower 36V Lithium-ion 4,0Ah Lawnmower	14 14 Expan	d-it™ Attachments
	36V Lithium-ion 4.0Ah Lawnmower	14	
LM36X40H	36V Lithium-ion 4,0Ah Lawnmower	AHF05	Articulating Hedge Trimmer
LIVIOUX4UL	with LED battery indicator	15 AHF03	Hedge Trimmer
	With LED battery indicator	APR04	Pole Pruner
one Plus	s™ 18V & TEK4™ Tools 16 -	- 21 AEX002	Extension Shaft
		ABE04	Blower
.T1825LI	18V One Plus $^{TM}$ EasyEdge Lithium-ion Line Trimmer	17 <b>AQTT03</b>	Cultivator
T1825	18V One Plus™ EasyEdge Lithium-ion Line Trimmer	17 ABC03	Brush Cutter
T1830LI	18V One Plus™ Lithium-ion Line Trimmer	17 ALT03	Line Trimmer
LT1831	18V One Plus™ Lithium-ion Line Trimmer	17	
HT1850LI	18V One Plus™ Lithium-ion Hedge Trimmer	17 Electr	ic Tools
IT1851	18V One Plus™ Lithium-ion Hedge Trimmer	17	000111111111111111111111111111111111111
T1850XLI	18V One Plus™ Long Reach Hedge Cutter Kit	18 RLT3025S	300W Line Trimmer
HT1850X	18V One Plus™ Long Reach Hedge Cutter	18 RLT4027	400W Line Trimmer
PP1820LI	18V One Plus™ Pole Saw Kit	19 RLT5030S	500W EasyEdge™ Line Trimmer
PP1820	18V One Plus™ Blower	19 RLT7038	700W Rear Mount Line Trimmer 1000W Rear Mount Line Trimmer
P\$1821	18V One Plus™ Pruner	DDC1020	1000W Brush Cutter
BL1802	18V One Plus™ Blower	20	1000W DIUSII GUUCI
GS1821	18V One Plus™ Shear & Shrubber	20 Petrol	Lawnmowers
GS410	TEK4™ Lithium-ion Shear Shrubber	21	
LP416	TEK4™ Lithium-ion Lopper		SME 140cc 46cm Self-propelled Mulchi
GSLP4	Lopper and Shear Shrubber Kit	21 RLM46178	SME Subaru® 175cc 46cm Self-propelle
Rattory S	k Charger Summary 22 -	. 23	Lawnmower
Dailery C	Charger Summary 22 -	RLM53178	SME Subaru® 175cc 53cm Self-propelle
Range S	ummary & Accessories 24 -	- 27 DI MEGGGO	Lawnmower
90 0	24	KLM53198	MEB Subaru® 190cc 53cm Self-propelle Lawnmower
		RLM1451N	ME 140cc Mulching Lawnmower
		DI MAGECA	AED Subaru® 100aa Mulahing Lawama

Lawii Cai	C 10015	20 – 40
Petrol To	ols 2	29 – 33
RLT26CDS	26cc PoWR LT2™ Series Line Trimmer	29
RBC26SESB	26cc PoWR LT2™ Series Brush Cutter	29
RBC26SBB	26cc PoWR LT2™ Series Bike Handle Brush Cutt	ter 29
RLT30CESA	30cc PoWR LT2™ Series Line Trimmer	30
RBC30SESB	30cc PoWR LT2™ Series Brush Cutter	30
RBC30SBSB	30cc PoWR LT2™ Series Bike Handle Brush Cutt	ter 30
RLT430CESB		31
RBC430SESC	30cc PoWR LT4™ Series	
	4 Cycle Ergo Handle Brush Cutter	31
RRC430SRSC	30cc PoWR LT4™ Series	01
11504000500	4 Cycle Bike Handle Brush Cutter	31
RBC254FSB	25,4cc POWR XT™ Series Full Crank Brush Cutte	
RBC42FSB	42cc POWR XT™ Series Full Crank Brush Cutter	33
RBC52FSB	52cc POWR XT™ Series Full Crank Brush Cutter	33
18602F88	52CC POWR X1 *** Series Full Crank Brush Culler	33
Expand-it	t™ Attachments 3	34 – 35
AHF05	Articulating Hedge Trimmer	35
AHF03	Hedge Trimmer	35
APR04	Pole Pruner	35
AEX002	Extension Shaft	35
ABE04	Blower	35
AQTT03	Cultivator	35
ABC03	Brush Cutter	35
ALTO3	Line Trimmer	35
		-
Electric 1	Tools 3	36 – 37
RLT3025S	300W Line Trimmer	36
RLT4027	400W Line Trimmer	36
RLT5030S	500W EasyEdge™ Line Trimmer	36
RLT7038	700W Rear Mount Line Trimmer	37
RLT1038	1000W Rear Mount Line Trimmer	37
RBC1020	1000W Brush Cutter	37
Petrol La	wnmowers 3	38 – 41
RLM4614SME	140cc 46cm Self-propelled Mulching Lawnmowe	er 39
RLM4617SME	Subaru® 175cc 46cm Self-propelled Mulching	
	Lawnmower	39
RLM5317SME	Subaru® 175cc 53cm Self-propelled Mulching	
	Lawnmower	40
RLM5319SMEB	Subaru® 190cc 53cm Self-propelled Mulching	
	Lawnmower	40
RLM1451ME		41
	Subaru® 190cc Mulching Lawnmower	41
		10 45-
Range Su	ummary & Accessories	12 – 45



## Index

POWR XT™ Series Chainsaw (35cm bar) POWR XT™ Series Chainsaw (40cm bar) POWR XT™ Series Chainsaw (35cm bar) POWR XT™ Series Chainsaw (40cm bar) POWR XT™ Series Chainsaw (45cm bar)  1saws & Pole Pruner  W Electric Chainsaw W Electric Pole Pruner	47 – 48 47 48 48 48 49 – 50 49 50
POWR XT™ Series Chainsaw (40cm bar) POWR XT™ Series Chainsaw (35cm bar) POWR XT™ Series Chainsaw (40cm bar) POWR XT™ Series Chainsaw (45cm bar) POWR XT™ Series Chainsaw (45cm bar)  Isaws & Pole Pruner  W Electric Chainsaw W Electric Chainsaw V Electric Pole Pruner	47 48 48 48 49 – 50 49 50
POWR XT™ Series Chainsaw (35cm bar) POWR XT™ Series Chainsaw (40cm bar) POWR XT™ Series Chainsaw (45cm bar)  nsaws & Pole Pruner  W Electric Chainsaw W Electric Chainsaw V Electric Pole Pruner	48 48 48 49 – 50 49 50
POWR XT™ Series Chainsaw (40cm bar) POWR XT™ Series Chainsaw (45cm bar)  nsaws & Pole Pruner  W Electric Chainsaw W Electric Chainsaw / Electric Pole Pruner	48 48 49 – 50 49 50
POWR XT™ Series Chainsaw (45cm bar)  nsaws & Pole Pruner  W Electric Chainsaw W Electric Chainsaw / Electric Pole Pruner	48 49 – 50 49 49 50
nsaws & Pole Pruner  W Electric Chainsaw W Electric Chainsaw / Electric Pole Pruner	49 – 50 49 49 50
W Electric Chainsaw W Electric Chainsaw / Electric Pole Pruner	49 49 50
W Electric Chainsaw / Electric Pole Pruner	49 50
/ Electric Pole Pruner	50
	50
Trimmer	
PoWR LT2™ Series Hedge Trimmer	50
e Trimmers	51 – 53
/ Electric Hedge Trimmer	51
/ Electric Hedge Trimmer	51
/ Electric Hedge Trimmer	52
/ Electric Hedge Trimmer with HedgeSweep	™ 52
/ Electric Hedge Trimmer with HedgeSweep	™ 53
/ Pole Hedge Trimmer	53
/ Extended Reach Hedge Trimmer	53
	' Electric Hedge Trimmer ' Electric Hedge Trimmer ' Electric Hedge Trimmer with HedgeSweep ' Electric Hedge Trimmer with HedgeSweep ' Pole Hedge Trimmer

Garden <sup>*</sup>	Tidy Up	56 – 63
Petrol Bl	lowers and Vacs	57 – 58
RBV26	26cc PoWR LT2™ Series Blower Vac	57
RBL26BP	26cc Petrol Backpack Blower	57
RBL42BP	42cc POWR XT™ Series Backpack Blower	58
RBL30MVB	30cc Petrol Blower Vac with PowerMulching™	58
Electric B	Blowers & Vacs/Shredders/Cultivator	59 – 60
RBV2800S RBV3000VP	2800W Electric Blower Vac with PowerMulchin 3000W Variable Speed Electric Blower Vac	g™ 59
	with PowerMulching™	59
RSH2455	2400W Electric 'Quiet' Shredder/Mulcher	59
RSH2400R	2400W Electric Shredder/Mulcher	60
RCP1000	1020W Electric Cultivator	60
Electric I	Log Splitters / Invertor Generator	61
RLS4A	1500W Electric Log Splitter	61
RLS5A	2200W Electric Log Splitter	61
RIG2000	Invertor Generator	61
Range S	ummary & Accessories	62 – 63

Pressure Washers 64 – 67		
Petrol P	ressure Washer	65
RPW2400	172bar Petrol Pressure Washer	65
Electric	Pressure Washers	65
RPW140H	140bar Electric Pressure Washer	65
RPW150H	150bar Electric Pressure Washer	65
Range S	Summary & Accessories	66 – 67