$\frac{\text{POWER TOOLS}}{2010/11}$



DESIGNED TO DO MORE



SAOBI®

As one of the largest and most innovative power tool manufacturers in the world, Ryobi are dedicated to delivering outstanding performance and reliability.

We've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their power tools.

Every Ryobi power tool is a culmination of outstanding performance coupled with value and proven reliability, making Ryobi the number one choice for home-users.



We continue to offer a 2 year warranty on all our products, including the new products that we have introduced for 2010*

*Excluding spares and accessories.



All products shown are in compliance with the appropriate European regulations.

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi as a result. Only tools bought in the European Union (incl. Switzerland) are covered by an European warranty.

Ryobi reserves the right to revise product specifications at any time without notice.





K	ey
	Keyless chuck
	Variable speed control
•	Electronic variable speed control
	Forward/reverse operation
	Electronic brake
	Hammer action
C	Recyclable battery pack
	1 hour charger
3-5h	3 – 5 hour charger
3-6h	3 – 6 hour charger
	Torque settings
	Orbital stroke action
_	Spindle lock
•	Dust extraction
	Speed regulator dial
110V	Available in 110V
230V	Available in 230 V
	Automatic cut-off carbon brushes
	Grease packed lubrication
	Electronic 'Soft Start'
H	Safety clutch
	Double insulation
	Toolbag / Carry Case
	Carry case
	Wet vac
	Dry vac
*	Blower function
	Laser Light
	Soft Grip
0	2 Gears
ħ	Magnet
	Auxiliary handle

Contents

New Products	4
Cordless Power Tools	6
One Plus	8
14.4V Tools	24
12V – 4V Tools	26
Corded Power Tools	31
Percussion Drills & Rotary Hammer Drills	32
Angle Grinders & Cutters	34
Saws	36
Woodworking	38
Machinery	43
Stands	47
Vacuum	49
Intelligent Measuring Tools	50
Accessories	55
Contents	RYOBI , 3

COMING SOON

PAINTING MADE, FAST, FUN AND EASY WITH A RANGE OF INNOVATIVE PAINTING PRODUCTS



Technology

Nycol's new range will give you this power to paint this rever before. The introduction of our new line up of Power Painting tools w/l offer a test, and convenient way to get the perfect paint finish every time. In or outside the Traces, all your painting needs are covered by our innovative new products.

Flad technology " makes painting last and the clean up easy. This innovative rechnology means the paint is continuously circulated around system, mixing % and providing a consistent flow and when it comes to the clean up, it slows you to reverse the paint flow to quickly and efficiently empty the unit.

NEW for 2010

PERFORMANCE, DURABILITY AND RUN TIME



CORDLESS ELECTRONIC TOOLS

Duilt, water, even the occusional drop. TEK4** tools are built to secture the toughest tasks. Each tool is designed for ultimate performance and name of each of and just one battery powers them all. A single TEK4** battery cultasts up to 6,000 AA Alkaline batteries - the equivalent of you throwing \$5,000 into your local lands. Making it both economically and environmentally triendly.

> TEK4 ⁻⁻ lithium ion batteries have longer run times, fade free power, over 2,000 recharges, and a single charge performance of up to the equivalent of 3 separate AA alkaline batteries

"THE PROPERTY OF THE PARTY OF T



Cordless Power Tools



One Plus 18V System Introduction	8
One Plus 18V Battery & Charger Options	10
One Plus 18V Drills	12
One Plus 18V Tools	16
One Plus 18V Tool Bags & Kits	20
One Plus 18V Garden Tools	22
14.4V Tools	24
12V Tools	26
12V – 4V Tools	28



One battery powers them all™

What is the One Plus system?


The Ryobi One Plus System is a unique tool range in which one battery and charger can be used with up to 23 power tools and 6 garden tools.

Traditionally every time you buy a cordless tool, a battery and charger are included, whether you want them or not. The Ryobi One Plus system gives you the flexibility to buy exactly what you need and when you want it. Making it the clever way to buy power tools.

Simply buy a starter kit, or an individual battery, charger and tool. Then use the same battery to power any tool from the extensive range, removing the added expense of buying batteries and chargers with every tool purchase; saving you money.

Join the one plus club at **www.ryobi-oneplus.co.uk** to receive all the latest One plus news and for a chance to win prizes.







One battery powers them all™

Whether you require superior performance, compact size or a fast charging time, the One Plus System has an 18V battery solution to suit all tasks.



System:

Battery Chemistry:





& Super charger





& Super charger







Not available in UK



BPP1817M

NiCad Battery

1 x 18 V (1.7 Ah)

ONE

NICAD





2 x 18 V (1.7 Ah) NiCad Batteries







NiCad Battery & Fast Charger

BCP1817M

1 x 18 V (1.7 Ah)

ONEL

NICAD

Not available in UK



BCP18172SM

2 x 18 V (1.7 Ah) NiCad Batteries & Fast Charger





Not available in UK



BPL1820

1 x 18 V (2.4 Ah) Lithium-ion Battery





Not available in UK

BPL18202

2 x 18 V (2.4 Ah) Lithium-ion Batteries





BLK1820 1 x 18 V (2.4 Ah)

Lithium-ion Battery & Super charger



BLK18202

2 x 18 V (2.4 Ah) Lithium-ion Batteries & Super charger





Battery & Charger Options **RYOBI**. 11



One Plus 18V Drills



Join the one plus club at **www.ryobi-oneplus.co.uk** to receive all the latest One plus news and for a chance to win prizes

CDI1803M 18V 3-Speed Hammer/Drill/Driver

55 Nm 13 mm

50 mm 13 mm

13 mm 24

49 Nm

Speed 1 Speed 2

Speed 1 Speed 2

38 mm 13 mm

13 mm

1.6 kg

new

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13 mm metal keyless chuck
- · Automatic spindle lock for one-handed bit change
- 3-gear ranges giving a better performance for a wider range of applications
- · Electronic variable speed, reverse and brake for total control
- · Quick adjustment 24 torque settings
- On-board bit storage for added convenience GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x double ended screwdriver bit, depth stop, auxiliary handle

LCDI1802M 18V 2-Speed Hammer/Drill/Driver

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13 mm metal keyless chuck
- · Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- · Electronic variable speed, reverse and brake for total control
- · Quick adjustment 24 torque settings
- On-board bit storage for added convenience GripZone[™] overmould technology for improved



Also available as a kit with batteries and charger: See page 21.

Included as standard


comfort with a positive grip

1 x double-ended screwdriver bit, depth stop auxiliary handle

CRH1801M **18V SDS-Plus Hammer Drill**

Features

- · Dual mode for drilling into multiple materials,
- with or without hammer action
- . Light and compact, so ideal for working in small areas or over-head
- SDS Chuck for fast drilling and easy bit change
- · Powerful 1.5 Joules impact energy
- GripZone[™] overmould technology for improved





Also available as a kit with batteries and charger: See page 21

Included as standard Auxiliary handle, depth stop

CDA1802M 18V Autoshift 2-Speed Drill/Driver

Features

- · Autoshift automatically selects the correct gear to suit the material and application
- · Powerful motor and gearbox producing 55 Nm max. torque
- 13 mm keyless chuck
- · Electronic variable speed, reverse and brake for total control · Quick adjustment 24 torque settings



Also available as a kit with batteries and charger: See page 21.

Included as standard

Magnetic screw and bit holder

1 x double-ended screwdriver bit, auxiliary handle

SPECIFICATIONS	
Max. Torque:	55 Nm
Keyless chuck:	13 mm
No load speed:	
0 – 450 rpm	Speed 1
0 – 1,500 rpm	Speed 2
Max. Drilling capacities:	
Wood	38 mm
Steel	13 mm
Torque settings:	24
Weight:	1.7 kg















new

SPECIFICATIONS

No load speed: 0 – 1000 rpm 0 – 4,000 bpm 1.5 J Impact rate: Single impact force: Max. Drilling capacities: 13 mm 12 mm Steel Concr Weight: 2.2 kg

SPECIFICATIONS

Max. Torque: Keyless chuck: No load speed:

- 370 rpm

– 750 rpm – 2,200 rpm

ows per minu – 5,920 bpm – 12,000 bpm

Masonry Torque settings: Weight:

SPECIFICATIONS

Max. Torque: No load speed: 0 – 400 rpm 0 – 1,500 rpm Blows per minute: 0 – 5,720 bpm 0 – 19,500 bpm

Torque settings: Weight:

Max. Drilling capacities:

Wood

0 – 35,200 bpm Max. Drilling capacities



LCD1802M 18V 2-Speed Compact Drill/Driver

Features

- 13 mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip



Max. Torque: Keyless chuc

SPECIFICATIONS

No load speed:	
0 – 440 rpm	Spee
0 – 1,600 rpm	Spee
Max. Drilling capacities:	
Wood	35 r
Steel	13 r
Torque settings:	
Weight:	1.2





Also available as a kit with batteries and charger: See page 21.

Included as standard 1 x double-ended screwdriver bit

CDC1802M 18V 2-Speed Drill/Driver

Features

- 10 mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications

Included as standard 1 x double-ended screwdriver bit

kit with batteries and charger: See page 20. 14 **RYOBI**. One Plus Drills



- GripZone[™] overmould technology for improved comfort with a positive grip
- Spirit level for precise drilling

Also available as a

settings

SPECIFICATIONS	
Max. Torque:	42.6
Keyless chuck:	10 r
No load speed:	
0 – 350 rpm	Spee
0 – 1300 rpm	Spee
Max. Drilling capacities:	
Wood	32 r
Steel	10 r
Torque settings:	

Weight:

	ř	
new		

1.27 kg

nm 24 kα



CHD1801M 18V Drill/Driver

Features

- 10 mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- LED light for working in dimly lit areas
- Back-lit LED bubble level for convenience and accuracy
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard 1 x double-ended screwdriver bit

CAP1801M 18V Angle Drill

Features

- 180° rotating base for ease of access to awkward areas
- 10 mm keyless chuck

Included as standard

BID1821M

Features

a positive grip

2 x screwdriver bits, hex adapter

• Keyless 6 mm (1/4") hex drive

• LED light for better visibility

18V Impact Driver


Die-cast front gear housing for durability
Variable speed, reverse and brake for total control

On-board bit storage for added convenience

- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- Angle Drill perfect when working in confined spaces
- $\bullet\ {\rm GripZone}^{\,\rm m}$ over mould technology for improved comfort with a positive grip

. Impact mechanism designed to drive long screws and lag bolts

GripZone[™] overmould technology for improved comfort with



SPECIFICATIONS

Max. Bolt diameter: Hex drive:

No load speed: Blows per minute:

Max. Torque:

. Weight:

SPECIFICATIONS

Max. Torque: Keyless chuck: No load speed:

Torque settings: Weight:

Steel

Max. Drilling capacities: Wood

0 – 650 rpm

24 1.1 kg





Not available in UK







Included as standard 2 x driver bits

BIW180M 18V Impact Wrench

Features

- Up to 265 Nm Torque (Max) for heavy duty bolt/nut driving
- Variable trigger speed for ultimate control
- Keyless 1/2" Drive
- · Impact mechanism designed to drive long screws and lag bolts
- LED light for working in dimly lit areas
- GripZone[™] overmould technology for improved comfort with a positive grip

new

M14 6.35 mm (1/4″)

0 – 2,400 rpm 0 – 3,000 bpm

1.2 kg

65 Nm

00 rpm)0 bpm 1.66 kg

SPECIFICATIONS	
Max. Torque: No load speed:	2 0 – 30
Blows per minute:	0 – 350
Weight:	







One Plus 18V Tools



GripZone[™] overmould technology for improved comfort with a positive grip.



Tool-less blade clamp for quick and easy blade change.

www.ryobi-oneplus.co.uk

LCS180 18V Circular Saw

Features

- Large 45 mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material
- GripZone[™] overmould technology for improved comfort
 - with a positive grip

SPECIFICATIONS

Blade diameter:	150 mm
Bore size:	10 mm
No load speed:	0 – 4,200 rpm
Max. Cutting capac	ities:
At 90°	45 mm
At 45°	32 mm
Weight:	2.5 kg







Included as standard 1 x 150 mm TCT Kerf blade, side fence

CJS180LM 18V Jigsaw with Laser

Features

- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0° to 45° bevel settings
- Variable speed for total control
- Anti-splintering device
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 2 x blades, hex wrench

LRS180 18V Reciprocating Saw

Features

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- Variable speed and brake
- 22 mm stroke length
- \bullet GripZone $\ensuremath{^{\rm M}}$ overmould technology for improved comfort with a positive grip

Included as standard 2 x saw blades

CAG180M 18V Angle Grinder

Features

- 115 mm (41/2") wheel diameter
- 270° rotating base for access to awkward areas
- Spindle lock for easy wheel and accessory changing
- Tool-less wheel guard for quick and easy adjustment
- Three position auxiliary handle with on-board wrench storage
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS			
	DECI	EICA.	TIONE
	SFEUI	FILTA	IIUND

SPECIFICATIONS

Grinding Wheel:

Spindle thread: No load speed:

Bore size:

Weight:

No load speed:	0 – 3,000 rpm
Max. Cutting capac	cities:
Wood	60 mm
Stroke length:	22 mm
Weight:	1.9 kg



Included as standard Grinding wheel, wrench, wheel guard, auxiliary handle

SPECIFICATIONS

Length of stroke:

Weight:

No load speed: 0 Max. Cutting capacities:

1.72 kg

CCC1801M 18V Corner Sander



Features

- Sanding pad size: 140 x 100 mm
- · Lock on switch for continuous use
- · Quick-fix hook and loop sanding sheet attachment
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS

No load speed:	11,000
Sanding pad size:	44040
Discustory of subli-	140 x 10
Diameter of orbit:	

0.83 kg

000 opm

125 mm diameter

1.6 mm 1.28 kg

Weight:



Included as standard Assortment of sanding papers

CRO180M 18V 125 mm Random Orbit Sander

Features

- Sanding pad size: 125 mm (5") diameter
- · Lock on switch for continuous use

Included as standard

3 x sanding pads

CPL180M 18V Planer

pick-up efficiency

with a positive grip

Features

- · Quick-fix hook and loop sanding sheet attachment
- · Body grip design for increased comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS	
No load speed:	10,
Sanding pad size:	(5″)
Diameter of orbit:	
Weight	







Included as standard 2 x reversible TCT blades, side fence, dust bag, wrench

GripZone[™] overmould technology for improved comfort

. Chamfering groove in die-cast front shoe for added precision

• Positive depth adjustment 0 - 0.4 mm · Additional front handle for greater control

· Side fence included for precision planing DustTech[™] Integrated dust technology for maximum

CNS1801M 18V Nailer/Stapler

Features

- Fires up to 32 mm Brad Nails and 14 mm Staples to handle a wide variety of fastening applications
- · Easy to load magazine accommodates up to 100 Brad Nails or 84 Staples for larger projects
- Depth adjustment knob regulates depth of the Brad Nail/Staple for a variety of applications
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard Assortment of brad nails/staples



SPECIFICATIONS

19 – 32 mm (18 gauge)
6 – 14 mm (T50)
y:
100
84
40 staples/per min
2.0 kg

4



10,000 rpm 1.7 kg

SPECIFICATIONS

50 mm 0 – 0.4 mm

Planning width: Planning depth: Rebating: No load speed: Weight:

CCG1801M 18V Caulking Gun



Features

- 200+ tubes of latex per charged battery
- Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS

No load speed:	
High	5
Low	
Max. output force:	
Tube capacity:	
Weight:	





CHV182M 18V Hand Vac

Features

- Cleans up dry spills
- Go-anywhere, fast cleaner
- Quick-change replacement filter
- Easy-clean dust cup
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Max. air flow:	0.85 m³/m
Collection capacity:	173 r
Weight:	0.96 k



Included as standard Crevice and brush attachments

CML180M 18V Flashlight


Features

- High intensity halogen bulb for maximum lighting
- Suitable for horizontal positioning for hands-free use
- Vertical positioning for all around illumination
- Lock-on allows light to be used continuously without holding the switch
- GripZone™ overmould technology for improved comfort with a positive grip

SPECIFICATIONS

Light: 6 V Halogen Weight: 0.7 kg





Features

- · Pivoting head for perfect illumination for all tasks
- Flat base for added stability
- Soft touch trigger for comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS	
Waisht	



٩



4

CRA180M 18V MP3 Compatible Radio

SPECIFICATIONS

Speaker output: Speaker diameter:

Frequency:

Weight:



Features

- · Auxiliary jack compatible with MP3, CD players, etc
- · Convenient switch from FM to auxiliary input
- On/off switch via volume control dial
- Manual and automatic tuning
- · Fold out flexible antenna
- Low battery indicator
- 90 mm speaker

Included as standard 3.5 mm auxiliary cable





Features

- · Hard wearing double nylon construction
- Robust webbing handles and shoulder strap

· Hard wearing double nylon construction Robust webbing handles and shoulder strap

• Reinforced with metal rivets

- Reinforced with metal rivets
- Multiple external and internal pockets for tool and accessory storage

Medium Heavy Duty Toolbag

• Multiple external and internal pockets for tool and accessory storage

Padded handles

UTB4

Features

 Padded handles Metal framed opening • Size: 460 x 305 x 305 mm

- · Metal framed opening
- Size: 355 x 203 x 279 mm







CDC18021B 18V 2-Speed Drill/Driver Kit

Features

- 10 mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- · Automatic spindle lock for one – handed bit change
- 2 gears for most materials and applications
- · Quick adjustment 24 torque
- settings · Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip
- · Spirit level for precise drilling

Max. Torque:	42.6 N
Keyless chuck:	10 m
No load speed:	
0 – 350 rpm	Speed
0 – 1300 rpm	Speed
Max. Drilling capacities:	
Wood	32 m
Steel	10 n
Torque settings:	
Weight:	1.73

ım 24



Included as standard 1 x 18V (1.4 Ah) Lithium-ion battery, super charger, 1 x double-ended screwdriver bit, tool bag

CDA18021B 18V Autoshift Drill Driver Kit		new	TRE ONE H	
 Features Autoshift – automatically selects the correct gear to suit the material and application 13 mm keyless chuck Quick adjustment 24 torque settings Magnetic screw and bit holder 'Soft grip' overmould for improved grip and reduced vibration Automatic spindle lock for one handed bit change 2 x battery option also available (CDA18022B) 	SPECIFICATIONS Max. Torque: Keyless chuck: No load speed: 0 – 450 rpm 0 – 1,500 rpm Max. Drilling capac Wood Steel Torque settings: Weight:	55 Nm 13 mm Speed 1 Speed 2 ities: 38 mm 13 mm 24 2.2 kg		
Included as standard 1 x 18V (1.4 Ah) Lithium-ion battery, super charger, 1 x double-ended screwdriver bit, auxiliary handle, tool bag				AVIP >>>
LCD18021B 18V Compact Drill Driver Kit		new		
 Features 30% more compact than the LDD1802 drill driver 13 mm keyless chuck Quick adjustment 24 torque settings Magnetic screw and bit holder 'Soft grip' overmould for improved grip and reduced vibration 2 gears for most materials and applications Automatic spindle lock for one-handed bit changing. 	SPECIFICATIONS Max. Torque: Keyless chuck: No load speed: 0 – 440 rpm 0 – 1,600 rpm Max. Drilling capac Wood Steel Torque settings: Weight:	37.5 Nm 13 mm Speed 1 Speed 2 ities: 35 mm 13 mm 24 1.66 kg		
Included as standard 1 x 18V (1.4 Ah) Lithium-ion battery, super charger, 1 x double-ended screwdriver bit, tool bag				
CRH18012L 18V SDS-Plus Hammer Drill Kit		new		
 Features Dual mode for drilling into multiple materials, with or without hammer action Light and compact, so ideal for working in small areas or over-head SDS Chuck for fast drilling and easy bit change Powerful 1.5 Joules impact energy 	SPECIFICATIONS No load speed: 0 – 1000 rpm Impact rate: Single impact force Max. Drilling capac Wood Steel Masonry Weight:			5
Included as standard 2 x (1.4 Ah) Lithium-ion batteries, super charger, 1 x double-ended screwdriver bit, tool bag				
LCDI18022 18V 2-Speed Hammer/Drill/Drive	r Kit	new		
 Features Combination tool for hammer drilling and screwdriving applications 13 mm metal keyless chuck Automatic spindle lock for one-handed bit change 2 gears for most materials and applications Electronic variable speed, reverse and brake for total control Quick adjustment 24 torque settings On-board bit storage for added convenience GripZone™ overmould technology for improved comfort with a positive grip 2 x NiCad battery option availabe (CDD118022N) Included as standard 1 x (1.4 Ah) Lithium-ion batteries, super charger, 1 x double-ended screwdriver bit, auxiliary handle, tool bag	SPECIFICATIONS Max. Torque: No load speed: 0 – 400 rpm D – 1,500 rpm Blows per minute: 0 – 5,720 bpm 0 – 19,500 bpm Max. Drilling capac Wood Steel Masonry Torque settings: Weight:	49 Nm Speed 1 Speed 2 Speed 2 Speed 2 ities: 38 mm 13 mm 13 mm 24 2.06 kg		s Tools RYCEL 21



One Plus 18V Garden Tools

The 18V batteries are also compatible with the Ryobi range of One Plus garden tools



| ^{OLT1830} | **18V Line Trimmer**



Features

- Extendable shaft to suit your style of working
- Double acting safety switch
- · Fully adjustable 'D' handle
- Rotatable head for edging
- · Spool storage on handle
- GripZone[™] overmould technology for improved comfort with a positive grip

0HT1850 18V Hedge Trimmer



Features

- Double sided, dual reciprocating blade for enhanced cutting efficiency
- 450 mm blade length
- 10 mm cutting capacity
- Front blade guard
- Large front handle for comfortable cutting
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard Additional spool Included as standard Blade sheath

OGS1820 18 V Shear & Shrubber



Features

- Lightweight for easy operation
- 200 mm shrubbing blade length
- Wide blades for larger cutting capacities
- Easy blade change mechanism
- GripZone[™] overmould technology for improved comfort with a positive grip

Features

- 1 powerful 18 V (1.4 Ah) Lithium-ion Compact One Plus battery with battery level indicator
- Super charger
- Extendable shaft to suit your style of working
- Double acting safety switch
- · Fully adjustable 'D' handle
- Rotatable head for edging
- Spool storage on handle
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 1 x grass cutting blade, 1 x shrubbing blade **Included as standard** 1 x 18V (1.4 Ah) compact Lithium-ion battery, super charger, additional spool

OPS1820 18V OnePlus Pruner

OCS1840 18V Chemical Sprayer OBL1801 18V Blower



Features

- · Extendable shaft to suit your style of working
- · Tool-less blade clamp for quick and easy blade
- changes
- Double acting safety switch
- · Perfect for reaching high branches and the extendable shaft makes things even easier
- · Fully adjustable anti-vibration 'D' handle
- Takes standard reciprocating saw blades
- 22 mm stroke length
- 3,000 rpm no load speed
- GripZone[™] overmould technology for improved comfort with a positive grip

Features

- Ideal for use in the garden
- Running time per charge approx 4 hours (misty mode)
- Adjustable sprayer pattern: mist and jet
- Translucent tank with markings
- 4.7 litre tank capacity
- 120 ml measuring cap with markings
- · Wand with flow control
- · Nozzle holder for convenient storage

Features

- · Powerful blow function
- 120 mph airflow speed
- Light weight for easy operation
- · Ergonomic flick switch
- · Clip-on nozzle
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard Blade

Included as standard 1 measuring cap

Included as standard 1 x nozzle

CHT1850LC 18V Hedge Trimmer Starter Kit



Features

- 1 powerful 18 V (1.4 Ah) Lithium-ion Compact One Plus battery with battery level indicator
- Super charger
- 450 mm blade length
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- · Front blade guard
- 10 mm cutting capacity
- Large front handle for comfortable cutting
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 1 x 18V (1.4 Ah) Compact Lithium-ion battery, Super charger, blade sheath

Features

- 1 Powerful 18 V (1.7 Ah) NiCad One Plus battery
- NiCad Charger
- · Extendable shaft to suit your style of working
- · Double acting safety switch
- · Fully adjustable 'D' handle
- Rotatable head for edging
- · Spool storage on handle
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 1 x 18V (1.7 Ah) NiCad battery, NiCad charger, additional spool

CHT1850P 18V Hedge Trimmer Starter Kit





Features

- 1 Powerful 18 V (1.7 Ah) NiCad One Plus battery
- NiCad Charger
- 450 mm blade length
- · Double sided, dual reciprocating blade for enhanced cutting efficiency
- Front blade guard
- 10 mm cutting capacity
- · Large front handle for comfortable cutting
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard 1 x 18V (1.7 Ah) NiCad battery, NiCad charger, blade sheath



CLT1830P 18V Line Trimmer Starter Kit



14.4V Tools



www.ryobitools.co.uk

LCDI14022 14.4V Lithium-ion 2-Speed Hammer/Drill/Driver

new

37 Nm 13 mm

Speed 1 Speed 2

32 mm 13 mm

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13 mm metal keyless chuck
- · Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- · Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip



Included as standard 2 x (1.4 Ah) Lithium-ion batteries, 1 x double-ended screwdriver bit, fast charger, tool bag

CDDI14022N 14.4V NiCad 2-Sp Hammer/Drill/Driver

Features

- · Combination tool for hammer drilling and screwdriving appli
- 13 mm metal keyless chuck
- · Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- · Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip



Included as standard 2 x (1.7 Ah) NiCad batteries, 1 x doubleended screwdriver bit, fast charger, tool bag

LCD14022 14.4V Lithium-ion Drill/Driver

Features

- 13 mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- · Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- · Quick adjustment 24 torque settings
- · Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip



Included as standard 1 x (1.4 Ah) Lithium-ion batteries, 1 x double-ended screwdriver bit, fast charger, tool bag

CDD14022N 14.4V NiCad Drill/Driver

Features

- 13 mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- · Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- · Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip

	iew
SPECIFICATIONS	
Max. Torque:	37 Nm
Keyless chuck:	13 mm
No load speed:	
0 – 440 rpm	Speed 1
0 – 1600 rpm	Speed 2
Max. Drilling capacities:	
Wood	32 mm
Steel	13 mm
Torque settings:	24
Weight:	1.9 kg

evitersee - me

NICAD





NICAD



SPECIFICATIONS Max. Torque:

1	Keyless chuck:	13 11
I	No load speed:	
I	0 – 440 rpm	Speed
I	0 – 1600 rpm	Speed
I	Max. Drilling capacities:	
I	Wood	32 n
I	Steel	13 n
I	Torque settings:	
I	Weight:	1.64

Included as standard 1 x (1.7 Ah) NiCad battery,

, ,	Weight:
beed	
	SPECIFICATIONS
cations	Max. Torque: Keyless chuck:

new 37 Nm 13 mm

13 mm 24 1.8 kg

Speed 1 Sneed 2 ettinas 2.1 kg

new

5,720 rpm 20,800 rpm . Drilling capacities

ws per minute - 20,800 rpm ax. Drilling capacities:

SPECIFICATIONS Max. Torque: Keyless chuck: No load speed: 0 - 440 rpm 0 - 1600 rpm



12V-4V Tools



LSDT1202 12V Lithium-ion Drill/Driver with Clutch

Features

- 10 mm keyless chuck
- Light and compact Ideal for tough work in tight environments
- 24 torque settings for perfect screw driving every time
- GripZone[™] overmould technology for improved comfort with a positive grip
- On-board bit storage



Included as standard 2 x (1.2 Ah) Lithium-Ion batteries, 45 minute charger, 1 x double-ended screwdriver bit, toolbag

	new
SPECIFICATION	S
Max. Torque:	12 N
Keyless chuck:	10 m
No load speed:	0 – 550 rj
Max. Drilling Ca	apacities:
Wood	20 n
Steel	10 n
Torque settings	
Weight:	





CSDT1202N 12V NiCad Drill/Driver with Clutch new

Features

- 10 mm keyless chuck
- 24 torque settings for perfect screw driving every time
- GripZone[™] overmould technology for improved comfort
- with a positive grip
- On-board bit storage

SPECIFICATIONS Max. Torque: 10 mm <u>0 – 600</u> rpm Keyless chuck: No load speed: Max. drilling capacities: Wood Torque settings: Weight:

Included as standard 2 x (1.3 Ah) NiCad batteries, 6 hour charger, 1 x double-ended screwdriver bit, toolbag

LSD1201PB 12V Lithium-ion Drill/Driver

Features

- · Light and compact Ideal for tough work in tight environments
- 0.8 10 mm keyless chuck for quick and easy bit changes
- Variable speed, reverse and brake for total control
- GripZone[™] overmould for improved grip and reduced vibration

2	x hattery	ontion	also	available	(LSD1202PB	۱



Keyless chuck: No load speed: Max. Drilling capacities 10 m**m** 550 rpm 10 mm 1.0 kg Weight:

SPECIFICATIONS

Max. Torque:



Included as standard 1 x (1.2 Ah) Lithium-ion battery, 45 minute charger, 1 x double-ended screwdriver bit, tool bag

BID1201 12V Lithium-ion Impact Driver

Features

- · Quick change chuck The fastest and most convenient way to change bits
- GripZone[™] overmould technology for improved comfort with a positive grip
- On-board bit storage for added convenience

SPECIFICATIONS

85 Nm
0 – 1,600 rpm
0 – 2,250 rpm
6.35 mm (1/4")
1.18 kg

Included as standard 1 x (1.2 Ah) Lithium-ion battery, 45 minute charger, tool bag

CS1201 12V Lithium-ion Circular Saw

Features

- . On board tool storage
- Ideal for laminate floors and sheet metal
- GripZone[™] overmould technology for improved comfort with a positive grip
- · Spindle lock for easy blade change

SPECIFICATIONS	
Blade diameter:	

Blade diameter:	80	
Bore size:	15	mm
No load speed:	0 – 2,000	rpm
Max. Cutting capaciti	es:	
At 90°	24	mm
At 45°	17.5	mm
Weight:		4 kg



12V-4V Tools **RYOBI** 27

NICAD



85 Nn
0 – 1,600 rpn
0 – 2,250 rpn
6.35 mm (1/4"
1.18 k

CR1201 12V Lithium-ion Reciprocating Saw

Features

- Tool-less blade clamp for quick and easy blade change
- Universal saw for a wide range of applications
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS

No load speed:	0 – 1.850 rpm
Max. Cutting capac	
Wood	50 mm
Stroke length:	12.7 mm
Weight:	1.18 kg



Included as standard 1 x (1.2 Ah) Lithium-ion battery, 45 minute charger, 1 x reciprocating saw blade, tool bag

CKF120LM 12V Lithium-ion Torch

Features

- Pivoting head for perfect illumination for all tasks
- Flat base for added stability
- Weight: 0.18 kg





Features

- 12 V Drill Driver
- 12 V Reciprocating Saw
- 12V Circular Saw
- 12 V Torch

12 V 2 Piece Kit also available with 12 v drill driver and 12 v impact drill [CLK122]

Included as standard 2 x 12V (1.2 Ah) Lithium-Ion batteries, 45 minute charger, 1 x double ended drill bit, 1 x reciprocating saw blade, 20 tooth TCT blade, allen key, tool bag

CSD42L 4V Lithium-Ion 2-Speed Screwdriver

Features

- Secure QuickChange chuck with automatic spindle lock for one handed bit changing
- 24 Torque settings
- 24 Iorque settings
 2 Spood goarbox fo
- 2 Speed gearbox for control, power and fast task completion
 LED light for working in dimly lit areas
- GripZone overmould technology for improved comfort with a positive grip

Included as standard 6 piece bit set, charger



	new
SPECIFICATIONS	
Max. Torque: Hex Driver:	5.1 Nm 6.35 mm
No load speed: 0 – 200 rpm	Speed 1
0 – 600 rpm Torque settings : Weight:	Speed 2 24 0.44 kg





CSD42LS 4 V Lithium-Ion 2-Speed Screwdriver & Power Cutter Kit

Power Cutter:

leather

positive grip

· Ideal for cutting a variety of material including canvas, sheet metal, packaging (PVC),

chicken wire, cardboard, lino

GripZone overmould technology

for improved comfort with a

flooring, carpet, demin and

Features

Screwdriver:

- Secure QuickChange chuck with automatic spindle lock for one handed bit changing
- 24 Torque settings
- · 2 Speed gearbox for control,
- power and fast task completion · LED light for working in dimly lit areas
- GripZone overmould technology for improved comfort with a positive grip

Included as standard

6 piece screwdriving & drilling set, charger

CSD4130GN 4V Lithium-ion Screwdriver with 30 Accessories

Features

- Secure QuickChange[™] chuck with automatic spindle lock for one handed bit changing
- 12 Torque settings
- . LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard Gripcase with 30 screwdriver bits, charger

CSD4107BG 4V Lithium-ion Screwdriver

Features

- Secure QuickChange[™] chuck with automatic spindle lock for one handed bit changing
- 12 Torque settings
- Forward/Reverse indicator
- LED light for working in dimly lit areas
- · Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 6 piece bit set, charger, tool bag

CSD40LI **4V Lithium-ion Screwdriver**

Features

- Secure QuickChange[™] chuck with automatic spindle lock for one handed bit changing
- 12 Torque settings
- Forward/Reverse indicator
- . LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS	
Max. Torque:	
Hex Driver:	6.
No load speed:	
Torque settings:	
Weight:	

1.47 kg

ECIFICATIONS	
rewdriver:	

new

•••••	
Max. Torque:	5.1 N
Hex Driver:	6.35 m
No load speed:	
0 – 200 rpm	Speed
0 – 600 rpm	Speed
Torque settings:	
Weight:	0.44
Power Cutter:	
No load speed:	37000 sp
Weight:	0.36











SPECIFICATIONS

new

new

SPECIFICATIONS

Max. Torque:

Weight:

Hex Driver: No load speed: Torque settings:

Max. Torque: Hex Driver: No load speed: Torque settings Weight: 0.47 kg

SP

Sci



Corded Power Tools



Percussion Drills& Rotary Hammer Drills32Angle Grinders & Cutters34Sawing36Woodworking38Machinery43Vacuum49



Percussion Drills & Rotary Hammer Drills







new







new

EID600RS	EID500RS	ERH750V	ERH650V
Percussion drill	Percussion drill	SDS-Plus Rotary Hammer Drill	SDS-Plus Rotary Hammer Drill
600 W	500 W	710W (230 V)	650 W
13 mm	13 mm	SDS Keyless chuck	SDS Keyless chuck
0 – 2,700 rpm	0 – 2,700 rpm	0 – 1,100 rpm	0 – 1,100 rpm
0 – 43,000 bpm	0 – 43,000 bpm	0 – 4,000 bpm	0 – 4,000 bpm
25 mm	25 mm	32 mm	32 mm
13 mm	13 mm	13 mm	13 mm
13 mm	13 mm	24 mm	20 mm
2.04 kg	2.02 kg	2.9 kg	2.9 kg
\checkmark	\checkmark	\checkmark	\checkmark
		V	
V	V	V	V
V	V	V	V
V	V	V	V

 V
 V
 V

 V
 V
 V

 V
 V
 V



Angle Grinders & Cutters





GripZone™ overmould technology for improved comfort with a positive grip



180° rotating back handle





Not available in UK



Specifications EAG2023CN EAG8521R EAG8012 Angle Grinder Angle Grinder **Angle Grinder Power input:** 2,000 W 850 W 800 W Grinding wheel: 230 mm (9") 125 mm (5") 125 mm (5") Bore size: 22 mm 22 mm 22 mm Spindle thread: M14 M14 M14 No load speed: 6,000 rpm 11,000 rpm 11,000 rpm Weight: 6.5 kg 2.8 kg 2.4 kg

Features Full length trigger switch with overmould

Full length trigger switch with overmould	\checkmark	\checkmark	
Lock on switch for continued use		V	\checkmark
180° multi-directional rotating back handle	V	V	
Ergonomic tapered rear grip	V	V	V
Tool-less wheel guard for quick and easy adjustment	V	V	V
Two position Auxiliary Handle with wrench storage			V
Three position Auxiliary Handle with wrench storage	V	V	
Die cast aluminium gear and spindle housings	V	V	V
Spindle Lock for easy wheel changing	V	V	V
Livetool Indicator™	V	V	V
GripZone™	\checkmark	\checkmark	
Standard Equipment			
Grinding Wheel (x1)	\checkmark	\checkmark	\checkmark
Wrench (x1)	\checkmark	\checkmark	\checkmark
Wheel Guard	V	V	V
Auxiliary Handle	V	V	V
Carry Case		V	V





EAG8011
Angle Grinder
800 W 115 mm (4¹/₂″) 22 mm
M14 11,000 rpm 2.18 kg

V	/	
V	/	
V	/	
V	/	
V	/	
V	/	
V		
V	/	
	/	
v	/	

レ レ レ



Specifications	EC02335 (230V) / EC01835 (110V)	
	Cut Off Saw	
Power input: Wheel diameter: Bore diameter: Cutting capacity: Round pipe Angle stock Flat metal stock No load speed: Weight:	2,300 W (230 V) / 1,800 W (110 V) 355 mm 25.4 mm 90°/45° 115 mm 90°/45° 137/100 mm 90°/45° 119x119/106x106 mm 3,800 rpm 16 kg	
Features		
0º–45º mitre capacity	\checkmark	
Quick release vice	V	
Spark deflector confines the spark spray	\checkmark	
Easily adjustable mitre gauge handle	V	
Oversize guard for added safety	V	
On board wrench storage	V	
Rubber feet for greater stability	V	
Changeable carbon brushes	V	

V

V V

Spindle Lock for easy wheel changing



Sawing



EWS1366 190 mm 7 (1/2) " Circular Saw with Laser

Features

- Powerful 1,350 Watt motor
- Laser guide system improves accuracy
- · 2 x LED lights for improved cutting visibility
- \bullet Adjustable base for $0^\circ-45^\circ$ bevel settings
- · Spindle lock for single wrench blade change
- Dust port for efficient dust collection
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

18-tooth TCT blade, wrench, parallel fence, carry case

EWS1266 190 mm 7 (1/2) " Circular Saw

Features

- Powerful 1,250 Watt motor
- \bullet Adjustable base for 0°– 45° bevel settings
- Adjustable depth setting for efficient cutting
- Spindle lock for single wrench blade change
- Dust port for efficient dust collection
- On-board wrench storage for added convenience
- Livetool Indicator™

Included as standard 18-tooth TCT blade, wrench, parallel fence, carry case SPECIFICATIONS

Power input:	1,350 Watt
No load speed:	4,500 rpm
Max. Cutting capacities:	
At 90°	66 mm
At 45°	38 mm
Bore size:	16 mm
Blade size:	190 mm
Weight:	5.2 kg









ERS80V Variable Speed Reciprocating Saw		
 Features Powerful 800 Watt motor Variable speed trigger: 500-3,000 strokes/min Metal gear box for strength and durability Generous 28 mm stroke length for faster cutting Tool-less, fast, easy blade change GripZone™ overmould technology for improved comfort with a positive grip 	SPECIFICATIONS Power input: 800 Watt No load speed: 500 – 3,000 spm Length of stroke: 28 mm Weight: 2.8 kg	
Included as standard 3 x reciprocating blades, carry case		
EJS710QEO 710W Jigsaw		A Comment
 Features 4 stage pendulum action for enhanced cutting performance Tool-less, fast, easy blade change 2 x LED lights for improved cutting visibility Tool-less blade adjustment for easy 0° to 45° bevel settings Variable speed for total control Vibration reducing handle for user comfort Anti-splintering device Livetool Indicator™ GripZone™ for improved comfort with a positive grip overmould technology 	SPECIFICATIONSPower input:710 WattNo load speed:700 – 3,000 rpmLength of stroke:26 mmMax. Cutting capacities:20 mmWood120 mmAluminium20 mmSteel10 mmWeight:3.39 kg	
Included as standard 5 x assorted blades, dust port, parallel fence, 5 x anti-splintering inserts, carry case		* -
EJS600QEO 600W Jigsaw		
 Features 4 stage pendulum action for enhanced cutting performance Tool-less, fast, easy blade change 2 x LED lights for improved cutting visibility Variable speed for total control Die-cast front housing for strength & durability Tool free blade clamp, for easy and fast blade change Anti-splintering device Livetool Indicator™ GripZone™ for improved comfort with a positive grip overmould technology 	SPECIFICATIONSPower input:600 WattNo load speed:600 - 2,600 rpmLength of stroke:20 mmMax. Cutting capacities:WoodWood75 mmAluminium20 mmSteel8 mmWeight:2.45 kg	
EJS500QEO 500W Jigsaw		A particular

Features

- 3 stage pendulum action for enhanced cutting performance
- Tool-less, fast, easy blade change
 Overmould variable speed trigger for total control
- Base bevels from 0° to 45° left and right
- Livetool Indicator™
- GripZone[™] for improved comfort with a positive grip overmould technology

SPECIFICATIONS


Power input:	500 Wat
No load speed:	0 – 2,600 rpn
Length of stroke:	16 mn
Max. Cutting capaci	ities:
Wood	70 mn
Aluminium	18 mn
Steel	6 mn
Weight:	2.4 k



Sawing **RYOBI**. 37



Woodworking



ERO2412VN 125 mm Random Orbit Sander

Features

- Powerful 240 Watt motor
- Quick-fix hook and loop sanding sheet attachment
- Variable speed for total control
- \bullet Overmould ON/OFF switch for durability and ease of use
- Compact palm grip for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 2×60 , 100, 150, 180 and 240 grit sanding papers, dust bag, carry case

ECS1214N Corner Sander

Features

- Powerful 120 Watt motor
- Quick-fix hook and loop sanding sheet attachment
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency

Included as standard 2 x 80, 100 and 150 grit sanding papers, paper punch pad, dust bag, carry case

SPECIFICATIONS

SPECIFICATIONS

No load speed: Sanding pad size: Diameter of orbit: 120 Watt

12,000 opm 99 x 139 mm 1.6 mm

Power input:

Weight:

Power input:	240 Watt
No load speed:	7,000 – 12,000 opm
Sanding pad size:	125 mm
Diameter of orbit:	2.4 mm
Weight:	1.7 kg



+





ESS3215V 1/2 Sheet Sander

Features

- Powerful 320 Watt motor
- · Quick-fixing clamping mechanism for sanding sheet attachment
- · Variable speed for total control
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 1 x 60, 100 and 150 grit sanding papers, paper punch pad, carry case

ESS2590V 1/3 Sheet Sander

Features

- Powerful 250 Watt motor
- · Quick-fix hook and loop sanding sheet attachment with paper clamps
- · Variable speed for total control
- · Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use \bullet DustTech ${}^{\scriptscriptstyle \mathsf{M}}$ Integrated dust technology system for maximum
- pick-up efficiency
- Livetool Indicator
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 2 x 60, 100 and 150 grit sanding papers, paper punch pad, dust bag, carry case

ES	S1890C	
1⁄3	Sheet	Sander

Features

- Powerful 180 Watt motor
- · Quick-fix hook and loop sanding sheet attachment with paper clamps
- · Overmould ON/OFF switch for durability and ease of use \bullet DustTech ${}^{\scriptscriptstyle\rm M}$ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™

Included as standard 2 x 60, 100 and 150 grit sanding papers, paper punch pad, dust bag

EOS2410N 1/4 Sheet Palm Sander

Features

- Powerful 240 Watt motor
- · Quick-fix hook and loop sanding sheet attachment with paper clamps
- · Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- · Compact palm grip handle for added comfort
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard 2 x 60, 100 and 150 grit sanding papers, paper punch pad, dust bag, carry case

SPECIFICATIONS

Power input:	320 Watt
No load speed:	6,000 – 12,000 opm
Sanding pad size:	115 x 229 mm
Diameter of orbit:	2.2 mm
Weight:	2.2 kg
Sanding pad size: Diameter of orbit:	2.2 mm





Power input:	250 Wat
No load speed:	6,000 - 12,000 opm
Sanding pad size:	92 x 185 mm
Diameter of orbit:	1.6 mm
Weight:	1.9 k <u>(</u>







SPECIFICATIONS

No load speed: Sanding pad size: Diameter of orbit:

240 Watt


1.56 kg

14,000 opm 110 x 114 mm 1.6 mm

Power input:

Weight:

Power input:	180 Wat
No load speed:	12,000 opn
Sanding pad size:	92 x 185 mn
Diameter of orbit:	1.6 mn
Weight:	1.5 k



EBS1310V 100 mm (4") Belt Sander

Features

- Powerful 4" belt size (610 x 100 mm) and powerful 1,350 Watt motor for rapid stock sanding and finishing
- Variable speed control 240 400 metres/min, adjust to match the job
- · Quick change belt system, easy tracking set-up
- Sanding frame for sanding larger areas
- · Powerful vacuum system for clean operation
- · 'Soft Start' for smoother starting
- GripZone[™] techonlogy for improved comfort with a positive grip

Included as standard

Sanding belts, dust bag, sanding frame, carry case

EBS9576VF 76 mm (3") Belt Sander

Features

- Double ball bearing 950 Watt mounted motor
- Electronic speed selector and variable speed control; 150 -400 metres/min, adjust to match the job
- Belt setting allowing sanding of skirting boards and sanding frame for sanding larger areas
- · Quick change belt system, easy tracking set-up
- · Aluminium die cast body and belt housing Dust extractor with bag
- GripZone[™] technology for improved comfort with a positive grip
- Flat top design for bench mounting

DustTech[™] Integrated dust

pick-up efficiency

Livetool Indicator[™]

GripZone[™] overmould

technology for improved

comfort with a positive grip

technology system for maximum

Lock on feature

Included as standard Aluminium frame, 2 x G-clamps, dust bag, sanding belt, carry case

EBS8021V 76 mm (3") Belt Sander

Features

- · Powerful 800 Watt motor with variable speed for sanding a variety of materials
- · Pivoting front handle to suit your working position
- · Quick release belt system
- · Auto belt tracking system with manual alignment for total precision
- \bullet DustTech ${}^{\scriptscriptstyle \mathsf{M}}$ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone™ techonlogy for improved comfort with a positive grip
- · Sanding frame available as optional extra

Included as standard 1 x 60, 100, 120 sanding belts, 2 x inversion clamps for finishing, dust bag, carry case

EPN7582N 750W Planer

Features

- 3 chamfering grooves (0.5,1,1.5 mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- · Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control

Included as standard

2 x TCT blades, dust bag, side fence, wrench, carry case

SPECIFICATIONS

Power input:	1,350 Watt
Belt speed:	240–400 m/min
Sanding belt size:	610 x 100 mm
Belt width:	100 mm
Weight:	6.4 kg



950 Watt Belt speed: Sanding pad size: Overall length: 75 x 533 mm 350 mm Weight:



+

+

Not available in UK



+

Not available in UK



SPECIFICATIONS

SPECIFICATIONS

Planing capacities:

Planing width Planing depth

Rebating: No load speed: Weight:

750 Watt

16,000 rpm 3.2 kg

Power input:	800 Watt
Belt speed:	150 – 300 m/min
Sanding pad size:	76 x 533 mm
Belt width:	76 mm
Weight:	3.6 kg

EPN6082C 600W Planer

Features

- 0.5 mm chamfering groove in die-cast front shoe for added precision
- Dust extraction switch for left or
- right port
- Full length trigger with overmould for greater control
- · Kick stand to prevent damage to the work piece when tool is not in use
- DustTech[™] Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™ GripZone[™] overmould technology for improved comfort with a positive grip
- SPECIFICATIONS

SPECIFICATIONS

Power input:

Weight:

No load speed: Collet capacity: Plunge capacity:

Power input:	600 Wa
Planing capacities:	
Planing width	82 m
Planing depth	1.5 m
Rebating:	0 – 8 m
No load speed:	16,000 rp
Weight:	3.1

Double sided fence



Included as standard 2 x TCT blades, dust bag, side fence, wrench

ERT2100V 6-12 mm (1/2 ") 2100W Router

Features

- Accepts 12 mm (¹/₂") and 6 mm (¹/₄") router bits
- · Electronic variable speed for total control
- · Powerful 2100 Watt motor with 'Soft Start'
- · 2 x LED lights for improved cutting visibility
- Fine cutting depth adjustment and 3 pre-set depth stops
- . Fine height adjuster ideal when router is used with a router table
- · Constant depth control for consistent finishing
- Spindle lock for easy (one spanner) cutter changes
- Double sided parallel fence with fine adjustment
- Livetool Indicator™

Included as standard 12 mm (1/2"), 6 mm (1/4") bits, 25 mm template guide, parallel fence, dust port, wrench, carry case

ERT1150VN 6 mm (¼") 1150W Router

Features

- Accepts 6 mm (1/4") and 6.35 mm (3/8") router bits
- · Electronic variable speed
- · 'Soft Start' for smoother starting
- · Fine height adjustor
- · Precision depth control for accurate cutting
- 3 pre-set depth stops
- · Spindle lock for easy (one spanner) cutter changes
- Livetool Indicator™
- GripZone[™] techonlogy for improved comfort with a positive grip

Included as standard

8 x assorted cutters, template guide, parallel fence, spanner, carry case

ERT1150VN/ART03 Router Table with 6 mm (¼") 1150W Router

Features

- Comes with 6 mm (1/4") 1150W Router ERT1150VN
- · Adjustable step risers with 0.8 mm increments for better support of work piece
- · Protective cover adjustable to height of workpiece and easy connection to dust extraction system
- · Storage compartment for bits
- Mitre guide
- . 5 table inserts to convert the router

Power input:	1,150 Watt
No load speed:	14,000 – 31,500 rpm
Collet capacity:	
Plunge capacity:	55 mm
Weight:	3.7 kg
morgin.	0.1 Kg



2,100 Watt

6.33 kg







SPECIFICATIONS

Table dimensions:

Left/right extensions:

ART03 **Router Table**

Features

- Aluminium die-cast table for added strength, durability and accuracy
- · Adjustable die-cast rear fence for accurate straight routing
- Table extensions for increased support
- · Anti-kick back for safety
- 5 removable insert rings to support wider work piece
- Adjustable blade guard doubles as extraction port
- Feather box for feeding the timber into the router bit
- · Detachable cutter storage box for added convenience
- Accepts all 230 V Ryobi routers

Included as standard Feather board, pressure clamp

EHG2002C Heat Gun

Features

- · Removable front heat shield
- Overheat protection sensor
- . Two air flow settings
- · Convenient hanging hook
- GripZone[™] techonlogy for improved comfort with a positive grip

SPECIFICATIONS

SPECIFICATIONS

Weight:

Table dimensions (with

Table dimensions (with exten

355 x 610 mm

i**ons):** 1010 mm

20.5 kg

00 Watt

00 l/min 0.84 kg

wer input:	2,0
at settings:	
flow:	250/5
eight:	



anoa

Included as standard 2 x nozzles

EHG2002LCD Heat Gun Kit

Features

- LCD temperature indicator
- Removable front heat shield
- · Overheat protection sensor
- Two air flow settings
- Two variable heat settings
- Variable temperature control dial
- GripZone[™] techonlogy for improved comfort with a positive grip
- · Convenient hanging hook

SPECIFICATIONS

Power input:	2,000 Watt
Heat settings:	$50 - 500^{\circ} / 50 - 650^{\circ} \text{ C}$
Air flow:	250/500 I/min
Weight:	0.94 kg

Included as standard

4 x nozzles, 4 x scrapers, scraper plate rod, carry case

EHG2002LED LED Heat Gun

Features

- LED temperature indicator lights
- · Electronic thermostat
- 2 positions for temperature and air flow
- Protected against abnormal rises in temperature
- GripZone[™] techonlogy for improved comfort with a positive grip
- · Includes stand for vertical use

Included as standard

4 nozzles, scraper, set of 3 stripping knives with holder, carry case

42 **RYOBI.** Woodworking

SPECIFICATIONS

Power input:	2,000 Watt
Heat settings:	$50-550^{\circ}$ / $50-650^{\circ}$ C
Air flow:	250/500 l/min
Weight:	0.68 kg





[**∕**] 230V





Machinery



EMS1426L 254 mm (10 ") Mitre Saw with Laser

Features

- \bullet Exactline Laser Technology ${}^{\rm \tiny M}$ for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Timber support arms
- Easy to read scales for maximum accuracy
- DustTech[™] Integrated dust technology

Included as standard

40-tooth TCT blade, extensions, clamps, dustbag, wrench

EMS1122L 210 mm (8¼") Mitre Saw with Laser

Features

- Exact line Laser Technology[™] for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- \bullet 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Safety lever
- Timber support arms
- Easy to read scales for maximum accuracy
- DustTech[™] Integrated dust technology
- Livetool Indicator™

ard

Included as standard 24-tooth TCT blade, extensions, clamps, dust bag, wrench

SPECIFICATIONS

Power input:	1,400 Wat
Blade diameter:	254 mm (10"
Blade type:	TC
No load speed:	4,500 rpm
Mitre capacity:	45° L and F
Bevel capacity:	45° L and 10° F
Max. Cutting capacity:	
90° mitre / 90° bevel	135 x 75 mm
90° mitre / 45° bevel	135 x 45 mm
45° mitre / 90° bevel	90 x 75 mm
45° mitre / 45° bevel	92 x 48 mm
Weight:	13 k <u>(</u>



 Power input:
 1,100 Watt

 Blade diameter:
 210 mm (8 ¹/₄ ")

 Blade type:
 TCT

 No load speed:
 5,000 rpm

 Mitre capacity:
 45° L and R

 Bevel capacity:
 45° L and 10° R

 Max. Cutting capacity:
 90° mitre / 90° bevel
 120 x 50 mm

 90° mitre / 45° bevel
 120 x 22 mm
 45° mitre / 90° bevel
 85 x 50 mm

22 mm 7.5 ka









EMS2431SCL 315 mm (12") Sliding Mitre Saw with Laser

single wrench blade changes DustTech[™] Integrated dust

technology for improved comfort with a positive grip

technology GripZone[™] overmould

Features

- Exactline Laser Technology™ for Built-in spindle lock for easy improved accuracy when cutting
- Ergonomically designed handle
- for improved comfort
- Powerful 2,400 Watt motor · Extra wide side extensions to support large timber
- 9 pre-set mitre stops

SPECIFICATIONS

Power input:	2,400 Wat
Blade diameter:	315 mm (12")
Blade type:	TC1
No load speed:	4,200 rpm
Mitre capacity:	57° L and F
Bevel capacity:	
Max. Cutting capacity:	
90° mitre / 90° bevel	300 x 110 mm
90° mitre / 45° bevel	300 x 70 mm
45° mitre / 90° bevel	210 x 110 mm
45° mitre / 45° bevel	210 x 70 mm
Weight:	25 kg



Included as standard

48-tooth TCT blade, extensions, clamps, dust bag, wrench

EMS2026SCL 254 mm (10") Sliding Mitre Saw with Laser

· Sliding fence adjusts for

increased work support

· Quick action mitre lock handle for faster mitre settings

Repeat cut support for quick and accurate repeat cutting
Built-in spindle lock for easy

single wrench blade changes Easy to read scales for Livetool Indicator™

Features

- Exactline Laser Technology™
- · Ergonomically designed handle
- for improved comfortPowerful 2,000 Watt motor,
- producing 4,500 rpm
 Extra wide side extensions to support large timber
- 9 pre-set index angles including: 0°, 15°, 22.5°, 30° and 45°
 Fully adjustable depth stop for
- trenching

Included as standard

40-tooth TCT blade, extensions, clamps, dust bag, wrench

SPECIFICATIONS

Power input:	2,000 Wat
Blade diameter:	254 mm (10"
Blade type:	40-tooth TCT
No load speed:	4,500 rpm
Mitre capacity:	47° L and 45° F
Bevel capacity:	45° l
Max. Cutting capacity:	
90° mitre / 90° bevel	305 x 90 mm
90° mitre / 45° bevel	305 x 42 mm
45° mitre / 90° bevel	215 x 90 mm
45° mitre / 45° bevel	215 x 42 mm
Weight:	19.57 kg



ETMS1825 254 mm (10") Table Mitre Saw

• Hugely versatile 10"/ 254 mm table mitre saw Aluminium milled table for a precision surface

· Safety swithcing to aviod accidental activation • Dust extraction or collection bag to maintain a clean

new

SPECIFICATIONS	
Power input:	1,800 Wat
No load speed:	5,000 rpn
Blade diameter:	254 mm (10" 60 tooth TC
Max. Cutting depth:	
Table Saw:	
At 90°	40 mn
Mitre Saw:	
At 90°	70 mn
At 45°	50 mn
Bore size:	30 mn
Table Dimension:	430 x 297 mm
Weight:	19 k <u>(</u>

Included as standard 60 tooth TCT blade, 2 x hexagon wrench, stop fence, parallel/mitre guide, work clamp, push stick, dust bag, blade cover

ETS1525SC 254 mm (10") Table Saw with Sliding Carriage

Features

Features

 Universal 1800 Watt motor Soft start for control and safety

working environment

- Sliding carriage guarantees a smooth action to improve quality of the cut
- · Extension tables provide large working area of 1110 x 638 mm · Self-aligning rip fence with
- quick-lock handle ensures fence is parallel with blade for every cut

Included as standard

ETS1526AL

Features

cutting

and stability Livetool Indicator™


- · Large die-cast aluminium table to provide maximum support for cutting
- · Mitre gauge allows precise angle to be cut quickly and accurately for cross cutting
- Emergency stop for added safetv
- Livetool Indicator™

SI LUII IGATIONS	
Power input:	1,500 Watt
No load speed:	4,500 rpm
Blade diameter:	
254 mn	n (10") 40 tooth TCT
Max. Cutting depth:	
At 90°	80 mm
At 45°	55 mm
Bore size:	30 mm
Table dimensions:	1,110 x 638 mm
Weight:	25.56 kg



Image shown is ETS1526AL





parallel with blade for every cut

between +60° and -60°

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench

254 mm (10") Table Saw

. Large die-cast aluminium table to provide maximum support for

• Dual purpose handle for easy height and bevel angle adjustment · Self-aligning rip fence with quick-lock handle ensures fence is

. Mitre gauge allows precise angle to be cut quickly and easily

. Strong and durable stand with rubber feet to provide full support

ETS1825 254 mm (10") Folding Table Saw

Features

- · Hugely versatile table saw with 90 mm max cutting depth (53 mm at 45°)
- · Fast 4,800 rpm no load speed for effortless, accurate cutting
- · Folding stand and wheels for ease of transport
- Precision saw for accurate cross-cutting and ripping for boards and timber
- · Adjustable rear and side extensions perfect for
- supporting large boards · Dust port at rear and on blade quard
- · Adjustable cutting scale when table extends

SF	PEC	F	CA	TIO	NS

Power input:	1,800 Wat
No load speed:	4,800 rpm
Blade diameter:	254 mm (10")
Blade bore:	30 mm
Max. Cutting depth:	
At 90°	90 mm
At 45°	53 mm
Table dimensions:	1020 x 646 mm
Weight:	41.5 kg

Included as standard 36-tooth TCT blade, rip fence, mitre gauge and fence, stand and wheels, push stick, push stick holder, wrench

4 4 110V 230V



SPECIFICATIONS

Power input:	1,500 Watt
No load speed:	4,500 rpm
Blade diameter:	
254 mm (10") 40 tooth TCT
Max. Cutting depth:	
At 90°	80 mm
At 45°	55 mm
Bore size:	30 mm
Table dimensions:	722 x 640 mm
Weight:	16.4 kg

No load speca.	7,0001
Blade diameter:	
254 mm	(10") 40 tooth 1
Max. Cutting depth:	
At 90°	ı 08
At 45°	55 r
Bore size:	30 r
Table dimensions:	722 x 640 r
Weight:	16.4

EDP5530L 305 mm (12") Drill Press with Variable Speed and Laser

Features

- · Variable speed with digital read-out
- \bullet Exactline Laser Technology ${}^{\scriptscriptstyle \mathsf{M}}$ for improved accuracy when drilling
- 550 Watt induction motor
- \bullet Multi-purpose work table with 360° rotation and up to 45° bevel for angle drilling
- Rack and pinion table height adjustment
- Internal safety micro switch prevents accidental usage
- Accepts mortising attachments, 13 mm chuck capacity
- Locking knob, locking depth stop for repetitive application
- Work light helps to illuminate the work area
- Emergency stop for added safety
- GripZone[™] overmould technology for improved comfort with a positive grip

SPECIFICATIONS	
Power input:	550 Watt
No load speed:	450 – 2,500 rpm
Spindle taper:	B16
Chuck capacity:	13 mm
Spindle travel:	80 mm
Max. Drilling capacit	i y: 13 mm
Spindle to column:	152.5 mm
Column diameter:	65 mm
Table size:	273 mm diameter
Base size:	420 x 280 mm
Overall height:	889 mm
Weight:	38 kg



ETP1531AK **315 mm Thicknesser**

Features

- Produces 10,000 cuts/min for an exceptionally smooth finish
- Maximum thicknessing capacity: 315 x 153 mm
- · Large in-feed and out-feed foldable extension tables with
- rollers for enhanced support when cutting large materials • Cutter head moves up and down on 4 pillars for accurate thicknessing
- Top feedback rollers for passing of timber from one side to the other
- Measurement scales for accurate thicknessing
- Anti-kickback safety feature
- Dust extraction adaptor 50/100 mm

SPECIFICATIONS

Power input:	1,500 Watt
No load speed:	10,000 rpm
Max. planing width:	315 mm
Thicknesser capacity:	5 – 153 mm
Max. depth of cut:	0 – 3 mm
No. of blades:	
Feed rate:	8 m/min
Dust extraction adaptor:	50/100 mm
Cable length:	3 m
Weight:	32 kg



Included as standard Dust extraction port

EBG3720 200 mm Bench Grinder

Features

- 370 Watt motor producing 2,850 rpm
- Adjustable eye-shields (1 with magnifying lens)
- 2 x integral 10 Watt worklights automatically illuminates grinding wheel when in operation
- Wheel dressing tool for cleaning worn or glazed wheels
- 1 x 36 g and 1 x 60 g grinding wheel
- · Adjustable tool rest with angle groove
- Tray for storing coolant fluid

Also available 150 mm bench grinder [EBG2515]

Included as standard Wheel dressing tool, 2 x integral 10 watt worklights, coolant tray, 1 x fine, 1 x coarse grinding wheel

SPECIFICATIONS

Power input:	370 V
No load speed:	2,850 ו
Wheel size:	200 x 25 i
Bore size:	15.88
Cable length:	
Weight:	18.2





4 230V ■



Stands



RRS420G Roller Ball Stand

Features

- Suitable for use with mitre saws and table saws
- Height adjustment from 630 mm to 1,080 mm
- Roller ball system allows feeding of large sheet material from any direction
- Robust construction to support extra wide timber
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions:	810 x 500 x 135 mm
Height adjustment	: 630 – 1,080 mm
Weight:	12 kg



RRS420W Roller Ball V-Stand

Features

- Suitable for use with mitre saws and table saws
- Height adjustment from 630 mm to 1,080 mm
- Roller ball system allows feeding of large work piece
- \bullet Angle adjustment from 0° to 45°
- Robust construction to support extra wide timber
- Portable design for easy transportation and storage

SPECIFICATIONS

Dimensions:	810 x 500 x 135 mm
Height adjustment	: 630 – 1,080 mm
Weight:	12.5 kg



AMS01 Multifunctional Stand

Features

- Suitable for use with mitre saws, table saws and band saws
- One-hand release mechanism for quick and easy folding
- 5 position height adjustment from 700 mm to 1,450 mm
- Supports up to 100 kg
- On-board tool storage
- · Floor fixings for added stability
- Portable design for easy transportation and storage

SPE	UIFICA	IUN2	

SPECIFICATIONS

Dimensions: Loading capacity: Weight:

Dimensions:	600 >	x 640 x [·]	1,450 mm
Height adjustme	ent:	700 – 1	1,450 mm
Weight:			22 kg

new

851 x 2904 mm 181 kg 21.9 kg



Not available in UK

RLS01 Adjustable Leg Stand

Features

- Suitable for use with mitre saws
- · Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
- Sliding arms (with work support brackets) extend from 850.9 mm to 2904 mm
- · Adjustable leg to cope with uneven surfaces
- Collapsible legs for easy transportation and storage

Included as standard

2 x saw mount bracket, 2 x work support, 2 x work support bracket

AFS01 Mitre Saw Stand

Features

- Suitable for use with all Ryobi Mitre Saws
- Floor fixings for added stability
- Portable design for easy transportation and storage

SPECIFICATIONS		
Dimensions:	629 x 70 x 1,130 mn	
Weight:	12.8 kg	



Also available Roller stand [RRS420]





Vacuum



EWD1245TA 45 Litre Wet & Dry Vacuum

Features

- · Patented split dual tank system (one tank for dry pick up – one tank for wet pick up)
- Unique quick switch from wet to dry vacuuming
- Powerful blower function
- Wet vacuum drain point for easy emptying On-board tool storage for convenience
- · Casters for easy manoeuvring

Also available 7 Litre Wet & Dry Vacuum [EWD5570]

Included as standard 1 x crevice tool, 1 x wet & dry floor nozzle, 1 x utility nozzle, 2 x extension tubes, 1.8 m hose

SPECIFICATIONS

Power input:	1.200 W
Suction power:	205 air wa
Suction capacity:	1.87 m³/m
Dry capacity:	14.4
Wet capacity:	19.7
Tank capacity:	45
Max. Sound pressure:	88 (
Hose length:	1.8
Hose diameter:	3.17 c
Power cord length:	
Max. Reach:	13.8
Weight:	10.11





Intelligent Measuring Tools



www.ryobitools.co.uk

Intelligent Measuring Tools

52

SW113SC2 **AIRgrip Laser Level**

Features

- . Unique AIRgrip technology sticks to most surfaces, no fixings required
- · Features non-marking vacuum base
- · Laser lens rotates 90° for vertical and horizontal lines
- Laser head rotates 360° for straight lines at any angle
- · Laser wraps around corners perfect for lining up tiles

Included as standard Padded case stores and protects laser level when not in use. Multifunctional base, hook & loop strap and push pins are provided for attaching the laser level to uneven surfaces, 2 x 1.5 V AA batteries

SW113X Self-levelling CrossIt[™] Laser with AIRgrip

Features

- 3 function switch allows user to choose single horizontal, vertical or intersecting cross laser lines
- Auto levelling mechanism ensures accuracy
- Unique AIRgrip technology sticks to most surfaces, no fixings required with non marking base
- · Additional backing plate, top slots and strap for attaching to posts, hanging from rails and pinning to rough uneven surfaces
- · Ideal for: tiling, molding, dado rail, pictures, drop ceilings, shelving plus many other DIY jobs

Also available in the intelligent measuring tool range a Laser Sighted Thermometer [SW638E]

Included as standard Padded case, multifunctional adapter, hook & loop strap, push pins, 4 x 1.5V AA batteries

SW109R StudTech Wood & Metal Sensor

Features

- · Detects wood and metal studs in dry line walls with +/- 4 mm (1/6") accuracy
- · 3 LEDs to indicate stud approach and edge detection
- Integrated belt clip for convenient carrying
- . High impact housing
- Soft touch rubber grip
- · Automatic shut off when not in use
- Patented ASIC technology

Included as standard 1 x 9V battery

SW109TL Stud Sensor & Ultrasonic Measure with Laser Pointer

Features

- Measures distances, areas and volumes with pin-point accuracy
- · Locates wood, metal and wiring in dry lined stud walls
- · Measures distances using the speed of sound and laser pointer for accuracy
- · Adds up continuous lengths for skirting boards, dado rails, picture rails, etc

Included as standard Pouch, 1 x 9V battery

SPECIFICATIONS

Laser range:	12 m (40')
Accuracy:	+/- 2 mm/m
Battery type:	2 x 1.5 V AA
Battery life:	
Laser only	40 hr continuous use
W/vacuum	2.5 hr continuous use
Weight:	0.23 kg



Not available in UK





Optional tripod accessorv see page 59

SPECIFICATIONS

Battery type:



Not available in UK



SPECIFICATIONS

Auto shut off: Battery type:

Stud sensor measure

up to +/- 12.5 mm (1/2")

SPECIFICATIONS

Laser range:

Accuracy:

Battery type: Tripod Fitting:

la

Laser rotation:

Laser projection: Laser height adjustment

SW109U StudTech Pro[™] Wood & Metal Sensor

Features

- . Three modes for detecting wood/metal studs, metal and hot
- un-shielded AC wiring in dry lined and concrete/brick walls
- · Audio and LCD indication
- · Soft touch rubber grip
- · High impact housing
- · Auto power off after 2 minutes when not in use
- · Low battery indicator
- 9V battery included

Included as standard Pouch, 1 x 9V battery

sw113J 3 in 1: Stud Sensor, Laser Pointer, Ultrasonic Measure

Features

- · Measures distances, areas and volumes with a laser pointer
- · Detects wood stud/metal stud, metal and rebar
- · Detects wood and metal studs in dry line walls with +/- 6.4 mm (1/4") accuracy
- · Laser pointer with multi angle detection
- 3 levelling vials for accuracy
- Dynamic measurement/conversion of readings between imperial and metric
- · Low battery indicator

Included as standard 1 x 9V battery

SW104AA5L Ultrasonic Measure with Laser Pointer

Features

- · Adds lengths, measures distances, areas and volumes with a laser pointer for accuracy
- Easy to read 5 digit LCD screen
- . 'SET' feature to select measurements from top or bottom of case
- Auto power off
- · Conversion of readings between imperial and metric
- · Light weight and ergonomic
- Features laser pointer for accuracy
- · Low battery power indication

Included as standard Pouch, 1 x 9V battery

SW105B **Roller Metre**

Features

- Accurately measures distances and calculates total lengths
- . Locates and marks distances which can then be divided into a number of sub distances (up to 10 sub distances)
- Detects midpoints of a measurement
- · Features non-marking roller wheels for smooth one handed glide action for use on curved or flat surfaces
- Conversion between imperial and metric measurements

SPECIFICATIONS

Stud sensor measurement: Dry wall depth up to 38 mm for wood and 51 mm for metal and metal rebar Detects rebar up to 51 mm in concrete and brick



Not available in UK

SPECIFICATIONS

SPECIFICATIONS

Length Area

Volume

Aperture angle: Beam angle: Battery type:

SPECIFICATIONS

Accuracy: Operating temperature: Auto Shut Off:

Battery type:

Ultrasonic measurement: 0.6 – 15 m Accuracy: +/- 0.5% +/- 1 digit Calculation range:

99.999 m 420.25 m²


+/- 0.5° (approx.) 5°(+/-) at half power 1 x 9 V

Stud sensor measurement: Wood/metal up to 38 mm (1¹/2[~]) dry wall with centre accuracy up to +/- 6.4 mm (1/4") Metal rebar measurement: Metal rebar up to 50 mm (2") in concrete Ultrasonic measurement





Not available in UK



Included as standard 3 x 1.5V AAA batteries



sw106S Large Digital Tape

Features

- Sturdy 25 feet (7.5 m) steel tape
- Easy to read 6 digit LCD display
- Addition of up to 99 lengths
- Mid point computation
- Add/subtract the case length
- Conversion between imperial and metric systems
- Memory in/recall
- Display freeze function
- Auto power off after 3 minutes when not in use

Included as standard

Spring steel belt clip, 3 x 1.5 V button cell batteries

sw204v Project Calculator with Laser Pointer and Voice Recording Function

Features

- Measures distances, areas and volumes with a laser pointer
- Features voice recording function no need to make measurement notes
- Calculates areas and volumes for paint, wallpaper, tiles, size of air-conditioning units and radiators
- Memory in/recall function
- Auto power off
- Low battery indicator

Included as standard Pouch, 4 x 1.5 V AAA batteries

SPECIFICATIONS

Tape length:	25 feet (7.5 m)
Tape width:	25 mm
Blade markings: Feet/i	
in	ches, metric units
Automatic self calibrat	tion: Yes
Auto shut off:	Yes
Low battery indicator:	Yes
Battery type:	3 x 1.5 V button cell batteries



Not available in UK

SPECIFICATIONS

Measuring range:	0.6 – 18 m
Accuracy:	+/- 0.5% +/- 1 digit
Aperture angle:	+/- 5°
Calculation range:	
Length	99.999 m
Area	420.25 m ²
Volume	8,615.1 m ³
LCD resolution:	0.01 m
Voice recording tir	ne: 20 sec
Battery type:	4 x 1.5 V AAA



SAOBI[®]

Accessory Sets



RAK60G 60 Piece





Contents

- 17 x HSS Drill Bits (1.5-6 mm)
- 6 x Masonry Bits (5–10 mm)
- 1 x Flatwood Spade Bit (22 mm)
 4 x Bradpoint Bits (4-10 mm)
- 20 x 25 mm Screwdriver Bits
- 5 x Nut Drivers (6–10 mm)
- 1 x Holesaw (54 mm)
- 1 x Magnetic Bit Holder (60 mm)
- 1 x Countersink
- 1 x Mandrel
- 1 x Hex Key
- 1 x centre punch
- 1 x case

RAK90G 90 Piece Accessory Set



Contents

- 19 x HSS Drill Bits (1.5-8 mm)
- 7 x Masonry Drill Bits (5–10 mm)
- 4 x Flatwood Spade Bits (13-25 mm)
- 5 x Bradpoint Drill Bits (3-8 mm)
- 27 x 25 mm Screwdriver Bits
- 6 x 50 mm Screwdriver Bits
- 8 x Nut Drivers (5-11 mm)
- 4 x Holesaws (32-54 mm)
- 4 x Drill stoppers (3-8 mm)
- 1 x Magnetic bit holder (60 mm)
- 1 x Countersink
- 1 x Mandrel
- 1 x Hex Key
 - 1 x Centre punch
 - 1 x case

RAK31G 31 Piece Accessory Set



Contents

- 10 x HSS Drill Bits (1.5-8 mm)
- 4 x Masonry Bits (5-8 mm)
- 4 x Flatwood Spade Bits (13-25 mm)
- 3 x Bradpoint Bits (3-5 mm)
- 9 x 25 mm Screwdriver Bits
- 1 x Magnetic bit holder (60 mm)

RTC0022A 22 Piece QuickChange[™] Set



Features

- QuickChange[™] chuck:
- Revolutionary one handed operation enables you to swap accessories quickly and easily

Contents:

- 1 x Quick Change Chuck
- 3 x Quick Change Masonry Bits (5-6 mm)
- 4 x Quick Change HSS Drill Bits (2-5 mm)
- 6 x 25 mm Quick Change Screwdriver Bits
- 7 x 50 mm Quick Change Screwdriver Bits
- 1 x Stubby screw guide (80 mm)

RTC0050A 50 Piece QuickChange[™] Set

Features

QuickChange[™] chuck:

• Revolutionary one handed operation enables you to swap accessories quickly and easily

Contents:

- 1 x Quick Change Chuck
- 4 x Quick Change Masonry Bits (5-7 mm)
- 5 x Quick Change HSS Drill Bits (2-6 mm)
- 15 x 25 mm Quick Change Screwdriver Bits
- 12 x 50 mm Quick Change Screwdriver Bits
- 2 x Hex Shank Spade Bits
- 1 x 6 mm Tile & Glass Bit
- 7 x Nut Drivers (5-12 mm)
- 1 x 6" all-hex bit holder (16 & 22 mm)
- 1 x socket adaptor
- 1 x 80 mm stubby screw guide

RTC0016A 16 Piece Masonry **Drill Bit Set**

RTC0017A 17 Piece Wood **Drill Bit Set**



Features

- Zinc plated to resist corrosion
- · Carbide tipped to blast through masonry, brick and concrete

Contents:

Bit Set

• 16 x Masonry Bits (5-16 mm)



Features

Brad point bit:

- · Carbon steel with black oxide coating to reduce friction
- · Spur tip to provide accurate and quick starts

Drill stoppers:

· Carbon steel with black oxide coating

Contents:

- 10 x Brad Point Bits (3-10 mm)
- 3 x Drill Stoppers (3-8 mm)
- 3 x Dowel Centres (6-10 mm)
- 1 x Counter Sink

RTC0019A 19 Piece HSS **Drill Bit Set**



Features

- · Titanium-coated to increase hardness and cutting efficiency and ensures longer life
- 118 degree point for easy penetration
- · Ideal for cutting through metal, plastic, wood and many other materials

Contents:

• 19 x HSS Drill Bits (1-8 mm)



RTC0012A 12 Piece Flat

Features

- · Carbon steel with titanium coating for longer life
- Tri-point cutting design for accurate and smooth cutting
- · Hex shank to increase bit grip in your chuck
- · Flat bits for wood drilling

Contents:

• 12 x Hex Shank spade bits (8-35 mm)

RTC0015A 15 Piece SDS **Drill Bit Set**



Features

SDS drill bit:

- · Heavy duty carbide tip with ultra-tough brazing for blasting through brick, masonry and concrete 13 mm keyed chuck:
- Heavy duty chuck and SDS adaptor extends your capability to use standard round-shank drill bits with an SDS drill

Contents:

- 12 x SDS Drill Bits (5 x 110 mm / 7 x 160 mm)
- 1 x 13 mm keyed chuck
- 1 x 45CS chuck key
- 1 x SDS Chuck Adaptor

RTC0030A 30 Piece Mixed **Drilling & Driving Set**



Contents:

- 5 x Masonry bits (5-7 mm)
- 6 x HSS Drill Bits (2-6 mm)
- 5 x Brad Point Bits (3-8 mm) • 1 x 60 mm magnetic bit holder
- 4 x Nut Driver (6-12 mm)
- 9 x 25 mm Drill Bits





Contents:

- 14 x Masonry Bits (4-16 mm)
- 11 x HSS Drill Bits (1.5-6 mm)
- 10 x Brad Point Bits (3-10 mm)
- 1 x 60 mm magnetic bit holder
- 9 x Nut Drivers (5-13 mm)
- 15 x 25 mm screwdriver Bits

RTC0050B 50 Piece Screw & Nut Driving Set



Contents: Not available in UK

- 6 x 50 mm drill bits
- 23 x 25 mm screwdriver bits
- . 6 x Double-ended screwdriver bits
- 1 x 1/4" socket adaptor
- 1 x wood counter sink
- 8 x nut drivers (5-13 mm)
- 1 x 80 mm stubby screw guide
- 1 x 3" all-hex bit holder (chuck extension) • 3 x HSS pilot drill bits (2-4 mm)

RTC0115A 115 Piece Screw & Nut Driving Set



Contents:

- 3 x 150 mm screwdriver bits
- 6 x 75 mm screwdriver bits
- 11 x 50 mm screwdriver bits
- . 66 x 25 mm screwdriver bits 11 x double-ended screwdriver bits
- 10 x Nut driver (5-13 mm)
- 2 x all-hex bit holder (3 " & 6") 3 x HSS Pilot Drill Bits (2-4 mm)
- 1 x Socket Adaptor
- 1 x Wood Counter Sink
- 1 x 80 mm stubby screw guide

RTC0008A 8 Piece ¹/4" Shank Router Bit Set



Features Not available in UK

- · High grade tungsten carbide (TCT) cutters
- Powder coated bodies
- · Precision-ground double shielded ball bearings

Contents:

- 4 x Straight cutters
- 3 x Decorative cutters
- 1 x dovetail joint cutter

RTC0012B 12 Piece 1/4" Shank Router Bit Set



Contents: Not available in UK

- . 6 x Straight cutters
- 5 x Decorative cutters
- 1 x dovetail joint cutter

RTC0030B 30 Piece Mixed **Jigsaw Blade Set**



Features

· Bayonet fitting Innovative push release system · Innovative push release system

- **Contents:**
- 19 x wood blades
- 9 x metal blades
- 2 x worktop (clean upper cut edge) blades

RTC0018A 18 Piece Reciprocating Blade Set



Contents: Not available in UK

- 6 x metal blades
- 6 x wood blades
- . 3 x pruning blades
- 3 x universal blades

Holesaw Set

RTC0012C 12 Piece Bi Metal



Contents: Not available in UK

- 7 x holesaws
- 2 x mandrels with pilot drills
- 2 x spare pilot drills
- 1 x adaptor & spacer



Accessories

Batteries and Chargers



Model No.	Description
Lithium-ion	
BPL1815	1 x 18V (1.4 Ah) Lithium-ion Compact Battery
BPL1815/2	2 x 18 V (1.4 Ah) Lithium-ion Compact Batteries
BLK18151	1 x 18V (1.4 Ah) Lithium-ion Compact Battery & Super charger
BLK1815/2	2 x 18V (1.4 Ah) Lithium-ion Compact Batteries & Super charger
BPL1820	1 x 18V (2.4 Ah) Lithium-ion Battery
BPL1820/2	2 x 18 V (2.4 Ah) Lithium-ion Batteries
BLK1820	1 x 18V (2.4 Ah) Lithium-ion Battery & Super charger
BLK1820/2	2 x 18 V (2.4 Ah) Lithium-ion Batteries & Super charger
NiCad	
BPP1817M BPP1817M/2 BCP1817 BCP1817/2SM	1 x 18V (1.7 Ah) NiCad Battery 2 x 18V (1.7 Ah) NiCad Batteries 1 x 18V (1.7 Ah) NiCad Battery & Charger 2 x 18V (1.7 Ah) NiCad Batteries & Charger

BCP1817/2SM Charger

BC1815SM BCL1418

18V NiCad Charger Super charger



Batteries & Chargers 24V - 12V

Туре	Description	Ah
24 V NiCad Batteries		
BPS2420	24V battery	2.0 Ah
14.4V Lithium-Ion Battery		
BPL1414		1.4 Ah
14.4 V NiCad Batteries		
BPP1417 BPP1414	14.4V battery 14.4V battery	1.7 Ah 1.3 Ah
12V Lithium-ion Battery		
BPL1220	12V battery	1.2 Ah
12 V NiCad Batteries		
BPP1213 BPP1217	12V battery 12V battery	1.3 Ah 1.7 Ah
Chargers		
BC1815SM MSBC2400 BC1415S BCL1418 BC1215	18V charger 24V charger 14.4V charger Li-lon 14.4V – 18V Charger 12V charger	







Circular Saw and Planer Blades

Model No.	Description	Fits Models
RSB150A	150 mm diameter x 10 mm bore, 'ultra thin kerf'18 tooth blade	CCS1801/LM, CCS1801/DM
RAK0001PB	50 mm planer strip blade twin pack	CPL180



Reciprocating Saw Blades

Description	Teeth	Length	Quantity	Application	Fits Models
Saw blade	24 tpi	100 mm	5 pack	Steel	CRP1801/DM, ERS80V
Saw blade	18 tpi	140 mm	5 pack	Steel	CRP1801/DM, ERS80V
Saw blade	9 tpi	140 mm	5 pack	Wood	CRP1801/DM, ERS80V
Saw blade	24 tpi	140 mm	5 pack	Steel	CRP1801/DM, ERS80V
Saw blade set	-	-	3 pack	Mixed set	CRP1801/DM, ERS80V

Sanding Accessories

Model No.	Description	Fits Models
ASP00102	10 x assorted sanding sheets	ECS1214N, CCC1801M
ALP00022	2 x light duty scrubbing pads	ECS1214N, CCC1801M
AHP00022	2 x heavy duty scrubbing pads	ECS1214N, CCC1801M
APP00022	2 x polishing pads	ECS1214N, CCC1801M

Intelligent Measuring Accessories

Туре	Description	Fits Models	
RTP001	Tripod for Self-levelling CrossIt™ Laser with AlRgrip	SW113X	



Image shown is for reference only SW113X Self-levelling Crosslt™ is not included.

Floor Stands

Description Floor Stand

Fits Models RBS3080UK



Wet & Dry Vacs – Bags & Filters

Description	Fits Models
Cartridge filter	EWD1245TA & EWD1260TA
Large foam filter	EWD1245TA & EWD1260TA
Small foam filter	EWD1245TA & EWD1260TA
Filter bags	EWD5570

Hammer Accessories

Description	Fits Models
13 mm drill chuck, chuck key	ERH650V
SDS PLUS adaptor with thread and screw	ERH750V

Index

Contents		3
New Proc	lucts	4 – 5
Cordless	Power Tools	6 - 29
One Plus	18V Battery & Charger Options	10 – 11
CDI1803M LCDI1802M CDA1802M CDA1802M LCD1802M CDC1802M CHD1801M CAP1801M BID1821M BIW180M	18V 3-Speed Hammer/Drill/Driver 18V 2-Speed Hammer/Drill/Driver 18V Autoshift 2-Speed Drill/Driver 18V Autoshift 2-Speed Drill/Driver 18V 2-Speed Compact Drill/Driver 18V 2-Speed Drill/Driver 18V Drill/Driver 18V Angle Drill 18V Impact Driver 18V Impact Wrench	13 13 13 14 14 15 15 15 15
One Plus	18V Tools	16 – 21
LCS180 CJS180LM LRS180 CAG180M CCC1801M CR0180M CPL180M CNS1801M CCG1801M CHV182M CML180M LFP1802S CRA180M UTB2 UTB4 CDC18021B CDA18021B CDA18021B CRH18012L LCD118021	 18 V Circular Saw 18 V Jigsaw with Laser 18 V Reciprocating Saw 18 V Angle Grinder 18 V Corner Sander 18 V 125 mm Random Orbit Sander 18 V Planer 18 V Nailer/Stapler 18 V Caulking Gun 18 V Hand Vac 18 V Hand Vac 18 V Flashlight 18 V Torch 18 V MP3 Compatible Radio Toolbag Medium Heavy Duty Toolbag 18 V Autoshift Drill Driver Kit 18 V SDS-Plus Hammer Drill Kit 18 V 2-Speed Hammer/Drill/Driver Kit 	17 17 17 18 18 18 18 18 19 19 19 19 19 20 20 20 20 20 20 20 20 21 21 21 21
One Plus	18V Garden Tools	22 – 23
OLT1830 OHT1850 OGS1820 CLT1830LC OPS1820 OCS1840 OBL1801 CHT1850LC CLT1830P CHT1850P	18 V Line Trimmer 18 V Hedge Trimmer 18 V Shear & Shrubber 18 V Line Trimmer Starter Kit 18 V OnePlus Pruner 18 V Chemical Sprayer 18 V Blower 18 V Hedge Trimmer Starter Kit 18 V Line Trimmer Starter Kit 18 V Hedge Trimmer Starter Kit	22 22 22 23 23 23 23 23 23 23 23 23
14.4 V Too	bls	24 – 25
LCDI14021 CDDI14021N	14.4V Lithium-ion 2-Speed Hammer/Drill/Driver 14.4V NiCad 2-Speed Hammer/Drill/Driver	25 25

LGD114021	14.4 V Liulium-lon Z-Speed Hammer/Dhil/Dhver	20
CDDI14021N	14.4 V NiCad 2-Speed Hammer/Drill/Driver	25
LCD14021	14.4V Lithium-ion Drill/Driver	25
CDD14022N	14.4 V NiCad Drill/Driver	25

12V–4V To	ols	26 –	29
LSDT1201 CSDT1202N LSD1201PB BID1201 CS1201 CKF1201M CLK124 CSD42L CSD42LS CSD4130GN CSD4107BG CSD40LI	12 V Lithium-ion Drill/Driver with Clutch 12 V NiCad Drill/Driver with Clutch 12 V Lithium-ion Drill/Driver 12 V Lithium-ion Impact Driver 12 V Lithium-ion Circular Saw 12 V Lithium-ion Reciprocating Saw 12 V Lithium-ion Torch 12 V 4 Piece Kit 4 V Lithium-Ion 2-Speed Screwdriver 4 V Lithium-Ion 2-Speed Screwdriver 4 V Lithium-ion Screwdriver with 30 Accessories 4 V Lithium-ion Screwdriver 4 V Lithium-ion Screwdriver	er Kit	26 27 27 27 28 28 28 28 28 29 29 29 29 29
Corded Po	wer Tools	30 -	48
Percussion	Drills & Rotary Hammer Drills	32 –	33
Angle Grin	ders & Cutters	34 –	35
Sawing		36 –	37
EWS1366 EWS1266 ERS80V EJS710QE0 EJS600QE0 EJS500QE0	190 mm 7 (1⁄2) " Circular Saw with Laser 190 mm 7 (1⁄2) " Circular Saw Variable Speed Reciprocating Saw 710W Jigsaw 600W Jigsaw 500W Jigsaw		36 36 37 37 37 37 37
Woodwork	ing	38 –	42
ER02412 VN ECS1214N ESS3215V ESS2590V ESS1890C EOS2410N EBS1310V EBS9576VF EBS8021V EPN7582N EPN6082C ERT2100V ERT1150VN/ART03 ART03 EHG2002C EHG2002LCD EHG2002LED	125 mm Random Orbit Sander Corner Sander 1/2 Sheet Sander 1/3 Sheet Sander 1/3 Sheet Sander 1/4 Sheet Palm Sander 100 mm (4") Belt Sander 76 mm (3") Belt Sander 76 mm (3") Belt Sander 76 mm (3") Belt Sander 750W Planer 600W Planer 600W Planer 600W Planer 6-12 mm (1/2") 2100W Router 6 mm (1/4") 1150W Router Router Table with 6 mm (1/4") 1150W Router Router Table Heat Gun Heat Gun Kit LED Heat Gun		38 39 39 39 39 40 40 40 40 40 41 41 41 41 42 42 42 42
Machinery		43 –	46
EMS1426L EMS1122L EMS2431SCL EMS2026SCL ETMS1825 ETS1525SC ETS1526AL ETS1825	 254 mm (10") Mitre Saw with Laser 210 mm (81/4") Mitre Saw with Laser 315 mm (12") Sliding Mitre Saw with Laser 254 mm (10") Sliding Mitre Saw with Laser 254 mm (10") Table Mitre Saw 254 mm (10") Table Saw with Sliding Carriage 254 mm (10") Table Saw 254 mm (10") Folding Table Saw 		43 43 44 45 45 45 45 45

EDP5530L ETP1531AK EBG3720	305 mm (12") Drill Press with Variable Speed and Laser 315 mm Thicknesser 200 mm Bench Grinder	46 46 46
Stands	47 -	- 48
RRS420G RRS420W AMS01 RLS01 AFS01	Roller Ball Stand Roller Ball V-Stand Multifunctional Stand Adjustable Leg Stand Mitre Saw Stand	47 48 48 48 48 48
Vacuum		49
EWD1245TA	45 Litre Wet & Dry Vacuum	49
Intelligent	Measuring Tools 50 -	-54
SW113SC2 SW113X SW109R SW109TL SW109U SW113J SW104AA5L SW105B SW106S SW204∨	AlRgrip Laser Level Self-levelling Crosslt [™] Laser with AlRgrip StudTech Wood & Metal Sensor Stud Sensor & Ultrasonic Measure with Laser Pointer StudTech Pro [™] Wood & Metal Sensor 3 in 1: Stud Sensor, Laser Pointer, Ultrasonic Measure Ultrasonic Measure with Laser Pointer Roller Metre Large Digital Tape Project Calculator with Laser Pointer and Voice Recording Function	52 52 52 53 53 53 53 53 54 54
Accessory	v Sets 55 -	- 57
RAK31G RAK60G RAK90G RTC0022A RTC0050A RTC0016A RTC0017A RTC0012A RTC0012A RTC0015A RTC0030A RTC0060A RTC0060A RTC0012B RTC0115A RTC0012B RTC0012B RTC0012B RTC0018A RTC0012C	 31 Piece Accessory Set 60 Piece Accessory Set 90 Piece Accessory Set 22 Piece QuickChange™ Set 50 Piece QuickChange™ Set 16 Piece Masonry Drill Bit Set 17 Piece Wood Drill Bit Set 19 Piece HSS Drill Bit Set 12 Piece Flat Bit Set 15 Piece SDS Drill Bit Set 30 Piece Mixed Drilling & Driving Set 60 Piece Mixed Drilling & Driving Set 50 Piece Screw & Nut Driving Set 50 Piece Screw & Nut Driving Set 15 Piece Screw & Nut Driving Set 15 Piece 1/4 ″ Shank Router Bit Set 12 Piece 1/4 ″ Shank Router Bit Set 30 Piece Mixed Jigsaw Blade Set 18 Piece Reciprocating Blade Set 12 Piece Bi Metal Holesaw Set 	55 55 55 56 56 56 56 56 56 56 56 57 57 57 57 57 57 57

Accessories

58 –59