



At Ryobi[®] we've built a solid and enviable reputation by developing a real knowledge of exactly what people need from their power tools.

Every Ryobi[®] power tool is a culmination of outstanding performance coupled with value and proven reliability making Ryobi[®] the number one choice for home-users.

Contents

New for 2011	4-5
Cordless Power Tools	6-43
One Plus™ 18V	8-25
14.4V Tools	26-29
12V Tools	30-33
TEK4™ 4V Tools	34-40
4V Tools	41
Batteries & Chargers	42-43
Painting Tools	44-47
Corded Power Tools	48-66
Drilling	50-51
Metalworking	52-53
Sawing	54–55
Woodworking	56-61
Machinery	62-65
Stand	66
Vacuums	66
Accessories	67-70

K	ey								
Ē	Keyless chuck	()	Dust extraction		Carry case	S	Soft Grip	\triangleleft	Roller
Ŷ	Variable speed control		Automatic cut-off carbon brushes		Wet vac	Ũ	Magnet	SDS	SDS
	Forward/reverse operation		Grease packed lubrication		Dry vac		Auxiliary handle	Q,	Quick blade/ bit change
B	Electronic brake	ſ₩	Electronic 'Soft Start'	*	Blower function	\bigcirc	Zoom		LED
T	Hammer action		Safety clutch		Laser Light		Dust/water/shock resistant		Wet blade
	Orbital stroke action		Double insulation	0	2 Gears		Music/MP3		
	Spindle lock		Tool bag	0	3 Gears		Spray		







All products shown are in compliance with the appropriate European regulations.

Warning: All warranties are country/region specific. Tools purchased e.g. in the USA or via the internet, and imported into Europe, which are not CE approved, not only violate EU legislation, but will not be supported/serviced in Europe by Ryobi® as a result. Only tools bought in the European Union (incl. Switzerland) are covered by an European warranty.



We continue to offer a 2 year warranty on all our products, including the new products that we have introduced for 2011*

*Excluding spares and accessories


CONTENTS | 3 RYOBI.



New for 2011

As one of the largest and most innovative power tool manufacturers in the world, Ryobi[®] are dedicated to delivering outstanding performance and reliability.

Sanding Made Simple



One Plus[™] 18V Range

The One Plus[™] system is a unique 18V tool range in which one battery and charger can be used with over 30 power and garden tools. All the power of 18V with the cost saving of only having to buy the battery and chargers you need. Simply buy a starter kit, or an individual tool, battery and charger. Then use the same battery to power any tool from the extensive range, removing the added expense of buying batteries and chargers with every tool purchase; saving you money. For more information see pages 8–25.







TEK4™

TEK4[™] cordless tools provide maximum performance durability and runtime. Each TEK4[™] tool is powered by a 4V reusable Lithium-Ion battery and is designed for ultimate performance and ease of use. The TEK4[™] battery is interchangeable with all TEK4[™] products including power tools. TEK4[™] Lithium-Ion batteries have longer run times, fade free power and over 2,000 recharges, with a single charge performance up to the equivalent of 3 AA alkaline batteries.



The TEK4[™] family of tools is ever expanding. New for 2011 Ryobi[®] is introducing the inspection camera, utility light and stud finder. For more information see pages 34–40.



Making Painting Fast, Fun and Easy

Now is the ideal time to take your painting to the next level and discover how fast, fun and easy it is to paint with Ryobi[®] painting range. With the introduction of our new, complete lineup of painting tools, Ryobi[®] is bringing unbeatable affordability coupled with a host of innovations and improvements to painting power tools. For more information on cordless units see page 20 and 44–47 for corded units.





Cordless Power Tools

One Plus™ 18V Tools	8-25
One Plus™ 18V Kits	20-24
14.4V Tools	26-29
12V Tools	30-33
TEK4™ Tools	34-40
4V Tools	4
One Plus™ 18V Battery & Charger Options	42-43

RYOBI

=

MARKE





RYOBI

18V One Plus[™] System



HOW DO I START?

the First

Buy a starter kit including tool, battery and charger.

THE CLEVER WAY TO **BUY CORDLESS POWER TOOLS**

Next tool purchase; no need to buy another battery and charger. Save money!

Choose any tool and buy the battery and charger separately.



The Ryobi[®] One Plus[™] System is a unique tool range in which one battery and charger can be used with over 30 power and garden tools.

Traditionally every time you buy a cordless tool, a battery and charger are included, whether you want them or not. The Ryobi[®] One Plus[™] system gives you the flexibility to buy exactly what you need and when you want it. Making it the clever way to buy power tools.

Simply buy a starter kit, or an individual battery, charger and tool. Then use the same battery to power any tool from the extensive range, removing the added expense of buying batteries and chargers with every tool purchase; saving you money. So you can have as many tools as you need, but you only have to pay for the batteries & chargers once!

Join the One Plus[™] club at **www.ryobi-oneplus.co.uk** to receive all the latest One Plus[™] news and for a chance to win prizes.





One Plus[™] 18V Drills



Features

- 01 A 2-Speed high performance gearbox offers high power in first gear, and high speed in second
- 02 Multi-functionality allows a quick transition between all modes: hammering, drilling and driving.24 torque settings give the user absolute control in all screwdriving tasks.

anos III

03 The 13mm keyless chuck gives the user large drilling capacities in wood of 38mm and 13mm for steel and masonry



SAOBI"

CDI1803M

18V 3-Speed Hammer/Drill/Driver

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- 3-gear ranges giving a better performance for a wider range of applications
- Electronic variable speed, reverse and brake for total control
- · Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x double ended screwdriver bit, depth stop, auxiliary handle

opeenieaden	
Max. torque:	55Nm
Keyless chuck:	13mm
No load speed:	
0-370rpm	Speed 1
0-750rpm	Speed 2
0-2,200rpm	Speed 3
Blows per minute:	
0-5,920bpm	Speed 1
0-12,000bpm	Speed 2
0-35,200bpm	Speed 3
Max. Drilling capac	ities:
Wood	50mm
Steel	13mm
Masonry	13mm
Torque settings:	24
Weight:	2.3kg

Specification







LCDI1802M

18V 2-Speed Hammer/Drill/Driver

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Also available as a kit with batteries and charger: See page 21

Included as standard

CRH1801M

Features

1 x double-ended screwdriver bit, depth stop auxiliary handle

18V SDS-Plus Hammer Drill

• Dual mode for drilling into multiple materials,

• SDS Chuck for fast drilling and easy bit change

● GripZone[™] overmould technology for improved comfort

Also available as a kit with batteries and charger: See page 21

with or without hammer action

Powerful 1.5 Joules impact energy

with a positive grip

Included as standard Auxiliary handle, depth stop

Specification

Max. torque:	49Nm
No load speed:	
0-400rpm	Speed 1
0-1,500rpm	Speed 2
Blows per minute:	
0-5,720bpm	Speed 1
0-19,500bpm	Speed 2
Max. Drilling capac	ities:
Wood	38mm
Steel	13mm
Masonry	13mm
Torque settings:	24
Weight:	1.6kg













12mm

2.2kg



Specification

No load speed:

CDA1802M Specification SHIPT 2 18V Autoshift 2-Speed Drill/Driver 55Nm Max. torque: 13mm Kevless chuck Features No load speed: Autoshift – automatically selects the correct gear to suit the 0-450rpm Speed 1 material and application 0-1,500rpm Speed 2 Powerful motor and gearbox producing 55Nm max. torque Max. Drilling capacities: 38mm 13mm keyless chuck Wood Steel 13mm • Electronic variable speed, reverse and brake for total control Torque settings: 24 Quick adjustment 24 torque settings 1.7kg Weight: · Magnetic screw and bit holder Also available as a kit with batteries and charger: See page 22 Included as standard 1 x double-ended screwdriver bit, auxiliary handle

LCD1802M **18V 2-Speed Compact Drill/Driver**

Features

- 13mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- · Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip

Also available as a kit with batteries and charger: See page 22

Included as standard

1 x double-ended screwdriver bit

Specification

Max. torque:	37.5Nm
Keyless chuck:	13mm
No load speed:	
0-440rpm	Speed 1
0-1,600rpm	Speed 2
Max. Drilling capa	cities:
Wood	35mm
Steel	13mm
Torque settings:	24
Weight:	1.2kg









Features

- 10mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- · Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip
- Spirit level for precise drilling

Also available as a kit with batteries and charger: See page 22

Included as standard

1 x double-ended screwdriver bit





Max. torque:	42.6Nm
Keyless chuck:	10mm
No load speed:	
0-350rpm	Speed 1
0-1,300rpm	Speed 2
Max. Drilling cap	acities:
Wood	32mm
Steel	10mm
Torque settings:	24
Weight:	1.27kg







CHD1801M 18V Drill/Driver

Features

- 10mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- LED light for working in dimly lit areas
- Back-lit LED bubble level for convenience and accuracy
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x double-ended screwdriver bit

CAP1801M 18V Angle Drill

Features

- 180° rotating base for ease of access to awkward areas
 10mm keyless chuck
- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- Angle Drill perfect when working in confined spaces
 GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

2 x screwdriver bits, hex adaptor

BID1821M 18V Impact Driver

Features

- Keyless 6mm (1/4") hex drive
- Impact mechanism designed to drive long screws and lag bolts
- LED light for better visibility
- Die-cast front gear housing for durability
- Variable speed, reverse and brake for total control
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x driver bits

BIW180M 18V Impact Wrench

Features

- Up to 265Nm Torque (Max) for heavy duty bolt/nut driving
- Variable trigger speed for ultimate control
- Keyless ½" Drive
- Impact mechanism designed to drive long screws and lag bolts
- LED light for working in dimly lit areas
- GripZone[™] overmould technology for improved comfort with a positive grip

Specification

Specification

No load speed: 0-650rpm

Max. Drilling capacities:

Max. torque: Keyless chuck

Torque settings

Specification

Max. Drilling capacities:

Keyless chuck:

No load

speed:

Wood

Steel

Weight:

Wood

Steel

Weight:

16Nm

10mm

20mm

10mm

1.1kg

38mm

6mm

1.4kg

24

Max. Bolt dia	meter: M14
Hex drive:	6.35mm (1/4")
Max. torque:	170Nm
No load	
speed:	0-2,400rpm
Blows per	
minute:	0-3,000bpm
Weight:	1.2kg

Specification

Max. torque:	265Nm
No load	
speed:	0-3,000rpm
Blows per	
minute:	0-3,500bpm
Weight:	1.66kg





10.

Not available in UK

.....

■Ŷ↓₿Ŋ¶













Features

- 01 GripZone[™] overmould technology for improved comfort with a positive grip
- 02 Laser guide for cutting accuracy
- 03 Tool-less blade clamp for quick and easy blade change



SAOBI°

LCS180 **18V Circular Saw**

Features

- Large 45mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material
- GripZone[™] overmould technology for improved comfort with a positive grip

Also available as a kit with batteries and charger: See page 23

Included as standard


1 x 150mm TCT Kerf blade, side fence

Specificati	on
Blade diameter	r: 150mm
Bore size:	10mm
No load	
speed:	0-4,200rpm
Max. Cutting c	apacities:
At 90°	45mm
At 45°	32mm
Weight:	2.5kg









Features


- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0° to 45° bevel settings
- Variable speed for total control
- Anti-splintering device
- GripZone[™] overmould technology for improved comfort with a positive grip

Also available as a kit with batteries and charger: See page 23

Included as standard

2 x blades, hex wrench









Features

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- · Variable speed and brake
- 22mm stroke length
- GripZone[™] overmould technology for improved comfort with a positive grip

Also available as a kit with batteries and charger: See page 23

Included as standard

2 x saw blades



No load speed: 0-3,000rpm Max. Cutting capacities: Wood 100mm Stroke length: 22mm 1.9kg Weight:









LTS180M

18V Tile Saw

Features

- Powerful 18V motor cuts through ceramic, granite, marble and masonry
- Steel base includes oversized knobs for easy adjustments
- 102mm (4") continuous rim diamond cutting wheel offers precision cutting and prevents chipping
- Spindle lock for easy cutting wheel changes
- GripZone[™] overmould technology for improved grip and reduced vibration

Included as standard

CAG180M

Features

18V Angle Grinder

• 115mm (41/2") wheel diameter

with a positive grip

Included as standard

270° rotating base for access to awkward areas

Spindle lock for easy wheel and accessory changing

 Tool-less wheel guard for quick and easy adjustment • Three position auxiliary handle with on-board wrench storage ● GripZone[™] overmould technology for improved comfort

Grinding wheel, wrench, wheel guard, auxiliary handle

102mm (4") diamond disc, Hex key, water bottle

1	S	pecification
7	0	peomoution

NEW

No load speed:	4,500rpm
Wheel Diameter	: 102mm
	(4″)
Arbor size:	16mm (%")
Cut Capacity:	
At 0°	22mm (%")
At 45°	16mm (%")
Bevel Capacity:	0-45°
Water Supply:	Gravity feed
	water bottle
Bottle Capacity:	500ml
	(16.9 oz)
Tool Weight:	2.59kg
Cut Capacity: At 0° At 45° Bevel Capacity: Water Supply: Bottle Capacity:	16mm (% ") 22mm (% ") 16mm (% ") 0-45° Gravity feed water bottle 500ml (16.9 oz)

Specification

Grinding Wheel:

Spindle thread

No load speed:

Bore size:

Weight:

115mm (41/2")

22mm

6,500rpm 2.2kg

M14













8



Features

- Sanding pad size: 140 x 100mm
- Lock on switch for continuous use
- Quick-fix hook and loop sanding sheet attachment
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Assortment of sanding papers

Specification

No load speed: 11,000opm Sanding pad size: 140 x 100mm Diameter of orbit: 1.8mm Weight: 0.83kg







CRO180M

18V 125mm Random Orbit Sander

Features

- Sanding pad size: 125mm (5") diameter
- Lock on switch for continuous use
- · Quick-fix hook and loop sanding sheet attachment
- Body grip design for increased comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

3 x sanding pads

No load speed: 10	,000opm
Sanding pad size:	125mm
(5″)	diameter
Diameter of orbit:	1.6mm
Weight:	1.28kg





CPL180M **18V Planer**

Features

- · Chamfering groove in die-cast front shoe for added precision
- Positive depth adjustment 0–0.4mm
- · Additional front handle for greater control
- Side fence included for precision planing
- DustTech[™] Integrated dust technology for maximum pick-up efficiency
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x reversible TCT blades, side fence, dust bag, wrench

Specification

Planning width:	50mm
Planning depth:	0-0.4mm
Rebating:	12.7mm
No load speed:	10,000rpm
Weight:	1.7kg





N

 $\overline{\mathbb{N}}$





CNS1801M **18V Nailer/Stapler**

Features

- Fires up to 32mm Brad Nails and 14mm Staples to handle a wide variety of fastening applications
- Easy to load magazine accommodates up to 100 Brad Nails or 84 Staples for larger projects
- Depth adjustment knob regulates depth of the Brad Nail/Staple for a variety of applications
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Assortment of brad nails/staples

Specification

19-32mm Nail capacity (18 gauge) Staple capacity: 6-14mm (T50) Magazine capacity: Brad Nails 100 Staples 84 40 staples/per min Speed: Weight: 2.0kg



CCG1801M **18V Caulking Gun**

Features

- 200+ tubes of latex per charged battery
- · Switch lock helps prevent accidental start-ups
- Variable speed adjustment lever for flow control
- Easy release manual push rod for quick reloading
- Durable gears and carriage frame help ensure tool longevity
- On-board puncture tool to brake tube seal if needed
- $\bullet\ {\rm GripZone}^{\stackrel{\cdot}{\scriptscriptstyle {\rm M}}}$ over mould technology for improved comfort with a positive grip

Specification

No load speed:	
High	5.5mm/s
Low	1mm/s
Max. output force:	: 225kg
Tube capacity:	310m
Weight:	1.7kg





$\overline{\mathbb{N}}$

CHV182M **18V Hand Vac**

Features

- Cleans up dry spills
- · Go-anywhere, fast cleaner
- Quick-change replacement filter
- · Easy-clean dust cup
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Crevice and brush attachments

Specification

Max. air flow: 0.85m³/min Collection capacity: 173ml Weight: 0.96kg





CDR180M


18V MP3 Compatible Radio

Features

- Auxiliary jack compatible with MP3, CD players, etc
- Convenient mode selector from FM to auxiliary input
- On/off switch via volume control dial
- 10 preset stations
- Manual and automatic tuning
- · Fold out flexible antenna
- Low battery indicator
- 90mm speaker

NEW Specification

Weight:



N



Available July 2011 onwards







P620 18V Speed Sprayer

Features

- The sprayer's flexible intake tube lets you spray at any angle and use the last remaining paint in the container minimizing wastage
- Innovative and patented delivery system also minimizes the need for dilution
- Choose between three spray patterns, horizontal, vertical or round,
- to provide you with the best coverage whilst minimizing overspray
- Quick lock container for easy set-up
- \bullet ldeal for exterior walls, garage doors and outbuildings
- Suitable for use with any brand of paint
- GripZone[™] overmould technology for improved comfort with a positive grip

Also available as a kit with battery and charger: See below

Included as standard

Round tip, vertical tip, horizontal fan tip, viscosity & measuring cup, cleaning kit

P621 18V Speed Sprayer Kit

Features

- The sprayer's flexible intake tube lets you spray at any angle and
- use the last remaining paint in the container minimizing wastage
- Innovative and patented delivery system also minimizes the need for dilution
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimizing overspray
- Quick lock container for easy set-up
- Ideal for exterior walls, garage doors and outbuildings
- Suitable for use with any brand of paint
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1.4Ah) Lithium-Ion battery, round tip, viscosity & measuring cup, vertical tip, horizontal fan tip, cleaning kit, tool bag

- 1 x NiCad battery option also available (P625)
- 2 x NiCad battery option also available (P626)

NEW Specification

Container	
Capacity:	1,000ml
Area Flow Rate:	4m²/min
Paint Coverage:	10m²/l
Flow Rate:	20.5l/hour
Weight:	1.93kg











NEW Specification

Container	
Capacity:	1,000ml
Area Flow Rate:	4m ² /min
Paint Coverage:	10m²/l
Flow Rate:	20.5l/hour
Weight:	2.41kg

LLCDI18022

18V 2-Speed Hammer/Drill/Driver Kit

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x 18V (1.4Ah) Lithium-Ion battery, super charger, 1 x double ended screwdriver bit, tool bag

2 x NiCad battery option available (CLCDI18022N)

opecification	
Max. torque:	40Nm
Keyless chuck:	13mm
No load speed:	
a 100	· · · ·

Specification

NEW

No load speed:	
0-400rpm	Speed 1
0-1,550rpm	Speed 2
Blows per minute:	
0-6,000bpm	Speed 1
0-23,250bpm	Speed 2
Max. Drilling capac	ities:
Wood	38mm
Steel	13mm
Masonry	13mm
Torque settings:	24
Weight:	1.86ka

Specification

Max. torque: No load speed

0-400rpm

0-1,500rpm

0-5,720bpm

0-19,500bpm

Torque settings

Wood

Steel

Masonry

Weight:

Max. Drilling capacities

Blows per minute:

49Nm

Speed 1

Speed 2

Speed 1

Speed 2

38mm

13mm

13mm

2.06kg

24





∎�()B¶**↓**@<u>∩</u>§A

LCDI18021 18V 2-Speed Hammer/Drill/Driver Kit

Features

- Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1,4Ah) Lithium-Ion batteries, super charger, 1 x double-ended screwdriver bit, auxiliary handle, tool bag

- 1 x NiCad battery option available (CDDI18021N)
- 2 x NiCad battery option available (CDDI18022N)
- 2 x Li-lon battery option available (LCDI18022)

CRH18012L **18V SDS-Plus Hammer Drill Kit**

Features

- Dual mode for drilling into multiple materials, with or without hammer action
- · Light and compact, so ideal for working in small areas or over-head
- SDS Chuck for fast drilling and easy bit change
- Powerful 1,5 Joules impact energy

Included as standard

2 x 18V (1,4Ah) Lithium-Ion batteries, super charger, 1 x double-ended screwdriver bit, tool bag

1 x battery option also available (CRH18011L)

Specification

No load speed:	
0-1,000rpm	Speed 1
Impact rate: 0-4	1,000bpm
Single impact force	
Max. Drilling capac	cities:
Wood	16mm
Steel	13mm
Masonry	12mm
Weight:	2.7kg



T ◀͡♥Φ₿₥↓∩⊢▓@

Whilst stocks last







CDC18021B

18V 2-Speed Drill/Driver Kit

Features

- 10mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip
- Spirit level for precise drilling

Included as standard

1 x 18V (1.4Ah) Lithium-Ion battery, super charger, 1 x double-ended screwdriver bit, tool bag

2 x battery option also available (CDC18022N)



Max. torque:	42.6Nm	
Keyless chuck:	10mm	
No load speed:		
0-350rpm	Speed 1	
0-1,300rpm	Speed 2	
Max. Drilling capacities:		
Wood	32mm	
Steel	10mm	
Torque settings:	24	
Weight:	1.73kg	







OCOBIL Not available in UK

CDA18021B

18V Autoshift 2-Speed Drill/Driver Kit

Features

- · Autoshift automatically selects the correct gear to suit the material and application
- 13mm keyless chuck
- Quick adjustment 24 torque settings
- · Magnetic screw and bit holder
- 'Soft grip' overmould for improved grip and reduced vibration
- · Automatic spindle lock for one handed bit change

Included as standard

1 x 18V (1.4Ah) Lithium-Ion battery, super charger, 1 x double-ended screwdriver bit, auxiliary handle, tool bag

2 x battery option also available (CDA18022B)

Specification

Max. torque:	55Nm
Keyless chuck:	13mm
No load speed:	
0–450rpm	Speed 1
0-1,500rpm	Speed 2
Max. Drilling capa	cities:
Wood	38mm
Steel	13mm
Torque settings:	24
Weight:	2.2kg



Interview and the second secon

LCD18022B **18V 2-Speed Compact Drill/Driver Kit**

Features

- 13mm keyless chuck
- Quick adjustment 24 torque settings
- · Magnetic screw and bit holder
- · Soft grip' overmould for improved grip and reduced vibration
- 2 gears for most materials and applications
- Automatic spindle lock for one-handed bit changing

Included as standard

2 x 18V (1.4Ah) Lithium-Ion battery, super charger, 1 x double-ended screwdriver bit, tool bag

Specification

Max. torque:	37.5Nm	
Keyless chuck:	13mm	
No load speed:		
0-440rpm	Speed 1	
0-1,600rpm	Speed 2	
Max. Drilling capacities:		
Wood	35mm	
Steel	13mm	
Torque settings:	24	
Weight:	1 66kg	



Second battery not shown



LCS1801

18V Circular Saw Kit

Features

- Large 45mm cutting depth at 90°
- Ultra thin TCT Kerf blade reduces power drain and increases cutting capacities
- Ideal for laminate worktops, boards and sheet material ● GripZone[™] overmould technology for improved comfort
- with a positive grip

Included as standard

1 x 18V (1.4Ah) Lithium-Ion battery, super charger, tool bag


Specification

Blade diameter	: 150mm	
Bore size:	10mm	
No load		
speed:	0-4,200rpm	
Max. Cutting capacities:		
At 90°	45mm	
At 45°	32mm	
Weight:	2.5kg	









CJS1801 **18V Jigsaw Kit**

Features

- Laser guide for cutting accuracy
- 4 stage pendulum action for enhanced cutting performance
- Tool-less blade clamp for quick and easy blade change
- Easy base adjustment for 0° to 45° bevel settings
- Variable speed for total control
- Anti-splintering device
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1.4Ah) Lithium-Ion battery, super charger, jigsaw blade, tool bag

Specification

00rpm
:
40mm
19mm
1.72kg





Not available in UK

LRS1801 **18V Reciprocating Saw Kit**

Features

- Universal saw for cutting a variety of materials
- Tool-less blade clamp for quick and easy blade changes
- · Variable speed and brake
- 22mm stroke length
- GripZone[™] overmould technology for improved comfort with a positive grip


Included as standard

1 x 18V (1.4Ah) Lithium-Ion battery, super charger, reciprocating saw blade, tool bag

Specification

No load 0-3,000rpm speed: Max. Cutting capacity: Wood 100mm Stroke length 22mm Weight: 1.9kg









One Plus[™] 18V **Garden Tools**

The 18V batteries are also compatible with the Ryobi® range of One Plus[™] garden tools



RLT1830LI

18V One Plus[™] Line Trimmer Starter Kit with **Compact Lithium-Ion Battery**



Features

- 1 powerful 18V (1.4Ah) Lithium-Ion Compact One Plus [™] battery and Super Charger
- Up to 25 minutes run time
- Extendable shaft to suit your style of working
- Lock-out safety switch
- Fully adjustable 'D' handle
- Rotatable head for edging
- Pivoting head for trimming under hedges & decks, and on slopes
- Auto-feed line advances when you release the trigger and decelerate
- Metal plant protector protects flowers and delicate surfaces
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1.4Ah) Compact Lithium-Ion battery, Super Charger

RHT1850LI

18V One Plus[™] Hedge Trimmer Starter Kit with **Compact Lithium-Ion Battery**



Features

- 1 powerful 18V (1.4Ah) Lithium-Ion Compact One Plus [™] battery and Super Charger
- Up to 35 minutes run time
- 500mm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep[™] compatible blade bar (sold separately)
- Large 16mm cutting capacity
- Anti-slip teeth grip each branch during cutting for a cleaner cut and more efficient trimmina
- Large front handle for comfortable cutting
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 18V (1.4Ah) Compact Lithium-Ion battery, Blade sheath, Super Charger



OLT1831

18V One Plus[™] Line Trimmer

OHT1851

18V One Plus[™] Hedge Trimmer

OGS1821

18V One Plus[™] Shear & Shrubber



Features

- Up to 25 minutes run time
- Extendable shaft to suit your style of working
- Lock-out safety switch
- Fully adjustable 'D' handle
- Rotatable head for edging
- Pivoting head for trimming under hedges & decks, and on slopes
- Auto-feed line advances when you release the trigger and decelerate
- Metal plant protector protects flowers and delicate surfaces
- GripZone[™] overmould technology for improved comfort with a positive grip



Features

- Up to 35 minutes run time
- 500mm diamond ground hardened steel blades
- Double sided, dual reciprocating blade for enhanced cutting efficiency
- HedgeSweep[™] compatible blade bar (sold separately) • Large 16mm cutting capacity
- Anti-slip teeth grip each branch during cutting for a cleaner cut and more efficient trimming
- Large front handle for comfortable cutting
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard Blade sheath



Features

- Accepts 18V One Plus[™] NiCad or Lithium-Ion batteries (sold separately)
- Lightweight for easy operation
- Sealed maintenance free blade gears
- Toolless blades for quick changes
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x grass cutting blade, 1 x shrubbing blade



● Accepts 18V One Plus[™] NiCad or Lithium-Ion batteries (sold separately) • Shaft extends 40cm for hard to reach branches up to 3.5 meters high

● GripZone[™] overmould technology for improved comfort with a positive grip

Toolless blade clamp for quick and easy blade changes

Integrated branch hook to pull branches to the ground

• Takes standard reciprocating saw blades

OBL1802

18V One Plus[™] Blower



- Accepts 18V One Plus[™] NiCad or Lithium-Ion batteries (sold separately)
- · Powerful but quiet blower / sweeper
 - 120 mph (193 km/h) airflow speed
 - Light weight for easy operation
 - Ergonomic flick switch
- High speed nozzle design with debris scrapper
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x nozzle

Included as standard

Lock-out safety switch

• 22mm stroke length 3,000rpm no load speed

• Fully adjustable 'D' handle

Blade

Features



PESIGNED TO DO MORE

14.4V Tools

- Laure

and is

LCDI14022

14.4V Lithium-Ion 2-Speed Hammer/Drill/Driver

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- · Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x (1.4Ah) Lithium-Ion batteries, 1 x double-ended screwdriver bit, fast charger, tool bag

S	ре	ecit	fica	ati	on	

37Nm
13mm
Speed 1
Speed 2
Speed 1
Speed 2
ities:
32mm
13mm
13mm
24
1.8kg

Specification

Max. torque:

Kevless chuck:

No load speed: 0-440rpm

0-1,600rpm

0-5.720bpm

0-20,800bpm

Torque settings

Wood

Steel

Masonry

Weight:

Max. Drilling capacities:

Blows per minute:



Whilst stocks last

CDDI14022N

14.4V NiCad 2-Speed Hammer/Drill/ **Driver**

Features

- · Combination tool for hammer drilling and screwdriving applications
- 13mm metal keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x (1.3Ah) NiCad batteries, 1 x double-ended screwdriver bit, fast charger, tool bag

LLCDI14022

14.4V Lithium-Ion 2-Speed Hammer/Drill/Driver

Features

· Combination tool for hammer drilling and screwdriving applications 13mm keyless chuck

- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2x (1.4Ah) Lithium-Ion battery, 1 x double ended screwdriver bit, fast charger, tool bag

1 x Lithium-Ion battery option available (LLCDI14021)

NEW Specification

Max. torque:	30Nm
Keyless chuck:	13mm
No load speed:	
0-400rpm	Speed 1
0-1,400rpm	Speed 2
Blows per minute:	
0-6,000bpm	Speed 1
0-21,000bpm	Speed 2
Max. Drilling capac	ities:
Wood:	25mm
Steel:	13mm
Masonry:	13mm
Torque settings:	24
Weight [.]	1 58kg



╡ ୖ ↓₿╢₡ ↓ እ₽





32mm 13mm 13mm 24

37Nm

13mm

Speed 1

Speed 2

Speed 1

Speed 2

2.1kg

	1.1				
	100	105	100	1.5	
1	College State	_	-	-	

CLCDI14022N 14.4V NiCad 2-Speed

Hammer/Drill/Driver

Features

- Combination tool for hammer drilling and screwdriving applications
- 13mm keyless chuck
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
 Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- On-board bit storage for added convenience
- GripZone[™] overmould technology for improved comfort
- with a positive grip

Included as standard

 $2 \ x$ (1.3Ah) NiCad batteries, 1 x double ended screwdriver bit, fast charger, tool bag

NEW	Specification
-----	---------------

Max. torque:	30Nm
Keyless chuck:	13mm
No load speed:	
0-400rpm	Speed 1
0-1,400rpm	Speed 2
Blows per minute:	
0-6,000bpm	Speed 1
0-21,000bpm	Speed 2
Max. Drilling capa	cities:
Wood	25mm
Steel	13mm
Masonry	13mm
Torque settings:	24
Weight:	1.84kg

NICAD



■Ŷ↓₽¶@**↓**§A

LCD14022

14.4V Lithium-Ion 2-Speed Drill/Driver

Features

- 13mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

 $2 \ x$ (1.4Ah) Lithium-Ion batteries, 1 x double-ended screwdriver bit, fast charger, tool bag

Specification

Max. torque:	37Nm
Keyless chuck:	13mm
No load speed:	
0-440rpm	Speed 1
0-1,600rpm	Speed 2
Max. Drilling capa	cities:
Wood	32mm
Steel	13mm
Torque settings:	24
Weight:	1.64kg





■Ŷ↓B¶®¶®∩§A

NICAD

Max. torque:	37Nm
Keyless chuck:	13mm
No load speed:	
0-440rpm	Speed 1
0-1,600rpm	Speed 2
Max. Drilling capa	cities:
Wood	32mm
Steel	13mm
Torque settings:	24
Weight:	1.9ka

Specification





Features

CDD14022N

- 13mm keyless chuck
- Electronic variable speed, reverse and brake for total control
- Automatic spindle lock for one-handed bit change
- 2 gears for most materials and applications
- Quick adjustment 24 torque settings
- Magnetic screw and bit holder
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

 $2 \ x$ (1.7Ah) NiCad battery, 1 x double ended screwdriver bit, fast charger, tool bag



LLCD14021

14.4V Lithium-Ion 2-Speed Drill/Driver

Features

- 10mm keyless chuck
- 2 gears for most materials and applications
- Electronic variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- GripZone overmould technology for improved comfort
- with a positive grip

Included as standard

CLCD14022N

Features 10mm keyless chuck

1 x (1.4Ah) Lithium-Ion battery, 1 x double-ended screwdriver bit, fast charger, tool bag

2 x Lithium-Ion battery option available (LLCD14022)

14.4V NiCad 2-Speed Drill/Driver

• Electronic variable speed, reverse and brake for total control

2 x (1.3Ah) NiCad batteries, 1 x double-ended screwdriver bit,

1.7Ah battery version available as CLCD14022NF

GripZone overmould technology for improved comfort

2 gears for most materials and applications

Quick adjustment 24 torque settings

with a positive grip

fast charger, tool bag

Included as standard

Spe	ecification
Max	torquo:

NEW

NEW

Max. torque:	30Nm
Keyless chuck:	10mm
No load speed:	
0-400rpm	Speed 1
0-1,400rpm	Speed 2
Max. Drilling capa	cities:
Wood	25mm
Steel	10mm
Torque settings:	24
Weight:	1.52kg



NICAD

Max. torque:	30Nm
Keyless chuck:	10mm
No load speed:	
0-440rpm	Speed 1
0-1,400rpm	Speed 2
Max. Drilling capacities:	
Wood	25mm
Steel	10mm
Torque settings:	24
Weight:	1.72kg

Specification

18Nm

10mm

25mm

10mm

1.65kg

24

Max. torque:

Wood

Steel

Weight:

Keyless chuck:

Torque settings

No load speed: 0-750rpm

Max. Drilling capacities:

Specification



NICAD



CDD14012N 14.4V NiCad Drill/Driver

Features

- Light and compact, ideal for working in confined spaces
- Variable speed, reverse and brake for total control
- Quick adjustment 24 torque settings
- 10mm keyless chuck
- Magnetic screw and bit holder
- GripZone overmould technology for improved comfort with a positive grip

Included as standard

2 x (1.7Ah) NiCad battery, 1 x double-ended screwdriver bit, fast charger, tool bag







12V Tools



LSDT12022

12V Lithium-Ion 2 Speed Drill/Driver with Clutch

NEW

NEW

Specification

Max. torque:

Keyless chuck

No load speed:

0-400rpm

Wood

Steel

Weight:

0-1,380rpm

Torque settings

Specification

Max. torque:

Keyless chuck

No load speed 0-400rpm

0-1,380rpm

Torque settings

Wood

Steel

Weight:

Max. Drilling capacities:

20mm

10mm

1.5kg

24

Max. Drilling capacities:

30Nm

10mm

Features

- 2 gears for most materials and applications
- 10mm keyless chuck
- · Light and compact Ideal for tough work in tight environments
- 24 torque settings for perfect screw driving every time ● GripZone[™] overmould technology for improved comfort
- with a positive grip On-board bit storage

Included as standard

2 x (1.2Ah) Lithium-Ion batteries, 45 minute charger, 1 x double-ended screwdriver bit, tool bag

1 x Lithium-Ion battery option available (LSDT12021)

CSDT12022N

12V NiCad 2 Speed Drill/Driver with Clutch

Features

- 2 gears for most materials and applications
- 10mm keyless chuck
- 24 torque settings for perfect screw driving every time
- GripZone[™] overmould technology for improved comfort
- with a positive grip
- On-board bit storage

Included as standard

2 x (1.3Ah) NiCad batteries, 6 hour charger, 1 x double-ended screwdriver bit, tool bag

1 x NiCad battery option available (CSDT12021)

LSDT1202 **12V Lithium-Ion Drill/Driver** with Clutch

Features

- 10mm keyless chuck
- Light and compact Ideal for tough work in tight environments
- 24 torque settings for perfect screw driving every time
- GripZone[™] overmould technology for improved comfort
- with a positive grip
- On-board bit storage

Included as standard

2 x (1.2Ah) Lithium-Ion batteries, 45 minute charger, 1 x double-ended screwdriver bit, tool bag

CSDT1202N 12V NiCad Drill/Driver with Clutch

Features

- 10mm keyless chuck
- 24 torque settings for perfect screw driving every time
- GripZone[™] overmould technology for improved comfort with a positive grip
- On-board bit storage

Included as standard

2 x (1.3Ah) NiCad batteries, 6 hour charger, 1 x double-ended screwdriver bit, tool bag

NEW Specification

Max. torque:	12Nm	
Keyless chuck:	10mm	
No load speed:	0-600rpm	
Max. Drilling capacities:		
Wood	20mm	
Steel	10mm	
Torque settings:	24	
Weight:	1.5kg	





Not available in UK



◙♥಼▯▯◣▯♥

NICAD



NEW

24 Weight: 1.1kg

12Nm 10mm No load speed: 0-600rpm 20mm 10mm

Max. torque: Keyless chuck:

Max. Drilling capacities: Wood Steel Torque settings:

Specification

BID1201

12V Lithium-Ion Impact Driver

Features

CS1201

Features

• On board tool storage

with a positive grip

Included as standard

allen key, side fence, tool bag

- Quick change chuck The fastest and most convenient way to change bits
- GripZone[™] overmould technology for improved comfort with a positive grip
- On-board bit storage for added convenience

Included as standard

1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, tool bag

12V Lithium-Ion Circular Saw

GripZone[™] overmould technology for improved comfort

· Ideal for laminate floors and sheet metal

Spindle lock for easy blade change

Specification		
Max. torque:	85Nm	
No load		
speed:	0-1,600rpm	
Blows		
per minute:	0-2,250rpm	
Hex drive:	6.35mm (1/4")	

Weight:

Specification

Blade diameter:

Max. Cutting capacities:

Bore size:

No load

speed:

At 90°

At 45°

Weight:



CR1201 12V Lithium-Ion Reciprocating Saw

1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, 20 tooth TCT blade,

Features

- Tool-less blade clamp for quick and easy blade change
- \bullet Universal saw for a wide range of applications
- \bullet GripZone ${}^{\scriptscriptstyle \rm TM}$ overmould technology for improved comfort with a positive grip

Included as standard

1 x (1.2Ah) Lithium-Ion battery, 45 minute charger, 1 x reciprocating saw blade, tool bag

Specification

No load	
speed:	1,850rpm
Max. Cutting capacities:	
Wood	50mm
Stroke length:	12.7mm
Weight:	1.18kg




♥▙◈▓ጮ∖

Whilst stocks last

CKF120LM 12V Lithium-Ion Torch

Features

Pivoting head for perfect illumination for all tasksFlat base for added stability







Whilst stocks last



CHL12K **12V AutoHammer**

Features

- 3,600 Impacts per minute to drive nails into a variety of wood materials for fast and effortless results
- Powerful motor and unique automatic hammer action drives up to 25mm 85mm (1 $^{\prime\prime}$ 3 $^{\prime\prime}\!\!\!/_{2}$ $^{\prime\prime}$) common and finish nails
- Compact and ergonomic right angle design for driving nails in tight spaces
- LED light for improved visibility
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 12V (1.2Ah) Lithium-Ion battery, 45 minute charger, tool bag

1 x NiCad battery option also available as CHN12K

CLK122 12V 2 Piece Kit

Features

 12V Impact Driver • 12V Drill/Driver

Included as standard

2 x 12V (1.2Ah) Lithium-Ion batteries, 45 minute charger, 1 x double-ended screwdriver bit, tool bag

CLK124 12V 4 Piece Kit

Features

- 12V Drill/Driver
- 12V Reciprocating Saw • 12V Circular Saw
- 12V Torch

Included as standard

2 x 12V (1.2Ah) Lithium-Ion batteries, 45 minute charger, 1 x double ended drill bit, 1 x reciprocating saw blade, 20 tooth TCT blade, allen key, tool bag

NEW Specification

NEW

Impact rate: 3,600bpm Nail Size: 25mm - 85mm $(1'' - 3\frac{1}{2}'')$ Nail Type: common and finish nails Weight: 0.68kg





Whilst stocks last









TEK4[™] cordless electronic tools provide maximum performance, durability and run time.

Each TEK4[™] tool is powered by a 4V reusable Lithium-Ion battery, and is designed for ultimate performance and ease of use. The TEK4[™] battery is interchangeable with all TEK4[™] products. TEK4[™] Lithium-Ion batteries have longer run times, fade free power, over 2,000 recharges, and a single charge performance up to the equivalent of 3 AA alkalines. Dust, water, even the occasional drop; TEK4[™] tools are built to endure the toughest environments.





RP4910

4V Lithium-Ion Travel Charger

Features

- Portable Power Source suitable for charging mobile devices: Apple®, Blackberry®, LG®, Sony Ericsson® and Nokia®
- Impact, Dust and Water Resistant
- Overmould for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, USB, Micro USB, Nokia connector, Blackberry connector, Sony Ericsson connector, LG connector, 3.5-4.5 hour charger

Naked version option also available (RP4900). Batteries and charger sold separately see page 42-43.

Specification	
·	
Output wattage:	5W
Adaptors:	6
Output current:	700mA
Neight:	0.065kg

NEW



RP4530 NEW **4V Lithium-Ion Noise Suppression Headphones**

Features

- Electronic Noise Suppression suppresses harmful impulse and background noise up to 25dB
- Communication Enhancement Technology front facing
- microphones enhance close range conversations
- Auxiliary Input MP3 compatible

Included as standard

1 x 4V Lithium-Ion battery, audio cable, 3.5-4.5 hour charger

Specification

Noise reduction	
rating:	25d
Weight:	0.34k



RP4020

4V Lithium-Ion Digital Multi-Meter

Features

- Makes it easy to check faulty household electrical appliances
- 9 measurement modes can be selected with the turn of a dial
- One handed operation
- Built in probe storage, kick stand and convenient hook
- · Water, dust and impact resistant
- GripZone[™] overmould technology for improved comfort with a positive grip


Included as standard

1 x 4V Lithium-Ion battery, crocodile clips, cables, 3.5-4.5 hour charger

NEW Specification

Measurement	
category:	CAT III
Maximum Voltage:	600V
Maximum Current:	10A
Sample	
Rate: 2-3 ti	mes/sec
IP Rating:	54
Weight:	0.45kg





8





RP4520 **4V Lithium-Ion MP3 Player**

Internal Memory: 2GB Modes: Shuffle and Linear File Transfer: Headphone jack to USB Weight: 0.07kg



- Up to 72 hours continuous runtime • 2 GB internal memory - stores up to 500 songs
- Includes headphones and connection cable
- Unit also comes with a built in clip and an arm band
- · Water, dust and impact resistant
- \bullet GripZone ${}^{\scriptscriptstyle\rm M}$ overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, USB connector, strap, 3.5-4.5 hour charger, Headphones, connection cable, arm band


RP4030 NEW **4V Lithium-Ion Infrared Thermometer**

Features

- Continuous real-time readout infrared thermometer
- Laser guide clearly indicates target spot
- Measurement memory function
- Internal memory stores up to 10 readings for easy comparison and convenient data logging
- Impact and dust resistant, withstands tough working environments
- GripZone™ overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, 3.5-4.5 hour charger







RP4300

4V Lithium-Ion Motion Sensing Alarm with Remote

Features

- · Portable motion sensor alarm enables user to keep belongings secure wherever you are, in the van garage or house
- Large detection range provides over 70 square metres of motion detection coverage
- · Programmable key pad allows user to choose a unique code to arm/disarm
- · Remote control allows user to conveniently arm/disarm from a distance
- · Water, dust and impact resistant
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, mounting bracket, remote control, 3.5-4.5 hour charger

RP4000 4V Lithium-Ion Self-Leveling **Plumb / Cross Laser**

Features

- Dual function laser with plumb dot and cross-line laser
- Smart self leveling, the laser automatically sets itself
- to level position for quick set up • Ideal for cabinet installation, stud wall construction and many other applications
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, 3.5-4.5 hour charger

Also available with a tripod as RP4003



RP4311 **4V Digital Key Lockbox**

Features

- · Portable key safe with personalized code entry offers a secure alternative to leaving the keys under the mat
- · Flexible code settings allows user to set guest codes, one time codes and variable duration temporary codes
- Digital entry tracking enables user to retrieve the last 10 access occurrences, as well as the time on a clear LCD display
- Die cast housing securely stores up to three keys
- · Water, dust and impact resistant
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Mounting bracket, 2 spare keys

Batteries and charger sold separately see page 42-43.

NEW Specification









89




















Not available in UK







NEW



+/-3.2mm at 4.6m

Pendulum self level

max. 5 degree tilt

(630–670Nm)

Class 2

0.33kg

NEW

Specification

Motion Detection

Motion Detection Fan Angle:

10m

110°

104dB

0.25kg

distance:

Sound:

Weight:



RP4050 **4V Lithium-Ion Stud Sensor**

NEW Specification

Depth Settings 12mm, 25mm, 38mm Detection: AC / Wood / Metal Weight: 0.25kg





Features

- Accurate wall scanner for residential and commercial construction projects
- Detects wood and metal studs
- Live wire detection
- Easy to read LCD screen
- Multiple depth detection

Included as standard

1 x 4V Lithium-Ion battery, 3.5-4.5 hour charger

RP4010 **NEW 4V Lithium-Ion Laser Distance Measure**

Features

- Quick measuring across large distances and inaccessible areas such as kitchens and bathrooms
- Quick addition / subtraction function
- Highly accurate measurement (up to 197ft/60m)
- Calculates length area and volume
- Built in bubble level for horizontal alignment
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, 3.5-4.5 hour charger

Specification

1/16" up to 195ft. Accuracy: Range: 0.16-60m Memory function: 10 results Weight: 0.20kg









N







RP4420 4V Utility Light

Features

- Bright light for illumination of work areas with 6 ultra bright LED's
- Lens pivots and rotates to direct light where needed
 Variable mounting options, including built in wall mount screw holes,
- variable mounting options, including built in wall mount screw noies, magnet and detachable mount with hook and loop pad

Included as standard

Mounting bracket & screws

Batteries and charger sold separately see page 42-43.

NEW Specification

Light:	
6 x 5mm Ultra b	oright LED's
LED Output Watta	age:
	0.75W
Weight [.]	0.2kg

Specification

Max. torque:

Hex Driver:

0-200rpm

0-600rpm

Weight:

No load speed:

Torque settings

5.1Nm

6.35mm

Speed 1

Speed 2

24 0.44kg





N



Features

- Secure QuickChange chuck with automatic spindle lock for one handed bit changing
- 24 Torque settings
- 2 Speed gearbox for control, power and fast task completion
- LED light for working in dimly lit areas
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, 6 piece screwdriving & drilling set, $3.5\!-\!4.5$ hour charger, tool bag

CSD42LS

n 2 Speed Seren

4V Lithium-Ion 2-Speed Screwdriver & Power Cutter Kit

Features Screwdriver

- Secure QuickChange chuck with automatic spindle lock for one handed bit changing
- 24 Torque settings
- 2 Speed gearbox for control, power and fast task completion
- GripZone[™] overmould technology for improved comfort with a positive grip

Features Power Cutter

- Ideal for cutting a variety of material including canvas, sheet metal, packaging (PVC), chicken wire, cardboard, lino flooring, carpet, denim and leather
- \bullet GripZone $^{\rm m}$ overmould technology for improved comfort with a positive grip

Included as standard

1 x 4V Lithium-Ion battery, 6 piece screwdriving & drilling set, 3.5–4.5 hour charger, tool bag

NEW Specification

5.1Nm
6.35mm
Speed 1
Speed 2
24
0.44kg

Power Cutter: No load speed: 37,000spm Weight: 0.36kg

(0BI **11 E**















CSD4130GN **4V Lithium-Ion Screwdriver** with 30 Accessories

Features

- Secure QuickChange [™] chuck with automatic spindle lock for one handed bit changing
- 12 Torque settings
- LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Gripcase with 30 screwdriver bits, 3.5-4.5 hour charger

CSD4107BG **4V Lithium-Ion Screwdriver**

Features

- Secure QuickChange[™] chuck with automatic spindle lock for one handed bit changing
- 12 Torque settings
- · LED light for working in dimly lit areas Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

6 piece bit set, 3.5-4.5 hour charger, tool bag

CSD40LI **4V Lithium-Ion Screwdriver**


Features

- Secure QuickChange[™] chuck with automatic spindle lock
- for one handed bit changing
- 12 Torque settings
- Forward/Reverse indicator
- · LED light for working in dimly lit areas
- Overmould switch for added comfort
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

13 x bit set, charger, tool bag

Specification





▧◍ĩ≩ൟඬ



Specification

Max. torque:	5Nm
Hex Driver:	6.35mm
No load speed:	180rpm
Torque settings:	12
Weight:	0.47kg



Specification

Max. torque:	5Nm
Hex Driver:	6.35mm
No load speed:	180rpm
Torque settings:	12
Weight:	0.47kg





BATTERY & CHARGER OPTIONS

18V NICAD COMPACT BATTERIES & CHARGER KITS

Specification				

Description

System

Battery Chemistry



BPP1817M 1 x 18V (1.7Ah)

NiCad Battery



BPP1817M2

2 x 18V (1.7Ah) NiCad Batteries

ONE +





BCP1817M

1 x 18V (1.7Ah)

ONE +

NiCad Battery & Charger

BLK18151

1 x 18V (1.4Ah) Lithium-Ion Battery & Super Charger



Not available in UK



BCP1817M2

2 x 18V (1.7Ah) NiCad Batteries & Charger

ONE +

18V LITHIUM-ION COMPACT BATTERIES & CHARGER KITS

Specification Description

System

Battery Chemistry

BPL18151 1 x 18V (1.4Ah) Lithium-Ion Battery

ONE





4V TEK4™ BATTERIES NEW

1 x 4V (1.5Ah) Lithium-Ion Battery



System

Battery Chemistry







2 x 18V (1.4Ah) Lithium-Ion Batteries

ONEL











18V LITHIUM-ION BATTERIES & CHARGER KITS

Specification

Description

System

Battery Chemistry

BPL1820

1 x 18V (2.4Ah)

Lithium-Ion Battery

2 x 18V (2.4Ah)

Not available in UK









AP4021

TEK4[™] Battery Charger with 2 x 4 V (1.5Ah) batteries





æ		
	100	4
6		- 6

BCL1418 Super Charger for

both Lithium-Ion and NiCad batteries







Not available in UK

BLK18202









18V ONE PLUS™ SYSTEM | 43





Lithium-Ion Batteries



BLK1820

1 x 18V (2.4Ah)

& Super Charger

Lithium-Ion Battery

Not available in UK

Not available in UK

CHARGERS



Specification

Description

Fast Charger for NiCad batteries ONE

BC1815SM

6 Port Battery Maintenance System

suitable for Lithium-Ion and NiCad batteries **NE**

BCS618

fits all 18V

Lithium-Ion and NiCad batteries JE

t

BFG1218 Battery Fuel Gauge

Painting Tools

Sprayers			
Paint Stations			





Paint Tools

Here's **5** reasons to paint with Ryobi[®]:

• FAST With unrivaled speed, the new Ryobi® paint range offers fast task completion with superior results.

RYON

- EASY CLEANING After completing your paint task Ryobi® paint innovations allow for effortless cleaning.
- ANY PAINT With no commitment to specified branded paint you can choose the most cost effective paint for your chosen application.
- DUAL USE Two people can now work simultaneously with selected Ryobi® paint stations for faster task completion.
- MOBILITY Ryobi[®] ONE + [™] Battery technology allows you the freedom to work remotely in places without mains power.



SSP100

Corded Speed Sprayer

Features

- The sprayer's flexible intake tube lets you spray at any angle and use the last remaining paint in the container minimizing wastage
- Innovative and patented delivery system also minimizes the need for dilution
- Choose between three spray patterns, horizontal, vertical or round, to provide you with the best coverage whilst minimizing overspray
- Quick lock container for easy set-up
- · Ideal for exterior walls, garage doors and outbuildings
- Suitable for use with any brand of paint
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Round tip, Vertical / horizontal fan tip, viscosity & measuring cup, cleaning kit

Wattage:	200W
Container	
Capacity:	1,000m
Area Flow Rate:	4m²/mir
Paint Coverage:	10m²/
Flow Rate:	20.5l/hou
Cord Length:	3m
Weight:	2.9kg



FPR210 **Paint Station**

Features

- The two person paint system, allows two users to simultaneously roll and finish trim
- · Variable paint flow controls enable consistent application of paint
- · Reversible pump for fast and easy cleaning
- Standard 2.5 litre tin fits directly in the paint loading bay for auick set up
- Fluid Technology[™] keeps fresh paint flowing constantly between the sprayer/or roller to the paint source, ensuring perfect results every time
- Suitable for use with any brand of paint
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Bucket, roller, cutting in pads, hoses, viscosity & measuring cup, tap adaptor

RAP200 **Paint Station Pro**

Features

- Variable pressure control to suit application, high pressure for speed and thick emulsions and low pressure for fine and detailed jobs
- Container holds up to 14 litres of paint
- Sprayer and roller attachments included for ultimate flexibility across various applications
- 7.5m hose for accessibility
- Wheels for easy transportation
- The steel tubing frame has a quick release and folding handle for easy set up and storage
- · Suitable for use with any brand of paint
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

Roller, spray gun, 415 reversible spray tip, 515 reversible spray tip, bungee, cleaning kit

Specification NEW

Wattage:	850W
Container	
Capacity:	14,000ml
Area Flow Rate:	6m²/min
Roller Size: 0.	96cm (¾")
or 0.	64cm (¼″)
Paint coverage:	1L/min
Cord Length:	1.8m
Weight:	19.5kg









NEW

NEW

Specification

Wattage: Container

Capacity:

Area Flow Rate:

Paint Coverage:

Flow Rate:

Roller Size:

Weight:

Cord Length:

60W

2,500ml

Sprayer = 4m²/min

Roller = $2.2m^2/min$

Sprayer = 10m²/l Roller = 5.5m²/l

20.5l/hour

9″/228mm

2 5m

4.7kg



Corded Power Tools

Percussion Drills & Rotary Hammer Drills	50-51
Angle Grinders & Cutters	52 -53
Sawing	54-55
Woodworking	56-61
Machinery	62-65
Compressor	65
Leg Stand	66
Vacuums	66



PERCUSSION DRILLS & ROTARY HAMMER DRILLS



Livetool Indicator™ – glows blue when plugged into the power supply



GripZone[™] overmould technology for improved comfort with a positive grip

Bit storage cassette in auxiliary handle



Heavy duty 2-speed gear box for high torque applications

.....

PERCUSSION DRILLS & ROTARY HAMMER DRILLS



2-Speed Percussion Drill

EID11002RV
1,100W
13mm metal chuck
0-1,200rpm / 0-3,200rpm
0-19,000bpm / 0-51,000bpm



~ ---

~ V ~

~ ~

50mm	32
13mm	13
20mm	20
3.38kg	2.8



Percussion Drill



Percussion Drill

EID750RS	
750W	
13mm	
0-2,800rpm	
0-45,000bpm	
32mm	
13mm	
12mm	

32mm		
13mm		
13mm		
2.26kg		

/		
/		
/		
/		

Specification

Power input:
Keyless chuck:
No load speed:
Blows per minute:
Impact energy:
Max. Drilling capacities:
Wood
Steel
Masonry
Weight:

Features
Variable Speed Forward & Reverse
Spindle Lock
2 Speed Gear Box
Rotation Stop
Overmould Variable Speed Trigger
Bit Storage Cassette in Auxiliary Handle
Livetool Indicator™
GripZone™
Built-in spirit level

Standard Equipment

360° Auxiliary Handle	
Depth Stop	
Carry Case	







EID1050RS
1,050W
13mm metal chuck
0-3,200rpm
0-51,000bpm

32mm	32mi
13mm	13mi
20mm	13mi
2.86kg	2.26

~		
~		
-		
~		
~		
~		
~		

v	v
V	
	· · ·



.



Percussion Drill

EID600RS	
600W	
13mm	
0–2,700rpm	
0-43,000bpm	

25mm		
13mm		
13mm		
2.04kg		

Percussion Drill

EID500RS
500W
13mm
0–2,700rpm
0-43,000bpm

25mm

2.02kg		
13mm		
13000		
13mm		



NEW

~

~

~

~

~

SDS-Plus Rotary Hammer Drill

ERH850RS			
850W			
SDS Keyless chuck			
0–1,100rpm			
0-4,000bpm			
2.2J			
32mm			
13mm			
24mm			
3.0kg			






. . . .


SDS-Plus Rotary Hammer Drill


ERH710RS 710W SDS Keyless chuck 0-1,100rpm 0-4,000bpm 2J 32mm 13mm 24mm 3.0kg



~







~

~

~

~



ANGLE GRINDERS & CUTTERS



Livetool Indicator $\ensuremath{^{\text{TM}}}$ – glows blue when plugged into the power supply



GripZone™ overmould technology for improved comfort with a positive grip





ANGLE GRINDERS



Angle Grinder

EAG2000RS

2,000W

230mm 22mm

6,000rpm

M14

6kg



Angle Grinder

EAG950RB

950W

125mm

22mm

11,000rpm

M14

2.6kg





Not available in UK Not available in UK

Angle Grinder

9500 115m 22mr M14 11,00 2.55k

Not available in UK **Angle Grinder**

EAG950RS _ _

V
nm
n
)0rpm
(g

EAG8512RHG 850W 125mm 22mm M14 11,000rpm 2.8kg

Specification		
Power input:		
Grinding wheel:		
Bore size:		
Spindle thread:		
No load speed:		
Weight:		

Features

Full length trigger switch with overmould
Lock on switch for continued use
180° multi-directional rotating back handle
Tool-less wheel guard for quick and easy adjustment
Two position Auxiliary Handle with wrench storage
Spindle Lock for easy wheel changing
Livetool Indicator™
GripZone™

~		
~	 	
<u> </u>	 	
~		
く く		
~		
~		

	-
	_
	-
V	
	<u> </u>
V	
V	
V	
V V V V V	-
V	

/		
/		
/		
/		
/		
/		

~		
<u>~</u> ~		
~		
~		
~		
~		
く く		
~		

Standard Equipment Grinding Wheel (x1) Wrench (x1) Wheel Guard Auxiliary Handle Carry Case

 ✓
v
~
 ~
 ~

	~
	-
	~
	V
	222
	~
	-

1			
'			
'			
,			
			_
	_	 	







NEW



NEW

Angle Grinder

EAG750RS

750W 115mm 22mm M14 11,000rpm 2.35kg

Not available in UK

Angle Grinder
EAG750RB
750W
125mm
22mm
M14
11,000rpm
2.4kg

• V V V

,
,

2222

	~

<u>v</u>vvv

CUTTERS


Specification		
Specification		
Power input:		
Wheel diameter:		
Bore diameter:		
Cutting capacity:		
Round pipe		
Angle stock		
Flat metal stock		
No load speed:		
Weight:		

Features
0°–45° mitre capacity
Quick release vice
Spark deflector confines the spark spray
Easily adjustable mitre gauge handle
Oversize guard for added safety
On board wrench storage
Rubber feet for greater stability
Changeable carbon brushes
Spindle Lock for easy wheel changing
Livetool Indicator™
GripZone™



Cut-Off Saw ECODOSELIC

ECO2335HG
2,300W (230V)
355mm
25.4mm
90º/45º 115mm
90º/45º 137/100mm
90º/45º 119x119/106x106mm
3,800rpm
16kg









Laser line for increased sawing accuracy, just align the laser line against your cutting marks and away you go



4 stage pendulum action allows you to saw faster, whilst applying less pressure



Variable speed for increased manoeuvrability around curves with speed and accuracy

JIGSAWS & RECIP SAWS





NEW



~

マママ

~

マママ

~

~





Specification
Power input:
Length of stroke:
No load speed:
Max. Cutting capacities:
Wood
Aluminium
Steel
Weight:

Features
Variable Speed
LED light
Tool-less blade change
Anti-splintering protection
Metal gear box
Blow function
45° bevel
Pendulum action
Livetool Indicator™
GripZone™

Standard Equipment

1 x jigsaw blade
3 x reciprocating blade
Tool bag/Carry Case

EJ700L	EJ600
680W	600W
21mm	19mm
800–3,000rpm	800-3,00
85mm	70mm
20mm	18mm
8mm	6mm
2.4kg	2.45kg

600W
19mm
800-3,000rpm
70mm
18mm
6mm
2.45kg

~

~

~

~ ~ ~

~

~

600W Jigsaw

500W	Jigsaw
------	--------

NEW

EJ500 500W 19mm 3,000rpm 65mm 18mm

6mm 2.1kg

Reciprocating Saw

ERS80VHG
800W
28mm
500-3,000rpm
·
150mm
12mm
10mm
2.8kg
-

 V
 V
 v
 ✓ ✓

 V







CIRCULAR SAWS



Circular Saw

EWS1366HG
1,350W
4,500rpm
66mm
38mm
16mm
190mm
5.2kg



Circular Saw

EWS1266HG
1,250W
4,500rpm
66mm
38mm
16mm
190mm
5.0kg

NEW



Not available in UK **Circular Saw**

EWS1150RS
1,150W
5,600rpm
55mm
38mm
20mm
170mm
4.7kg

Specification

Power input: No load speed: Max. Cutting capacities:

At 90° At 45°

Bore size: Blade size: Weight:

realures
Laser guide system
LED light
Adjustable base
Adjustable depth setting
Spindle lock
Dust port
Livetool Indicator™
GripZone™

Standard Equipment 18-tooth TCT blade 12-tooth TCT blade Parallel fence

/
/
/
/
/
/
/
/

-			
~			
~			

~	 	 	
> > > > > > > > > > > > > > > > > > >			
<u> </u>			
	 	 	_
<u> </u>			



V V



DESIGNED TO DO MORE

Woodworking

Features

- 01 Unique extendable finger for detailed sanding
- 02 Unique 3 operation base: Finger bases, delta & third sheet
- 03 Compact palm grip for one handed operation



EMS180RV

180W Multi-Pad Sander

Features

- DustTech[™] Integrated dust technology system for maximum pick-up efficiency
- 3 unique operational base options (Delta, 1/3 sheet & finger)
- Unique Integrated Finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- 1/3 Sheet option to sand large areas quickly (use either hook and loop or standard paper in clamp)
- Livetool Indicator[™] Glows blue when plugged into the power supply
- GripZone[™] over-mould technology for improved comfort with a positive grip

Included as standard

5 x delta hook & loop pads, 5 x third-sheet hook & loop pads, 5 x finger hook & loop pads, tool bag

EPS80RS

80W Palm Sander

Features

- · Compact palm grip handle for added comfort
- DustTech[™] Integrated dust technology system for maximum pick-up efficiency
- Integrated Finger to access hard to reach places
- Triangular pad design for sanding up to the edge in tight corners
- Livetool Indicator[™] Glows blue when plugged into the power supply
- GripZone[™] over-mould technology for improved comfort
- with a positive grip

Included as standard

5 x delta hook & loop pads, 5 x finger hook & loop pads, tool bag

EOS2410NHG

1/4 Sheet Palm Sander

Features

- Powerful 240 Watt motor
- · Quick-fix hook and loop sanding sheet attachment with paper clamps
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- Compact palm grip handle for added comfort
- DustTech[™] Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x 60, 2 x 100 and 2 x 150 grit sanding sheets, paper punch pad, dust bag, carry case

EBO2412VHG 125mm Random Orbit Sander

Features

- Powerful 240 Watt motor
- Quick-fix hook and loop sanding sheet attachment
- Variable speed for total control
- Overmould ON/OFF switch for durability and ease of use
- · Compact palm grip for added comfort
- DustTech[™] Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

2 x 60, 2 x 100, 2 x 150, 2 x 180 and 2 x 240 grit sanding sheets, dust bag, carry case

240W Power input: No load speed: 14,000opm Sanding pad 110 x 114mm size. Diameter of orbit: 1.6mm Weight: 1.56kg

Specification



240W Power input: No load speed: 7,000-12,000opm Sanding pad size: 125mm Diameter of orbit: 2,4mm Weight: 1,7kg

Specification





* 🗆 🚿 🖴



.....











NEW

NEW

Specification

Diameter of orbit:

Specification

Power input

size:

180W

2mm

1.4kg


0-12,000opm

Power input:

No load

speed:

Weight:



80W

ESS3215VHG

1/2 Sheet Sander

Features

- Powerful 320 Watt motor
- Quick-fixing clamping mechanism for sanding sheet attachment
- Variable speed for total control
- Die-cast aluminium base for strength and durability
- Overmould ON/OFF switch for durability and ease of use
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- GripZone[™] overmould technology for improved comfort with a positive grip

Included as standard

1 x 60, 1 x 120 and 1 x 240 grit sanding sheets, paper punch pad, carry case

Specification

Power input:	320W
No load	32000
speed: 6,000	–12,000opm
Sanding pad	
size:	115 x 229mm
Diameter of or	bit: 2.2mm
Weight:	2.2kg



Not available in UK

ESS280RV

1/3 Sheet Sander

Features

- New Powerful Cyclonic Action Technology for maximum Dust pick-up efficiency
- Quick-fix hook and loop Sanding Sheet attachment
- Clamping Sheet attachment to maximise Sanding paper choice
- Low Vibration for smoother control and finishing
- Variable Speed for total sanding control
- Livetool Indicator[™] Glows blue when plugged into the power supply
- GripZone[™] over-mould technology for improved comfort with a positive grip

Included as standard

2 x 60, 1 x 100 and 1 x 150 grit sanding sheets, tool bag

NEW Specification

Power input:	280W
No load	
speed: 7,000-	-12,000opm
Sanding pad	
size:	93x185mm
Diameter of orb	it: 2.0mm
Weight:	1.7kg





 \otimes

ESS200RS 1/3 Sheet Sander

Features

- Powerful Cyclonic Action Technology for maximum Dust pick-up efficiency
- Quick-fix hook and loop Sanding Sheet attachment
- Clamping Sheet attachment to maximise Sanding paper choice
- Low Vibration for smoother control and finishing.
- \bullet Livetool Indicator ${}^{\scriptscriptstyle\rm TM}$ Glows blue when plugged into the power supply
- GripZone[™] over-mould technology for improved comfort with a positive grip

Included as standard

2 x 60, 1 x 100 and 1 x 150 grit sanding sheets



Power input: 200W No load speed: 12,000opm Sanding pad

size: 93 x 185mm Diameter of orbit: 2.0mm Weight: 1.5kg





EBS1310VFHG

100mm (4["]) Belt Sander

Features

- Powerful 4" belt size (610 x 100mm) and powerful 1,350 Watt motor for rapid stock sanding and finishing
- Variable speed control 240-400metres/min, adjust to match the job
- Quick change belt system, easy tracking set-up
- Sanding frame for sanding larger areas
- Powerful vacuum system for clean operation
- · 'Soft Start' for smoother starting
- GripZone[™] technology for improved comfort with a positive grip

Included as standard

Sanding belts, dust bag, sanding frame, carry case

Specification

Power inpu	t: 1,350W
Belt	
speed:	240-400m/min
Sanding be	lt
size:	610 x 100mm
Belt width:	100mm
Weight:	6.4kg



EBS9576VFHG 76mm (3") Belt Sander

Features

- Double ball bearing 950 Watt mounted motor
- Electronic speed selector and variable speed control;
- 150-400metres/min, adjust to match the job
- · Belt setting allowing sanding of skirting boards and sanding frame for sanding larger areas
- Quick change belt system, easy tracking set-up
- Aluminium die cast body and belt housing
- Dust extractor with bag
- GripZone[™] technology for improved comfort with a positive grip
- Flat top design for bench mounting
- Lock on feature

Included as standard

Aluminium frame, 2 x G-clamps, dust bag, sanding belt, carry case

Specification

Power input:	950W
Belt	
speed: 24	0-400m/min
Sanding pad	
size:	75x533mm
Overall length:	350mm
Weight:	5kg




Features

- Powerful 800 Watt motor with variable speed for sanding a variety of materials
- Pivoting front handle to suit your working position
- Quick release belt system
- Auto belt tracking system with manual alignment for total precision
- DustTech[™] Integrated dust technology system for maximum
- pick-up efficiency
- Livetool Indicator™
- GripZone™ technology for improved comfort with a positive grip
- · Sanding frame available as optional extra

Included as standard

1 x 60, 100, 120 sanding belts, 2 x inversion clamps for finishing, dust bag, aluminium frame, carry case



150-300m/min

76 x 533mm

76mm

3.6kg

speed:

size:

Sanding pad

Belt width:

Weight:













Not available in UK

EPN7582NHG 750W Planer

Features

- 3 chamfering grooves (0.5,1,1.5mm) in die-cast front shoe for added precision
- Double sided fence for precision planing
- Overmould dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- DustTech™ Integrated dust technology system for maximum pick-up efficiency
- Livetool Indicator™
- \bullet GripZone ${}^{\mathbb{M}}$ overmould technology for improved comfort with a positive grip

Included as standard

2 x TCT blades, dust bag, side fence, wrench, carry case

Specification

Power input:	750W
Planing capaciti	es:
Planing width	82mm
Planing depth	2.0mm
Rebating:	0-12mm
No load speed:	16,000rpm
Weight:	3.2kg



EPN6082CHG 600W Planer

Features

- 0.5mm chamfering groove in diecast front shoe for added precision
- Dust extraction switch for left or right port
- Full length trigger with overmould for greater control
- Kick stand to prevent damage to the work piece when tool is not in use
 DustTech™ Integrated dust technology system for maximum
- pick-up efficiency
- Livetool Indicator™
- \bullet GripZone $\ensuremath{^{\rm M}}$ overmould technology for improved comfort with a positive grip

Included as standard

2 x TCT blades, dust bag, side fence, wrench

Specification

Power input:	600W
Planing capaciti	es:
Planing width	82mm
Planing depth	1.5mm
Rebating:	0-8mm
No load speed:	16,000rpm
Weight:	3.1kg



N 🗆



Features


- Fine height adjustment for precision control and repeatable cutting
- Height adjustment control in table mode
- Easy to read scales for accurate measurement
- Powerful 1,400 Watt motor with soft start and variable speed to give user ultimate control
- Spindle lock for easy cutter changes
- GripZone[™] over-mould technology for improved comfort with a positive grip
- \bullet Livetool Indicator ${}^{\scriptscriptstyle\rm TM}$ Glows blue when plugged into the power supply
- Transparent chip deflector allows you to safely see line of cut

Included as standard

Parallel guide, template guide, dust port, 1 x 6mm collet, 1 x 6.35mm collet, 1 x 8mm collet, 1 x wrench, 1 x parallel guide, 1 x template guide

6-12mm (1/2") 2.100W Router also available as ERT2100V

NEW Specification









60 | WOODWORKING

Specification

ART3HG Router Table

Features

- Aluminium die-cast table for added strength, durability and accuracy
- · Adjustable die-cast rear fence for accurate straight routing
- Table extensions for increased support
- Anti-kick back for safety
- 5 removable insert rings to support wider work piece
- Adjustable blade guard doubles as extraction port
- Feather box for feeding the timber into the router bit
- Detachable cutter storage box for added convenience
- Accepts all 230V Ryobi routers

Included as standard

Feather board, pressure clamp

EHG2002HG

Heat Gun

Features

- Removable front heat shield
- Overheat protection sensor
- Two air flow settings
- Convenient hanging hook
- \bullet GripZone ${}^{\scriptscriptstyle \mathrm{M}}$ technology for improved comfort with a positive grip

Included as standard

2 x nozzles

EHG2002KHG LCD Heat Gun Kit

Features

- LCD temperature indicator
- Removable front heat shield
- Overheat protection sensor
- Two air flow settings
- Two variable heat settings
- Variable temperature control dial
- GripZone[™] technology for improved comfort with a positive grip
- Convenient hanging hook

Included as standard

4 nozzles, scraper, set of 3 stripping knives with holder, carry case

EHG2002THG LED Heat Gun Kit

Features

- LED temperature indicator lights
- Electronic thermostat
- 2 positions for temperature and air flow
- Protected against abnormal rises in temperature
- GripZone™ technology for improved comfort with a positive grip
- Includes stand for vertical use

Included as standard

4 nozzles, scraper, set of 3 stripping knives with holder, carry case

Specification

Power input:	2,000W
Heat settings:	50-550°/
	50-650° C
Air flow:	250/500l/min
Weight:	0.68kg

8



.....

Specification

2,000W
60-600° C
250/500l/min
0.84kg



Specification

Power input:	2,000W
Heat settings:	50-550°/
	50-650° C
Air flow:	250/500l/min
Neight:	0.94kg









(without extensions):

Table dimensions

(with extensions):

Weight:

355 x 610mm

355 x 1,010mm


20.5kg



Machinery



- 01 Compact design with a convenient handle for easy transportation
- 02 Laser line for improved accuracy of cut
- 03 GripZone for ultimate comfort during use





EMS1426LHG

254mm (10["]) Mitre Saw with Laser

Features

- Exactline Laser Technology[™] for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities • Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Timber support arms
- Easy to read scales for maximum accuracy
- DustTech[™] Integrated dust technology

Included as standard

40-tooth TCT blade, extensions, 1 x clamp, dustbag, wrench

EMS1122LHG

210mm (81/4") Mitre Saw with Laser

Features

- Exact line Laser Technology[™] for improved accuracy when cutting
- Ergonomically designed handle for improved comfort
- 10° negative bevel for greater bevel cutting capabilities
- Unique handle at rear of unit to help transportation
- 9 pre-set index angles
- Safety lever
- Timber support arms
- Easy to read scales for maximum accuracy
- DustTech[™] Integrated dust technology
- Livetool Indicator™

Included as standard

24-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench

EMS2026SCLHG

254mm (10") Sliding Mitre Saw with Laser

Features

- Exactline Laser Technology™
- · Ergonomically designed handle for improved comfort
- Powerful 2,000 Watt motor, producing 4,500rpm
- Extra wide side extensions to support large timber
- 9 pre-set index angles including: 0°, 15°, 22.5°, 30° and 45°
- · Fully adjustable depth stop for trenching
- · Sliding fence adjusts for increased work support
- · Quick action mitre lock handle for faster mitre settings
- · Repeat cut support for quick and accurate repeat cutting
- · Built-in spindle lock for easy single wrench blade changes
- Easy to read scales for maximum accuracy
- Livetool Indicator™

Included as standard

40-tooth TCT blade, extensions, 1 x clamp, dust bag, wrench

ETMS1825HG 254mm (10["]) Table Mitre Saw


Features

- Hugely versatile 10"/ 254mm table mitre saw
- Aluminium milled table for a precision surface
- Universal 1,800 Watt motor
- · Soft start for control and safety
- · Safety switching to avoid accidental activation
- Dust extraction or collection bag to maintain a clean working environment

Included as standard

60 tooth TCT blade, 2 x hexagon wrench, stop fence, parallel/mitre guide, work clamp, push stick, dust bag, blade cover

Specification



92 x 48mm

13kg

1,100W

TCT

5,000rpm

210mm (81/4"

45° L and 10° R

120 x 50mm

120 x 22mm

85 x 50mm

7.5kg







2,000W 254mm (10") 40-tooth TCT 4,500rpm 47° L and 45° R 45° I 305 x 90mm 305 x 42mm 215 x 90mm 215 x 42mm Weight 19.57kg







45° mitre / 45° bevel 85 x 22mm Weight:

Weight:

Specification

Power input:

Blade type:

Blade diameter

No load speed:

Bevel capacity

Mitre capacity: 45° L and R

Max. Cutting capacity:

90° mitre / 90° bevel

90° mitre / 45° bevel

45° mitre / 90° bevel

Specification

Power input: Blade diamete Blade type: No load speed: Mitre capacity Bevel capacity: Max Cutting capacity: 90° mitre / 90° bevel 90° mitre / 45° bevel 45° mitre / 90° bevel 45° mitre / 45° bevel

Power input:	1,800W
No load speed:	5,000rpm
Blade diameter:	
254mm (10") 6	60 tooth TCT
Max. Cutting de	pth:
Table Saw:	
At 90°	40mm
Mitre Saw:	
At 90°	70mm
At 45°	50mm
Bore size:	30mm
Table Dimension	1:
43	30 x 297mm
Weight:	19ka

Specification

ETS1525SCHG 254mm (10["]) Table Saw with Sliding Carriage

Features

- · Sliding carriage guarantees a smooth action to improve quality of the cut
- Extension tables provide large working area of 1110 x 638mm
- · Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Large die-cast aluminium table to provide maximum support for cutting • Mitre gauge allows precise angle to be cut quickly and accurately
- for cross cutting
- Emergency stop for added safety
- Livetool Indicator™

Included as standard

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench

Specification

Power input:	1,500W
No load speed:	4,500rpm
Blade diameter:	
254mm (10") 40) tooth TCT
Max. Cutting dep	th:
At 90°	80mm
At 45°	55mm
Bore size:	30mm
Table dimensions	3:
1,11	0 x 638mm
Weight:	25.56kg



4 230V

ETS1526ALHG 254mm (10") Table Saw

Features

- Large die-cast aluminium table to provide maximum support for cutting
- Dual purpose handle for easy height and bevel angle adjustment
- Self-aligning rip fence with quick-lock handle ensures fence is parallel with blade for every cut
- Mitre gauge allows precise angle to be cut quickly and easily between +60° and -60°
- Strong and durable stand with rubber feet to provide full support and stability
- Livetool Indicator™

Included as standard

40 tooth TCT blade, rip fence, mitre gauge, push stick, wrench

Specification

Power input:	1,500W
No load speed:	4,500rpm
Blade diameter:	
254mm (10") 40) tooth TCT
Max. Cutting dep	th:
At 90°	80mm
At 45°	55mm
Bore size:	30mm
Table dimensions	3:
72	2 x 640mm
Weight:	16.4kg



怂

ETS1825HG 254mm (10") Folding Table Saw

Features

- Hugely versatile table saw with 90mm max cutting depth (53mm at 45°)
- Fast 4,800rpm no load speed for effortless, accurate cutting
- Folding stand and wheels for ease of transport
- · Precision saw for accurate cross-cutting and ripping for boards and timber
- Adjustable rear and side extensions perfect for supporting large boards
- Dust port at rear and on blade guard
- · Adjustable cutting scale when table extends


Included as standard

36-tooth TCT blade, rip fence, mitre gauge and fence, stand and wheels, push stick, push stick holder, wrench

Specification

Power input: 1,800W No load speed: 4,800rpm Blade diameter











EDP5530LHG 305mm (12["]) Drill Press with Variable Speed and Laser

Features

- Variable speed with digital read-out
- \bullet Exactline Laser Technology ${}^{\scriptscriptstyle\mathsf{TM}}$ for improved accuracy when drilling
- 550 Watt induction motor
- Multi-purpose work table with 360° rotation and up to 45° bevel for angle drilling
- Rack and pinion table height adjustment
- Internal safety micro switch prevents accidental usage
- Accepts mortising attachments, 13mm chuck capacity
- Locking knob, locking depth stop for repetitive application
- Work light helps to illuminate the work area
- Emergency stop for added safety
- GripZone[™] overmould technology for improved comfort with a positive grip

Power input:	550W
No load	
speed: 4	50-2,500rpm
Spindle taper:	B16
Chuck capaci	ty: 13mm
Spindle travel	: 80mm
Max. Drilling	
capacity:	13mm
Spindle to	
column:	152.5mm
Column diam	eter: 65mm
Table size:	Ø 273mm
Base size:	420 x 280mm

889mm

38kg

Overall height:

Weight:

Specification



Ŷ

EAS10A15

Air station

Features

- Oil free pump gives maintenance free operation and extended tool life
- Push to connect coupler for quick and easy tool change
- Storage bin for convenient storage of attachments
- 7.5m coil hose extends work range for great flexibility
- Side mount tool holder with storage for up to two tools*

Included as standard

7.5m coiled hose, air blow nozzle, Inflation nozzle, male air plugs x 2, barbed plug, safety nozzle, pencil tyre gauge, rubber nozzle, thread seal tape, tyre chuck, universal quick connect coupler

* Tools not included

Specification

Туре:	oil-free
Tank size:	10.5L
Suction capacity:	57 Litres
per minute	e at 90PSI
Motor type:	universal
Max. pressure:	9 Bar
Weight:	14kg



Not available in UK

ws721S Wet Tile Saw

Features

- Stainless steel cutting table for increased durability
- Mitre guide for making mitre cuts from 0 to 45 degrees
- The rip guide locks along the front and rear of the table for added stability
- Folding leg stand provides secure platform with convenient portability
- 17.8cm (17") continuous rim diamond cutting wheel offers precision
- cutting and prevents chipping
- Integrated water tray for dust free cutting

Included as standard

Diamond blade, stand, mitre fence and rip fence

NEW Specification

Power input:	500W
No load speed:	2,900rpm
Blade size:	178mm (7 ")
Bore size:	25.4mm
Depth of cut:	32mm
Bevel capacity:	45 degrees
Weight:	15.7kg



Not available in UK





RLS01

Adjustable Leg Stand

Features

- Suitable for use with mitre saws
- Heavy-duty deluxe metal stand
- Features adjustable platform for clamping mitre saw in position
 Sliding arms (with work support brackets) extend from
- 850,9mm to 2904mm
- Adjustable leg to cope with uneven surfaces
 Collapsible legs for easy transportation and storage
- Included as standard
- 2 x saw mount bracket, 2 x work support, 2 x work support bracket

Specification

Dimensions:	
851 x 2	,904mm
Loading capacity:	181kg
Weight:	21.9kg



VC23 20L Wet / Dry Shop Vac

easy emptying of liquid contents

any wet / dry applications

Included as standard

Drainage valve located at the bottom of the tank for fast and

• Powerful 1,250 Watt motor produces 140mbar suction performance

• Top Handle and wide span castor feet for easy and stable

• Blower function for fast and effective clearance of debris

• Foam and Cartridge filters included to cope with

1.8 m x 35mm Hose, cartridge filter, foam filter

Features

maneuverability

NEW Specification

Power:	1,250W
Capacity:	20L
Sealed Va	acuum
suction:	14kPa (140mbar)
Weight:	5,5kg



VC30A 30L Wet / Dry Shop Vac

Features

- Drainage valve located at the bottom of the tank for fast and easy emptying of liquid contents
- Power Take Off allows for use with Power Tools
- Auto On / Off switch means the Vacuum will automatically start when the Power Tool is engaged and automatically switch off 10 seconds after the tool to ensure all debris has been sucked up.
- Top Handle and wide span castor feet for easy and stable manoeuvrability
- Powerful 1,400 Watt motor produces 150mbar suction performance
- Foam and Cartridge filters included to cope with any wet / dry applications
- Blower function for fast and effective clearance of debris

Included as standard

3.8 m x 35mm Hose, cartridge filter, foam filter, Universal dust extractor connector

NEW Specification


Power:	1,400W
Capacity:	30L
Sealed Va	acuum
suction:	15kPa (150mbar)
Weight:	7,7kg



Accessory Sets







RAK60DDF 60 Piece Drilling and Driving Set



Contains

- 9 x HSS Drill Bits
- 1 x 1.5mm, 1 x 2mm, 1 x 2.5mm,
- 1 x 3mm, 1 x 3.2mm, 1 x 3.5mm,
- 1 x 4mm, 1 x 5mm, 1 x 6mm
- 6 x Masonry Drill Bits
- 1 x 4mm, 1 x 5mm, 1 x 5.5mm, 2 x 6mm, 1 x 7mm
- 6 x Wood Boring Brad Point Drill Bits
- 6 x 3-8mm
- 3 x Drill Stoppers
- 1 x 3mm, 1 x 6mm, 1 x 8mm
- 4 x Non Magnetic Nut Drivers 1 x 5mm, 1 x 6mm, 1 x 8mm,
- 1 x 10mm 21 x 25mm Screwdriver Bits
- 5 x Philips (PH1-PH3)
- 4 x Hex (3mm–6mm) 4 x Slotted (3mm–12mm)
- 3 x Square (1-3)
- 5 x Pozidrive (PZ1-PZ3)
- 9 x 50mm Screwdriver Bits
- 3 x Torx® (TX15, TX20, TX25)
- 1 x 76mm Stubby Screw Guide
- 1 x Allen Key

3 x Philips (PH1-PH3) 3 x Pozidrive (PZ1-PZ3)

RAK07SB 7 Piece Spade Bit Set



Contains

- 7 x Flatwood Spade Bits 1 x 10mm, 1 x 13mm, 1 x 16mm,
- 1 x 20mm, 1 x 22mm, 1 x 25mm,

RYOBI 68 | ACCESSORY SETS

1 x 32mm

RAK95DDF 95 Piece Drilling and Driving Set



Contains

- 11 x HSS Drill Bits
- 2 x 1.5mm, 2 x 2mm, 1 x 2.5mm,
- 1 x 3mm, 1 x 3.2mm, 1 x 3.5mm, 1 x 4mm, 1 x 5mm, 1 x 6mm
- 6 x Masonry Drill Bits
- 1 x 4mm, 1 x 5mm, 1 x 5.5mm,
- 2 x 6mm, 1 x 7mm
- 5 x Wood Boring Brad Point Drill Bits
- 1 x 3mm, 1 x 5mm, 1 x 6mm,
- 1 x 8mm, 1 x 10mm
- 3 x Drill Stoppers
- 1 x 3mm, 1 x 6mm, 1 x 8mm
- 3 x Flatwood Spade Bits 1 x 13mm, 1 x 16mm, 1 x 22mm
- 4 x Non Magnetic Nut Drivers 1 x 5mm, 1 x 6mm, 1 x 8mm,
- 1 x 10mm
- 43 x 25mm Screwdriver Bits
- 9 x Philips (PH0-PH3)
- 9 x Pozidrive (PZ0-PZ3)
- 5 x Slotted (3mm-12mm)
- 5 x Hex (2mm-6mm)
- $4 \times \text{Square} (1-3)$
- 11 x Torx® (TX10-TX40)
- 18 x 50mm Screwdriver Bits 4 x Philips (PH1-PH3)
- 4 x Pozidrive (PZ1-PZ3)
- 3 x Slotted (6mm-12mm)
- $3 \times \text{Square} (1-3)$
- 4 x Torx[®] (TX5-TX30)
- 1 x Allen Key
- 1 x 76mm Stubby Screw Guide

RAK22QC 22 Piece Quick-Change Set



Contains

- 6 x 25mm Screwdriver Bits
- 3 x Philips (PH1-PH3)
- 3 x Slotted (4mm-6mm) 7 x 50mm Screwdriver Bits
- 3 x Philips (PH1-PH3)
- 1 x Pozidrive (PZ2)
- 3 x Slotted (4mm-6mm)
- 1 x Quick Change Chuck
- 3 x Masonry Drill Bits (Hex Shank)
- 1 x 5mm, 2 x 6mm
- 1 x 80mm Stubby Screw Guide
- 4 x HSS Drill Bits (2-5mm)

RAK125DDF 125 Piece Drilling and Driving Kit



Contains

- 30 x HSS Drill Bits 4 x 1.5mm, 4 x 2mm, 4 x 2.5mm,
- 4 x 3mm, 2 x 3.2mm, 3 x 3.5mm,
- 3 x 4mm, 1 x 4.5mm, 2 x 5mm,
- 1 x 1.5mm, 2 x 6mm
- 2 x Flatwood Spade Bits
- 1 x 16mm, 1 x 22mm
- 10 x Masonry Drill Bits 1 x 3mm, 1 x 4mm, 2 x 5mm,
- 1 x 5.5mm, 3 x 6mm 1 x 7mm, 1 x 8mm
- 10 x Wood Boring Brad Point Drill Bits
- 3 x 3mm, 2 x 4mm, 2 x 5mm,
- 1 x 6mm, 1 x 8mm, 1 x 10mm 8 x Non Magnetic Nut Drivers
- 1 x 5mm, 1 x 5.5mm, 1 x 6mm, 1 x 7mm, 1 x 8mm, 1 x 9mm,
- 1 x 10mm, 1 x 11mm
- 48 x 25mm Screwdriver Bits 11 x Philips (PH0-PH3) 11 x Pozidrive (PZ0-PZ3)
- $5 \times \text{Hex} (2mm 6mm)$
- 6 x Slotted (3mm-12mm)
- 4 x Square (1-3)
- 16 x 50mm Screwdriver Bits
- 4 x Philips (PH1-PH3) 4 x Pozidrive (PZ1 – PH3) 3 x Slotted (6mm – 12mm)

4 x Torx[®] (TX15-TX30)

1 x 76mm Stubby Screw Guide

1 x Square (2)

RAK30MIX

30 Piece

Contains

1 x 12mm

• 9 x 25mm Screwdriver Bits

3 x Philips (PH1-PH3)

3 x Pozidrive (PZ1-PZ3) 3 x Slotted (4mm-6mm)

1 x 60mm Magnetic Bit Holder

• 4 x Non Magnetic Nut Drivers

1 x 6mm, 1 x 8mm, 1 x 10mm,

1 x 3mm, 1 x 4mm, 1 x 5mm,

1 x 2mm, 1 x 2.5mm, 1 x 3mm, 1 x 4mm, 1 x 5mm, 1 x 6mm

1 x 6mm, 1 x 8mm

• 5 x Masonry Drill Bits 1 x 5mm, 1 x 5.5mm, 1 x 6mm, 1 x 6.5mm, 1 x 7mm • 6 x HSS Drill Bits

• 5 x Wood Boring Brad Point Drill Bits

Mixed Set

RAK08QRB 8 Piece **Router Bit Set**



Contains

- 1 x 1/4" (6.4mm) Straight Cutter • 1 x $\frac{1}{2}$ (12.7mm) Straight Cutter • 1 x $\frac{3}{2}$ (19.05mm) Straight Cutter 1 x ½" (12.7mm) Core Box Cutter
 1 x ½" (6.4mm) Roundover Cutter
 1 x ½" (9.5mm) Roundover Cutter

- 1 x ½" (12.7mm) Dovetail Cutter
 1 x ½" (3.97mm) Roman Ogee Cutter
- 1 x Allen key
- 1 x ¾" Bearing Washer

RAK35HSSSD **35 Piece Drilling** and Driving Set



Contains

- 10 x HSS Drill Bits
- 1 x 2mm, 1 x 2.5mm, 1 x 3mm, 1 x 3.2mm, 1 x 3.5mm, 1 x 4mm,
- 1 x 4.5mm, 1 x 6mm, 1 x 8mm,
- 1 x 10mm
- 22 x 25mm Screwdriver Bits
- 6 x Philips (PH1–PH3) 6 x Pozidrive (PZ1–PZ3)
- 10 x Torx® (TX10-TX40) 2 x 50mm Screwdriver Bits
- 1 x Philips (PH2)
- 1 x Pozidrive (PZ2)
- 1 x 60mm Magnetic Bit Holder

RAK40SD 40 Piece **Driving Set**



Contains

• 32 x 25mm Screwdriver bits 4 x Philips (PH1-PH3)

- 6 x Pozidrive (PZ1-PZ3)
- 4 x Hex (3mm-6mm) 4 x Slotted (5mm-7mm)
- 14 x Torx[®] (TX6-TX40)
- 7 x 50mm Screwdriver Bits 2 x Philips (PH1 PH2)
- 2 x Pozidrive (PZ1-PZ2)
- 3 x Torx® (TX10-TX20)
- 1 x 60mm Magnetic Bit Holder

RAK19HSS **19 Piece HSS Bit Set**



Contains

- 19 x HSS Drill Bits
- 1 x 2mm, 2 x 2.5mm, 2 x 3mm,
- 2 x 3.5mm, 2 x 4mm, 2 x 4.5mm,
- 2 x 5mm, 2 x 6mm, 1 x 7mm, 1 x 8mm, 1 x 9mm, 1 x 10mm

RAK08BP 8 Piece **Brad Point Bit Set**



Contains 8 x Wood-boring brad point drill bits (1-10mm)

RAK10MB **10 Piece Masonry Bit Set**



Contains • 10 x Masonry Drill Bits 1 x 4mm, 1 x 5mm, 1 x 5.5mm, 2 x 6mm, 1 x 7mm, 2 x 8mm, 1 x 9mm, 1 x 10mm

RAK20JB 20 Piece **Jigsaw Blade Set**



Contains 3 x 75mm wood cutting blades 12 x 100mm wood cutting blades • 5 x 75mm metal cutting blades

RAK08SDS 8 Piece SDS-plus Masonry Bit Set



Contains • 1 x 5mm SDS Bit

- 2 x 5.5mm SDS Bit
- 1 x 6mm SDS Bit • 1 x 7mm SDS Bit
- 1 x 8mm SDS Bit
- 1 x 10mm SDS Bit
- 1 x 12mm SDS Bit

For further Ryobi product information, including our range of intelligent measuring tools please go online to www.ryobitools.eu



Accessories

YOBI

Or

Batteries and Charger

	18V System
Model No. Lithium-Ion	Description
BPL18151 BPL18152 BLK18151 BLK18152 BPL1820 BPL18202 BLK18202 BLK18202	1 x 18V (1.4Ah) Lithium-Ion Compact Battery 2 x 18V (1.4Ah) Lithium-Ion Compact Batteries 1 x 18V (1.4Ah) Lithium-Ion Compact Battery & Super charger 2 x 18V (1.4Ah) Lithium-Ion Compact Batteries & Super charger 1 x 18V (2.4Ah) Lithium-Ion Battery 2 x 18V (2.4Ah) Lithium-Ion Batteries 1 x 18V (2.4Ah) Lithium-Ion Battery & Super charger 2 x 18V (2.4Ah) Lithium-Ion Batteries & Super charger
NiCad	
BPP1817M BPP1817M2 BCP1817M BCP1817M2	1 x 18V (1.7Ah) NiCad Battery 2 x 18V (1.7Ah) NiCad Batteries 1 x 18V (1.7Ah) NiCad Battery & Charger 2 x 18V (1.7Ah) NiCad Batteries & Charger

18V NiCad Charger

Super charger



BCP1817M2 Charger BC1815SM

BCL1418


Туре	Description	Ah
14.4V Lithium-Ion Battery		
BPL1414	14.4V battery	1.4Ah
14.4V NiCad Batteries		
BPP1417 BPP1414	14.4V battery 14.4V battery	1.7Ah 1.3Ah
	14.4V Dallery	
12V Lithium-Ion Battery		
BPL1220	12V battery	1.2Ah
12V NiCad Batteries		
BPP1213	12V battery	1.3Ah
BPP1217	12V battery	1.7Ah

Circular Saw and Planer Blades

Model	No.
RSB15	60A

Description 150mm diameter x 10mm bore, 'ultra thin kerf'18 tooth blade

Fits Models CCS1801/LM, CCS1801/DM



Quantity

5 pack

5 pack

5 pack

5 pack

3 pack

Steel

Steel

Wood

Steel

Description	Teeth	Length
Saw blade	24tpi	100mm
Saw blade	18tpi	140mm
Saw blade	9tpi	140mm
Saw blade	24tpi	140mm
Saw blade set	-	-

Application Fits Models CRP1801/DM, ERS80V CRP1801/DM, ERS80V CRP1801/DM, ERS80V CRP1801/DM, ERS80V CRP1801/DM, ERS80V Mixed set



Sanding Accessories

Model No.	Description	Fits Models
ASP00102	10 x assorted sanding sheets	ECS1214N, CCC1801M
ALP00022	2 x light duty scrubbing pads	ECS1214N, CCC1801M
AHP00022	2 x heavy duty scrubbing pads	ECS1214N, CCC1801M
APP00022	2 x polishing pads	ECS1214N, CCC1801M



Index

_		
Contents		2
New Prod	ucts	4-5
Cordless	Power Tools	6-43
	[™] 18V Tools	8-25
CDI1803M LCDI1802M	18V 3-Speed Hammer/Drill/Driver 18V 2-Speed Hammer/Drill/Driver	11 11
CRH1801M	18V SDS-Plus Hammer Drill	11
CDA1802M	18V Autoshift 2-Speed Drill/Driver	12
LCD1802M	18V 2-Speed Compact Drill/Driver	12
CDC1802M CHD1801M	18V 2-Speed Drill/Driver 18V Drill/Driver	12 13
CAP1801M	18V Angle Drill	13
BID1821M	18V Impact Driver	13
BIW180M LCS180	18V Impact Wrench 18V Circular Saw	13 15
CJS180LM	18V Jigsaw with Laser	15
LRS180	18V Reciprocating Saw	15
LTS180M	18V Tile Saw 18V Angle Grinder	16 16
CAG180M CCC1801M	18V Corner Sander	16
CR0180M	18V 125mm Random Orbit Sander	17
CPL180M	18V Planer	17
CNS1801M CCG1801M	18V Nailer/Stapler 18V Caulking Gun	17 18
CHV182M	18V Hand Vac	18
CDR180M	18V MP3 Compatible Radio	18
CRA180M CML180M	18V MP3 Compatible Radio 18V Flashlight	19 19
LFP1802S	18V Torch	19
UTB2	Tool bag	19
P620	18V Speed Sprayer	20
P621 LLCDI18022	18V Speed Sprayer Kit 18V Hammer/Drill/Driver Kit	20 21
LCDI18021	18V 2-Speed Hammer/Drill/Driver Kit	21
CRH18012L	18V SDS-Plus Hammer Drill Kit	21
CDC18021B CDA18021B	18V 2-Speed Drill/Driver Kit 18V Autoshift 2-Speed Drill/Driver Kit	22 22
LCD18022B	18V Compact 2-Speed Drill/Driver Kit	22
LCS1801	18V Circular Saw Kit	23
CJS1801 LRS1801	18V Jigsaw Kit	23 23
RLT1830LI	18V Reciprocating Saw Kit 18V One Plus™ Line Trimmer Starter Kit with	23
	Compact Lithium-Ion Battery	24
RHT1850LI	18V One Plus™ Hedge Trimmer Starter Kit with	0.4
OLT1831	Compact Lithium-Ion Battery 18V One Plus™ Line Trimmer	24 25
OHT1851	18V One Plus™ Hedge Trimmer	25
OG\$1821	18V One Plus [™] Shear & Shrubber	25
OPS1821 OBL1802	18V One Plus™ Pruner 18V One Plus™ Blower	25 25
		-
14.4V Too		26-29
LCDI14022 CDDI14022N	14.4V Lithium-Ion 2-Speed Hammer/Drill/Driver	27 27
LLCDI14022N	14.4V NiCad 2-Speed Hammer/Drill/Driver 14.4V Lithium-Ion 2-Speed Hammer/Drill/Driver	27 27
CLCDI14022N	14.4V NiCad 2-Speed Hammer/Drill/Driver	28
LCD14022 CDD14022N	14.4V Lithium-Ion 2-Speed Drill/Driver	28 28
LLCD14022N	14.4V NiCad 2-Speed Drill/Driver 14.4V Lithium-Ion 2-Speed Drill/Driver	20 29
CLCD14022N	14.4V NiCad 2-Speed Drill/Driver	29
CDD14012N	14.4V NiCad Drill/Driver	29
12V Tools		30-33
LSDT12022	12V Lithium-Ion 2-Speed Drill/Driver with Clutch	31
CSDT12022	12V NiCad 2-Speed Drill/Driver with Clutch	31
LSDT1202 CSDT1202N	12V Lithium-Ion Drill/Driver with Clutch 12V NiCad Drill/Driver with Clutch	31 31
BID1201	12V Lithium-Ion Impact Driver	32
CS1201	12V Lithium-Ion Circular Saw	32
CR1201 CKF120LM	12V Lithium-Ion Reciprocating Saw 12V Lithium-Ion Torch	32 32
CKF12ULM CHL12K	12V Lithium-ion Torch 12V AutoHammer	32
CLK122	12V 2 Piece Kit	33
CLK124	12V 4 Piece Kit	33
TEK4™ &	4V Tools	34-41
RP4910	4V Lithium-Ion Travel Charger	35
RP4530	4V Lithium-Ion Noise Suppression Headphones	35
RP4020	4V Lithium-Ion Digital Multi-Meter	35

RP4520 RP4030 RP4000 RP4010 RP4050 RP4010 RP4025 RP4400 RP4420 CSD42L CSD42L CSD42LS CSD4130GN CSD4107BG CSD40LI	4V Lithium-Ion MP3 Player 4V Lithium-Ion Infrared Thermometer 4V Lithium-Ion Motion Sensing Alarm with Remote 4V Lithium-Ion Self-Leveling Plumb/Cross Laser 4V Lithium-Ion Digital Key Lockbox 4V Lithium-Ion Digital Key Lockbox 4V Lithium-Ion Laser Distance Measure 4V Lithium-Ion Laser Distance Measure 4V Lithium-Ion Inspection Camera 4V Lithium-Ion Utility Light 4V Lithium-Ion 2-Speed Screwdriver 4V Lithium-Ion Screwdriver with 30 Accessories 4V Lithium-Ion Screwdriver 4V Lithium-Ion Screwdriver	36 36 37 37 37 38 38 39 39 40 40 40 40 41 41 41 41
Painting To	pols 44	-47
SSP100	Corded Speed Sprayer	47
FPR210 RAP200	Paint Station Paint Station Pro	47 47
Corded Po		-61
EID11002RV EID1050RS	2-Speed Percussion Drill Percussion Drill	50 50
EID750RS	Percussion Drill	50 50
EID600RS	Percussion Drill	51
EID500RS ERH850RS	Percussion Drill SDS-Plus Rotary Hammer Drill	51 51
ERH710RS	SDS-Plus Rotary Hammer Drill	51
EAG2000RS	Large Angle Grinder	52
EAG950RB	Small Angle Grinder	52
EAG950RS EAG8512RHG	Small Angle Grinder Small Angle Grinder	52 52
EAG750RB	Small Angle Grinder	53
EAG750RS	Small Angle Grinder	53
ECO2335HG Ej700L	Cut-Off Saw 680W Jigsaw	53 54
EJ600	600W Jigsaw	54
EJ500	500W Jigsaw	54
ERS80VHG EWS1366HG	Reciprocating Saw Circular Saw	54 55
EWS1266HG	Circular Saw	55
EWS1150RS	Circular Saw	55
EMS180RV	180W Multi-Pad Sander 80W Palm Sander	57
EPS80RS EOS2410NHG	1/4 Sheet Palm Sander	57 57
ER02412VHG	125mm Random Orbit Sander	57
ESS3215VHG	1/2 Sheet Sander	58
ESS280RV ESS200RS	V ₃ Sheet Sander V ₃ Sheet Sander	58 58
EBS1310VFHG	100mm (4") Belt Sander	59
EBS9576VFHG	76mm (3") Belt Sander	59
EBS8021VFHG EPN7582NHG	76mm (3") Belt Sander 750W Planer	59 60
EPN6082CHG	600W Planer	60 60
ERT1400RV	Fresatrice 6.35mm (1/4") 1,400W	60
ART3HG	Router Table	61
EHG2002HG EHG2002KHG	Heat Gun LCD Heat Gun Kit	61 61
EHG2002THG	LED Heat Gun Kit	61
EMS1426LHG	254mm (10") Mitre Saw with Laser	63
EMS1122LHG EMS2026SCLHG	210mm (8 ¼") Mitre Saw with Laser 254mm (10") Sliding Mitre Saw with Laser	63 63
ETMS1825HG	254mm (10 ["]) Table Mitre Saw	63
ETS1525SCHG	254mm (10") Table Saw with Sliding Carriage	64
ETS1526ALHG ETS1825HG	254mm (10") Table Saw 254mm (10") Folding Table Saw	64 64
EDP5530LHG	305mm (12 ["]) Drill Press with Variable Speed and Laser	64 65
EAS10A15	Air Station	65
W\$721\$	Wet Tile Saw	65 66
RLS01 VC23	Adjustable Leg Stand 20L Wet / Dry Shop Vac	66 66
VC30A	30L Wet / Dry Shop Vac	66
Accessories 67–70		