



ALL PRODUCTS ON THIS PAGE ARE MADE IN EUROPE



THE FOLLOWING SYMBOLS ARE SHOWN NEXT TO EACH ARC, MIG AND TIG WELDING MACHINE. THE SYMBOLS ARE A VISUAL CODE TO MACHINE FEATURES.

**1** AW100A

**230V 100A Arc Welder**

Multi-purpose machine suitable for the semi-professional and home user.

Features:

- Thermal overload protection
  - Direct fit electrode holder and earth lead
- Supplied complete with 3 x 2.5mm electrodes, small face mask and combined chipping hammer/small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

Specification:

Output amperage	... 100A
Max. input power	... 1.9kW
Electrode size	... 2.0 - 2.5mm
Open circuit voltage	... 44V
Dimensions	... 155 x 265 x 340mm
Weight	... 13.5kg

Stock No.	Euro each	GBP £ each
87939	€107.64	£71.76



**QUICK AND EASY TO USE. NO SET-UP REQUIRED**



Supplied with plug



Thermal Overload Protection



Fan (Turbo)



Portable



Wheel kit



Polarity switch (gas/gasless)



Lifting hooks



Ramp, burn back, timer on & wire speed



Flux cored (gasless) wire compatible



Wire spool supplied



Variable wire speed control



MIG torch supplied



Direct torch connector



Euro torch connector

**2** AW140A

**230V 130A Arc Welder**

Multi-purpose machine suitable for the semi-professional and home user.

Features:

- Stepless amperage adjustment
  - Thermal overload protection
  - Direct fit electrode holder and earth lead
- Supplied complete with small face mask and combined chipping hammer/small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

Specification:

Output amperage range	... 50 - 130A
Max. input power	... 2.6kW
Electrode size	... 1.6 - 3.25mm
Open circuit voltage	... 43 - 46V
Dimensions	... 190 x 210 x 355mm
Weight	... 14kg

Stock No.	Euro each	GBP £ each
72222	€148.53	£99.02



**3** AW150AT

**230V 140A Turbo Arc Welder**

Suitable for all kinds of maintenance, repairs and light fabrication.

Features:

- Stepless amperage adjustment
  - Thermal overload protection
  - Turbo fan
  - Direct fit electrode holder and earth lead
- Supplied complete with small face mask, wheel kit, transport handle and combined chipping hammer/small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

Specification:

Output amperage range	... 50 - 140A
Max. input power	... 2.6kW
Electrode size	... 1.6 - 3.25mm
Open circuit voltage	... 43 - 46V
Dimensions	... 190 x 210 x 355mm
Weight	... 14.5kg

Stock No.	Euro each	GBP £ each
72221	€181.98	£121.32




**product information**

ARC WELDING MACHINES  
Supply current must exceed maximum input amperage requirement of each machine

**product locator**

Electrodes for arc welding are shown on page 472



## arc/MIG welding

## 1 AW180AT

## 230/400V 160A Turbo Arc Welder

Suitable for heavy duty use, eg. workshop and agricultural applications.

## Features:

- Dual voltage 230/400V (single phase)
- Stepless amperage adjustment
- Thermal overload protection
- Turbo fan

Direct fit electrode holder and earth lead

Supplied complete with small face mask, wheel kit, transport handle and combined chipping hammer/large wire brush. Carton packed.

## Specification:

Output amperage range	... 50 - 160A
Max. input power	... 3.0kW
Electrode size	... 1.6 - 4.0mm
Open circuit voltage	... 43 - 46V
Dimensions	... 190 x 220 x 465mm
Weight	... 17kg

Stock No.	Euro each	GBP £ each
72220	€233.64	£155.76



ALL PRODUCTS ON THIS PAGE ARE MADE IN EUROPE



## 2 AW220AT

## 230/400V 200A Turbo Arc Welder

Extra heavy duty suitable for tough daily use in industrial and agricultural environments.

## Features:

- Dual voltage 230/400V (single phase)
- Stepless amperage adjustment
- Thermal overload protection
- Turbo fan

Detachable electrode holder and earth lead

Supplied complete with large face mask, wheel kit, transport handle and combined chipping hammer/large wire brush. Carton packed.

## Specification:

Output amperage range	... 50 - 200A
Max. input power	... 4.5 - 9.0kW
Electrode size	... 1.6 - 4.0mm
Open circuit voltage	... 44 - 70V
Dimensions	... 290 x 500 x 360mm
Weight	... 35kg

Stock No.	Euro each	GBP £ each
72219	€380.85	£253.90



## product information

## ARC WELDING MACHINES

Supply current must exceed maximum input amperage requirement of each machine

## product locator

Electrodes for arc welding are shown on page 472



## MIG welders

## 3 MW95A

## 230V 93A Gasless MIG Welder

Uses a filler wire with a flux core. During the weld process the flux melts and protects the weld, therefore no gas is required to shield the weld pool, making it ideal for use outdoors in windy conditions

## Features:

- Live direct fit torch
- Two stage power setting
- Variable wire speed control
- Thermal overload protection
- Earth clamp
- Accepts mini wire spools

Supplied complete with small face mask, spool of 0.9mm dia. flux cored wire (for mild steel), spare torch tip and small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

## Specification:

Output amperage range	... 35 - 95A
Max. input power	... 1.5kW
Amperage at 20% duty	... 95A
Open circuit voltage	... 17 - 23V
Wire size	... flux cored
flux cored	... 0.6 - 0.8mm
Max. welding thickness (mild steel)	... 3 - 4mm
Wire spool capacity	... 0.5kg
Dimensions	... 140 x 400 x 360mm
Weight	... 15kg

Stock No.	Euro each	GBP £ each
72226	€323.70	£215.80



## product locator

MIG welding wire and accessories are shown on pages 472 and 473



ALL PRODUCTS ON THIS PAGE ARE MADE IN EUROPE


made in EUROPE



**POLARITY SWITCH**  
Polarity must be changed when switching from gas to gasless welding and vice-versa



2



1



3



**1 MW135AT**

**230V 133A Gas/Gasless Turbo MIG Welder**

Uses both solid or filler wire with a flux core. During the weld process the flux melts and protects the weld, therefore no gas is required to shield the weld pool, making it ideal for use outdoors in windy conditions.

Features:

- Non-live direct fit safety torch
- Four stage power setting
- Variable wire speed control
- Thermal overload protection
- Turbo fan
- Earth clamp
- Supplied set up for gasless welding
- Polarity switch
- 5kg wire spool capacity

Supplied complete with large face mask, wheel kit, spool of 0.8mm solid wire and 0.9mm flux cored wire (for mild steel), spare torch tip, spacer for 190mm dia. wire spool, single gauge regulator, gas hose and small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

Specification:

Output amperage range	... 30 - 135A
Max. input power	... 2.1kW
Amperage at 20% duty	... 100A
Open circuit voltage	... 18 - 30V

Wire sizes

mild steel	... 0.6 - 0.8mm
stainless steel	... 0.8mm
aluminium	... 0.8mm
flux cored	... 0.8 - 0.9mm

Max. welding thickness (mild steel)...

... 4 - 5mm

Wire spool capacity

... up to 5kg

Dimensions

... 300 x 500 x 360mm

Weight

... 25kg

Stock No.	Euro each	GBP £ each
72224	€498.90	£332.60

**product information**

MIG WELDING MACHINES  
Supply current must exceed maximum input amperage requirement of each machine

**2 MW151AT**

**230V 150A Gas/Gasless Turbo MIG Welder**

Uses both solid or filler wire with a flux core. During the weld process the flux melts and protects the weld, therefore no gas is required to shield the weld pool, making it ideal for use outdoors in windy conditions.

Features:

- Non-live direct fit safety torch
- Four stage power setting
- Variable wire speed control
- Thermal overload protection
- Turbo fan
- Earth clamp
- Supplied set up for gasless welding
- Polarity switch
- Up to 5kg wire spool capacity

Supplied complete with large face mask, wheel kit, spool of 0.8mm solid wire and 0.9mm flux cored wire (for mild steel), spacer for 190mm dia. wire spool, single gauge regulator, gas hose and small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

Specification:

Output amperage range	... 30 - 150A
Max. input power	... 2.6kW
Amperage at 10% duty	... 150A
Open circuit voltage	... 18 - 32V

Wire sizes

mild steel	... 0.6 - 0.8mm
stainless steel	... 0.8mm
aluminium	... 0.8mm
flux cored	... 0.8 - 0.9mm

Max. welding thickness (mild steel)...

... up to 5kg

Wire spool capacity

... up to 5kg

Dimensions

... 300 x 500 x 360mm

Weight

... 30kg

Stock No.	Euro each	GBP £ each
75115	€603.96	£402.64

**3 MW150AT**

**230V 150A Gas Turbo MIG Welder**

Features:

- Non-live direct fit safety torch
- Four stage power setting
- Variable wire speed control
- Thermal overload protection
- Turbo fan
- Earth clamp
- 5kg wire spool capacity

Supplied complete with large face mask, wheel kit, spool of 0.8mm solid wire (for mild steel), spacer for 190mm dia. wire spool, single gauge regulator, gas hose and small wire brush. Fitted with a BS approved non-rewireable 3 pin moulded plug and cable. Carton packed.

Specification:

Output amperage range	... 30 - 150A
Max. input power	... 2.6kW
Amperage at 10% duty	... 150A
Open circuit voltage	... 18 - 32V

Wire sizes

mild steel	... 0.6 - 0.8mm
stainless steel	... 0.8mm
aluminium	... 0.8mm
flux cored	... 0.8 - 0.9mm

Max. welding thickness (mild steel)...

... up to 5kg

Wire spool capacity

... 300 x 500 x 360mm

Dimensions

... 300 x 500 x 360mm

Weight


... 30kg

Stock No.	Euro each	GBP £ each
72223	€599.01	£399.34

**product locator**

MIG welding wire and accessories are shown on pages 472 and 473






**MW1801AT ONLY**



**1**



**MW221AT ONLY**



**2**

**2** MW220AT/MW221AT  
**230V 210A Gas/Gasless Turbo MIG Welder**

Uses both solid or filler wire with a flux core. During the weld process the flux melts and protects the weld, therefore no gas is required to shield the weld pool, making it ideal for use outdoors in windy conditions.

- Features:
- Euro torch connector
  - Eight stage power setting
  - Variable wire speed control
  - Thermal overload protection
  - Turbo fan
  - Digital display
  - PCB controlled ramp up, burn back, wire speed and timer
  - Earth clamp
  - Reinforced bottle holder
  - 15kg wire spool capacity

Supplied complete with: spool of 0.8mm solid wire (for mild steel), spare torch tip, spacer for 190mm dia. wire spool, double gauge regulator, gas hose and large wire brush. 75281 also comes supplied with MIG/MAG welding torch. Carton packed.

Specification:

Output amperage range	... 30 - 210A
Max. input power	... 3.8kW
Amperage at 20% duty	... 210A
Open circuit voltage	... 18 - 35V
Wire sizes	...
mild steel	... 0.6 - 1.0mm
stainless steel	... 1.0mm
aluminium	... 0.8 - 1.0mm
flux cored	... 0.8 - 1.0mm
Max. welding thickness (mild steel)	... 5 - 6mm
Wire spool capacity	... up to 15kg
Dimensions	... 510 x 840 x 780mm
Weight	... 65kg

Stock No.	Part No.	Description	Euro each	GBP £ each
72227	MW220AT	no torch	€1376.37	£917.58
75281	MW221AT	with torch	€1499.82	£999.88

PICTURE 1 SHOWS STOCK No. 72230  
PICTURE 2 SHOWS STOCK No. 72581  
- BOTH ARE SUPPLIED WITH A BINZEL TORCH



THE FOLLOWING SYMBOLS ARE SHOWN NEXT TO EACH ARC, MIG AND TIG WELDING MACHINE. THE SYMBOLS ARE A VISUAL CODE TO MACHINE FEATURES.

Supplied with plug	Polarity switch (gas/gasless)	Wire spool supplied
Thermal Overload Protection	Lifting hooks	Variable wire speed control
Fan (Turbo)	Ramp, burn back, timer on & wire speed	MIG torch supplied
Portable	Direct torch connector	Euro torch connector
Wheel kit	Flux cored (gasless) wire compatible	

**1** MW180AT/MW1801AT  
**230V 180A Gas/Gasless Turbo MIG Welders**

Uses both solid or filler wire with a flux core. During the weld process the flux melts and protects the weld, therefore no gas is required to shield the weld pool, making it ideal for use outdoors in windy conditions.

- Features:
- Euro torch connector
  - Eight stage power setting
  - Variable wire speed control
  - Thermal overload protection
  - Turbo fan
  - Digital display
  - PCB controlled ramp up, burn back, wire speed and timer
  - Earth clamp
  - Reinforced bottle holder
  - Up to 15kg wire spool capacity

Supplied complete with: spool of 0.8mm solid wire (for mild steel), spare torch tip, spacer for 190mm dia. wire spool, double gauge regulator, gas hose and large wire brush. 72230 also comes supplied with MIG/MAG welding torch. Carton packed.

Specification:

Output amperage range	... 30 - 180A
Max. input power	... 3.0kW
Amperage at 20% duty	... 180A
Open circuit voltage	... 18 - 34V
Wire sizes	...
mild steel	... 0.6 - 0.8mm
stainless steel	... 0.8mm
aluminium	... 0.8 - 1.0mm
flux cored	... 0.8 - 1.0mm
Max. welding thickness (mild steel)	... 5 - 6mm
Wire spool capacity	... up to 15kg
Dimensions	... 510 x 840 x 780mm
Weight	... 55kg

Stock No.	Part No.	Description	Euro each	GBP £ each
72228	MW180AT	no torch	€1021.02	£680.68
72230	MW1801AT	with torch	€1091.07	£727.38

ALL PRODUCTS ON THIS PAGE ARE MADE IN EUROPE



**product information**

MIG WELDING MACHINES  
Supply current must exceed maximum input amperage requirement of each machine

**product locator**

MIG welding wire and accessories are shown on pages 472 and 473





**1 INV80**

**230V 80A Arc/TIG Inverter Kit**

Compact, portable low power consumption machine for TIG and MMA welding.

Features:

- DC scratch start
- Cold electrode start
- Anti-stick device
- Thermal overload protection
- Fan assisted
- Shoulder strap on machine

Supplied complete with electrode holder and earth lead, face mask, welding brush, BS moulded plug and 2M (approx.) cable and carrying case.

Specification:

Output amperage range	... 10-80A
Amps at 35% duty cycle	... 75A
Electrode size	... 1.6-2.5mm
Open circuit voltage	... 70V
Dimensions	... 105 x 240 x 150mm
Weight	... 2.8kg

Stock No.	Euro per kit	GBP £ per kit
89760	€328.86	£219.24

**2 INV110**

**230V 110A Arc/TIG Inverter Welder**

Compact, portable low power consumption machine for TIG and MMA welding. Carton packed.

Features:

- DC scratch start
- Cold electrode start
- Anti-stick device
- Thermostatic control
- Fan assisted
- Carrying strap and handle

Specification:

Output amperage range	... 5-110A
Amps at 30% duty cycle	... 110A
Electrode size	... 1.6-2.5mm
Open circuit voltage	... 75V
Dimensions	... 135 x 330 x 270mm
Weight	... 5kg

Stock No.	Euro each	GBP £ each
89586	€436.14	£290.76

**3 INV130**

**230V 130A Arc/TIG Inverter Welder**

Compact, portable low power consumption machine for TIG and MMA welding. Carton packed.

Features:

- DC scratch start
- Cold electrode start
- Anti-stick device
- Thermostatic control
- Fan assisted
- Carrying strap and handle

Specification:

Output amperage range	... 5-130A
Amps at 30% duty cycle	... 130A
Electrode size	... 1.6-3.25mm
Open Circuit voltage	... 75V
Dimensions	... 135 x 330 x 270mm
Weight	... 5kg

Stock No.	Euro each	GBP £ each
89587	€665.52	£443.68

**4 INV150**

**230V 150A Arc/TIG Inverter Welder**

Compact, portable low power consumption machine for TIG and MMA welding. Carton packed.

Features:

- DC scratch start
- Cold electrode start
- Anti-stick device
- Thermal overload protection
- Fan assisted
- Carrying strap and handle

Specification:

Output amperage range	... 5-150A
Amps at 30% duty cycle	... 150A
Electrode size	... 1.6-3.25mm
Open Circuit voltage	... 75V
Dimensions	... 135 x 330 x 270mm
Weight	... 5kg

Stock No.	Euro each	GBP £ each
89588	€868.35	£578.90



**1**  
NEW



**2**  
NEW



**3**  
NEW



**4**  
NEW



**5**  
NEW



**5 W631**

**MMA Kit for Arc/TIG Welder/Inverters**

For use with Draper Inverter/Welders Stock Nos. 89760, 89586, 89587 and 89588. Display packed.

Stock No.	Euro per kit	GBP £ per kit
89913	€93.00	£62.00


**product locator**

TIG welders accessories are shown overleaf on page 470



**norman says**

INVERTER WELDERS  
Inverter welders for ARC and TIG welding make great maintenance machines. They are lightweight, hence the carrying strap and need only a low power supply. The duty cycle as the machine is electronic, is very high and is perfect for precision welding. DON'T FORGET if you don't have one, add a TIG torch or MMA kit to your order!





1 W625

**Earth Clamp and Lead Kit**

For use with all Draper Inverter/Welders. 2.5M 16mm welding cable with 10/25 trailing dinse-type plug fitted and 200A crocodile earth clamp fitted. Packed in polythene bag.

Stock No.	Euro per kit	GBP £ per kit
57375	€34.08	£22.72



2 W623

**TIG Welding Torch**

For use with all Draper Inverter/Welders. Accessories for these torches are available. Sold loose.

Stock No.	Euro each	GBP £ each
57096	€219.00	£146.00

Stock No.69309

Stock No.57553



3

**Accessories for Draper TIG Welding Torches**

For use with Draper Inverter/Welder TIG Torch Stock No.57096. Packed in polybags.

Stock No.	Part No.	Description	Euro each	GBP £ each
57551	W628	1.6mm Collet	€3.09	£2.06
57552	W629	1.6mm Collet Body	€7.11	£4.74
57553	W627	Tungsten Rod 150x1.6mm	€3.12	£2.08
69309	W630B	Ceramic Shroud	€3.66	£2.44



4 90305

**230mm Self Grip Welding Clamp**

*Expert Quality*, manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.	Euro each	GBP £ each
73517	€21.21	£14.14



5 90405

**230mm Self Grip Welding Clamp**

*Expert Quality*, manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.	Euro each	GBP £ each
73518	€21.24	£14.16




6 90105

**240mm Self Grip Sheet Metal Clamp**

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.	Euro each	GBP £ each
14027	€10.86	£7.24



7 90205

**280mm Self Grip C Clamp**

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.	Euro each	GBP £ each
81642	€10.35	£6.90




8 90005

**280mm Self Grip Welding Clamp**

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.	Euro each	GBP £ each
81650	€10.56	£7.04



9 9013K

**3 piece Self Grip Welding Clamp Kit**

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

- Contents:
- 240mm Sheet Metal Clamp
  - 280mm Welding Clamp
  - 275mm C Clamp

Stock No.	Euro per kit	GBP £ per kit
33836	€30.06	£20.04

**product locator**

Arc welding rods are shown on page 472.  
MIG welding wire is shown on page 473.  
MIG welding accessories are shown on page 473.



10 PWP

**230mm Self Grip Plug Welding Pliers**

*Expert Quality*, manufactured from carbon steel with copper alloy plate and U groove to facilitate single-sided spot welding. For use with MIG plug or rosette spot welding. Stops weld beads sticking to the copper jaw plate. Spring loaded quick release mechanism and knurled adjustment screw with clamp release lever. Display packed.

Stock No.	Jaw Capacity	Euro each	GBP £ each
40101	28mm	€26.61	£17.74




1 WG

**Leather Welders Gauntlets**

Manufactured to EN388 and 407 Standards Fully lined, packed in polybag.

Stock No.	Size	Euro per pair	GBP £ per pair
79364	Large	€7.20	£4.80



2 WH

**Welders Hammer**

Hardened and tempered head with steel spring impact resistant handle. Sold loose.

Stock No.	Euro each	GBP £ each
37347	€6.48	£4.32



3 4863

**250mm General Purpose Wire Brush**

**Expert Quality** heavy duty wire brush designed primarily for cleaning metal prior to welding or removing slag after a weld has been made as well as other brushing applications. The 0.35mm diameter brass steel wire fill is securely held in a heavy duty spine with polypropylene handle. Display packed.

Stock No.	Euro each	GBP £ each
20594	€5.61	£3.74



LENS SOLD SEPARATELY

4 W400C

**Hand Held Welding Mask**

**EN175 and CE approved** Injection moulded polypropylene hand-held welding mask with adjustable head band. Carton packed. Lens are display packed and sold separately from masks.

Stock No. 35266 contains 2 lenses per pack order per pack  
Stock Nos. 35267 & 35268 contains 3 lenses per pack order per pack

Stock No.	Part No.	Description	Euro each	GBP £ each
76713	W400C	Mask	€10.17	£6.78
35266	W412P	Shaded 11EW Lens	€7.71	£5.14
35267	W413P	Clear Lens	€1.86	£1.24
35268	W414P	Clear Non Spatter Lens	€9.15	£6.10



LENS SOLD SEPARATELY

5 W410C

**Welding Helmet**

**EN175 and CE approved** Injection moulded polypropylene hand-held welding helmet with adjustable head band. Carton packed. Lens are display packed and sold separately from helmets.

Stock No. 35266 contains 2 lenses per pack order per pack  
Stock Nos. 35267 & 35268 contains 3 lenses per pack order per pack

Stock No.	Part No.	Description	Euro each	GBP £ each
76714	W410C	Helmet	€13.80	£9.20
35266	W412P	Shaded 11EW Lens	€7.71	£5.14
35267	W413P	Clear Lens	€1.86	£1.24
35268	W414P	Clear Non Spatter Lens	€9.15	£6.10



6 W411C

**Solar Powered Auto Varioshade Welding Helmet**

**EN169/175/379 and CE approved** Professional users helmet with solar powered automatic shading facilities when weld is struck. Adjustable shading from 9 -13EW. Adjustable headband. Carton packed.

Specification:  
Welding filter ... UV/IR protected  
Shading ... 9EW to 13EW  
Viewing area (size) ... 96 x 40mm  
Switching time ... within 0.0005 secs  
Weight ... 500g.  
\* Sold loose

Stock No.	Part No.	Description	Euro each	GBP £ each
76744	W411C	Helmet	€298.65	£199.10
76715	W688C	Spare Cover Lens*	€4.05	£2.70
76716	W469A	Spare Rear Lens*	€4.05	£2.70



7 FM8/P2V

**Disposable Flatmate Dust Mask for Welding**


**Conforms to EN149-FFP2** Lightweight disposable dust mask with carbon filter for protection against welding fumes (fine metal particulates), ozone (as a by-product of MIG and TIG welding), nuisance organic vapours, fine toxic dust fibres and aqueous mists. Easy breathe single exhalation valve for user comfort. Can be worn under a welding mask/helmet. Colour coded white for easy identification. Elasticated straps for contoured fit. Nominal protection level 12.5, assigned protection level 10. Display packed in polythene bag with header.

Stock No.	Euro each	GBP £ each
69600	€7.56	£5.04



**norman says**

**DUST MASKS** - When selecting dust and toxic fume protection masks, please refer to Health & Safety Executive HSG53 'Respiratory Protective Equipment at Work' for more detailed information.



8 SWC1

**Spot Weld Cutter Set**

Set of two spot weld cutters to drill out welds on body panels. Pilot drill ensures accurate cut. Cutters screw onto hexagon shank and are reversible for extra long life. Shank size 7mm. Display packed.  
Contents: 1 x 3/8" and 1 x 5/16"

Stock No.	Euro per set	GBP £ per set
57624	€20.10	£13.40

welding accessories




1  
**Welding Electrodes**

**E6013 to BS639 Specification.**

General purpose medium coated rutile type mild steel electrodes suitable for all types of welding joint. Low spatter and self-releasing slag. Display packed in wallets.

**Order number of wallets required**

Stock No.	Part No.	Electrode Diameter	Wallet Qty.	Euro p/wallet	GBP £ p/wallet
32041	W416P	1.6mm	10	€2.46	£1.64
32043	W420P	2.0mm	8	€2.46	£1.64
32045	W425P	2.5mm	6	€2.61	£1.74
32047	W432P	3.2mm	5	€2.61	£1.74



2  
**Welding Electrodes in Packs**

**E6013 to EN499 Specification**

General purpose medium coated rutile type mild steel electrodes suitable for all types of welding joint. Low spatter and self-releasing slag. Supplied in packs by weight.

\* Approximate weight

**Order number of packs required**

Stock No.	Part No.	Electrode Diameter	Pack Weight	Euro per pack	GBP £ per pack
32040	W416B	1.6mm	5.0kg*	€78.81	£52.54
76456	W420C	2.0mm	5.0kg*	€26.70	£17.80
76699	W425C	2.5mm	5.0kg*	€25.20	£16.80
76701	W432C	3.2mm	5.2kg*	€25.20	£16.80
76702	W440C	4.0mm	4.8kg*	€25.20	£16.80



3  
**100mm Spools of MIG Wire**

**Manufactured to EN Standards**

Spools of MIG welding wire in mild steel (900g), aluminium (500g) and stainless steel (700g). Suitable for use with Draper gas MIG welders and other manufacturers MIG welders. Normal winding. Display packed.

Stock No.	Part No.	Material	Wire Dia.	Euro each	GBP £ each
76703	W506A	M/Steel	0.6mm	€9.99	£6.66
76704	W508A	M/Steel	0.8mm	€9.06	£6.04
76705	W511A	A/minium	0.8mm	€22.92	£15.28
76706	W512A	S/Steel	0.8mm	€37.92	£25.28



4  
**5kg 200mm Spools of Mild Steel MIG Wire**

**Manufactured to EN 440 Part 1**

Suitable for use with Draper gas MIG welders and other manufacturers MIG welders. Random winding. Carton packed.

Stock No.	Part No.	Wire Dia.	Euro each	GBP £ each
32099	W556	0.6mm	€45.39	£30.26
32100	W558	0.8mm	€38.19	£25.46



5  
**15kg 300mm Spools of Mild Steel MIG Wire**

**Manufactured to EN 440 Part 1**

Suitable for use with Draper gas MIG welders and other manufacturers MIG welders. Carton packed.

Stock No.	Part No.	Winding Type	Wire Dia.	Euro each	GBP £ each
33856	W566	Random	0.6mm	€115.41	£76.94
33857	W567	Random	0.8mm	€91.68	£61.12
33858	W568	Random	1.0mm	€80.97	£53.98
33859	W569	Precision	0.8mm	€95.85	£63.90
33860	W570	Precision	1.0mm	€82.17	£54.78




6  
**W509B  
450g 100mm Mild Steel Flux Cored Wire**

**Manufactured to BS2901 Part 1**

For gasless MIG welding. Ideal for use with Draper Welders Stock Nos. 72226 and 75115 and other manufacturers gasless welders. Wire diameter 0.9mm, random winding. Carton packed.

Stock No.	Part No.	Euro each	GBP £ each
76707	W509B	€18.18	£12.12



7  
**W471A  
130 bar Gas Cylinder Regulator**

Regulator suitable for use with disposable gas bottles with Draper gas MIG welders, TIG welders and other manufacturers gas welders. Sold loose.

Stock No.	Euro each	GBP £ each
76709	€35.01	£23.34



8  
**W472A  
230 bar Gas Cylinder and Gauge**

Regulator with gauge for large gas bottles suitable for use with Draper gas MIG welders, TIG welders and other manufacturers gas welders. Sold loose.

Stock No.	Euro each	GBP £ each
76710	€60.60	£40.40



9  
**W473A  
230 bar Gas Bottle Regulator with Two Gauges**

Regulator with two gauges for large gas bottles suitable for use with Draper gas MIG welders, TIG welders and other manufacturers gas welders. Sold loose.

Stock No.	Euro each	GBP £ each
76711	€86.61	£57.74



10  
**W474A  
Gas Cylinder Adaptor/Connector**

For CO<sub>2</sub>/Argon mix gas cylinders. Suitable for use with Stock Nos. 76710 and 76711 gas cylinder Regulators. Sold loose.

Stock No.	Euro each	GBP £ each
76712	€6.90	£4.60





1

**Gas Cylinders**

Supplied in disposable cylinders. Gas volume 950cc/tare weight 1070g. (all gases). Sold 12 per box.

**Order number of boxes required**

Stock No.	Part No.	Gas Type	Euro per box	GBP £ per box
32111	W481	CO <sup>2</sup> /Argon Mix	€306.90	£204.60
32110	W480	CO <sup>2</sup>	€303.60	£202.40
32112	W482	Argon	€318.48	£212.32



**NEW**

2 W612B

**MIG/MAG Welding Torch**

Professional torch for use with Draper MIG welder Stock No. 72228. Euro connector fitting. Ergonomic handle design with swivel joint for work flexibility. Carton packed

Specification:

Rating:  
 - 180A (CO<sup>2</sup>) ... 60% cycle  
 - 150A (mixed gas) ... 60% cycle  
 Wire capacities ... 0.6 - 0.9mm

Stock No.	Euro each	GBP £ each
40396	€156.57	£104.38



**NEW**

3 W613B

**MIG/MAG Welding Torch**

Professional torch for use with Draper MIG welder Stock No. 72227. Euro connector fitting. Ergonomic handle design with swivel joint for work flexibility. Supplied complete with 3M of power cable, tip, nozzle and liner. Carton packed

Specification:

Rating:  
 - 230A (CO<sup>2</sup>) ... 60% cycle  
 - 200A (mixed gas) ... 60% cycle  
 Wire capacities ... 0.8 - 1.2mm

Stock No.	Euro each	GBP £ each
40397	€219.21	£146.14

**MIG Welding Tips and Shrouds**

Contact tips for use with torches supplied with Draper welding machines and other professional MIG welding torches, packed three per display card.

Shrouds for use with Draper MIG welding torches, packed two per display card.

Tip Stock No.	Size mm	Euro per card	GBP £ per card	Shroud Stock No.	Euro per card	GBP £ per card	For use with...
32195	1.0	€3.54	£2.36	33886	€8.88	£5.92	For Welder Stock No.72226
38713	0.6	€2.58	£1.72	38712	€17.64	£11.76	For Welder Stock No.72224
38714	0.8	€2.58	£1.72				
50802	0.6	€2.82	£1.88	33886	€8.88	£5.92	For Welders Stock Nos. 72223, 72224 & 75115
50803	0.8	€2.82	£1.88				
38713	0.6	€2.58	£1.72	38712	€17.64	£11.76	For Welder Stock No.72223
38714	0.8	€2.58	£1.72				
50802	0.6	€2.82	£1.88	33886	€8.88	£5.92	For Welders Stock Nos.72228 & 72230
50803	0.8	€2.82	£1.88				
32195	1.0	€3.54	£2.36				
38456	0.8	€3.54	£2.36	38454	€11.25	£7.50	For Welders Stock Nos.72227 & 75281
32195	1.0	€3.54	£2.36				
38458	1.2	€3.54	£2.36				
50802	0.6	€2.82	£1.88	33887	€20.01	£13.34	Spot weld shroud for Welder Stock No.72230
50803	0.8	€2.82	£1.88				
32195	1.0	€3.54	£2.36				
38456	0.8	€3.54	£2.36	38453	€20.46	£13.64	Spot weld shroud for Welder Stock No.75281
32195	1.0	€3.54	£2.36				
38458	1.2	€3.54	£2.36				

**Order number of cards required**

**MIG welding tips and shrouds**

