



Compact, high performance pressure washer with unique stand-up or lay-flat operating position, large carry handle and built-in hose reel.



1 Mobility

- The integrated carrying handle on the front of the machine enable easy loading and convenient transport.
- Push handle can be retracted at the push of a button.

2 Flexibility

- Vertical and horizontal operation possible.
- The wheels are not on in horizontal operation. In this way, the machine offers maximum stability.

3 Accessory storage

- 6 FWHZ FROCHFWRCV 0™ IRUVWUJ VXJDFHFQDCHUGLHFW
- Practical nozzle compartments for triple nozzle and rotary nozzle.

4 Quality

- The automatic pressure relief protects the components and extends the service life.
- High-quality brass cylinder head.



HD 5/12 CX Plus

- Easy Press hand spray gun and rotating stainless steel spray lance

Technical data

Order No.		
EAN code		
Current type	Ph / V / Hz	
Flow rate	l/h	
Operating pressure	bar / MPa	
Max. pressure	bar / MPa	
Max. water feed temperature	r	
Power rating	kW	
Weight	kg	
Dimensions (L x W x H)	mm	™ ™

Equipment

Trigger gun		Easy-press trigger gun
Trigger gun with soft grip	■	
High-pressure hose	m	EDU
Spray lance	mm	
62 45 2		Manual
Dirt Blaster spray lance	■	
Integral high-pressure hose reel	■	
Anti-twist system (AVS)	■	
Pressure switch control	■	
Servo Control		

■ Included in delivery.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	ID	Max. working pressure	Length	Price	Description	
Standard with unions on both sides							
High-pressure hose packaged	1	ID 8	EDU	P			▲
+ UK SUHMXUH KRVH P ' 1 including rotary coupling		ID 8	EDU	P		With rotary coupling, 2 x M 22 x 1.5	▲
Longlife 400 with unions on both sides							
+ UK SUHMXUH KRVH ' 1 P drehbar, l		'	EDU	P		With rotary coupling, 2 x M 22 x 1,5	▲
High-pressure hose packaged		ID 8	EDU	P			▲
+ UK SUHMXUH KRVH / ROJ QH P ' 1 ICFXGQJ URWU FRXS-ling		ID 8	EDU	P		With rotary coupling, 2 x M 22 x 1.5	▲
+ UK SUHMXUH KRVH / ROJ QH P ' 1 ICFXGQJ URWU FRXS-ling		ID 8	EDU	P			▲
+ UK SUHMXUH KRVH P ' 1 including connectors		ID 8	EDU	P		1.5 m high-pressure hose (DN 8, M 22 x 1.5) with kink protection and connectors at both ends. For connecting to hose reels with appropriate connector (M 22 x 1.5).	□
Longlife food industry version with unions on both sides							
+ UK SUHMXUH KRVH IRRG ' 1 m	8	ID 8	EDU	P		/ ROJ QH + 3 KRVH I RUXVH IQVMH IRRG ICGXVM ' \$ X i HQCHFNH animal-grease-resistant, non-colour-bleeding material. With rotary coupling, 2 x M 22 x 1,5	▲
High-pressure hose food industry EDU P ' 1 ICFXGQJ rotary coupling		ID 8	EDU	P			▲
Standard with push-in nipple on both sides							
+ UK SUHMXUH KRVH ' 1 P IRJ hose reel		'	EDU	P		P UK SUHMXUH KRVH Z UK SDMOMG URWU ' \$ 96 WUJHU gun connector and nipple connector for hose reel.	■
Standard							
+ UK SUHMXUH KRVH P ' 1 EDU \$ 96 WUJHU XQFRQCH- tion	11	'	EDU	P		With patented AVS connection in the trigger gun (pivot-mounted) and hand screw union. M 22 x 1.5 with anti-kink protection. 1: r & EDU	□
Longlife 400							
+ UK SUHMXUH KRVH ' 1 P Longlife		'	EDU	P		With patented AVS connection in the trigger gun (pivot-mounted)	□
High-pressure hose packaged		ID 8	EDU	P			□

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Flow rate				Price	Description	
Easy Press high-pressure gun with holding power reduction (Kärcher patent)								
Easy press high-pressure trigger gun with softgrip	1						Easy press high-pressure trigger gun with softgrip. For high-SUHAXUH KRMV' 1 DCG' 1 ZUM P.P. VZ LYHOGDP HMMJ	■
Trigger guns								
High end high-pressure trigger gun								□
Quick connect								
Quick coupling							For quick change of different spray lances and accessories. Optimum adaption to Kärcher accessories, especially for connection between trigger gun and spray lance. With M22 x IHP DBI	□
Plug nipple							+ DLGHCHG VMCCBW VMHCSSGH I RUTXIFN FRXSQDJ With M22 x 1,5 male.	□

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Max. working pressure	Nozzle size		Price	Description	
Triple nozzles							
	1	EDU					■
Dirt Blaster, small							
Dirt blaster		EDU				The dirt blaster with rotating pencil jet offers 10 times better performance & longer service life. Further data: Max. 180 bar, 18 MPa, 60°C.	■
		EDU					□
Dirt blaster, large							
Dirt blaster - without changeover function		EDU				The dirt blaster with rotating pencil jet offers 10 times better performance & longer service life. Further data: Max. 300 bar, 30 MPa, 85°C.	□

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Max. working pressure	Length	Price	Description
5 RWMQ VSUD DCFH / DCFH P P URWDEGH HJROR-mic	1	EDU	PP		P P WDLQBW VMHODCFH P DOXDORXSODJ Z LWI HJROR-P I F KDCGBH IRUHDVH RI XVH DCG SURMFWRQ 5 RWMDEGH r
5 RWMDEGH DCFH P P HJROR-mic		EDU	PP		P P WDLQBW VMHODCFH P DOXDORXSODJ Z LWI HJROR-P I F KDCGBH IRUHDVH RI XVH DCG SURMFWRQ 5 RWMDEGH r
P P DCFH URWDEGH HJROR-mic		EDU	PP		P P WDLQBW VMHODCFH P DOXDORXSODJ Z LWI HJROR-P I F KDCGBH IRUHDVH RI XVH DCG SURMFWRQ 5 RWMDEGH r
/ DCFH P P URWDEGH HJROR-mic		EDU	PP		P P WDLQBW VMHODCFH P DOXDORXSODJ Z LWI HJROR-P I F KDCGBH IRUHDVH RI XVH DCG SURMFWRQ 5 RWMDEGH r
/ DCFH P P URWDEGH HJROR-mic		EDU	PP		P P WDLQBW VMHODCFH P DOXDORXSODJ Z LWI HJROR-P I F KDCGBH IRUHDVH RI XVH DCG SURMFWRQ 5 RWMDEGH r
Spray lances Anti-vibration lance		EDU	PP		The spring-loaded 360° loop handle significantly reduces the vibrations on the spray lance, reducing the physical burden on the user, e.g. when working with the dirt blaster.
Angular spray lance : & DCGJXWUUDCFH					6 WDLQBW VMHODCFH : & DCGJXWUUDCFH LWI CRJ J GH LOMUW6 Specially shaped for effective and hygienic cleaning of gutters and toilets.
Undercarriage spray lance Underbody lance	8		PP		Stainless steel lance for effective and easy underbody and wheel arch cleaning. Without high-pressure nozzle.
Spray lance / DCFH P P CRQURWDEGH			PP		P P WDLQBW VMHODCFH : LWI P DOXDORXSODJ 1 RQ rotatable.
Double lance ' RXEGH DCFH P P		EDU	PP		P P GRXEGH DCFH IRUYDUDEGH SUHMWUH DGMVW HQVRO handle at full water flow rate. Suitable for agricultural use (H J WDEGH FODDQJ
Gutter cleaner Gutter cleaning lance	11				The lance is suited for cleaning of gutter systems. Because of the shape of the lance and the special nozzle the gutter can be cleaned without removing the cover plates.

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Flow rate	Nozzle size	Diameter	Price	Description	
DUGVXUDFHFBQDCHU]5 □ ◻ VLF	1						<input type="checkbox"/>
DUGVXUDFHFBQDCHU]5 9 □ □ □							<input type="checkbox"/>
) 5 9							<input type="checkbox"/>
DUGVXUDFHFBQDCHU]5 □ □ □				PP			<input type="checkbox"/>
) 5							<input type="checkbox"/>
DUGVXUDFHFBQDCHU]5 □ □ □ □ (PP		Hot water resistant stainless steel surface cleaner with double ceramic bearings, non-marking swivel castors and suction hose connection. Ideal for indoor cleaning, e.g. food industry.	<input type="checkbox"/>
) 5 0 (V XUDFH FBQDCHU							<input type="checkbox"/>
Machine-specific nozzle kit for FR							<input type="checkbox"/>
1 R] ◻ N V R U X U D F H F B Q D C H U V						1 R] ◻ N V R U X U D F H F B Q D C H U V] ◻ V D Q G X Q I R Q V) R U ; U F K H U	<input type="checkbox"/>
(type-specific) 500 - 650 l/h						V X U D F H F B Q D C H U V V R C K	<input type="checkbox"/>
Machine-specific nozzle kits for FR Classic							<input type="checkbox"/>
DUGVXUDFHFBQDCHU]5 9 □ □ □ □ H							<input type="checkbox"/>
) 5 9 0 (<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Nozzle size					Price	Description	
3 RZ.HUCR] @ Ersatz	1								<input type="checkbox"/>
3 RZ.HUCR] @ VSUD. DO] @ r) DO] @ VSUD. DO] @ r VSUD. DO] @ VSUD. DO] @ r and removing stubborn dirt and stains.	<input type="checkbox"/>
									<input type="checkbox"/>

Included in delivery.
 Available accessories.
 Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.						Price	Description	
Coupling									
Coupler -2xM22x1,5	1							Brass double connector for connecting and extending high-pressure hoses. With rubber protection. Connector: 2x M 22 x P	<input type="checkbox"/>
Connector									
1 R] } @I FROCHFWUJVFUHZ FROCHFWUJ								1 R] } @I FROCHFWUJVFUHZ FROCHFWUJRUJFROCHFWUJ KUJ K SUHV- sure nozzles and accessories to the high-pressure trigger gun (with nozzle connector). Connectors: 1x M 22 x 1.5 and 1x M 18 x 1.5.	<input type="checkbox"/>
Coupling parts									
									<input type="checkbox"/>
Adapter									
\$ GDSMUJ 6 Z LHD								M22 x 1,5female and swivel connection. For extension of high-pressure hoses with AVS connection or for usage of the telescopic lance with a high-pressure hose with AVS connec- tion.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Nozzle size				Price	Description	
Wet blasting attachment (without nozzle)								
Wet blasting attachment with flow control (nozzles not included)	1						Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet. Without flow control.	<input type="checkbox"/>
Wet blasting attachment with flow control (nozzles not included)							Paint, rust and scale removal made easy: Kärcher wet blasting attachment with flow control for adding blasting abrasive to the high-pressure jet. Without flow control.	<input type="checkbox"/>
Nozzle pack for wet blasting attachment								
1 R 1 N 1 V 1 Z 1 H 1 E 1 M 1 D 1 C 1 R 1 Q 1 H 1 U 1 V 1 M 1 S 1 H 1 P 1 H 1 Q 1 V							1 R 1 N 1 V 1 Z 1 H 1 E 1 M 1 D 1 C 1 R 1 Q 1 H 1 U 1 V 1 M 1 S 1 H 1 P 1 H 1 Q 1 V (specific). For optimal Kärcher wet blasting attachment performance. Only in combination with wet blasting attachment	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Max. working pressure	Nozzle size	Diameter	Price	Description	
Pipe cleaning hose, ID 6							
Pipe cleaning hose	1	EDU				20 m flexible high-pressure hose (DN 6) for cleaning pipes WUHDG-HG-FRCC-HVRO-IRU5 CRJ ØI	<input type="checkbox"/>
3 ISH FØDQOJ KRMH ' 1 P		EDU				30 m flexible high-pressure hose (DN 6) for cleaning pipes WUHDG-HG-FRCC-HVRO-IRU5 CRJ ØI	<input type="checkbox"/>
3 ISH FØDQOJ KRMH ' 1 P EDU		EDU				20 m flexible high-pressure hose (DN 6) for cleaning pipes up VR EDU WUHDG-HG-FRCC-HVRO-IRU5 CRJ ØI	<input type="checkbox"/>
Pipe cleaning nozzle							
' UO.FØDQOJ GLVEØMMU'				PP		7KH IRUZ DUG WONG URDMOJ SHCFOWWHP RYH VHP RMMWE- ERUO QLWV7 KH WUHH EDFNZ DUG WONG MMV HQXUH WH CHFMV- ry forward movement, as well as convenient handling.	<input type="checkbox"/>
' UO.FØDQOJ GLVEØMMU'				PP			<input type="checkbox"/>
' UO.FØDQOJ GLVEØMMU'				PP			<input type="checkbox"/>
Pipe cleaning nozzle				PP		P P SISH FØDQOJ CRJ ØI Z MW LOMUDDOMUHDG 9 DURXV MMV directions for environmentally-friendly cleaning of blocked drains and pipes.	<input type="checkbox"/>
	8			PP		P P SISH FØDQOJ CRJ ØI Z MW LOMUDDOMUHDG 9 DURXV MMV directions for environmentally-friendly cleaning of blocked drains and pipes.	<input type="checkbox"/>
Rotating pipe cleaning nozzle				PP		Rotating pipe cleaning nozzle with internal thread and four URDMOJ MMV IRUHONURCP HQMDOJ IUEHGG FØDQOJ RI EØFNHG drains and pipes.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Flow rate				Price	Description	
Foam nozzle mounting kit								
Foam nozzle kit	1						Foaming agent kit. The foam nozzle is ideal for use in sanitary areas and the food industry and wherever long application times are necessary.	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



	Order No.	Length	Diameter	Price	Description	
Starting current limiter						
Starting current limiter	1				Reduces starting current in single-phase supply and protects line fuse.	<input type="checkbox"/>
Geka coupling						
: Ø 5					with hose liner	<input type="checkbox"/>
: 5					with female thread	<input type="checkbox"/>
Suction filter						
Suction filter with check valve					Brass suction filter suitable for ponds, storage tanks, etc. With check valve.	<input type="checkbox"/>
Fine-mesh water filter						
Fine-mesh water filter with adapter					Fine-mesh water filter, 125 µm, max. temperature 50°C. Protects the high-pressure cleaner from dirt particles contained in the water. Water flow rate up to 1200 l/h. Connection ZUK DCDSMU	<input type="checkbox"/>
Water supply hose						
Water supply hose		P			1: 5 5 XS VR r&	<input type="checkbox"/>
Backflow check valve						
Backflow preventer					To prevent detergent getting into the drinking water cycle in FDVH R (QBNDWBZ SUHXXUH KR/VZ DNJUH/VNDQXS VR r& VMMG DFRUGO) VR, (& (QAU UDNG QDNDJH protection	<input type="checkbox"/>

■ Included in delivery. □ Available accessories. ▲ Extension hose.

Accessories for HD 5/12 CX Plus 1.520-133.0



3

	Order No.	Flow rate				Price	Description	
5 RDMQ <input type="checkbox"/> DMKLQ <input type="checkbox"/> EUKVK								
	1							<input type="checkbox"/>
Push-on washing brush								
Push-on washing brush							With clamp for mounting directly to units' double or triple nozzle. Fits on new double and triple nozzles.	<input type="checkbox"/>

■ Included in delivery. Available accessories. ▲ Extension hose.