

Our very first product was the world's first plastic hose connector – the Hoze-Lock.

Today, we are a global garden equipment manufacturer with our head office in Birmingham, UK. Over 75% of our watering and spraying products are made in Britain and France, with the remaining 25% produced at our overseas factories in the Far East.





05

04

Hose Storage



06 12

Hose



18

Fittings



19 24

Hose End



25 29

Automatic Watering



30 46

Natural Gardening



Pumps



52 ↓ 53

Sprayers



Committed to British manufacturing, we are proud to be a significant employer within the British workforce.

> Hozelock continuously invests in both people and machinery to meet the

> > growing demand from consumers as interest in gardening continues to rise.



At our Birmingham factory, we have recently upgraded our equipment by implementing five Sumitomo Demag injection moulding machines. Among these is an impressive 830-tonne machine, which moulds larger pieces such as side discs for carts and reels - capable of producing over 5,500 discs in a single day.

Additionally, the 280-tonne twin-shot machine efficiently creates the soft-touch casings for our hose end connectors,

with an annual production capacity of over 3 million units! These new machines are not only faster and more reliable but also greener, using less than a third of the energy required by the machines they are replacing.





SolarDrip

The go-to solution for effortless plant watering, whether you're on vacation or watering daily.

Perfect for both indoor and outdoor plants, the Hozelock SolarDrip kit ensures responsible, water and energy-efficient irrigation.

Aquasolo® Universal

Microporous ceramic cones that optimise plant watering by gradually and autonomously diffusing water.

The Hozelock SolarDrip irrigation system is a complete, integrated solution for watering up to 20 potted plants. It includes a drip irrigation kit with a 20-meter hose (4mm in diameter) and 20 drippers, each delivering 2 litres of water per hour. This efficient system ensures water reaches directly to the base of each plant, reducing waste and minimising the risk of plant diseases.

Whether there's a large garden, a balcony filled with flowers, or a terrace packed with pots, this versatile kit adapts to any setup, making plant care easy with minimal effort.

Solar power and rainwater: the smart way to water responsibly!

Powered by solar energy, these innovative irrigation timers come with a large solar panel, removing the need for electrical connections. This eco-friendly and economical solution is compatible with water from rainwater collectors or water butts, making it an environmentally responsible choice.

The Hozelock SolarDrip timer takes responsible water management further by allowing controlled watering frequency, duration, and volume for each dripper. For effortless plant care: the Hozelock SolarDrip solar irrigation system.



- 100% compatible with 0.5L to 2L bottles thanks to the new universal adapter.
- No screwing system due to the new legislation requiring caps to be attached to plastic bottles (except for 5L bottles).
- 5 models to choose from. Select the model of cone based on the pot size or plant needs.
- Stabiliser for better vertical stability of large-capacity bottles (included in the 3+1 pack or available in the accessories range).



We are excited to share our commitment to increase the eco-friendliness of our products, packaging, and manufacturing processes.

70% Recycled Hose

We are proud to announce that our entire knitted hose range, including the popular Ultimate, Ultramax, and Ultraflex hoses, are now crafted from an impressive 70% recycled materials.

This substantial achievement is the result of our dedication to evolving our hose construction and transitioning to recycled VC materials.

In 2022, we took a significant step towards sustainability by producing the knitted hose range with 40% recycled materials. Now, we are taking it even further!

Throughout this transformative journey, our top priority has been to ensure that quality and performance remain uncompromised. Rigorous testing has been conducted to guarantee that every hose maintains the high standard our customers expect from Hozelock.

By implementing this change, we are proud to remove more than 900 tonnes of virgin PVC material from our range, making a positive impact on the environment while providing gardeners with reliable, eco-conscious watering solution.



This new hybrid hose system blends the premium features of our best-selling Auto Reel range with optimum portability, for effortless watering like never before.

Auto Reel Mobile

The practical wheeled design is ideal for gardeners who require an automatic reel, but prefer not to permanently fix the unit in one place.

Simply wheel the Auto Reel Mobile to the desired location and unfold the front leg to anchor it to the ground. Pull out as much hose as is required - the integrated auto-rewind system ensures a smooth, controlled rewind with no kinks or tangles. With a generous 35m hose length and the multi-functional 3-in-1 nozzle, the Auto Reel Mobile tackles any watering

task quickly and easily – leaving

you with more time to enjoy

your garden!



The AquaSave[™] Pro sprinklers features innovative 3D control, avoiding wasted water, increasing coverage, and perhaps most importantly – not getting the user wet.

Improved Rectangular Sprinklers

The AquaSave $^{\!\scriptscriptstyle\mathsf{TM}}$ Pro XL includes six adjustable jets that can be turned on or off to match the desired

coverage. It also includes a flow control adjustment, allowing the user to stop the water flow while moving the sprinkler around your garden.

With its 3D control, it is easy to manage the width, direction, and range of the sprinkler for maximum flexibility.





Auto Reel Mobile - the automatic rewind hose system

This new hybrid hose system blends the premium features of our best-selling Auto Reel range with optimum portability, for effortless watering like never before.

The hose that puts itself away... anywhere.

Automatic rewind cart with brake system

Pull the hose to easily unwind; the mechanism automatically locks at regular intervals to prevent accidental retraction. The braking mechanism and layering system ensures a smooth, controlled rewind with no kinks or tangles.

2 Large wide wheels

Large wide wheels ensure exceptional manoeuvrability and mobility.

3 Front kickstand

Unfold the front leg and click into place for stability when watering, then fold away for easy storage.

4 Premium kink-resistant hose

The premium 35m hose, including an extra-long 5m of feeder hose, is kink resistant, ensuring your garden is watered with minimal fuss.

Child lock

Features a child lock to secure the hose for reassurance.

6 3-in-1 Nozzle included

A 3 spray pattern nozzle for all your cleaning and garden tasks, including a fine rose spray for gentle watering of roots and flowers and an improved cone pattern for quick watering of larger beds or vegetables. A jet pattern provides powerful cleaning for garden tools and outdoor furniture.

Adjustable handle and feeder hose tidy

The adjustable handle with park points keeps the feeder hose and nozzle tidy.

8 Accessory storage

The rear basket allows for convenient storage of accessories and garden tools.





Code	•
SAP Code	100-100-48
Product	35m Auto Re

35m Auto Reel Mobile• Wheeled automatic hose system

30m + 5m

Pack Quantity Barcode



Terms and conditions apply. www.hozelock.com/guarante

















Auto Reel - the automatic rewind hose reel



Watering your garden and storing your hose is so easy with Auto Reel.

It smoothly unwinds only the amount of hose that you need.

When you are finished, the automatic rewind system effortlessly stores the hose away, with no kinks or tangles.



Use all over your garden

The multi direction wall hanger rotates 180° to follow you around the garden or sit neatly against the wall.



Always ready to go

The built in hose stop prevents the hose fully retracting so it is easily available every time.



Convenient storage

The hanger on the 2401 and 2403 has storage space for spray guns and accessories to help keep your garden tidy.



Quick to fit or remove

The wall hanger design and carrying handle mean you can quickly put the Auto Reel on the wall or take it off again.



Safe and secure

Features a child lock for reassurance and a padlock* fixing point for security.



2485R0000

10m Auto Reel Wall mounted

T





2401 0000

20m Auto Reel Wall mounted







2403 0000

30m Auto Reel Wall mounted







40m Auto Reel • Wall mounted





Compact Reel Storage - keep your small garden or patio clutter free



2427 0000

Micro Reel

• Rotating Drum with Handle: Quickly and neatly stores the hose without tangles.

- 'Click & Go' System: The connector snaps onto the tap, the nozzle clips onto the reel, and the handle makes winding and unwinding effortless as you walk.
- Water at Any Length: No need to fully unwind the hose.
- Ideal for Small Gardens: Compact size allows you to keep it close to the tap or store it neatly when not in use
- Ready to Use: Includes hose, fittings, and nozzle.

Pack Quantity









2364 0000

- Stores up to 30m of ø19mm hose
- Park points for connectors and hose end accessories when
- Additional storage space to the front of the hanger









2382R0777 2392P0000

- **Hose Box** Free standing
- · Enclosed to protect hose Large carry handle to easily move around the garden

20m

Display Include Pack Quantity



2410R0000

30m Hose Reel

Free standing

Universal Hose Guide

- Guides the hose ground a wall or corner of a building











Pico Reel Free standing

Enclosed to protect hose Dual usage - can be carried or left by the tap











Open Reel Storage - tidy storage, fewer kinks and tangles





2412R0000

30m Hose Reel

• Free standing













30m Hose Reel 60m Hose Reel









2-in-1 Open Reel Storage - use free standing or wall mounted





45m Assembled

























60m Hose Reel



60m Hose Reel

25m



Enclosed Reel Storage - added protection for your hose






















• Free standing reel with easy rewind









and automatic hose layering • Portable with folding carry handle



Pack Quantity







Open Cart Storage - easy to move around the garden











60m Hose Cart • Wheeled hose reel











• Accessory storage on handle

Pack Quantity



60m Assembled Hose Cart

30m -



2435R0000

60m Assembled Hose Cart

Accessory storage on handle





90m Assembled Hose Cart

• Accessory storage on handle • Large wheels for stability

2448R0000





· Accessory storage on handle

Pack Quantity









60m Assembled Metal Hose Cart · Accessory storage on handle







Wonderhoze - woven expanding hose



This woven, durable, lightweight hose expands up to x3 its original length, with guaranteed leak-free fittings to give you a water tight









Superhoze City - perfect for your balcony, terrace or small garden

The Superhoze City bags include all a start-up gardener needs for city life with small outdoor spaces such as balconies, terraces and small gardens.

The versatile and durable bag provided has been inspired to help gardeners with a multitude of tasks such as weeding and pruning through to watering and storage solutions.







Superhoze - the expanding hose

This amazing hose expands up to x3 its original length, with guaranteed leak-free fittings to give you a water tight connection.

Superhoze

Expands up to x3 its original length and quickly shrinks back to its original size after use.

Outdoor Tap Connectors 21mm G½ (½"BSP)

26mm G¾ (¾"BSP)

AquaStop Connectors

Allows you to change your hose end without turning off the tap.

Adjustable Nozzle

Allows you to adjust from a jet to a fine spray.

Includes:









Phthalate free <0.1%





Superhoze

15m



3 Highly elastic core



















Superhoze





:	8215A9012	(Com-	8230A9012	No.
Code	100-003-776	Možnos	100-003-778	(O)
uct	Superhoze 15m DQP		Superhoze 30m DQP	
ay Includes	32 x 8215A	-	24 x 8230A	No. of Concession, Name of Street, or other Persons, Name of Street, or ot
Quantity	1	TO SERVE	1	图 温度
ode	5 010646 061254 >		5 010646 061391 >	
41770 .5	e e e	《 》 医多层的	19141	5 20



Tuffhoze - advanced hybrid hose technology

Advanced hybrid garden hose, combining the best of two hose technologies.

Traditional PVC:

- Dura-Tech inner core for incredible flexibility and maximum strength.
- High pressure burst resistance 40+ bar, in conjunction with the outer textile layer.
- Constant, high water flow even at low temperatures.
- Guaranteed length.

Textile:

- Tuff-Fibre woven technology ensures enhanced durability for long lasting wear.
- Amazingly flexible, effortless to manoeuvre and store.
- Kink free & ultra lightweight.
- UV resistant & easy to clean.









Compared to traditional hoses:


Up to 50% lighter

Kink free & easy to manoeuvre

Super tough & durable







2 Durable Flexi-Nut Lightweight, flexible anti-fold collar to avoid creases in the hose and maximise water-flow.

Oura-Tech PVC inner core For maximum flexibility and strength.



3 Guaranteed leak-free fittings Ensures a water tight connection.

Tuffhoze

12.5m





Tuffhoze


25m



















Watering Hose - durable hose for every garden







Watering Hose - durable hose for every garden





5 010646 055574

5 010646 055512



Outdoor Tap Connectors - for outdoor threaded taps



1/2" & 3/4" Outdoor

Tap Connector • For outdoor threaded taps • Includes adaptor for older

- tap styles ø 21mm - G½ (½"BSP) ø 26.5mm - G¾ (¾"BSP)





	SAP Code
	Pack Quantity
ı	Barcode







1/2" & 3/4" Outdoor

Tap Connector &

Hose End Connector

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

· For outdoor threaded taps





1" Outdoor



ø 26.5mm - G¾ (¾"BSP)

Non Return














- ½" & ¾" Outdoor Tap Connector For outdoor threaded taps
- Made from Nickel Plated Brass for durability ø 21mm - G½ (½"BSP)
- ø 26.5mm G¾ (¾"BSP) 10





durability

10

For outdoor threaded taps


ø 21mm - G½ (½"BSP)

















Indoor Tap Connectors - adapt your indoor tap



Indoor Threaded **Tap Connector**

ø 22mm M22 (Female)

• For kitchen tap with aerator head

Pack Quantity





Indoor Threaded

Tap Connector • For kitchen tap with aerator head

ø 24mm M24 (Male)

10



Mixer Tap Connector

Max. 34mm wide x 43mm

• For square, round and oval kitchen

• Comes with a choice of sealing washers

10



2274 6012

25



Outdoor and Indoor Tap Connectors - for round or oval taps





2176P9000

Round Tap Connector • Adjustable stainless steel clip for simple fitting

Pack Quantity





2252 0000



Round Mixer Tap Connector • Adjustable stainless steel clip for simple fitting

Min. ø 14mm, Max. ø 18mm Min. ø 20mm, Max. ø 24mm





Multi-Tap Outlets - create multiple outlets from one tap






Pack Quantity









ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

• Includes 2289 connector for making a 3 way connection



2-Way Tap Connector • Creates two outlets from

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

ø 33.3mm - G1 (1"BSP)

a single tap · With individual outlet control (adjust flow or switch off)



3-Way Tap Connector Flowmax

• Creates three outlets from a single tap • Additional Flowmax outlet can be

ø 21mm - G½ (½"BSP)

ø 26.5mm - G¾ (¾"BSP)

ø 33.3mm - G1 (1"BSP)

positioned to easily dispense water



4-Way Tap Connector • Creates four outlets from

2150R0000

a single tap · With individual outlet control (adjust flow or switch off)









Hose Connectors - connect your tap to the hose

Code	2070 0000
SAP Code	100-000-547
Product	Hose End Connector Soft touch for comfort

Size	ø 12.5mm & 15mm
Pack Quantity	10
Barcode	

ode	5 010646 059466 >
	2070 6002
Code	2070 6002

AP Code	100-000-550	
ack Quantity	25	
arcode		





	Pro
Code	2030P0000
SAP Code	100-000-473
Product	Hose End Connector Pro Soft touch for comfort Flexible tail prevents kinking Made from zinc alloy for durabili
Cina	- 12 F 9 1F



2050P0000

Hose End Connector Soft touch for comfort

• Flexible tail prevents kinking ø 12.5mm & 15mm

25





100-000-513	100-
15	25 (Tv
5 010646 051880 >	5



2050P0025 🎏

Plus Twin Pack

ø 12.5mm & 15mm

10 (Twin Pack)

Soft touch for comfort

Hose End Connector

Flexible tail prevents kinking

Hose End Connector Plus Soft touch for comfort

· Flexible tail prevents kinking

ø 15mm & 19mm

5 010646 051477	>
2060 6000	
100 000 527	





Connector Sets

Pack Quantity

Display Include

Pack Quantity



et

Connects hose system to an outdoor tap
‱ 1.5m -
-
5



Hose End Connector Pro

• Soft touch for comfort Flexible tail prevents kinking • Made from zinc alloy for durability


ø 15mm & 19mm

78800

10

Watering Starter Set • Nozzle and soft touch connectors for ø 12.5mm & 15mm hose









Fittings and Nozzle Grab Bag

Nozzle and connectors for ø 12.5mm & 15mm hose

Not all connectors are made equal, see what makes ours the best









Manufactured from ABS for impact resistance and rigidity. Stops water after removing the watering device.

2 Connection Grip

Manufactured from Dupont Delrin® Acetal with a silicone additive for ease of use. Triple connect point for the strongest possible



Manufactured from ABS for impact resistance and strength with soft touch over-moulding for an enhanced grip.

4 Tough Inner Core

Manufactured from Dupont Delrin® Acetal, one of the most crystalline engineering thermoplastics, to bridge the gap between plastics and metals.



5 Connection Grip

Polypropylene teeth stay resistant to repeated stress and provide a secure hose

6 Hose Tail (Plus and Pro only)

Manufactured from tough, but flexible Polypropylene for a secure hose connection that prevents kinking.

AquaStop Connectors - switch accessories without wasting water













2035P0000

AquaStop Connector

• Soft touch for comfort

• Made from zinc alloy for

Flexible tail prevents

ø 12.5mm & 15mm

kinkina

durability





	Plus
2075 0000	2055P
100-000-556	100-00

AquaStop Connector Soft touch for comfort

ø 12.5mm & 15mm

2075 6002

Pack Quantity

AquaStop Connector Plus

• Soft touch for comfort

ø 12.5mm & 15mm

2055 6000

• Flexible tail prevents kinking

Plus

kinking

2065 6000

2065P0000

• Soft touch for comfort Flexible tail prevents

AquaStop Connector

ø 15mm & 19mm

2045P0000 AquaStop Connector

• Soft touch for comfort Flexible tail prevents

kinkina • Made from zinc alloy for durability

ø 15mm & 19mm











Y Connector • Allows three hoses to be joined using 3 hose connectors



¾" Accessory Adaptor • Can be used to turn a female connector into a male connector





Spiral Hose Adaptor Connector • Converts the hose end into • Allows two hoses to be joined using two hose connectors





Double Male Connector Pro

• Allows two hoses to be joined using two hose connectors

Made from Nickel Plated Brass for durability

10

Pack Quantity

2289A6002

ø 26.5mm - G¾ (¾"BSP)

2170A6002

ø 26.5mm - G¾ (¾"BSP)

2291 6012

2291P9000

Double Male







Hose Repair

Connector Pro For repairing damaged hose • Made from Nickel Plated

Brass for durability ø 12.5mm & 15mm 10

ø 16mm & 23mm 10

O-Ring Kit • O-Rings and tap washer spares



Inlet Adaptor Hose reel and cart inlet

Pack Quantity

2100 6012

ø 12.5mm & 15mm

Hose Repair Connector

• For repairing damaged hose



ø 15mm & 19mm

2200A6002

10





More information on all our products car be found on www.hozelock.com

Jet Spray Guns - ideal for cleaning tasks



Pack Quantity

Spray Patterns

Pack Quantity

Display Includes

Jet Spray • Lockable on/off trigger and thumb operated flow control



Jet Spray Plus • Lockable variable flow trigger and separate flow control




• Powder coated die cast metal body • Lockable on/off trigger



metal accents • Lockable variable flow trigger and separate flow



• Die cast metal body with soft over moulding





Multi Spray Guns - perfect for watering your garden



45 x 2342 9019



Multi Spray Plus • Lockable variable flow trigger and separate flow



Multi Plus • Powder coated die cast



• Premium guns with durable metal accents • Lockable variable flow

trigger and separate flow









45 x 2343 9019




40 x 2351 9016




30 x 2371 9018







3-in-1 Nozzle - for quick cleaning






























Pack Quantity




















100-001-287 Telescopic Lance Spray Plus 140

• Long reach telescopic handle – up to 140cm

- Adjustable head angle provides convenience for watering plants at different heights Lockable variable flow trigger and separate flow control





Nozzle & Gun Spray Patterns





























Outdoor Shower - hot shower anywhere, naturally and free



Outdoor Shower

- Lightweight
- Portable
- Temperature adjustable solar shower using the suns energy to heat energy efficent hot showers
- Ideal for rejuvenating after the pool, hot tub, travelling or camping







4 x 100-100-213

Shower DQP



Round Area Sprinklers - for small or larger round gardens



Round Sprinkler

- 8 jets ensure very even water coverage • Ideal for established plants and turf

Pack Quantity

Max. Coverage 177m²



Multi Sprinkler

- 8 differently shaped spray patterns: small semi circle, large semi circle, mist, strip, small circle, large circle, square and remote jet • Ideal for small gardens
- Max. Coverage 79m² 10m diameter









Round Sprinkler Plus

- Rotating sprinkler on sled, two spray patterns.
- Fine spray for seeds and seedlings, jet spray for turf and established plants

Max. Coverage 254m²



Pulsating Sprinkler Plus

• Powerful watering for large areas

• Adjustable distance and jet shape, between a jet or wide fan

 \bullet Water a full circle or a part of a

circle, from 65° to 360°

Max. Coverage 450m²

Metal spike

24m diameter












Round Sprinkler Plus

Max. Coverage 314m²

- Ultra even coverage due to water powered motor and 5 jets
- Metal spike, can water circle or part
- Round Sprinkler Pro • Ultra even coverage due to water powered motor, two spray patterns
- Metal spike, can water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and





• Water circle or part circle. Fine spray for seeds and seedlings, jet spray for turf and established

Max. Coverage 314m²

Rectangular Area Sprinklers - perfect for square or rectangular areas







Rectangular Sprinkler Plus 220 M

- Ultra even coverage due to water powered motor and 16 jets • Control the area watered with
- adjustable oscillation control • Stop water at the sprinkler.
- Max area coverage 220m²

24 x 100-100-250 4 Pack Quantity





Ultra even coverage due

- to water powered motor and 18 jets
- Control the area watered with adjustable oscillation control • Stop water at the sprinkler.
- Max area coverage 250m²





Rectangular Sprinkler AquaSave Pro 220 M

- Ultra even coverage due to water powered motor
- Adjustable width with 12-16 jets Control the area watered
- with adjustable oscillation control • Stop water at the sprinkler
- Maximum area coverage 220m²

Pack Quantity




Rectangular Sprinkler AguaSave Pro 350 XL

- Ultra even coverage due to water powered motor
- Adjustable width with 14-20 jets
- Control the area watered with adjustable oscillation control
- Stop water at the sprinkler
- Maximum area coverage 350m²






Oscillators with full 3D control



1 Flow Control

Fine tune the spray area to make every drop count.

2 Stop Water at the Sprinkler Stay dry when moving or adjusting the sprinkler.



3 Adjustable Direction Choose how far to water on each side of the sprinkler.

4 Class Leading Motor Giving larger coverage without moving the sprinkler.

5 Adjustable Width (Pro only)

Take control of individual jets and avoid wasted water by changing the width to suit your garden.

6 Metal Spray Bar High precision jets give a more defined spray pattern.







Automatic Watering is a system that takes water from the tap to your plants using a simple network of narrow pipes and outlets hidden in the garden. This can be controlled manually or by an electronic water controller.

If you are looking for a simple system to water your container plants when you are away on holiday, or a sophisticated system to water your entire garden, you'll find that an Automatic Watering system helps you manage your garden much more easily, allowing you to spend more time doing the things you want, rather than the things you have to.

Why Automatic Watering?

What are the benefits of Automatic Watering?

Have some time off

During the summer months your plants need an increased amount of water, requiring daily watering which can sometimes become a bit of a chore.

Automatic Watering systems take this burden away meaning you have more time to do other things.

Water more efficiently

Automatic Watering systems deliver more controlled waterin directly to the roots, reducing water wastage through evaporation or inaccurate watering.

Not only does this save water, it could also save you money on your water bills.

See your garden bloom

So many plants are affected by both under and over watering, which can potentially kill them or make them more prone to disease.

Regular controlled watering produces stronger, happier and more vibrant plants making your garden look great with less work.

Get out more

Automatic Watering systems allow you to be away from home with the assurance that your garden continues to be watered.

No more bothering the neighbours and family or coming back to dead plants.



Universal System - why Easy Drip?





Hozelock Easy Drip is a quick and easy automatic watering system for any garden. Simple to install, the system saves time, water, and effort, whilst improving plant growth.

- Modular kits allow you to easily grow your system
- Simple to build from scratch or add to an existing irrigation
- Easy Drip works seamlessly with all existing systems allowing you to join or extend them together with no fuss.

Easy Drip System - installing Easy Drip is quick and simple



7023 0000

Universal Kit

- Complete watering kit for an area up to 10m²
- Perfect for watering borders, beds and vegetable patches
- Multiple kits can be connected together to make a larger system



7024 0000

Micro Kit

- Complete watering kit for up to 15 · Great for watering pot plants and
- hanging baskets
- Multiple kits can be connected to make a larger system

7005 0000

Easy Drip Universal Sprinkler/ Dripper (3 Pack)

- Safe and smooth piercing of the hose for an easy, water tight
- Water flow can be regulated from 0 to 40 LPH
- Each dripper can water up to 100cm in diameter providing extensive coverage
- Supplied with an innovative ground peg for easy positioning and angle selection from 0 to 90°



7021 0000

and cutting

Flexi Hose

• Micro hose effectively carries water from your tap to individual drippers

- Ultra flexible for easy installation
- UV stable construction providing excellent durability and longevity
- Can be buried underground for discreet installation

20m (ø13mm)

Pack Quantity















15m (ø4mm)









Ready-to-Use Automatic Watering Kits - the simple way to install your system









2802 1240

Pack Quantity

15 Pot Watering Kit

- Water your pots, hanging baskets, borders, veg
- Control how you water your garden from 5 minutes to up to 2 hours to save time, water, and

2210	Mechanical Timer	x1
7022	Pressure Reducer	x1
2772	Micro Tube (4mm)	15m
2777	T-Piece Connectors (4mm)	x14
2778	Straight Connectors (4mm)	x5
2782	Wall Clips (4mm)	x5
7043	Drippers with Stake (4LPH)	x15

■ 15m (ø4mm)

010646 061094

x1 x1 x5







2803 1240

20 Pot Watering Kit

- Automatic watering for patio pots, hanging baskets, borders, veg patches, and greenhouse
- The Select Controller provides the flexibility to adjust watering duration, frequency, and start

2220	Select Controller
7022	Pressure Reducer
2772	Micro Tube (4mm)
2777	T-Piece Connectors (4mm)
2778	Straight Connectors (4mm)
2782	4mm Wall Clips (4mm)
7043	Drippers with Stake (4LPH)

■ 15m (ø4mm)

+ x5 x1 + x5





2804 1240


100-001-402

25 Pot Watering Kit Automatically control how you water your

frequency, and start time

garden, saving you time, water, and effort The Select Controller provides extensive control and flexibility to adjust watering duration,

	,,	
2220	Select Controller	x1
7022	Pressure Reducer	x1
2764	Supply Tube (13mm)	15m
2766	Elbow Connectors (13mm)	x2
2767	T-Piece Connector (13mm)	x1
7031	End Plug (13mm)	x2
2779	Blanking Plugs (13mm)	x10
2770	Stakes (13mm)	x10
2771	Wall Clips (13mm)	x5
2799	Hole Punch	x1
2772	Micro Tube (4mm)	10m
2777	T-Piece Connectors (4mm)	x14
2778	Straight Connectors (4mm)	x10
2782	Wall Clips (4mm)	x5
7043	Drippers with Stake (4LPH)	x15
2785	Fnd of Line Drippers (4) PH)	x10





HOZELOCK

Automatic Watering Hose - water your garden without the effort



Dripper Hose

- Dripper hose with drippers integrated every 30cm
- Combine with micro irrigation fittings to efficienty water flowerbeds
- Water flow rate 4 LPH



	4
THY MOVERON	I CONTRA
DATE:	Control of the last of the las
ø13mm	

	Ø 13111111
Code	7038 0025
SAP Code	100-003-616
Product	Dripper Hose
Size	25m
Pack Quantity	1
Barcode	5 010646 060752

7006 0000
100-004-659
Dripper Hose
50m
1
5 010646 063135 >



Porous Soaker Hose

Ideal for watering borders, vegetable patches, and greenhouses without waste


Seeps water along the full length of hose






agnox (III)	aguax July
6761P0000	6762P0000
100-001-917	100-001-922
Porous Soaker Hose	Porous Soaker Hose

15m









Sprinkler Hose

• Perforated flat hose, produces a fine spray

10m

• Using the fitting supplied, two can be joined together







e	6755P0000
Code	100-001-908
duct	Sprinkler Hose
	7.5m
c. Coverage	27m²
k Quantity	10
code	5 010646 006880 >





Build Your Own: A Tap Connection - connect the system to your tap



The tap connection is vital. It connects the watering system to the mains water supply.

There are three different ways to make this connection.

Always use a pressure regulator to control the water pressure to ensure the best performance.

All installations below can be automated by adding a Hozelock Water Contoller.

Remote Connection

To connect to an area that does not reach your tap:

Cut a section of hose.

Add Hose Connectors to each end. Connect the hose and Pressure Regulator (7022) together. Attach to a tap with a

- Threaded Tap Connector. • Hose - Page 13-18, 34, 36 & 40 • Tap Connectors - Page 20-21
- Hose Connectors Page 22-23


Direct Connection

To make a direct connection to the watering system, screw the Pressure Regulator (7022) directly onto your outside tap or Automatic Water

• Controllers - Page 38-39

Total Flexibility

For the most flexible connection, use a 4-Way Tap Connector (2150) and screw the Pressure Regulator (7022) onto one of the four outlets.











7022 0001

Pressure Regulator (1 Pack)

Reduces tap water pressure to 1,5 bar for optimum performance

Ø 21mm - G1/2 Ø 26,5mm - G¾



Build Your Own: A Tap Connection - connect the system to your tap



Automate your system by adding an Automatic Watering Controller.

Water even when you're away on holiday.

Automatic Watering Controllers are easy to set up and operate.

Simply attach them to your garden tap, set the timer for when you want the water to come on, for how long, and how often, turn on and forget







Code	2210 0000
SAP Code	100-000-666
Product	Mechanical Controller • Manually select, timed watering
Watering Schedule	Once a day
Watering Duration	Up to 120 minutes
Inlet Size	ø21mm - G½, ø26,5mm - G¾, ø33,3mm - G1
Pack Quantity	5
Barcode	

Select Plus Controller

For ultimate control of your automatic watering, the new Select Plus Controller has the flexibility to programme any time, any day, and for any duration. The user may schedule watering with a maximum of three programmes per day.

- The large LCD screen displays all the programme information and can be set up and easily adjusted using the 'Rotate and Push button'.
- Further features include a 'Rain delay' to pause watering as per the weather forecast and a 'Water now' function for immediate watering that will override the schedules for a quick soak of the garden.
- Not sure how to programme your watering? With the Select Controller (2220) you needn't worry, it comes with 16 pre-set programmes to suit you and your garden.







Build Your Own: A Tap Connection - connect the system to your tap







Sensor Controller

Sunrise and sunset is the best time to water your garden to avoid leaf scorch and exessive evaporation.

- Sensor Controllers include a daylight sensor that automatically adjusts your daily watering schedule to start
- Both units are supplied ready to use with the most popular watering schedule of twice a day for 10 minutes.
- Simply insert batteries to get started.







Water-Efficient Irrigation Precise control of the amount of water provided to each plant to prevent waste



Solar Irrigation Powered by a photovoltaic system integrated into the timers

Automatic Irrigation



SolarDrip - Solar Automatic Watering Kit

Drip Irrigation Kit with Solar-Powered Autonomous Timer for 20 Pots.

100% Autonomous **Watering Timer** powered by a large solar panel and includes 3 rechargeable batteries

2 13 Preset Programs

3 Manual Watering function of up to 20 minutes

4 "Delayed Watering" Function Options for 1, 3, or 5 days

6 Optimal Watering Control hoose the watering duration, frequency, and the amount of water

















HOZELOCK

Build Your Own: B Pipeline & Components - carries water around your system




Build Your Own: B Pipeline - carries water around your system

Supply Tube

- High quality 13mm central supply hose for transporting water around your garden
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity
- Co

ov stable construction providing excellent durability and longevity			
Can be buried underground for discreet installation			
	ø13mm	ø13mm	
ode	7007 0000	2764R0000	
AP Code	100-004-660	100-001-324	
oduct	Supply Tube	Supply Tube	
ze	15m	25m	
ack Quantity		5	
arcode	5 010646 063142 >	5 010646 040181 >	





2764 0050

Micro Tube

- 4mm Micro Tube effectively carries water from your tap to individual drippers
- Flexible for easy installation and cutting
- UV stable construction providing excellent durability and longevity

AND ADDRESS OF	Can be buried underground for discreet installation		
CAMPAN AND THE		Ø4mm	Ø4mm
STORY SAVE	Code	2772P0000	2772 0025
是大学的一种	SAP Code	100-001-344	100-003-125
	Product	Micro Tube	Micro Tube
二	Size	10m	25m
	Pack Quantity	5	5
-	Barcode	5 010646 040303 >	5 010646 060769 >

Build Your Own: B Pipeline Components - ø13mm Hose

90° Elbow Connectors

'kinking' when going around

· Operating pressure range

Designed to prevent

UV stabilised for long

lasting durability and

(5 Pack)

up to 300 kPa





Flow Control Valves (2 Pack)

- Used to control the flow of the water within the 13mm Supply Tube (2764)
- Ideal for isolating zones of an irrigation system and for reducing flow
- UV stabilised for long lasting durability and performance











Straight Connectors

- Used with 13mm Supply Tube (2764) to branch off Used with 13mm Supply Tube (2764) to make an extra line, or split the repairs or extend pipe in two directions
- up to 300 kPa

T-Piece Connectors

(5 Pack)

- UV stabilised for long lasting durability and
- (5 Pack)
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and performance



- Secures 13mm Supply Tube (2764) to fences and walls
- Requires 2 x screws/nails
- UV stabilised for long lasting durability and

T-Piece Connectors (12 Pack)











End Plugs (12 Pack)

Operating pressure range

• UV stabilised for long lasting

durability and performance

Supply Tube (2764)

up to 300 kPa

• Used to terminate runs of 13mm





• For use with 13mm Supply Tube

(2764) to split the flow of water

• Operating pressure range

• UV stabilised for long lasting

durability and performance


up to 300 kPa



Ratchet Clamps (12 Pack)

- Ratchet clamps are used to secure fittings to 13mm Supply Tube (2764) to make a tight and secure
- Requires no tool for installation
- Can be twisted and unclamped if reauired
- UV stabilised for long lasting





Stakes (10 Pack)

• UV stabilised for long lasting

durability and performance



Build Your Own: B Pipeline Components - ø4mm Hose



T piece Connectors (12 Pack)

- Used with 4mm Micro Tube (2772) to route irrigation system around the garden • Operating pressure range
- up to 300 kPa UV stabilised for long lasting durability and performance "

2781 0012

Peg/Stakes (12 Pack)

and performance

• Secures the 4mm Micro Tube (2772)

• UV stabilised for long lasting durability

Elbow Connectors (12 Pack) Barb joiner for easy

- connection to 4mm Micro Tube (2772) • Directing flow of water around corners and
 - preventing pipe kinking Operating pressure range up to 300 kPa
 - UV stabilised for long lasting durability and



Flow Control Valves

Used to control the flow of

the water within a 4mm

• Ideal for isolating zones of

Micro Tube (2772)

UV stabilised for long

lasting durability and

(5 Pack)









Wall Clips 4mm (12 Pack)

Secures 4mm Micro Tube (2772) to wall and fences Comes complete with an irrigation system and for reducing flow

2778 0012



Straight Connectors (12 Pack)

- Used with 4mm Micro Tube (2772) to make repairs or extend and branching from 13mm Supply Tube (2764)
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and







In-Line Pressure Compensating Dripper (5 Pack)

- Self-regulating dripper that gives a constant 4 LPH, regardless of water
- · Built in filter, automatically self cleans and shuts off when pressure is below

In-line - ø4mm

4 LPH (1.5 bar)

Flow Rate

Product

Build Your Own: C Drippers for precise watering





- Self-regulating dripper that gives a constant 4 LPH, regardless of water
- Built in filter, automatically self cleans and shuts off when pressure is below

In-Line – ø13mm

4 LPH (1.5 bar)

End-of-Line – ø4mm



Some of the drippers, with an integrated pressure compensating technology, guarantee the water flow rate even for sloping ground.

To prevent leaf scorch

the micro drippers deliver the water at the base

Drippers are used at the base of plants to

provide very precise watering to the roots -

They are very versatile and can be used

in pots on balconies or to water shrubs

and plant diseases.

of the plant.

perfect for saving water!

in your flowerbed.



Pinch Drip™ Pressure Compensating Dripper (12 Pack)

 Pressure compensating dripper with a turbulent • Maintains a constant and

In-Line - ø13mm

4 LPH (1.5 bar)

End-of-Line – ø4mn

uniform drip rate of 4 LPH



CETA® In-Line Pressure Compensating Dripper Spikes (5 Pack)

- Pressure compensating dripper with a turbulent flow path - delivering a pre set amount of water at different water pressure
- Blockages minimised with in-built filter
- Spike model to anchor dripper at the base of the

In-Line - ø4mm



Astα® End-of-Line Pressure Compensating Dripper Spikes (5 Pack)

- Pressure compensating dripper with a turbulent flow path
- Sealed to maintain pre set discharge rates and uniformity
- Blockages minimised with in built filter
- Spike allows easy and precise positioning for accurately targeting the root zone of plants

In-Line – ø4mm	End-of-Line – ø4mm
✓	-
0 ≒ 40 LPH (1.5 bar)	4 LPH (1.5 bar)
✓	✓
6	6

Pinch Drip™ Pressure Compensating Dripper (24 Pack)





Astα® End-of-Line Pressure Compensating Dripper Spikes



Build Your Own: B Pipeline Components - ø13mm & ø4mm Hose





Key Punch (1 Pack)

- Punch holes in 13mm Supply Tube (2764) • Includes a hex spanner for fitting parts to 4mm Micro Tube (2772)
- UV stabilised for long lasting durability and









Micro Support Stakes (10 Pack)

• Anchors securely into the ground to lift

micro sprinklers, sprayers above crops

allowing the water to fall from above

• UV stabilised for long lasting durability

in a natural rain pattern

and performance



Reducing T-Connectors (12 Pack)

- Designed to quickly and easily fit 4mm Micro Tube (2772) to 13mm Supply Tube (2764) to allow for branching off to drippers
- Operating pressure range up to 300 kPa
- UV stabilised for long lasting durability and







• Used to seal holes in 13mm Supply Tube (2764) \bullet Operating pressure range up to 300 kPa

Micro Extension Tube (10 Pack)

• UV stabilised for long lasting durability

• Several extension pipes

can be screwed together

and performance

• Extend the height of the dripper by 24cm

- UV stabilised for long lasting durability and performance
- Can be used at the end of 4mm Micro Tube



HOZELOCK

Build Your Own: D Sprinklers for larger areas



Hedgerows Vegetable Patches Sprinklers deliver a fine spray over a larger area to water multiple plants.

This can mean a quicker installation and less components to purchase but be sure that the water is being directed as close to each plant's base as possible.

Flower Beds

Different spray angles, area coverage, and adjustable flow can allow you to target the water specifically.

Ideal for your flowerbeds, vegetable patches, and hedgerows.



Installation

Watering Angle

Area Coverage

Flow Rate

Pack Quantity

Pack Quantity



360° In-Line Adjustable Sprinkler Spikes (12 Pack)

- Flow and coverage adjusted by rotating the cap
- Spike model to anchor dripper at the base of the plant

In-Line – ø4mm

0 ≒ 40 LPH (1.5 bar)

360°

60 cm





360° Adjustable Sprinklers (12 Pack)

• Flow and coverage adjusted by rotating the cap

In-Line – ø13mm

End-of-Line - ø4mm

0 \$\ 40 LPH (1.5 bar)



Sprinkler Spikes (12 Pack)

• Flow and coverage adjusted by

360° End-of-Line Adjustable

- rotating the cap
- Includes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764)

360° Spectrum® Adjustable Spray (5 Pack)

• Flow and coverage altered by rotating the cap

End-of-Line – ø4mm

0 \$ 80 LPH (1.5 bar)

- Spike model to anchor dripper at the base of the plant
- · Includes 4mm inlet to connect 4mm Micro Tube (2772) to 13mm Supply Tube (2764)

End-of-Line – ø4mm
360°
60 cm
✓
0 ≒ 40 LPH (1.5 bar)





360°

350 cm

360°

60 cm

2787 0024

360° Adjustable Sprinklers



360° Spectrum® Adjustable Spray (12 Pack)



Build Your Own: D Sprinklers for larger areas



90° Micro Spray Jets

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

(12 Pack)

elevate sprav

In-Line - ø13mm

68 LPH (1.5 bar)

90°

260 cm

Watering Angle

Area Coverage

Adjustable Flov

Pack Quantity

Installation

Watering Angle

Area Coverage

Adjustable Flow

Flow Rate

Pack Quantity

Flow Rate

End-of-Line - ø4mm



2791 0012





180° Micro Spray Jets

• Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

(12 Pack)

elevate sprav

In-Line - ø13mm

68 LPH (1.5 bar)

180°

460 cm

End-of-Line - ø4mm





2792 0012

360° Micro Spray Jets

Use with Micro Support

Stake (7029) and Micro

Extension Tube (7030) to

(12 Pack)

elevate sprav

In-Line - ø13mm

68 LPH (1.5 bar)

360°

700 cm

End-of-Line - ø4mm











2797 0012



Use with Micro Support Stake (7029) and Micro

elevate spray

Extension Tube (7030) to

Strip Micro Spray Jets 360° Mist Micro Spray Jet (12 Pack) • Produces a fine mist spray

- Produce α fine jet over α narrow strip
- Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate In-Line

(12 Pack)

elevate spray	
In-Line – ø13mm End-of-Line – ø4mm	In-Line – ø13mm End-of-Line – ø4mm
2 x 20°	360°
560 cm	90 cm
-	-



ø13mm

42 LPH (1.5 bar)



22 LPH (1.5 bar)











Vari-Jets™ (3 Pack) • Produces a fine spray

• Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray

In-Line – ø13mm

End-of-Line - ø4mn

0

55 LPH (1.5 bar)



2794P0000

- 180° Vari-Jets™ Adjustable (3 Pack)
- Produces a fine spray Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray

In-Line – ø13mm

180°

10

200 cm

End-of-Line - ø4mn

0

55 LPH (1.5 bar)



360° Vari-Jets™ Adjustable (3 Pack)

In-Line – ø13mm

End-of-Line - ø4mm

0 ≒ 55 LPH (1.5 bar)

• Produces a fine spray Use with Micro Support Stake (7029) and Micro Extension Tube (7030) to elevate spray

360°

10

200 cm





Adjustable sprinkler

Designed to be adjusted to

alter flow and coverage

distribution uniformity

• 'C' Frame design for

strenath and high

In-Line – ø13mm

360°

600 cm

End-of-Line - ø4mm

(5 Pack)





Easy Drip Universal Sprinkler (3 Pack)

Safe and smooth piercing of the hose for an easy, water tight installation Supplied with an innovative

ground peg for easy positioning and angle selection from 0 to 90°


In-Line – ø13mm 360° 100 cm 0 \$\ 40 LPH (1.5 bar)

0 ≒ 82 LPH (1.5 bar)

Aquasolo® Universal - watering cones









Aquasolo S

• Easy to use

12

• Sold individually

For pots ø 25cm

• Perfect for holiday watering

• Ceramic watering cones with a universal adapter

Ensures your plants are watered for up to 29 days straight, depending on the size of your pot and cone

• Suitable for watering potted plants indoors or outdoors

 \bullet 100% compatible with bottles from 0.5L to 2L



Aquasolo M

For pots ø 30-40cm

12











Aquasolo XL

For pots ø 65cm

12

Aquasolo L • Ceramic watering cones with a universal adapter

- 100% compatible with bottles from 0.5L to 2L
- Perfect for holiday watering
- Ensures your plants are watered for up to 29 days straight, depending on the size of your pot and cone
- Easy to use
- Suitable for watering potted plants indoors or outdoors
- Sold individually
- For pots ø 45-60cm



Aquasolo® Universal - watering cones









Aquasolo XL

For pots ø 65cm



NEW

Aquasolo S

Aquasolo M

• Set of 4 cones • Includes 1 stabilizer for large-capacity bottles (2L to 5L)

NEW

• 100% compatible with bottles from 0.5L to 2L For pots ø 25cm For pots ø 30-40cm



NEW

For pots ø 45-60cm

NEW

Aquasolo Special

Planter Pot



Pack Quantity

Pack Quantity

NEW

100-101-275

48 packs of 4 cones = 8 x Aquasolo S - Orange (100-101-068) 24 x Aquαsolo M - Green (100-101-070) 8 x Aquasolo L - Yellow (100-101-072) 8 x Aquasolo Special - Gray (100-101-076)

NEW

100-101-277 72 packs of 4 cones =

12 x Aquasolo S - Orange (100-101-068) 24 x Aquasolo M - Green (100-101-070) 12 x Aquasolo L - Yello (100-101-072) 24 x Aquasolo Special - Gray (100-101-076)



24 packs of 4 cones =

8 x Aquasolo S - Orange (100-101-

8 x Aquasolo M - Green (100-101-

8 x Aquasolo L - Yellow (100-101-







• Improves stability with large bottles (2L to 5L) for extended autonomy in outdoor use

• Sold in a set of 4 units

Pack Quantity 12







Aquasolo® Outdoor











Automatic and Eco-Friendly Watering

- Micro-porous terracotta pots for buried watering
- Water savings of over 50% compared to surface watering
- Deep watering for healthy root development
- Water automatically, resulting in time savings on watering









TRADI ★★★☆☆

Aquasolo Outdoor Tradi 1,5L

TRADI ★★★☆☆ Aquasolo Outdoor Tradi 1,5L

 Water level indicator included. No need to open

EXPERT ★★★★★ Aquasolo Outdoor Expert 1,5L

- Water level indicator included. No need to open the lid to check if there is water inside
- Cork lid: durable and minimizes evaporation
- Cylindrical shape: easy to bury and unearth



EXPERT ★★★★★ Aquasolo Outdoor Expert 51

- Water level indicator included. No need to open the lid to check if there is water inside
- Cork lid: durable and minimizes evaporation
- Cylindrical shape: easy to bury and unearth









45cm x 45cm





1,5L





45cm x 45cm





80cm x 80cm



Waterers - stress-free growing for a range of plants





Growbag Waterer

- 4 capillary water spikes deliver water from 15 litre reservoir directly
- Integrated water level indicator and quick refill access point
- Base includes three vertical





Easy Plant 3-in-1

- 4 capillary water spikes deliver water from 15 litre reservoir directly to plant roots
- Integrated water level indicator and quick refill access point
- Base includes three vertical bamboo cane holders







Replacement Capillary

- Mat Set
- Contains 8 pieces Compatible with





Bokashi composter - kitchen composter



How to use it?

- 1 Pour in your food waste
- 2 Pack the waste to eliminate air pockets
- 3 Place 20g of Bokashi activator between each layer of waste and close the lid
- Collect the liquid fertiliser every 3-5 days.

 This juice is used as plant fertiliser, dosage 1/100
- 5 Once the Bokashi has been filled, leave to ferment for 14 days, then empty the contents of the bucket into $\boldsymbol{\alpha}$ garden compost bin or bury it in the ground

ding on the waste, it may take longer to extract the "juice".











Compost Bucket 3.5L

- Compost bucket for storing kitchen waste before composting
- To avoid opening the Bokashi several times a day, bearing in mind that fermentation must take place without air (anaerobic bacteria)
- To reduce handling and odours and
- For emptying waste into both
- kitchen and garden compost bins • Compact, designer 3.5L bin with wide opening for easy filling
- Easy to clean, dishwasher safe



Bokashi Composter 15L

- your kitchen waste, including fish and meat, without unpleasant
- Provides a rich fermenting liquid that can be used as a fertiliser and
- a base for making quality compost • 15L bin with ergonomic lid and
- hermetic seal to prevent odours • Telescopic tap for easy juice collection
- Clever system for storing accessories under the lid. always within easy reach
- Dishwasher safe
- Supplied with 350g of Bokashi bran



- Bokashi Composter 15L X2 • Set of 2 Bokashi for continuous • The best way to reduce and recycle composting
 - 1 compost being filled
 - 1 maturing compost (once the vat is full, 15 days without opening it to comp fermentation process)
 - The best way to reduce and recycle your kitchen waste, including fish and meat, without unpleasant
 - Provides a rich fermentation liquid that can be used as a fertiliser and a base for making quality compost
 - Supplied with 350g of Bokashi bran



Bokashi Activator

Refill for 100-100-498

• Bokashi Activator is a blend of bran,

These micro-organisms speed up

the process of decomposing waste

effective micro-organisms

by causing it to dehydrate

molasses and micro-organisms and

and 100-100-500

EasyMix 2-in-1 Composter















Tumbling composter for the easy mixing of home and garden waste.

- 3 times faster than conventional composters: compost ready in just 6 to 8 weeks.
- Roll the drum around your garden to distribute the compost with ease.
- Reservoir collects the compost juice, with integrated "Click & Spray" hose applicator to enrich your garden soil.
- The enclosed lid with lockable lid prevents pests and bad smells.
- Compact design it will easily find a place in the garden, garage, or balcony.
- Manufactured with more than 90% recycled plastic and 100% recyclable.

- 1 Put the waste in the composter and lock the lid.
- 2 Turn the drum to mix the waste and accelerate decomposition for quicker composting.
- 3 The compost is ready after only 6 to 8 weeks of resting. Roll the drum around your garden to distribute the compost.
- 4 Collect your compost juice, a rich liquid plant food, using the tank under the composter.
- **5** Enrich your garden soil by connecting the "Click & Spray" tank to your garden hose.
- 6 Rinse the tank after use.



Code	
SAP Code	
Product	

EasyMix 2-in-1 Composter



BioMix - the eco-friendly solution to take care of your plants



Produce homemade nutrient-rich liquid feed out of plants such as nettles and comfrey.


An efficient way to fertilise your plants and to prevent plant diseases.

The closed tank has a lid and mixing action to ensure that the leaves decompose quickly whilst the pungent smell is contained within the mixer.

Easy to use filter to drain the liquid and integrated tap to recover the fertiliser.

How to use it?

- 1 Cut 1kg of plants and place them inside the tank.
- 2 Add 10L water.
- 3 Close the lid, and stir thoroughly every 2 days.
- 4 After about 10-15 days, when there are no longer bubbles rising to the surface, the maceration is complete.
- 6 Recover the liquid fertiliser in an opaque drum.
- Dilute your plant fertiliser with water. The dilution is indicated in the usage booklet (between 5% and 20%). Use it with a sprayer or watering can.
















Hozelock Pure - spray your homemade natural recipes





4200 0000

Pure Sprayer

A translucent and graduated bottle for accurate dosing

- 11cm long reach nozzle and high-resistance connectors, resistant to corrosive products
- Equipped with a filter for liquid manures/infusions • 360° function for spraying the underside of leaves





Pure Sprayer

· A translucent and graduated bottle for accurate dosing

- A fibreglass lance and high-resistance seals, resistant to corrosive products such as vinegar
- Equipped with a filter for liquid manure/infusions







Electric Thermal Weeders - weed without chemicals









Green Power Evolution Thermal Weeder

- \bullet Delivers a thermal shock to the weed (up to 600°C)
- Destroys the plant cells and the weed in just a few seconds
- Protective shield for precise and targeted treatment
- Safe and easy-to-use: no chemicals
- Firelighter function for quick and easy lighting of barbeques



Gas Thermal Weeders - weed without chemicals



The most powerful cordless weeder on the market. Safe weeding, 2x faster, 4x more economical.*

- Secure weed control thanks to infrared technology: the flame, safely inside the shield, heats the ceramic plate up to 800 °C which will cause a thermal shock to kill the weed.
- Weed large areas with the large 12 x 20cm ceramic plate.
- This product is 2-in-1: it can be used with a gas cartridge and also with a gas bottle.
- Gas cartridge: up to 3 hours. Gas cylinder: up to 122 hours.











4177 0000 100-004-648

Green Power Turbo Gas Thermal Weeder

- Ergonomic handle with piezo ignition and ON / OFF valve
- Adapter supplied for connection to a gas cylinder
- Wheel for greater free of movement











Flood Pumps - empty flooded areas



7602 0000

Flowmax 7500

- A 3 in 1 flood pump (clean water, dirty water, ground level suction) thanks to its reversible base system, which can be changed without the need for tools
- Ready to use pump that comes with a straight connector (for hoses Ø ≥ 25mm) and a 15mm/19mm quick connect turbo coupling
- Adjustable float switch to turn the pump on or to stop it when there is
- Non-return valve included in reversable base to prime the pump easily and to guarantee ground level suction
- 350W max. pumping capacity of 7,500L/hr
 Max. immersion depth of 7m
- Solids up to 30mm Max. extraction height 4.5m







Water Butt Pumps - use stored water



7612 0000



• Submersible for use with spray guns, sprinklers, micro irrigation and hosepipes up to 50m in length

• 300W max. pumping capacity of 2,200L/hr • 1.1 bar pressure





Water Butt Treatment

A safe non-toxic treat for stored water

Treats 6400 litres of water





Jet Pumps - move water around your garden



7606 0000

Jet 3000 K7

- A garden pump that comes ready for use with a 7m suction kit, filter, multi-stage connector and a 15mm/19mm quick turbo connector
- Easy to use. Cable storage system, wide carrying handle, easy to prime thanks to its filter cap
 Incredibly durable thanks to its robust plastic case and ceramic connectors
- Overheating protection for motor and hydraulic circuits
- 600W max. pumping capacity of 3,000L/hr
- 3.5 bar pressure




Pack Quantity









Trigger Sprayers - for small tasks in the home or garden



4119 0000

different colours:

even under leaves

• Wide base for greater

• Decorative trigger with 3

Adjustable conical nozzle

• 360° function for spraying

from straight spray to mist

sage green, beige and

Kaléïdo

stability



Trigger Sprayer 0.8L











Pulsar 1L

- Decorative trigger with 5 • Decorative trigger with different colours: fir green opening on the translucent tank for easy filling turmeric yellow, beige, deep Colours: water blue, ocean
- Adjustable conical nozzle blue, olive green from straight spray to mist • 360° function for spraying
 - even under leaves • Adjustable conical nozzle
 - from straight spray to mist • Ergonomic 3-finger trigger









T1 Evolution

• 360° function for spraying, even under leaves at night

- 11cm extension wand for fine spray or mist
- Adjustable nozzle for fine spray or mist
- 3 different colours: olive green, terracotta red, grey





Spraymist Trigger Sprayer

• Translucent, graduated bottle

Perfect for indoor or balcony watering

• Nozzle adjustment from jet to mist









T2 Evolution



4122P0000

Spraymist

- Translucent gauge to check volume level
- Lockable on/off spraying
- 11cm long reach nozzle
- Nozzle adjustment from jet to mist

Pressure Sprayer

- Pressure Sprayer
 - Lockable on/off spraying • Wide opening for an easy
 - filling and emptying Anti-theft nozzle
 - Easy to pressurise pump Nozzle adjustment
 - Adjustable nozzle from jet from jet to mist
 - Anti-theft nozzle 1.25L

Pressure Sprayer

Equipped with Viton

fluoroelastomer seals

for use with agressive

• Lockable on/off spraying

5102P0000

Viton











Pressure Sprayers - easy and accurate application for all uses



4230 0000

Standard 5L

20cm

5L

Lance clip stores equipment

Adjustable Carrying Strap

2-handed pumping handle

Dosing Cap

Adjustable Nozzle (jet to mist)

Multi Nozzle - 3in1 spray patterns

Composite lanc + 20 cm flexible nozzle

Pack Quantity





STA			

PULSAR PLUS

4311 0000

1

PULSAR VITON



4231 0000

Standard 7L

30cm



4232 0000

Standard 10L

30cm

10L



4310 0000




















-	-	-	✓	✓
-	-	-	-	-
30cm	40cm	60cm	-	-
-	-	-	40cm + 20cm	40cm + 20cm
5L	7L	12L	5L	7L
			-	

7L	12L	5L	7L
6	6	6	6
5 010646 062688	5 010646 062695	5 010646 062701	5 010646 062718
~	~	~	~



Promo

Pulsar 7 Select

- Adjustable nozzle from jet to fine mist
 - 2-handed pump handle for greater comfort
 - 30 cm aluminium lance
 - Manufactured with anti-theft cable-tie (reduced packaging)

Pressure Sprayers - easy and accurate application for all uses









- Two-handed pump handle for easier pumping
- 3 Bar safety valve
- Adjustable carrying straps
- Lance clip for easier storage and nozzle protection
- Handle with integrated filter
- Translucent and graduated tank for reliable dosing
- 1.35m long hose







Electric Sprayer





4615 0000

Electric Sprayer 15L

- 15L tank with translucent graduated marks and shoulder straps
- 3 levels of pressure = 1 bar, 3 bar and one position for high flow
- Duration between 2.5 to 4.5 hours
- Lithium ion battery, easy to fit.
- Battery charge indicator and quick charging in 4 hours
- Wide opening hole (130 cm) with filter to prevent pump blockages
- Comes with 60cm aluminium lance and compatible with all Hozelock accessories



Knapsack Sprayers - ideal for large gardens





4712B0000

Pulsar Plus Comfort 12L

- Pulsar Plus Comfort 16L • Maximum comfort: a unique ergonomic design with a curved tank is easy to use left-handed or right-handed
- Easy pumping action: the perfect compromise between power and frequency, with an ergonomic handle
- Lockable lever, either in use or in storage
- Comes with a filter, mixer, Multi Nozzle (3in1 spray patterns to suit your treatment) and 60cm aluminium lance
- 1 bar pressure regulator
- Reinforced and adjustable comfort carry straps







Sprayer Accessories - sprayer spares available from www.hozelock.com



• Compatible with all 8mm lances and easy to take apart to clean



• A unique, practical and compact nozzle holder with 3 integrated nozzles, for all types of treatment

 \bullet Conical mist nozzle for a good coverage of insecticide or fungicide application on a shrub or bush









	5 010646 0620	
4091P0000	4099P0000	

1.5m Hose

• Wide flat fan nozzle 35-95cm for spraying weeding treatments over large areas Narrow fan nozzle 20-60cm for spraying DIY applications more precisely

Annual Service Kit -1.25L Pack Quantity

4424 0000

Multi Jet Nozzle



Trigger Assembly -Plus/Pro

4404 0000

4409 0000

4421 0000

Adjustable Nozzle

Telescopic Tube - 1m



Spray Nozzle Set



4106P0000

Extension Lance

4126 0000 Annual Service Kit Pro - 5L, 7L & 10L

T7/Pulsar Service Kit - 5/7/12L

uct	Trigger Assembly - Standard	
Quantity	5	
ode		

4403 0000

Flexible Nozzle

4408 0000

4420 0000

2 x 0.60m

Aluminium Lance -

0.60m

Composite Lance -







4405 0000

Round Cone

4410 0000

3.60m

Telescopic Lance -

4400 0000

Viton Trigger



4402 0000

4406 0000

	2 Nozzle Treat
	5
59701 >	5 010646















5 010646 059763 >	5 010646 062022 >
4422 0000	4423 0000

Weed Nozzle Kit	Telescop 2.40m
5	5





Complete Lance

and Trigger





HOZELOCK