Printing date 01.03.2019

Γ

Version number 4



Revision: 04.05.2017

1.1 Product	dentifier
<b>1.2 Relevan</b> No further r	<u>RM 31 ASF</u> identified uses of the substance or mixture and uses advised against levant information available. of the substance / the mixture Detergent
1.3 Details o Manufactur	f the supplier of the safety data sheet r/Supplier:
	er SE & Co. KG er-Str. 28-40 innenden
Postfach 160 D - 71349 W	nnenden
Tel.: +49-71 Fax : +49-7	
www.karche	com
Distributor: Kärcher (UH Kärcher Hot Brookhill W Banbury Oxon OX16 Great Britai	se y BED
Tel.: +44-12 Fax : +44-1	
Department Tel.: +49-71 Fax : +49-7 safetydata@	95-14-2548 95-14-3164
Spill, Leak, Call CHEM Within USA	us Materials [or Dangerous Goods] Incidents Fire, Exposure, or Accident REC Day or Night and Canada: 1-800-424-9300 and Canada: +1 703-741-5970 (collect calls accepted)

(Contd. on page 2)



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

(Contd. of page 1)

2.1 Classific	ation of the substance or mixture
	n according to Regulation (EC) No 1272/2008
Met. Corr.1	H290 May be corrosive to metals.
Skin Corr. 14	A H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
2.2 Label ele	ements
Labelling ac	cording to Regulation (EC) No 1272/2008
	is classified and labelled according to the CLP regulation.
Hazard picto	grams
$\mathbf{\wedge}$	
FI	
<b>79</b>	
GHS05	
Signal word	Danger
Hazard-deter	rmining components of labelling:
sodium hydro	
Hazard state	ments
H290 May be	e corrosive to metals.
H314 Causes	s severe skin burns and eye damage.
Precautional	ry statements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse si
	with water [or shower].
P305+P351+	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove conte
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/nation international regulations.
2.3 Other ha	
The product	t does not contain any organic halogen compounds (AOX), nitrates, heavy me
compounds.	
-	BT and vPvB assessment
PBT: Not ap	
vPvB: Not ap	•

**SECTION 3: Composition/information on ingredients** 

- · 3.2 Chemical characterisation: Mixtures
- · Description: Cleaning agent

(Contd. on page 3) GB



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

#### Trade name: RM 31 ASF

CAS: 1310-73-2	sodium hydroxide	5-<10%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	
Index number: 011-002-00-6		
Reg.nr.: 01-2119457892-27-xxx	cx -	

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

#### • 4.1 Description of first aid measures

- · General information
- Involve doctor immediately.

Immediately remove any clothing soiled by the product.

#### · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact
- Seek medical treatment.
- Immediately wash with water and soap and rinse thoroughly.
- Immediately rinse with water.

• After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.

- · After swallowing
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call for medical help immediately.

Drink plenty of water and provide fresh air. Call for a doctor immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- No further relevant information available.
- 5.3 Advice for firefighters
- *Protective equipment:* Wear fully protective suit.
- Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)



Printing date 01.03.2019

Version number 4

#### Trade name: RM 31 ASF

(Contd. of page 3)

Revision: 04.05.2017

	ptective equipment and emergency procedures		
	<i>Ceep unprotected persons away.</i>		
6.2 Environmental precaution	<i>Dilute with plenty of water.</i>		
Do not allow to enter sewers/ surface or ground water.			
			Do not allow to penetrate the ground/soil. 6.3 Methods and material for containment and cleaning up:
	aterial (sand, diatomite, acid binders, universal binders).		
Use neutralising agent.	alertai (sana, atalomite, acta binaers, universai binaers).		
	al as waste according to item 13.		
Ensure adequate ventilation.	a us waste according to ttem 15.		
6.4 Reference to other section	ns		
See Section 7 for information			
	on personal protection equipment.		
See Section 13 for disposal in			
<b>SECTION 7: Handling a</b> 7.1 Precautions for safe hand			
7.1 Precautions for safe hand			
Ensure good ventilation/exhau			
Prevent formation of aerosols			
Avoid contact with eyes and surfarmation about fire and	explosion protection: No special measures required.		
	ge, including any incompatibilities		
Storage Requirements to be met by sto	corarooms and recentacles,		
Unsuitable material for recep	-		
Unsuitable material for recep			
Store only in the original rece	•		
	one common storage facility:		
Do not store together with aci			
Keep away from food, beverag			
Further information about st			
Store under lock and key and	out of the reach of children.		
Keep receptacle tightly sealed	1.		
neep receptacte itsnity searce	rther relevant information available.		

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

1310-73-2 sodium hydroxide

WEL Short-term value: 2 mg/m<sup>3</sup>

(Contd. on page 5)



Revision: 04.05.2017

Printing date 01.03.2019

Version number 4

#### Trade name: RM 31 ASF

	(Contd. of pag
8.2 Exp	posure controls
Person	al protective equipment
Genero	al protective and hygienic measures
Keep a	way from foodstuffs, beverages and feed.
Immed	iately remove all soiled and contaminated clothing
Wash h	nands before breaks and at the end of work.
Do not	inhale gases / fumes / aerosols.
Avoid a	contact with the eyes and skin.
Respire	atory protection:
Use su	itable respiratory protective device only when aerosol or mist is formed.
	erm filter device:
Filter A	A/P2.
	e of brief exposure or low pollution use respiratory filter device. In case of intensive or lon re use self-contained respiratory protective device.
-	cessary if room is well-ventilated.
	tion of hands:
	ove material has to be impermeable and resistant to the product/ the substance/
prepar	
	on of the glove material on consideration of the penetration times, rates of diffusion and
degrad	
1115	Protective gloves.
Materi	al of gloves Butyl rubber, BR
Penetr	ation time of glove material
	act break trough time has to be found out by the manufacturer of the protective gloves and i bserved.
For the	e permanent contact gloves made of the following materials are suitable:
	rubber 0,7 mm, 480 min (EN 374)
As pro	tection from splashes gloves made of the following materials are suitable:
	rubber 0,4 mm, 30 min (EN 374)
Eye pro	otection:
	Tightly sealed goggles (EN 166)
Body p	rotection:
	ne resistant protective clothing
Boots	

(Contd. on page 6)

GB



Printing date 01.03.2019

Version number 4

#### Trade name: RM 31 ASF

(Contd. of page 5)

Revision: 04.05.2017

SECTION 9: Physical and chemi	
9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form: Colour:	Fluid Yellow
Odour:	Characteristic
Odour threshold:	Not determined.
<i>pH-value at 20 •C:</i>	13.5
pH-value 1 %:	12.5
Change in condition	
Melting point/freezing point:	-14 °C
Initial boiling point and boiling range	2: 100 °C
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.14 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	5 mPas
kinematic:	Not determined.
Solvent content:	
VOC (EC)	0.00 %
Solids content:	19.6 %
9.2 Other information	No further relevant information available.

(Contd. on page 7)

GB



Printing date 01.03.2019

Version number 4

#### Trade name: RM 31 ASF

(Contd. of page 6)

Revision: 04.05.2017

## **SECTION 10:** Stability and reactivity

- 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- *Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.*
- 10.3 Possibility of hazardous reactions Reacts with strong acids
- ${\it Strong\ exothermic\ reaction\ with\ acids}$
- Reacts with light alloys to form hydrogen
- Corrodes aluminium
- 10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials:
- Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

### **SECTION 11: Toxicological information**

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- $\cdot$  Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

#### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity:

## 1310-73-2 sodium hydroxide

LC50/96 h 125 mg/l (Gambusia affinis)

- *EC50/48 h* 76 *mg/l* (*Daphnia magna*)
- *EC50/15 min* 22 mg/l (Photobacterium phosphoreum)
- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

<sup>-</sup> GB



(Contd. of page 7)

Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

#### Trade name: RM 31 ASF

#### • Additional ecological information:

- · COD-value: 115000 mg/l
- · General notes:

The product does not contain organically bounded halogens (AOX-free).

The contained organic complexing agents reach a DOC-elimination grade of 80% (corresponding to No. 406 of Annex "Analytic and measuring methods") and with this meet the tightened demands of Annex 49 of the revised Direction on liqid waste.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach sewage water or drainage ditch undiluted or unneutralised.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

#### · 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

#### **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

#### · European waste catalogue

06 02 04\* sodium and potassium hydroxide

· Uncleaned packaging:

· Recommendation:

Packagings that may not be cleansed are to be disposed of in the same manner as the product. Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Non contaminated packagings may be recycled.

· Recommended cleansing agents: Water, if necessary together with cleaning agents.

# **SECTION 14: Transport information**

· 14.1 UN-Number · ADR, IMDG, IATA

UN1824

(Contd. on page 9)

GB



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

	(Contd. of page
· 14.2 UN proper shipping name · ADR · IMDG, IATA	1824 SODIUM HYDROXIDE SOLUTION mixtur SODIUM HYDROXIDE SOLUTION mixture
· 14.3 Transport hazard class(es)	
ADR	
3	
- Class - Label	8 (C5) Corrosive substances. 8
IMDG, IATA	
· Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	II
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category Segregation Code	A SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Anne. Marpol and the IBC Code	x II of Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	1L
$\cdot$ Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 n Maximum net quantity per outer packaging: 50 ml
Transport category	2
Tunnel restriction code	E
	(Contd. on page



Printing date 01.03.2019

Version number 4

Revision: 04.05.2017

Trade name: RM 31 ASF

	(Contd. of page
·IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities ( $\widetilde{EQ}$ )	Code: E2
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 50 ml
· UN ''Model Regulation'':	UN 1824 SODIUM HYDROXIDE SOLUTIO MIXTURE, 8, II

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

- Relevant phrases
   H290 May be corrosive to metals.
   H314 Causes severe skin burns and eye damage.
- · Department issuing SDS: PCD-D
- Contact: Department PCD-D Tel.: +49-7195-14-2548 Fax: +49-7195-14-3164
- safetydata@karcher.com
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals – Category 1

(Contd. on page 11)



 

 Printing date 01.03.2019
 Version number 4
 Revision: 04.05.2017

 Trade name: RM 31 ASF
 (Contd. of page 10)

 Skin Corr. 1A: Skin corrosion/irritation – Category 1A Eye Dam. 1: Serious eye damage/eye irritation – Category 1
 (Contd. of page 10)

 · 0.011-338.0
 RM 31 M/4.2
 1.828