Printing date 21.10.2017

Version number 5



Revision: 02.08.2016

undertaking 1.1 Product identi	fier
Trade name: <u>RM</u>	
	tified uses of the substance or mixture and uses advised against
	at information available. • <b>substance / the mixture</b> High pressure cleaner
	supplier of the safety data sheet
Manufacturer/Su	oplier:
Alfred Kärcher Gi	nbH & Co. KG
Alfred-Kärcher-St	
D - 71364 Winnen	
Postfach 160	
D - 71349 Winnen	den
Tel.: +49-7195-14	-0
Fax : +49-7195-1	
www.karcher.com	
Distributor:	
Kaercher (UK) Lte	<i>d</i> .
Kaercher House	
Beaumont Road	
Banbury	
Oxon OX16 1TB	
Great Britain	
Tel.: +44-1295-75	:2-000
Fax: +44-1295-2	
	on obtainable from:
Department PCD-	
Tel.: +49-7195-14	
Fax: +49-7195-14	
safetydata@karch	
1.4 Emergency tel	
	aterials [or Dangerous Goods] Incidents
	Exposure, or Accident
Call CHEMTREC	
	Vanada: 1-800-424-9300
	Canada: +1 703-741-5970 (collect calls accepted)

(Contd. on page 2)



Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

Trade name: RM 731 ASF

(Contd. of page 1)

2.1 Classific	ation of the substance or mixture
Classificatio	n according to Regulation (EC) No 1272/2008
Met. Corr.1	H290 May be corrosive to metals.
Skin Corr. 1.	A H314 Causes severe skin burns and eye damage.
Eye Dam. 1	H318 Causes serious eye damage.
2.2 Label ele	ements
	cording to Regulation (EC) No 1272/2008
	is classified and labelled according to the CLP regulation.
Hazard picto	
<u> </u>	
P	
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
$\sim$	
GHS05	
Signal word	Dancar
Signai wora	Danger
Hazard-dete	rmining components of labelling:
sodium hydr	
Hazard state	
-	e corrosive to metals.
	s severe skin burns and eye damage.
	ry statements
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361-	+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse s
	with water/shower.
P305+P351-	+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove cont
	lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/nation international regulations.
2.3 Other ha	
	t does not contain any organic halogen compounds (AOX), nitrates, heavy me
compounds.	
· ·	BT and vPvB assessment
PBT: Not ap	
vPvB: Not a	•

**SECTION 3: Composition/information on ingredients** 

- · 3.2 Chemical characterisation: Mixtures
- · Description: Cleaning agent

(Contd. on page 3) GB



Printing date 21.10.2017

Version number 5

#### Revision: 02.08.2016

#### Trade name: RM 731 ASF

Reg.nr.: 01-2119489411-37-xxxx	🗘 Eye Irrit. 2, H319	
~		
CAS: 1310-73-2		
	sodium hydroxide	2-<5%
EINECS: 215-185-5	Met. Corr.1, H290; Skin Corr. 1A, H314	1
Index number: 011-002-00-6		
Reg.nr.: 01-2119457892-27-xxxx		
CAS: 61827-42-7 d	alkyl-C10-polyethyleneglycolether + 8 EO	0.1-<3%
Reg.nr.: 02-2119549526-31-XXXX <	📀 Eye Dam. 1, H318; 🗘 Acute Tox. 4, H302	
EC number: 931-138-8 i	isotridecanolethoxylate + 8 EO	0.1-<3%
Reg.nr.: 02-2119552461-55-XXXX <	🤣 Eye Dam. 1, H318; 🚺 Acute Tox. 4, H302	
Regulation (EC) No 648/2004 on de	tergents / Labelling for contents	

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

#### · General information

Involve doctor immediately.

Immediately remove any clothing soiled by the product.

#### · After inhalation

In case of unconsciousness place patient stably in side position for transportation.

Supply fresh air; consult doctor in case of complaints.

- After skin contact Immediately wash with water and soap and rinse thoroughly.
- After eye contact Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing
- Rinse out mouth and then drink plenty of water.
- Do not induce vomiting; call for medical help immediately.
- Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed Corneal damage
- 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

## **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents Water with full jet.
- $\cdot$  5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.

(Contd. on page 4)

GB



(Contd. of page 3)

Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

#### Trade name: RM 731 ASF

#### · Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- 6.2 Environmental precautions: Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Do not allow to penetrate the ground/soil.
  6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).
- Use neutralising agent. Dispose contaminated material as waste according to item 13.
- *Ensure adequate ventilation.*
- · 6.4 Reference to other sections
- See Section 7 for information on safe handling
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

## SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eves and skin.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- *Requirements to be met by storerooms and receptacles: Unsuitable material for receptacle: aluminium. Store only in the original receptacle.*
- *Information about storage in one common storage facility:* Do not store together with acids. Keep away from food, beverages and feed.
- Further information about storage conditions: Keep receptacle tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

## **SECTION 8: Exposure controls/personal protection**

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 5)



Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

#### Trade name: RM 731 ASF

(Contd. of page 4) · 8.1 Control parameters · Ingredients with limit values that require monitoring at the workplace: 1310-73-2 sodium hydroxide WEL Short-term value: 2 mg/m<sup>3</sup> · 8.2 Exposure controls · Personal protective equipment · General protective and hygienic measures Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin. • Respiratory protection: Filter A/P2. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device. Not necessary if room is well-ventilated. Protection of hands: Protective gloves. · Material of gloves Butyl rubber, BR · Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. · For the permanent contact gloves made of the following materials are suitable: \* butyl rubber 0,7 mm, 480 min · For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable: Nitrile rubber, NBR • Eye protection: Tightly sealed goggles. · Body protection: Apron **Boots** GB

(Contd. on page 6)



Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

Trade name: RM 731 ASF

(Contd. of page 5)

9.1 Information on basic physical and c	hemical properties
General Information	
Appearance:	
Form: Colour:	Fluid Liebt wellow
Odour:	Light yellow Specific type
Odour threshold:	Not determined.
pH-value at 20 °C:	13.1
pH-value 1 %:	12.0
Change in condition	
Melting point/freezing point:	-7 °C
Initial boiling point and boiling range	: 100 °C
Flash point:	Not applicable
Flammability (solid, gaseous)	Not applicable.
Ignition temperature:	not applicable
Decomposition temperature:	Not determined.
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.101 g/cm <sup>3</sup>
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible
Partition coefficient: n-octanol/water:	Not determined.
Viscosity:	
dynamic at 20 °C:	6 mPas
kinematic:	Not determined.
Solvent content:	
Organic solvents:	0.0 %
VOC (EC)	0.00 %
Solids content:	22.0 % No further relevant information available.

(Contd. on page 7)



Printing date 21.10.2017

Version number 5

## Revision: 02.08.2016

Trade name: RM 731 ASF

(Contd. of page 6)

#### **SECTION 10:** Stability and reactivity

- 10.1 Reactivity corresponds to 10.3
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- $\cdot$  10.3 Possibility of hazardous reactions
- Strong exothermic reaction with acids
- Reacts with light alloys to form hydrogen
- Corrodes aluminium
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials:
- Not compatible with alkali-sensitive substances like Sn, Zn, Al and paintings.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known

## SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity Based on available data, the classification criteria are not met.

#### · LD/LC50 values relevant for classification:

#### 61827-42-7 alkyl-C10-polyethyleneglycolether + 8 EO

Oral ATE 500 mg/kg (Rat)

Dermal LD50 > 4,000 mg/kg (Rat)

isotridecanolethoxylate + 8 EO

Oral ATE 500 mg/kg (Rat)

- Primary irritant effect:
- · Skin corrosion/irritation
- Causes severe skin burns and eye damage.
- $\cdot$  Serious eye damage/irritation
- Causes serious eye damage.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

# • Aquatic toxicity:

1310-73-2 sodium hydroxide

LC50/96 h 125 mg/l (Gambusia affinis)

(Contd. on page 8)



Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

#### Trade name: RM 731 ASF

	(Contd. of page 7	
EC50/48 h	76 mg/l (Daphnia magna)	
	22 mg/l (Photobacterium phosphoreum)	
	lkyl-C10-polyethyleneglycolether + 8 EO	
LC50/96 h	10-100 mg/l (Leuciscus idus)	
EC50/48 h	10-100 mg/l (Aquatic invertebrates)	
EC50/72 h	· · · · · · · · · · · · · · · · · · ·	
isotridecanol	ethoxylate + 8 EO	
LC50/96 h	1-10 mg/l (Leuciscus idus)	
EC50/48 h	1-10 mg/l (Aquatic invertebrates)	
EC50/72 h	1-10 mg/l (Aquatic plants)	
	ice and degradability	
	ethoxylate + 8 EO	
Bismuth-act.	sup. $\geq 90 \% (mod. \ OECD \ 301 \ E)$	
at the dispose at their direct The contained	in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held I of the competent authorities of the Member States and will be made available to them	
Annex 49 of t Do not allow Must not read Danger to dru Rinse off of b A high pH-v considerably only low wate 12.5 Results PBT: Not app	of PBT and vPvB assessment blicable.	
Annex 49 of t Do not allow Must not read Danger to dru Rinse off of b A high pH-v considerably only low wate 12.5 Results PBT: Not app vPvB: Not app	d organic complexing agents reach a DOC-elimination grade of 80% (corresponding to nnex "Analytic and measuring methods") and with this meet the tightened demands of he revised Direction on liqid waste. product to reach ground water, water course or sewage system. h sewage water or drainage ditch undiluted or unneutralised. nking water if even small quantities leak into the ground. igger amounts into drains or the aquatic environment may lead to increased pH-values alue harms aquatic organisms. In the dilution of the use-level the pH-value i reduced, so that after the use of the product the aqueous waste, emptied into drains, i r-dangerous. of <b>PBT and vPvB assessment</b> blicable.	

· 13.1 Waste treatment methods

#### · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Must be specially treated adhering to official regulations.

(Contd. on page 9)

GB



(Contd. of page 8)

Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

Trade name: RM 731 ASF

· Uncleaned packaging:

• Recommendation: Non contaminated packagings may be recycled.

• Recommended cleansing agents: Water, if necessary together with cleaning agents.

14.1 UN-Number ADR, IMDG, IATA	UN1824
14.2 UN proper shipping name ADR IMDG, IATA	1824 SODIUM HYDROXIDE SOLUTION SODIUM HYDROXIDE SOLUTION
14.3 Transport hazard class(es)	
ADR	
Class	8 (C5) Corrosive substances.
Label	8
Class	8 Corrosive substances.
Label	8
14.4 Packing group ADR, IMDG, IATA	111
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Corrosive substances.
Danger code (Kemler):	80
EMS Number:	F-A,S-B
Segregation groups	Alkalis
Stowage Category	A
Segregation Code	SG35 Stow "separated from" acids.
14.7 Transport in bulk according to Ann Marpol and the IBC Code	ex II of Not applicable.



Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

Trade name: RM 731 ASF

	(Contd. of page
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: El
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 100
	ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities $(\widetilde{EQ})$	Code: El
	Maximum net quantity per inner packaging: 30 m
	Maximum net quantity per outer packaging: 100
	ml
· UN "Model Regulation":	UN 1824 SODIUM HYDROXIDE SOLUTION, 8
	111

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · National regulations
- · Information about limitation of use:
- Employment restrictions concerning juveniles must be observed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. A product information sheet can be provided if requested.

• **Relevant phrases** H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- · Department issuing SDS: PCD-D
- · Contact:

*Department PCD-D Tel.:* +49-7195-14-2548

(Contd. on page 11)

GB



Printing date 21.10.2017

Version number 5

Revision: 02.08.2016

Trade name: RM 731 ASF

		(Contd. of pag
Fax : +49-7195-14-3	164	
safetydata@karcher.d	com	
Abbreviations and ac		
Concerning the Internation ICAO: International Civil A ADR: Accord européen si International Carriage of I IMDG: International Mariti IATA: International Air Tra GHS: Globally Harmonise EINECS: European Inventu ELINCS: European List of	al Transport of Dangerous Goo Aviation Organisation ur le transport des marchandi. Dangerous Goods by Road) time Code for Dangerous Goods unsport Association d System of Classification and La ory of Existing Commercial Chen Notified Chemical Substances	ses dangereuses par Route (European Agreement concernin, abelling of Chemicals mical Substances
CAS: Chemical Abstracts S VOC: Volatile Organic Cor	'ervice (division of the American npounds (USA, EU)	Chemical Society)
LC50: Lethal concentration	1	
LD50: Lethal dose, 50 perc	cent	
PBT: Persistent, Bioaccum	ulative and Toxic	
vPvB: very Persistent and v	2	
Met. Corr.1: Corrosive to n	0 2	
Acute Tox. 4: Acute toxicity	0	
	ion/irritation – Category 1A	_
	mage/eye irritation – Category	
	mage/eye irritation – Category 2	
* Data compared to t	he previous version alter	ed.
0.011-673.0	RM 731/3·1	1.961