

WE TAKE IT SERIOUSLY SO YOU CAN HAVE FUN

From our first international success with the inflatable bath tub, to the invention of the Tahiti kayak in the1960s and the Hudson™ and Pacific™ kayaks of today, we've taken product development very seriously indeed.



TESTED TO THE MAX

With innovation and originality, we constantly look for new ways to surprise and delight our customers.

But it's not just about the bright ideas. We're proud of our reputation for high quality, ensuring that the most stringent standards are met in our production processes, including thorough testing from start to finish. We care about safety and we inflate all boats and kayaks before delivery.





WHY SEVYLOR?

At Sevylor we have a simple aim. To become the market leader in high-quality, portable, inflatable water sport and recreation products which encourage people to get out on the water and have fun.

Across our large and always evolving range of products, there are certain things that remain unchanged:

RELIABILITY

We believe that we have a duty of care to not only produce fun, innovative products, but also products that consumers can trust to be safe and durable. We perform inflation and deflation test on all boats and kayaks before delivering products to our customers.

COMFORT

We consider all aspects of customer usage and aim to make our products as comfortable as possible to use, with features such as adjustable seats and neoprene padding.

DIVERSITY

We produce a wide range of products to appeal to as many consumer groups as possible, from children to sports enthusiasts.

EASE OF USE

All our products incorporate features that help our consumers to get maximum performance and enjoyment, as easily as possible. Product portability is our primary design focus, together with stability and manoeuvrability.

USER FRIENDLINESS

We aim to make our products as easy as possible to understand, transport, use and store.

Sevylor products are durable, dependable and enjoyable - they encourage our customers to get out on the water and have fun, safely.





PRODUCT EXCELLENCE

PRODUCTION STANDARDS

We maintain control of the production process for our products from start to finish, so that we can make sure that rigorous quality standards are maintained throughout. We have strong partners in Asia, who conform to international standards, including ISO9001:2000 certification.

TECHNOLOGY

Our Research & Development team constantly reviews and

improves our manufacturing processes while also developing innovative new products. 60 years of experience in the field of inflatables, reinforced by the latest design technology, allows us to offer cutting edge products, meeting the highest levels of quality and customer satisfaction.

MATERIALS

Use of top quality material and specialist seam finishing has enabled us to develop extremely robust

specialist and general purpose inflatable items.

Our PVC is selected from the best suppliers and has not been recycled. It is selected and defined according to the requirements of each product, then

handled carefully

and stored in optimal conditions in order to preserve all its qualities. Our PVC is also environmentally friendly, conforming to the European Directive 2005/84/EC which prohibits the use of certain phthalates (chemical substances to soften the PVC) in certain products.

INNOVATION

Sevylor has always aimed to not only meet the needs of our customers but also to anticipate them.

From our first international success in 1949 with the

bath-tub 'Dou Dou', to the invention of the 'Tahiti' kayak in 1960 and the 'Hudson' and 'Colorado' kayaks of today, we have made innovation a constant within our company.

We pride ourselves on our innovative internal culture and streamlined decision making. Our marketing department works very closely with our Research & Development team to make sure that we continue to surprise and delight our customers.







INSPIRING PEOPLE TO GET OUT ON THE WATER

At Sevylor, we share a simple aim: to make high-quality, affordable, inflatable water sport and recreation products, all of which encourage people to get outside and have fun. Since our first international success in 1949, we're proud to have established a global reputation as a market leader with unique designs, original inventions and imagination at the forefront of what we do.





LEADERS IN INNOVATION

Our PVC inflatables cover a broad spectrum of activities and include kayaks, boats, swimming pools, and more. Sixty years of experience, together with the latest design technology, allows us to offer cutting edge products that meet the highest levels of quality and deliver customer satisfaction.

Designed to be portable and practical, all our products have one thing in common: to inspire people to get outside and enjoy themselves.

Sevylor ... we take fun seriously.











CONTENTS

8 Kayaks

20 Tenders

26 PFDs / Puddle Jumpers

32 Accessories

KEY



Size inflated (cm)



Number of inflatable chambers



Packaging size (cm)



Weight (kg)



Max. capacity adults



Users + gear weight (kg)



Standard



Max. capacity children



Qty per master carton



Max. load capacity (kg)




Classification

The inflated sizes are measured under the following conditions: product inflated with the recommended working pressure and at a temperature ranging between 18°C / 64°F and 22°C / 71°F









Ref:





















outings. The stability of the wide shape, together with the open style makes this a great range for beginners, and directional strakes with removable fins ensure easy tracking and manoeuvrability.



| | Ref: | | kg | | m | Å | | / | ТҮРЕ | | 100 |
|-----------|---------|-------------|---------|---|---|--------|---|------------|-------|-----------------|-----|
| Rio™ | 204 705 | 300 x 93 cm | 14 kg | 1 | 0 | 150 kg | 4 | ISO 6185-1 | III,B | 72 x 46 x 24 cm | ľ |
| Colorado™ | 204 706 | 330 x 94 cm | 16.4 kg | 2 | 0 | 200 kg | 3 | ISO 6185-1 | III,B | 76 x 46 x 25 cm | |





Removable chamber for convenience

Double I-beam floor in heavy duty PVC for resistance and rigidity

Wide shape for extra stability



PVC coated reinforced fabric bottom for stiffness

Also included: Bag + Mano





Supplied with a repair kit and owner's manual.




CANYONTM

204 836

The two-seater Canyon™ has been designed for convenience and reliability, and is perfect for river travelling, camping trips or just family fun. It is sturdy and durable, yet stored in its carry bag it fits in the boot of the smallest car. Safety and comfort have also been considered, with a protective hull, neoprene padding guards and spray cover.

Bungee cords for securing cargo



Ref:



























Boston valve for easy inflation / deflation

Heavy duty PVC for increased durability

Ref:



























Convenient SBM18 fittings (MM3 fittings on XR66 and larger models)



B Ref: 204 725 191 x 103 cm 3.3 kg 140 kg ISO 6185-1 47 x 38 x 9 cm XR56GTX-7 204 727 229 x 119 cm 4.9 kg 2.5/SBM18 200 kg 6 ISO 6185-1 55 x 38 x 11 cm XR66GTX-7 XR86GTX-7 204 729 265 x 121 cm 11.3 kg 3/SBM18 0 250 kg 7 ISO 6185-1 57 x 43 x 17 cm 204 730 322 x 132 cm 14.5 kg 3/SBM18 350 ka ISO 6185-1 57 x 48 x 18 cm XR116GTX-7





CARAVELLE™ RANGE


Our colourful, compact and durable range of Caravelles will provide seasons of pleasure for the family. The Caravelle™ is ideal for fun on the water at the beach, on a lake or on a camping holiday and comes in 4 sizes.



All-around grabline for security


| Ref: | | kg | Scv Hp | | m | | | | TYPE | |
|---------|-------------------------------|--|---|--|--|---------|--|--|---|--|
| 204 732 | 192 x 108 cm | 3.8 kg | - | 1 | 1 | 120 kg | 4 | ISO 6185-1 | I | 57 x 29 x 14 cm |
| 204 734 | 228 x 120 cm | 3.5 kg | - | 2 | 0 | 165 kg | 4 | ISO 6185-1 | - 1 | 57 x 32 x 13 cm |
| 204 735 | 271 x 128 cm | 7.1 kg | 2.5/SBM18 | 2 | 1 | 250 kg | 4 | ISO 6185-1 | 1,11 | 57 x 36 x 13 cm |
| 204 736 | 298 x 135 cm | 9.9 kg | 3/SBM18 | 3 | 0 | 310 kg | 4 | ISO 6185-1 | 1,11 | 56 x 36 x 15 cm |
| 2 | 204 732 204 734 204 735 | 204 732 192 x 108 cm 204 734 228 x 120 cm 204 735 271 x 128 cm | 204 732 192 x 108 cm 3.8 kg 204 734 228 x 120 cm 3.5 kg 204 735 271 x 128 cm 7.1 kg | 204 732 192 x 108 cm 3.8 kg - 204 734 228 x 120 cm 3.5 kg - 204 735 271 x 128 cm 7.1 kg 2.5/\$BM18 | 204 732 192 x 108 cm 3.8 kg - 1 204 734 228 x 120 cm 3.5 kg - 2 204 735 271 x 128 cm 7.1 kg 2.5/\$BM18 2 | 204 732 | 204 732 192 x 108 cm 3.8 kg - 1 1 120 kg 204 734 228 x 120 cm 3.5 kg - 2 0 165 kg 204 735 271 x 128 cm 7.1 kg 2.5/SBM18 2 1 250 kg | 204 732 192 x 108 cm 3.8 kg - 1 1 120 kg 4 204 734 228 x 120 cm 3.5 kg - 2 0 165 kg 4 204 735 271 x 128 cm 7.1 kg 2.5/SBM18 2 1 250 kg 4 | 204 732 192 x 108 cm 3.8 kg - 1 1 120 kg 4 ISO 6185-1 204 734 228 x 120 cm 3.5 kg - 2 0 165 kg 4 ISO 6185-1 204 735 271 x 128 cm 7.1 kg 2.5/SBM18 2 1 250 kg 4 ISO 6185-1 | 204 732 192 x 108 cm 3.8 kg - 1 1 120 kg 4 ISO 6185-1 I 204 734 228 x 120 cm 3.5 kg - 2 0 165 kg 4 ISO 6185-1 I 204 735 271 x 128 cm 7.1 kg 2.5/SBM18 2 1 250 kg 4 ISO 6185-1 I,II |











BUOYANCY AIDS

Vest buoyancy aid only suitable for competent swimmers. For use in sheltered waters where help is close at hand. This is not a lifejacket and is therefore not safe in the event of unconsciousness.

- IISO 12402-5 / EN 393 50 N
- Buoyancy aid for inland and sheltered water use. This jacket has limited safety in situations where the wearer is unconscious and wearing heavy clothing.



AVANT 200 S/M

205 517

Ideal for paddle sports

- Excellent freedom of movement with large armhole openings
- 200 Denier nylon shell
- Fixed front waist buckle with double side adjustment
- Full front zipper closure
- Comfortable floatation foam
- ISO 12402 5

| | | | Å |
|---|----------------|---------|------|
| | | Ref: | |
| | Avant 200 S/M | 205 517 | S/M |
| | Avant 200 L/XL | 205 518 | L/XL |
| / | | | |

AVANT 200 L/XL



PANACHE 500 S/M

205 521


Ideal for paddle sports

- Outstanding freedom of movement with large armhole openings
- 500 Denier nylon shell with abrasion resistance
- Compound shoulder adjustment system
- Fixed front waist buckle with double side adjustment
- Full front zipper closure
- Ergonomically designed foam pattern
- 2 accessible, side-entry zippered pockets for storage
- Front reflective tape and back lash tab
- ISO 12402 5

PANACHE 500 L/XL 205 522



| | Ref: | Å |
|------------------|---------|------|
| Panache 500 S/M | 205 521 | S/M |
| Panache 500 L/XL | 205 522 | L/XL |
| | | |



ACCESSORIES

| Model | Size Pressure | | Volume | Description | Reference | |
|---------|---------------|-------|--------|-------------|---|---------|
| model | (cm) | (PSI) | (mBar) | (L) | 2000 i piloti | |
| FP5L | 30 x 22 | 4.3 | 300 | 5 | Foot pump • Large volume Universal fittings • Inflates / Deflates | 204 755 |
| RB2500G | 46 x 22 | 14.5 | 1000 | 2 x 2 | River boat pump Double action Universal fittings Inflates / Deflates | 204 756 |





204 762

- 2 section paddle for double kayak
- Multiple feather settings
- Spoon-shaped fibreglass and reinforced polypropylene blades
- Special aluminium shaft
- Cold weather grip with blade indicator
- 2 drip rings

KC-COMPACT215

1 x kayak 215 cm 2 x canoe 150 cm 1.8 kg



204 765

- Kayak paddle (2.15m)
- Converts into 2 canoe paddles (2 x 1.50m)
- Aluminium shaft and polypropylene blades





204 782

Maintenance kit for PVC.
 Contents: 1 Boston valve, 2 small 2 large push-in plugs, universal inflation fittings and 1 glue tube

NOTES

| | | - |
|---|---|----|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | _ |
| | | · |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| - | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 14 |
| | | |
| | | |
| | | |
| | • | |
| | | |
| - | | |